

## MINERAL SURVEY No. 3758

ARIZONA

Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Dough Boy Copper Company

KNOWN AS THE

IDA MAY, LITTLE BEAUTY, JUDGE, EXCHANGE, NELLIE M., BALTIC,  
SUNSHINE, CAMERON, DUNKIRK, KENTUCKY and ACRE Lodes.

Globe

Mining District,

Gila

County, Arizona

Section s 11, 12 and <sup>14</sup>, Township 1 N., Range 15 E.,  
G. & S.R.M.

Surveyed under instructions dated March 28, 1921.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced March 29, 1921.

Survey completed April 14, 1921.

Address of claimant's Agent, Geo. A. Thayer,  
Globe, Arizona.

## DATES OF AMENDED LOCATIONS.

location  
See notices

MINERAL SURVEY NO. 3758

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	<u>Red</u> Pg.
Acre	15	22	21
Baltic	8	21	11
Cameron	11	21	15
Dunkirk	12	21	17
Exchange	5	20	7
Ida May	1	18	1
Judge	4	20	5
Kentucky	14	22	19
Little Beauty	2	20	3
Nellie M.	7	20	9
Sunshine	10	21	13

Feet.	MINERAL SURVEY NO. 3758.
	IDA MAY Lode.
	Beginning at Cor. No. 1, identical with S.W. Cor. of the location and Cor. No. 1, Baltic lode, this survey.
	On line 1-2, Judge lode, this survey, N.53°-50'E. 186.5 ft. from Cor. No. 1.
	A quartzite stone, 6 x 10 x 24 ins., chiseled cross at the exact corner, and 1-IM-3758 on the side facing this claim, set 12 ins. in the ground, with mound of stone alongside, whence
	The quarter corner between sections 11 and 14, T. 1 N., R. 15 E. G & S.R.M., bears N.18°-02'E. 144.3 ft.
	A quartzite boulder, 6 x 6 x 18 ins., out of the ground, chiseled cross B.R. 3758, bears S.06°-57'E. 16.83 ft.
	No other bearings available.
	Thence N.36°-10'W.
	Along line 1-4 of said Baltic lode.
169.20	Intersect the section line between sections 11 and 14 T. 1 N., R. 15 E. G. & S.R.M., N.89°-45'E. 2549.5 ft. from the section corner and S.89°-45'W. 144.5 ft. from the quarter corner.
293.70	To S.W.E.C. monument of the location, identical with N.E.E.C. of said Baltic lode, from which the discovery tunnel bears N.53°-50'E. 154.2 ft.
	A monument of stone, 3.5 ft. base, 3.5 ft. high.
593.70	To Cor. No. 2, identical with N.W. Cor. of the location and Cor. No. 4 of said Baltic lode.
	On line 4-1, Cameron lode, this survey.
	A quartzite stone, 4 x 8 x 24 ins., chiseled cross at the exact corner and 2-IM-3758 on the side facing this claim, set 12 ins. in the ground, with mound of stone alongside, whence
	A dacite boulder, 1.5 x 2.5 x 2.5 ft. out of the ground, chiseled cross B.R. 3758, bears N.53°-50'E. 54.0 feet.
	No other bearings available.
	Thence N.53°-50'E.

- Along line 1-4 of said Cameron lode.
- 893.70 To Cor. No. 4 of said Cameron lode, identical with Cor. No. 1. Exchange lode, also of this survey.
- Along line 1-4 of said Exchange lode.
- 1499.50 To Cor. No. 3, identical with N.E. Cor. of the location and Cor. No. 4, Little Beauty lode, of this survey.
- On line 4-1 of said Exchange lode.
- A diabase stone, 6 x 8 x 25 ins., chiseled cross at the exact corner and 3-IM-3758 on the side facing this claim, set 12 ins. in the ground, with mound of stone alongside.
- No bearings available.
- Thence S. 36°-10'E.
- Along line 4-3 of said Little Beauty lode.
- 300.00 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Little Beauty lode.
- A monument of stone, 3.5 ft. base, 3.5 ft. high.
- 593.70 To Cor. No. 4, identical with S.E. Cor. of the location and Cor. No. 3 of said Little Beauty lode.
- On line 3-4, Sunshine lode, this survey.
- A diabase stone, 10 x 12 x 30 ins., chiseled cross at the exact corner and 4-IM-3758 on the side facing this claim, set 15 ins. in the ground, with 4 x 4 post in monument of stone alongside.
- No bearings available.
- Thence S. 53°-50'W.
- Along line 4-3 of said Sunshine lode.
- 189.10 To Cor. No. 3, of said Sunshine lode, identical with Cor. No. 2, Judge lode, also of this survey.
- Along line 2-1 of said Judge lode.
- 1266.85 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N. 89°-57'-30"E. 143.1 ft. from the quarter corner and S. 89°-57'-30" W. 2475.2 ft. from the section corner.
- 1499.50 To Cor. No. 1, the place of beginning.
- LITTLE BEAUTY Lode.
- Beginning at Cor. No. 1, identical with N.E. Cor. of the location.

A diabase stone, 6 x 7 x 25 ins., chiseled cross at the exact corner and 1-LB-3758 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

The quarter corner between sections 11 and 12, T. 1 N., R. 15 E., G. & S.R.M., bears N.51°-06'-20"E. 885.4 ft.

A diabase stone, 2 x 10 x 10 ins. out of the ground, chiseled cross B.R. 3758, bears S.58°-45'W. 28.82 ft.

No other bearings available.

Thence S.36°-10'E.

300.00 To N.E.E.C. monument of the location, from which the discovery shaft bears S.53°-50'W. 72.0 ft.

A monument of stone, 4 ft. base, 3.5 ft. high.

593.70 To Cor. No. 2, identical with S.E. Cor. of the location and Cor. No. 4, Sunshine lode, this survey.

A diabase stone, 5 x 6 x 24 ins., chiseled cross at the exact corner and 2-LB-3758 on the side facing this claim, set 12 ins. in the ground, with 4 x 4 post in monument of stone alongside.

No bearings available.

Thence S.53°-50'W.

Along line 4-3 of said Sunshine lode.

841.00 Bed of gulch, draining northwesterly.

1262.30 To Cor. No. 3, identical with S.W. Cor. of the location and Cor. No. 4, Ida May lode, this survey.

On line 3-4 of said Sunshine lode.

A diabase stone, previously described, chiseled 3-LB. on the side facing this claim.

Thence N.36°-10'W.

Along line 4-3, of said Ida May lode.

293.70 To S.W.E.C. monument of the location, identical with N.E.E.C. of said Ida May lode.

A monument of stone previously described.

593.70 To Cor. No. 4, identical with N.W. Cor. of the location and Cor. No. 3 of said Ida May lode.

On line 4-1, Exchange lode, this survey.

A diabase stone, previously described, chiseled 4-LB on

the side facing this claim.

Thence N.53°-50'E.

Along line 1-4 of said Exchange lode.

355.00 Bed of gulch, draining northwesterly.

889.50 To Cor. No. 4 of said Exchange lode.

1262.30 To Cor. No. 1, the place of beginning.

JUDGE Lode.

Beginning at Cor. No. 1, identical with N.W. Cor. of the location and Cor. No. 1 Nellie M. lode, this survey.

On line 1-2, Baltic lode, this survey.

A quartzite stone, 4 x 6 x 24 ins., chiseled cross at the exact corner and 1-J-3758 on the side facing this claim, set 12 ins. in the ground, with mound of stone alongside, whence

The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.38°-17'30"E. 315.05 ft.

No other bearings available.

Thence N.53°-50'E.

Along line 2-1 of said Baltic lode.

186.50 To Cor. No. 1 of said Baltic lode, identical with Cor. No. 1 Ida May lode, also of this survey.

Along line 1-4 of said Ida May lode.

419.15 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-57'-30"E. 143.1 ft. from the quarter corner and S.89°-57'-30"W. 2475.2 ft. from the section corner.

1496.90 To Cor. No. 2, identical with N.E. Cor. of the location and Cor. No. 3, Sunshine lode, this survey.

On line 4-1 of said Ida May lode.

A diabase stone, 6 x 8 x 30 ins., chiseled cross at the exact corner and 2-J-3758 on the side facing this claim, set 15 ins. in the ground, with 4 x 4 post in monument of stone alongside.

No bearings available.

Thence S.36°-10'E.

Along line 3-2 of said Sunshine lode.

297.10 To N.E.E.C. monument of the location, identical with

- S.W.E.C. of said Sunshine-lode, from which the discovery cut bears S.53°-50'W. 1337.6 ft.
- A monument of stone, 3.5 ft. base, 3.5 ft. high.
- 594.10 To Cor. No. 3, identical with S.E. Cor. of the location and Cors. 2, 3 and 2, respectively, of Sunshine, Kentucky and Dunkirk lodes, all of this survey.
- A diabase stone, 4 x 10 x 25 ins., chiseled cross at the exact corner and 3-J-3758 on the side facing this claim, set 12 ins. in the ground with 4 x 4 post. in monument of stone alongside.
- No bearings available.
- Thence S.53°-50'W.
- Along line 2-1 of said Dunkirk lode.
- 263.70 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N. 89°-57'-30"E. 1150.9 ft. from the quarter corner and S.89°-57'-30"W. 1467.4 ft. from the section corner.
- 1496.90 To Cor. No. 4, identical with S.W. Cor. of the location and Cors. 1, 1 and 2, respectively of Dunkirk, Acre and Nellie M. lodes, all of this survey.
- A quartzite stone, 8 x 10 x 26 ins., chiseled cross at the exact corner and 4-J-3758 on the side facing this claim, set 13 ins. in the ground, with mound of stone alongside.
- No bearings available.
- Thence N.36°-10'W.
- Along line 2-1 of said Nellie M. lode.
- 297.00 To S.W.E.C. monument of the location, identical with N.E.E.C. of said Nellie M. lode.
- A monument of stone, 3 ft. base, 3 ft. high.
- 594.10 To Cor. No. 1, the place of beginning.
- EXCHANGE Lode.
- Beginning at Cor. No. 1, identical with S.W. Cor. of the location and Cor. No. 4, Cameron lode, this survey.
- On line 2-3, Ida May lode, this survey.
- A diabase stone, 6 x 6 x 30 ins., chiseled cross at

the exact corner and 1-E-3758 on the side facing this claim, whence

The quarter corner between sections 11 and 14, T. 1 N., R. 15 E. G. & S.R.M., bears S.20°-34'-40"W. 928.75 ft.

No other bearings available..

Thence N.36°-10'W.

Along line 4-3 of said Cameron lode.

242.10 Bed of gulch, draining southwesterly.

300.00 To S.W.E.C. monument of the location, identical with N.E.E.C. of said Cameron lode, from which the discovery shaft bears N.53°-50'E. 1461.3 ft.

A monument of stone, 5 ft. base, 3 ft. high.

598.10 To Cor. No. 2, identical with N.W. Cor. of the location and Cor. No. 3 of said Cameron lode.

A quartzite stone, 6 x 10 x 24 ins., chiseled cross at the exact corner and 2-E-3758 on the side facing this claim, set 12 ins. in the ground with 4 x 4 post in monument of stone alongside, whence

A quartzite stone, 6 x 6 x 24 ins. out of the ground, chiseled cross B.R. 3758, bears N.36°-10'W. 6.1 ft.

No other bearings available.

Thence N.53°-50'E.

1359.00 Bed of gulch, draining southwesterly.

1495.30 To Cor. No. 3, identical with N.E. Cor. of the location.

A quartzite stone, 8 x 10 x 30 ins., chiseled cross at the exact corner and 3-E-3758 on the side facing the claim, set 14 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence

A hackberry tree, 10 ins. in diameter, blazed and scribed cross B.T. 3758, bears S.44°-42'W. 61.00 ft.

No other bearings available.

Thence S.36°-10'E.

298.10 To N.E.E.C. monument of the location.

A monument of stone, 3.5 ft. base, 3.5 ft. high.

598.10 To Cor. No. 4, identical with S.E. Cor. of the location.

On line 4-1, Little Beauty lode, this survey, S.53°-50'W.



- 372.8 ft. from Cor. No. 1.
- A diabase stone, 3 x 8 x 25 ins., chiseled cross at the exact corner and 4-E-3758 on the side facing the claim, set 12 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence
- A diabase stone, 6 x 18 x 18 ins. out of the ground, chiseled cross B.R. 3758, bears S.12°-13'W. 13.62 ft.
- No other bearings available.
- Thence S.53°-50'W.
- Along line 1-4 of said Little Beauty lode.
- 534.50 Bed of gulch, draining northwesterly.
- 889.50 To Cor. No. 4 of said Little Beauty lode, identical with Cor. No. 3, Ida May lode, also of this survey.
- Along line 3-2 of said Ida May lode.
- 1495.30 To Cor. No. 1, the place of beginning.
- NELLIE M. Lode.
- Beginning at Cor. No. 1, identical with N.E. Cor. of the location and Cor. No. 1, Judge lode, this survey.
- On line 1-2, Baltic lode, this survey.
- A quartzite stone, previously described, chiseled 1-NM on the side facing this claim.
- The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.38°-17'-30"E. 315.05 ft.
- Thence S.36°-10'E.
- Along line 1-4 of said Judge lode.
- 297.10 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Judge lode, from which the discovery cut bears S.53°-50'W. 96.0 ft.
- A monument of stone, previously described.
- 594.10 To Cor. No. 2; identical with S.E. Cor. of the location and Cors. 4, 1 and 1, respectively, of Judge, Dunkirk and Acre lodes, all of this survey.
- A quartzite stone, previously described, chiseled 2-N.M. on the side facing this claim.
- Thence S.53°-50'W.
- Along line 1-4 of said Acre lode.

- 1499.20 To Cor. No. 3, identical with S.W. Cor. of the location and Cor. No. 4 of said Acre lode.  
A dacite stone. 8 x 8 x 28 ins., chiseled cross at the exact corner and 3-N.M.-3758 on the side facing this claim, set 14 ins. in the ground, with monument of stone alongside.  
No bearings available.  
Thence N.36°-10'W.
- 297.00 To S.W.E.C. monument of the location,  
A monument of stone, 3.5 ft. base, 4 ft. high.
- 594.10 To Cor. No. 4, identical with N.W. Cor. of the location.  
A quartzite boulder, showing 6 x 18 x 18 ins. out of the ground, chiseled cross at the exact corner and 4-N.M.3758, with 4 x 4 post in monument of stone alongside, whence  
A dacite boulder, 2 x 2.5 x 3.5 ft. out of the ground, chiseled cross B.R. 3758, bears S.53°-50'W. 11.92 ft.  
No other bearings available.  
Thence N.53°-50'E.
- 186.50 To Cor. No. 2, Baltic lode, this survey.  
Along line 2-1 of said Baltic lode.
- 1499.20 To Cor. No. 1, the place of beginning.  
BALTIC Lode.  
Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 1, Ida May lode, this survey.  
On line 1-2, Judge lode, this survey.  
A quartzite stone, previously described, chiseled 1-B on the side facing this claim.  
The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.18°-02'E. 144.3 ft.  
Thence S.53°-50'W.  
Along line 2-1 of said Judge lode.
- 186.50 To Cor. No. 1, of said Judge lode, identical with Cor. No. 1, Nellie M. lode, also of this survey.  
Along line 1-4 of said Nellie M. lode.
- 1499.20 To Cor. No. 2, identical with S.W. Cor. of the location.  
On line 4-1 of said Nellie M. lode, N.53°-50'E. 186.5 ft.

- from Cor. No. 4.
- A quartzite stone, 4 x 10 x 24 ins., chiseled cross at the exact corner and 2-B-3758 on the side facing the claim, set 12 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence
- A dacite boulder 9 x 24 x 30 ins. out of the ground, chiseled cross B.R. 3758, bears N.84°-49'E. 30.37 ft.
- No other bearings available.
- Thence N.36°-10'W.
- 293.70 To S.W.E.C. monument of the location, from which the discovery cut bears N.53°-50'E. 1235.2 ft.
- A monument of stone, 3.5 ft. base, 3 ft. high.
- 593.70 To Cor. No. 3, identical with N.W. Cor. of the location.
- A quartzite stone, 9 x 9 x 27 ins., chiseled cross at the exact corner and 3-B-3758 on the side facing the claim, set 13 ins. in the ground, with 4 x 4 post in monument of stone alongside.
- No bearings available
- Thence N.53°-50'E.
- 897.90 To Cor, No. 1, Cameron lode, this survey.
- Along line 1-4 of said Cameron lode.
- 913.10 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-45'E. 1825.80 ft., from the section corner and S.89°-45'W. 868.20 ft. from the quarter corner.
- 1499.20 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. No. 2, Ida May lode, this survey.
- On line 4-1 of said Cameron lode.
- A quartzite stone, previously described, chiseled 4-B on the side facing this claim.
- Thence S.36°-10'E.
- Along line 2-1 of said Ida May lode.
- 300.00 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Ida May lode.
- A monument of stone, previously described.
- 424.50 Intersect the section line between sections 11 and 14,

T. 1 N., R. 15 E., G. & S.R.M., N.89°-45'E. 2549.50 ft.  
from the section corner and S.89°-45'W. 144.50 ft. from  
the quarter corner

593.70 To Cor. No. 1, the place of beginning.

SUNSHINE Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the  
location and Cor. No. 4, Kentucky lode, this survey.

A diabase stone 6 x 9 x 24 ins., chiseled cross at the  
exact corner and 1-S-3758 on the side facing this claim,  
set 12 ins. in the ground, with 4 x 4 post in monument of  
stone alongside, whence

The section corner common to sections 11, 12, 13 and 14  
T. 1 N., R. 15 E., G. & S.R.E.M., bears S.04°-40'-50"E.  
1014.5 ft.

A cedar tree, 7 ins. in diameter, blazed and scribed cross  
B.T. 3758, bears S.65°-13'E. 25.85 ft.

No other bearings available.

Thence S.53°-50'W.

Along line 4-3 of said Kentucky lode.

760.00 Bed of gulch, draining northwesterly.

1451.40 To Cor. No. 2, identical with S.W. Cor. of the location  
and Cors. 3, 2 and 3, respectively, of Kentucky, Dunkirk  
and Judge lodes, all of this survey.

A diabase stone, previously described, chiseled 2-S on  
the side facing this claim.

Thence N.36°-10'W.

Along line 3-2 of said Judge lode.

297.00 To S.W.E.C. monument of the location, identical with  
N.E.E.C. of said Judge lode, from which the discovery  
cut bears N.53°-50'E. 350.8 ft.

A monument of stone, previously described.

594.10 To Cor. No. 3, identical with N.W. Cor. of the location  
and Cor. No. 2 of said Judge lode.

On Line 4-1, Ida May lode, this survey.

A diabase stone, previously described, chiseled 3-S on  
the side facing this claim.

Thence N.53°-50'E.

- Along line 1-4 of said Ida May lode.
- 189.10 To Cor. No. 4 of said Ida May lode, identical with Cor. No. 3, Little Beauty lode, also of this survey.
- Along line 3-2 of said Little Beauty lode.
- 610.40 Bed of gulch, draining northwesterly.
- 1451.40 To Cor. No. 4, identical with N.E. Cpr. of the location and Cor. No. 2 of said Little Beauty lode.
- A diabase stone, previously described, chiseled 4-S on the side facing this claim.
- Thence S.36°-10'E.
- 297.10 To N.E.E.C. monument of the location.
- A monument of stone, 3 ft. base, 3 ft. high.
- 594.10 To Cor. No. 1, the place of beginning.
- CAMERON Lode.
- Beginning at Cor. No. 1, identical with S.W. Cor. of the location.
- On line 3-4, Baltic lode, this survey, N.53°-50'E. 897.9 ft. from Cor. No. 3.
- A quartzite stone, 5 x 6 x 28 ins., chiseled cross at the exact corner and 1-C-3758 on the side facing the claim, set 14 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence
- The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.89°-10'-10"E. 880.55 ft.
- A mesquite tree, 8 ins. in diameter, blazed and scribed cross B.T. 3758, bears N.53°-50'E. 8.74 ft.
- No other bearings available.
- Thence N.36°-10'W.
- 11.01 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-45'E 1807.03 ft. from the section corner and S.89°-45'W. 886.97 ft. from the quarter corner.
- 300.00 To S.W.E.C. monument of the location, from which the discovery shaft bears N.53°-50'E. 1456.0 ft.
- A monument of stone, 4 ft. base, 3.5 ft. high.
- 395.00 Bed of gulch, draining southwesterly.

- 598.10 To Cor. No. 2, identical with N.W. Cor. of the location.  
 A quartzite stone, 8 x 10 x 24 ins., chiseled cross at the exact corner and 2-C-3758 on the side facing the claim, set 12 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence  
 A quartzite boulder 2 x 2 x 4 ft. out of the ground; chiseled cross B.R. 3758, bears N.29°-51'W. 41.17 ft.  
 No other bearings available.  
 Thence N.53°-50'E.
- 1495.00 To Cor. No. 3, identical with N.E. Cor. of the location and Cor. No. 2, Exchange lode this survey.  
 A quartzite stone, previously described, chiseled 3-C on the side facing this claim.  
 Thence S.36°-10'E.  
 Along line 2-1 of said Exchange lode.
- 298.10 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Exchange lode.  
 A monument of stone, previously described.
- 356.00 Bed of gulch, draining southwesterly.
- 598.10 To Cor. No. 4, identical with S.E. Cor. of the location and Cor. No. 1 of said Exchange lode.  
 On line 2-3, Ida May lode, this survey.  
 A diabase stone, previously described, chiseled 4-C on the side facing this claim.  
 Thence S.53°-50'W.  
 Along line 3-2 of said Ida May lode.
- 893.70 To Cor. No. 2 of said Ida May lode, identical with Cor. No. 4 of Baltic lode, also of this survey.  
 Along line 4-3 of said Baltic lode.
- 1479.80 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-45'E. 1825.80 Ft. from the section corner and S.89°-45'W. 868.2 ft. from the quarter corner.
- 1495.00 To Cor. No. 1, the place of beginning.  
 DUNKIRK Lode.

- Beginning at Cor. No.1, identical with N.W. Cor. of the location; and Cors. 1, 2 and 4, respectively, of Acre, Nellie M. and Judge lodes, all of this survey.
- A quartzite stone, previously described, chiseled 1-D on the side facing this claim.
- The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.12°-03'-50"W. 743.3 ft.
- Thence N.53°-50'E.
- Along line 4-3, of said Judge lode.
- 1233.20 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-57'-30"E. 1150.9 ft. from the quarter corner and S.89°-57'-30"W. 1467.4 ft. from the section corner.
- 1496.90 To Cor. No. 2, identical with N.E. Cor. of the location and Cors. 3, 2 and 3, respectively, of Judge, Sunshine and Kentucky lodes, all of this survey.
- A diabase stone, previously described, chiseled 2-D on the side facing this claim.
- Thence S.36°-10'E.
- Along line 3-2 of said Kentucky lode.
- 192.50 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., N.89°-57'-30"E. 1477.4 ft. from the quarter corner and S.89°-57'-30"W. 1140.90 ft. from the section corner.
- 297.00 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Kentucky lode, from which the discovery shaft bears S.53°-50'W. 35.0 ft.
- A monument of stone, 3.5 ft. base, 3.5 ft. high.
- 584.30 To Cor. No. 3, identical with SE. Cor. of the location and Cor. No. 2, of said Kentucky lode.
- A quartzite stone 10 x 12 x 24 ins., chiseled cross at the exact corner and 3-D3758 on the side facing this claim, set 12 ins. in the ground, with monument of stone alongside.
- No bearings available.
- Thence S.54°-06'W.

1496.90 To Cor. No. 4, identical with S.W. Cor. of the location and Cor. No. 2, Acre lode, this survey.

A quartzite stone, 6 x 10 x 25 ins., chiseled cross at the exact corner and 4-D-3758 on the side facing this claim, set 12 ins. in the ground, with monument of stone alongside, whence

A quartzite stone, 12 x 24 ins., flush with the ground, chiseled cross B.R. 3758, bears N.55°-50'E. 19.75 ft.

No other bearings available.

Thence N.36°-10'W.

Along line 2-1 of said Acre lode.

280.30 To S.W.E.C. monument of the location, identical with N.E.E.C. of said Acre lode.

A monument of stone, 4 ft. base, 4 ft. high.

577.30 To Cor. No. 1, the place of beginning,

KENTUCKY Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location.

A quartzite stone, 5 x 10 x 24 ins. chiseled cross at the exact corner and 1-K-3758 on the side facing the claim, set 12 ins. in the ground, with monument of stone alongside, whence

The section corner common to sections 11, 12, 13 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears S.26°-44'W. 595.2 ft.

A diabase boulder, 8 x 9 x 18 ins. out of the ground, chiseled cross B.R. 3758, bears S.64°-01'E. 53.65 ft.

No other bearings available.

Thence S.54°-13'W.

345.30 Intersect the section line between sections 11 and 12, T. 1 N., R. 15 E. G. & S.R.M., N.02°-09'W. 329.9 ft. from the section corner and S.02°-09'E. 2197.8 ft. from the quarter corner.

555.00 Bed of gulch, draining northwesterly.

909.70 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E. G. & S.R.M., N.89°-57'-30"E. 2148.0 ft. from the quarter corner and S.89°-57'-30"W. 470.3 ft.



- from the section corner.
- 1451.40 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No. 3, Dunkirk lode this survey.
- A quartzite stone, previously described, chiseled 2-K on the side facing this claim.
- Thence N.36°-10'W.
- Along line 3-2 of said Dunkirk lode.
- 287.30 To S.W.E.C. monument of the location, identical with N.E. E.C. of said Dunkirk lode, from which the discovery bears N.53°-50'E. 126.0 ft.
- A monument of stone, previously described.
- 391.80 Intersect the section line between sections 11 and 14, T. 1 N., R. 15 E. G. & S.R.M., N.89°-57'-30"E. 1477.4 ft. from the quarter corner and S.89°-57'-30"W. 1140.90 ft. from the section corner.
- 584.30 To Cor. No. 3, identical with N.W. Cor. of the location and Cors. 2, 3 and 2, respectively of Dunkirk, Judge and Sunshine lodes, all of this survey.
- A diabase stone, previously described, chiseled 3-K on the side facing this claim.
- Thence N.53°-50'E.
- Along line 2-1 of said Sunshine lode.
- 691.40 Bed of gulch, draining northwesterly.
- 1451.40 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. No. 1 of said Sunshine lode.
- A diabase stone, previously described, chiseled 4-K on the side facing this claim.
- Thence S.36°-10'E.
- 80.10 Intersect the section line between sections 11 and 12, T. 1 N., R. 15 E., G. & S.R.M., N.02°-09'W. 947.1 ft, from the section corner and S.02°-09'E. 1580.6 ft. from the quarter corner.
- 297.00 To N.E.E.C. monument of the location.
- A monument of stone, 3.5 ft. base, 3.5 ft. high.
- 594.00 To Cor. No. 1, the place of beginning.
- ACRE Lode.

Beginning at Cor. No. 1, identical with N.E. Cor. of the location and Cors. 2, 4 and 1, respectively, of Nellie M., Judge and Dunkirk lodes, all of this survey.

A quartzite stone, previously described, chiseled 1-A on the side facing this claim.

The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., bears N.12°-03'-50"W. 743.3 ft.

Thence S.36°-10'E.

Along line 1-4 of said Dunkirk lode.

297.00 To N.E.E.C. monument of the location, identical with S.W.E.C. of said Dunkirk lode, from which the discovery shaft bears S.53°-50'W. 421.3 ft.

A monument of stone previously described.

577.30 To Cor. No. 2, identical with S.E. Cor. of the location and Cor. No. 4, of said Dunkirk lode.

A quartzite stone, previously described, chiseled 2-A on the side facing this claim.

Thence S.53°-50'W.

1499.20 To Cor. No. 3, identical with S.W. Cor. of the location.

A quartzite stone, 4 x 8 x 24 ins., chiseled cross at the exact corner and 3-A-3758 on the side facing the claim, set 12 ins. in the ground, with 4 x 4 post in monument of stone alongside, whence

A quartzite stone, 8 x 14 ins., flush with the ground, chiseled cross B.R. 3758, bears N.59°-45'E. 5.5 ft.

No other bearings available.

Thence N.36°-10'W.

280.30 To S.W.E.C. monument of the location.

A monument of stone, 4 ft. base, 4 ft. high.

577.30 To Cor. No. 4, identical with N.W. Cor. of the location and Cor. No. 3, Nellie M. lode, this survey.

A dacite stone, previously described, chiseled 4-A. on the side facing this claim.

Thence N.53°-50'E.

Along line 3-2 of said Nellie M. lode.

1499.20 To Cor. No. 1, the place of beginning.

Mean Magnetic Variation at all corners 14° 30' E.

Total area Exchange lode,	20.531.acres.
Total area Nellie M. lode,	20.447 acres.
Total area Baltic lode,	20.433 acres.
Total area Sunshine lode,	19.795 acres.
Total area Cameron lode,	20.527 acres.
Total area Dunkirk lode,	19.959 acres.
Total area Kentucky lode,	19.630 acres.
Total area Acre lode,	19.869 acres.

.....

LOCATION.

This survey is located in sections 11, 12, and 14, T. 1 N., R. 15 E., G. & S.R.M., Globe Mining District, Gila County, Arizona.

.....

ADJOINING AND CONFLICTING CLAIMS.

Four Hundred, Franklin and Norman lodes, unsurveyed, owned by the claimant of the claims in this survey; and an unknown claim unsurveyed, owner unknown, on the north. The Silver Bow, Silver Bow No.1, Silver Bow No. 2, and Silver Bow No.3 lodes, unsurveyed, owned by W.P.Greer; unknown claims, unsurveyed, owners unknown, and the Henry M. Stanley lode, unsurveyed, owned by Stephen L. Hamilton, et al., on the east. The Pittsburg No. 1, Pittsburg No. 2 and Pittsburg lodes, <sup>unsur,</sup> owned by Frank Gill, on the south. And, the Monte Carlo and Monte Christo lodes, <sup>unsur,</sup> owned by Matteo Giacoma, on the west.

.....

DISCOVERY AND IMPROVEMENTS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the claims in this survey, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

IDA MAY

No. 1, the discovery, 240 feet of cut and tunnel, 4 x 6 ft., which is intersected by the lode line 154.2 ft. from the S.W.E.C. and which extends thence N.51°-22'W.

## LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from thier respective discovery points:

Ida May lode, N.53°-50'E. 1345.3 ft. and S.53°-50'W.  
154.2 ft.

Little Beauty lode, N.53°-50'E. 72.0 ft. and S.53°-50'W.  
1190.3 ft.

Judge lode, N.53°-50'E. 1337.6 ft. and S.53°-50'W.  
159.3 ft.

Exchange lode, N.53°-50'E 34.0 ft. and S.53°-50'W.  
1461.3 ft.

Nellie M. lode, N.53°-50'E. 96.0 ft. and S.53°-50'W.  
1403.2 ft.

Baltic lode, N.53°-50'E. 264.0 ft. and S.53°-50'W.  
1235.2 ft.

Sunshine lode, N.53°-50'E. 1100.6 ft. and S.53°-50'W.  
350.8 ft.

Cameron lode, N.53°-50'E. 39.0 ft. and S.53°-50'W.  
1456.0 ft.

Dunkirk lode, N.53°-50'E. 35.0 ft. and S.53°-50'W.  
1461.9 ft.

Kentucky lode, N.53°-50'E. 1325.4 ft. and S.53°-50'W.  
126.0 ft.

Acre lode, N.53°-50'E. 421.3 ft. and S.53°-50'W.  
1077.9 ft.

.....

## AREAS.

Total area Ida May lode,	20.437 acres.
Total area Little Beauty lode,	17.204 acres.
Total area Judge lode,	20.416 acres.

30.0 ft. to toe of cut and S.51°-22'E. 210.0 ft to face.  
Value, \$3500.00.

No. 2, a common improvement, a two compartment vertical shaft, 4 x 9 feet in the clear of the timbers, more than 900 feet deep; a level, consisting of at least 125 feet of drifting and crosscutting, 5 x 7 ft., partially timbered, at a depth of 200 feet below the collar of the shaft; a level, consisting of at least 800 feet of drifting and crosscutting, 5 x 7 ft., partially timbered, at a depth of 500 feet below the collar of the shaft; a level, consisting of at least 200 feet of drifting and crosscutting, 5 x 7 ft., partially timbered, at a depth of 800 feet below the collar of the shaft; and, a level consisting of at least 250 feet of drifting and crosscutting, 5 x 7 ft., untimbered, at a depth of 900 feet below the collar of the shaft, <sup>shaft brs. N. 6° E' W. 264 ft. from Cor. No. 4</sup> Value, \$63000.00. On account of caving of the shaft it is impossible to survey this improvement at this time, and I have relied on the affidavits of J.F. Hechtman and G.T. Simpson, as to the existence and extent of the work. The shaft is advantageously located on the group for a common improvement, and all the levels are well below the surface of all the claims, making possible the development and mining of each claim from it by the extension of the levels toward and under them. It is not possible at this time to closely estimate the value of the improvement and it has been placed at the conservative amount of \$63000.00, or \$4500.00 for each claim, a portion being also distributed to three unpatented claims owned by the claimant, known as the Four Hundred, Franklin, and Norman, which are contiguous to the claims of the survey, their relative positions being shown on the plat.

No. 3, 61 ft. of cut and tunnel, 4 x 6 ft. the center of the toe of which bears N.36°-29'W. 326.0 ft. from

Cor. No. 4, and which extends thence N.55°E. 32.0 ft., thence N.46°E 29.0 ft. to face. Value, \$500.00. This improvement being partially situated on this claim and on the Little Beauty claim of the survey, the value thereof is distributed between these two claims, \$250.00 being credited to each.

## LITTLE BEAUTY.

No. 1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line 72.0 ft. from the N.E.E.C. Value, \$30.00.

No. 2, 26 ft. of cut and tunnel, 3 x 5 ft., the center of the toe of which bears N.50°-50'E. 536.0 ft. from a point on the lode line 298.3 ft. from the S.W.E.C., and which extends thence N.31°W. 21.0 ft.; thence N.56°W. 5 ft. to face, Value, \$150.00.

No. 3, an incline shaft, 4 x 6 x 150 feet, dip 54° S.55°E., partially timbered, the S.W. corner of which bears N.23°-53'W. 350.4 ft. from Cor. No. 3. Value \$3000.00.

One half of the value of improvement No. 3 on the Ida May lode, which is credited to this claim, Value \$250.00.

1/14th of the value of the common improvement, \$4500.00.

## JUDGE.

No. 1, the discovery, cut 4 x 10 x 20 ft., the center of the face of which is on the lode line 159.3 ft. from the S.W.E.C., and which extends thence S.06°W. to toe. Value \$30.00.

1/14th of the value of the common improvement, \$4500.00.

## EXCHANGE.

No. 1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line 34.0 ft. from the N.E.E.C. Value \$30.00.

1/14th of the value of the common improvement, \$4500.00.

## NELLIE M.

No. 1, the discovery, cut, 4 x 10 x 16.5 ft., the center of the face of which is on the lode line 96.0 ft.

from the N.E.E.C., and extends thence S.27°W. to toe.  
Value \$30.00.

No. 2, shaft, 5 x 6 x 30 ft., the N.W. corner of  
which bears S.74°-37'E. 511.5 ft. from a point on line  
4-1, 186.5 ft. from Cor. No. 4, Value \$350.00.

1/14th of the value of the common improvement,  
\$4500.00.

#### BALTIC.

No. 1, the discovery, cut, 4 x 10 x 16 ft., the  
center of the face of which is on the lode line 264.0 ft.  
from the N.E.E.C., and which extends thence N.29°E to  
toe. Value \$30.00.

No. 2, shaft, 4 x 6 x 15 ft., the N.W. corner of  
which bears S.70°-15'W. 456.6 ft. from a point on line  
1-2, 186.5 ft. from Cor. No. 1, Value, \$135.00.

1/14th of the value of the common improvement,  
\$4500.00.

#### SUNSHINE.

No. 1, the discovery, cut, 4 x 10 x 15 ft., the center  
of the face of which is on the lode line 350.8 ft. from  
the S.W.E.C. and which extends thence N.26°E to toe.  
Value \$30.00.

1/14th of the value of the common improvement,  
\$4500.00.

#### CAMERON.

No. 1, the discovery, shaft, 4 x 6 x 8 ft., the center  
of which is on the lode line 39.0 ft. from the N.E.E.C.  
Value, \$30.00.

1/14th of the value of the common improvement,  
\$4500.00.

#### DUNKIRK.

No. 1, the discovery, shaft, 4 x 6 x 8 ft., the center  
of which is on the lode line 35.0 ft. from the N.E.E.C.  
Value, \$30.00.

No. 2, shaft, 4 x 5 x 16 ft., the N.E. corner of which bears  
N.34°-20'W. 98.8 ft. from a point on line 3-4 249.9 ft.

from Cor. No. 4, Value \$145.00.

No. 3, shaft, 5 x 7 x 62 ft., partially timbered, the S.E. corner of which bears N.27°-00'W. 57.8 ft. from the above described point. Value \$1500.00.

No. 4, shaft, 5 x 5 x 6 ft., the S.W. corner of which bears N.00°-03'W. 54.6 ft. from the above described point. Value, \$30.00.

1/14th of the value of the common improvement, \$4500.00.

#### KENTUCKY.

No. 1, the discovery, cut, 4' x 10' x 15 ft., the center of the face of which is on the lode line 126.0 ft. from the S.W.E.C. and which extends thence N.40°E to toe. Value \$30.00.

1/14th of the value of the common improvement, \$4500.00.

#### ACRE.

No. 1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line 421.3 ft. from the N.E.E.C. Value \$30.00.

1/14th of the value of the common improvement, \$4500.00.

#### OTHER IMPROVEMENTS.

A cut, 4.5 x 8 x 14 ft., the center of the toe of which bears N.42°-54'W. 285.2 ft. from Cor. No. 4 of the Ida May lode, and which extends thence N. 44°E to face.

A frame and corrugated iron boiler and engine house, 38 x 46 ft., course of long sides S.22°-15'E., the N.E. corner of which bears N.64°-24'W. 218.8 ft. from Cor. No. 4 of the Ida May lode.

A cut, 4.5 x 8 x 17 ft., the S.E. corner of the toe of which is on the lode line of the Little Beauty lode, 298.3 ft. from the S.W.E.C. and which extends thence S.57°W to face.



A cut, 4 x 10 x 14 ft., the center of the face of which bears S.11°-19'W. 516.0 ft. from a point on line 4-1 of the Little Beauty lode 575.6 ft. from Cor. No. 1 and which extends thence N.59°E to toe.

34 feet of cut and tunnel, 5 x 7 ft., the center of the toe of which bears S.13°-41'W. 454.8 ft. from the above described point, and which extends thence S.48°W. to face.

A cut, 4 x 8 x 15.5 ft., the center of the toe of which bears N.55°-20'E. 126.7 ft. from the S.W.E.C. of the Judge lode, and which extends thence N.10°-30'E. to face.

A cut, 4 x 10 x 15.5 ft., the center of the toe of which bears N.02°-04'W. 367.9 ft. from a point on line 4-1, Exchange lode, 813.8 ft. from Cor. No. 4, and which extends thence N.49°E to face.

A frame dwelling house, 16 x 18 ft., course of long sides, N.41°-45'W. the S.E. Cor. of which bears N.10°-09'<sup>39'</sup>E. 132.0 ft. from Cor. No. 1 of the Exchange lode.

A frame dwelling house, 12 x 40 ft., course of long sides, N.48°-15'E, the N.W. corner of which bears N.15°-19'E. 176.1 ft. from Cor. No. 1 of the Exchange lode.

A cut, 4 x 6 x 15 ft., the center of the toe of which bears S.48°-40'W. 76.6 ft. from the N.E.E.C. of the Nellie M. lode, and which extends thence S.02°E. to face.

A cut, 4.5 x 10 x 14 ft., the center of the toe of which bears S.50°W 244.1 ft. from the N.E.E.C. of the Baltic lode, and which extends thence S.06°E to face.

A cut, 4 x 10 x 17 ft., the center of the toe of which bears S.43°-54'E. 97.3 ft. from a point on the lode line of the Sunshine lode, 338.9 ft. from the S.W.E.C., and which extends thence S.50°W. to face.

A cut, 4 x 10 x 16.5 ft., the center of the toe of which bears N.70°-05'E. 43.6 ft. from the above described point, and which extends thence S.42°W. to face.

A shaft, 4 x 6 x 8 ft., the S.E. corner of which is

on the lode line of the Dunkirk lode, 128.6 ft. from the S.W.E.C.

A cut, 4.5 x 10 x 13.5 ft., the center of the toe of which bears N.50°-30'W. 34.0 ft. from a point on the lode line of the Kentucky lode, 120.0 ft. from the S.W.E.C. and which extends thence S.66°W to face.

A cut, 4.5 x 8 x 12 ft., the center of the toe of which bears N.35°-07'E. 50.2 ft. from the above described point, and which extends thence S.49°W. to face.

A shaft, 4 x 6 x 8 ft., the N.W. corner of which bears S.49°-01'E. 270.8 ft. from Cor. No. 4 of the Acre lode.

A cut, 4 x 10 x 23 ft., the center of the toe of which bears N.72°-00'W. 141.0 ft. from Cor. No. 2 of the Acre lode, and which extends thence N.28°W to face.

A cut, 6 x 10 x 17 ft., the center of the toe of which bears N.77°-14'W. 159.0 ft. from Cor. No. 2 of the Acre lode, and which extends thence N.22°W. to face.

None of the mining improvements described above under the caption of "Other Improvements" are credited to the claims of the survey on account of not having been made by the claimant or its grantors.

oooooooooooo

#### REPORT.

The section corner common to sections 11, 12, 13 and 14, T. 1 N., R. 15 E., G. & S.R.M., is a diabase stone, showing 5 x 6 x 6 ins. out of the ground, chiseled cross at the exact corner, four grooves on the south edge, one groove on the east edge, 1 N on northeast face and 15 E on southeast face, with mound of stone alongside. The tie to this corner was made direct on the ground, S.26°-44'W. 595.2 ft. from Cor. No. 1 of the Kentucky lode.

The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., G. & S.R.M., is a quartzite stone, showing 6 x 6 x 10 ins. out of the ground, chiseled cross at the exact corner.  $\frac{1}{4}$  S 11 on north face and 14 on south face, with

mound of stone alongside. The tie to this corner was made direct on the ground, N.18°-02'E. 144.3 ft. from Cor. No. 1 of the Ida May lode.

The section corner common to sections 10, 11, 14 and 15 T. 1 N., R. 15 E., G. & S.R.M., is a diabase stone, showing 4 x 6 x 9 ins. out of the ground, chiseled cross at the exact corner, two grooves on the east edge, four grooves on the south edge and 1 N on the north, with mound of stone alongside. The tie to this corner was computed through a traverse beginning at Cor. No. 3 of the Baltic lode, and extending thence S.53°-50'W. 586.3 ft.; thence N.36°-10'W. 578.8 ft.; thence N.20°-10'W. 437.4 ft.; thence S.89°-34'W. 122.9 ft. to said section corner.

The quarter corner between sections 11 and 12, T. 1 N., R. 15 E., G. & S.R.M., is a granite boulder, 1.5 x 2.5 x 2 ft. out of the ground, chiseled cross at the exact corner and S 11 on top, with mound of stone alongside. I am unable to find  $\frac{1}{2}$  chiseled on the west side of this boulder as reported by the surveyor who established the corner. The tie to this corner was computed through a traverse beginning at Cor. No. 1 of the Little Beauty lode and running thence N.53°-50'E. 654.1 ft.; thence N.43°-28'E. 234.1 ft. to said quarter corner.

Instrument.

This survey was made with a 6 $\frac{1}{4}$  inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observations, two being made at the same point, one in the forenoon and one in the afternoon of the same day. These observations checked within 30" and their mean was taken as correct. The distances were measured with a 660 foot steel tape.

The disagreement between these notes and the location notices is due to errors in the latter.

*Edwin P. Steward,*

U.S. Mineral Surveyor

Globe, Arizona,  
April 18, 1921.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Dough Boy Copper Company

known as the Ida May, Little Beauty, Judge, Exchange, Nellie M., Baltic, Sunshine, Cameron, Dunkirk, Kentucky and Acre lodes

and showing the respective capacities in which they acted.

Rudolph Wolf, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We,

and I, Rudolph Wolf, do solemnly swear that <sup>I</sup>we assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Dough Boy Copper Company,

Ida May, Little Beauty, Judge, Exchange, Nellie M., Baltic, known as the Sunshine, Cameron, Dunkirk, Kentucky and Acre lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of <sup>my</sup>our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Rudolph Wolf, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16th

day of April, 19 21.

My Com. Ex. November 12, 1924.

M. L. Harrison

Notary Public, Gila  
County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 28, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Dough Boy Copper Company

known as the Ida May, Little Beauty, Judge, Exchange, Nellie M., Baltic, Sunshine, Cameron, Dunkirk, Kentucky and Aere lodes, situate in Globe Mining District, Gila County, Arizona, in Section 11, 12 and 14, Township No. 1 N., Range No. 15 E., G. & S. R. M., and designated as Survey No. 3758

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart, U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart U. S. Mineral Surveyor, before me M. L. Harrison, a Notary Public,

this 16th day of April, 1921. My commission expires November 12, 1924.

M. L. Harrison, Notary Public, Gila County, Arizona.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES. 53

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 16, 1921

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of THE DOUGH BOY COPPER COMPANY, known as the IDA MAY, LITTLE BEAUTY, JUDGE, EXCHANGE, NELLIE M., BALTIC, SUNSHINE, CAMERON, DUNKIRK, KENTUCKY and ACRE Lodes, situate in GLOBE,

Mining District, GILA County, ARIZONA

in Sections 11, 12 and 14, Township No. 1 N., Range No. 15 E., and

designated as Survey No. 3758, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 8 cuts, 12 shafts and 3 tunnels, also drifts and cross-cuts, total value \$72,610, of which \$13,500 is reserved for claims not in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

54

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

June 16, 1921

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of THE DOUGH BOY COPPER COMPANY known as the IDA MAY, LITTLE BEAUTY, JUDGE, EXCHANGE, NELLIE M., BALTIC, SUNSHINE, CAMERON, DUNKIRK, KENTUCKY and ACRE Lodes,

situate in GLOBE mining district,

GILA County, ARIZONA

in Sections 11, 12 and 14, Township No. 1 N., Range No. 15 E.,

G. & S. R. B. & M. designated as Survey No. 3758

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, March 29 - April 14, 1921, under my instructions dated


March 28, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 3758  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cameron and Exchange lodes, Mineral Survey No. 3758, located in section 11, Township 1 North, Range 15 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Cameron and Exchange lodes, M.S. 3758 were canceled March 30, 1999, by memo 9605 (952) M.S. 3758, which is now a part of the original field notes."

March 30, 1999  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona