

Copied 8-25-21

JUN 1 1921

4-683

MINERAL SURVEY No. 3767

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E. J. Durrell and A. J. Olsen

KNOWN AS THE New York No. 1, New York No. 3, New York No. 4, New York No. 5 and New York No. 6 lodes.

San Francisco Mining District,

Mohave County, Arizona

Sections 19, 20 and 29, Township No. 20 N., Range 20 W. G. and S. R. M.

Surveyed under instructions dated April 25, 19 21

by Edward L. Haff U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced May 9, 19 21

Survey completed May 17, 19 21

Address of claimant's Atty. C. W. Herndon, Kingman, Arizona.

DATES OF AMENDED LOCATIONS.

April 21-1921



Feet

## Mineral Survey No. 3767

New York No. 1 lode

Beginning at Cor. No.1

Identical with Cor. No.1, New York No. 3 lode of this survey, An Andesite rock 14 x 16 x 28 ins. set 18 ins in the ground, chiseled a cross(x) at corner point and N.Y.1-1, N.Y.3-1,- 3767, with a mound of stone 3 ft. high along side. Whence :-

The  $\frac{1}{4}$  Cor. between sections 19 and 20 T.20 N. R.20 W. G.and S.R. M. bears N.48 26 ' E. 144.70 ft.

Thence N.62 39'W.

1300. Bed of dry wash 10 ft. wide runs northwesterly.

1340. Wagon road , course northerly and southerly.

1465. To Cor. No. 2.

An andesite rock 9 x 13 x 26 ins. set 18 ins. in the ground with mound of earth, chiseled a cross (x) at Cor. point, and N.Y.1,-2-- 3767, with a mound of stone 3 ft. high alongside.

Thence N.27° 45' E.

15.ft. Bed of dry wash 10 ft. wide runs northwesterly.

300. To West end center.

An andesite rock 12 x 14 x 25 ins. set 18 ins. in ground with mound of earth and stone, chiseled a cross (x) at center point and W E C - N.Y.1,-3767, with a mound of stone 3 ft. high alongside.

400. Bed of dry wash 50 ft. wide , runs northwesterly.

410. Wagon road, course northerly and southerly.

600. To Cor. No. 3.

An andesite rock 8 x 10 x 25 ins. set 18 ins. in ground with mound of earth and stone, chiseled a cross (x) at corner point and N.Y.1,-3 - 3767, with a mound of stone 3 ft. high alongside.

Thence S.62 39' E.

400. Bed of dry wash 40 ft. wide runs southerly.

~~400.~~  
700. Bed of dry wash 40 ft. wide runs northwesterly.

1275.95 Intersect line between sections 19 and 20 T.20 N. R.20 W., G.and S.R. M. at S.O 21'W. 2121.09 ft. from the Cor.



- Feet to sec's. 17-18-19-20, and N. 0 21' E. 521.86 ft. from the  $\frac{1}{4}$  corner
1465. To Cor. No.4.
- Identical with Cor. No.2 New York No.3 lode of this survey; An andesite rock 12 x 14 x 24 ins. set 16 ins. in ground with mound of earth and stone, chiseled a cross (x) at corner point and N.Y.1-4, N.Y.3-2, -3767. Whence:- with a mound of stone 3 ft. high alongside. Whence;- Cor. No. 4 Sur. No. 3247 Independent lode, claimant unknown, bears N.0 57'50"E. 1214.80 ft.
- Thence S.27° 45' W.
300. To East end center.
- Identical with the west end center New York No.3 lode of this survey. An andesite rock 12 x 12 x 25 ins. set 16 ins. in ground, with mound of earth and stone, chiseled a cross (x) at center point and EEC-N.Y.1, -WEC-N.Y.3, -3767, with a mound of stone 3 ft. high alongside.
320. Bed of dry wash 20 ft. wide runs northwesterly.
- 366.03 Intersect line between sections 19 and 20 T.20 N. R.20 W. G.and S.R. M. at S.0 21' W. 2531.89 ft. from the Cor. to sections 17-18-19-20, and N.0 21'E. 111.06 ft. from the  $\frac{1}{4}$  corner.
600. To Cor. No.1, the place of beginning.
- New York No.3 lode.
- Beginning at Cor. No.1.
- Identical with Cor. No.1 New York No.1 lode of this survey, hereinbefore described. Whence :-
- The  $\frac{1}{4}$  Cor. between sections 19 and 20 T.20 N. R.20 W. G.and S.R. M. bears N.48° 26'E. 144.70 ft.
- Thence N.27 45' E.
- 253.97 Intersect line between sections 19 and 20 T.20 N. R. 20 W. G.and S. R. M. at S.0 21' W. 2531.89 ft. from the Cor to sections 17-18-19-20, and N.0 21'E. 111.06 ft. from the  $\frac{1}{4}$  corner
280. Bed of dry wash 20 ft. wide , runs northwesterly.



Feet

300. To West end center.  
Identical with east end center New York No. 1 lode, of this survey hereinbefore described.

600. To Cor. No. 2.  
Identical with Cor. No. 4, New York No. 1 lode, of this survey hereinbefore described.

Thence S 67°51' E.

758.67 To Cor. No. 3.  
An andesite rock 8 x 12 x 24 in. set 16 in. in ground, with mound of earth and stone, chiseled across (X) at cor. point and N Y 3,-3-3767. With a mound of stone 3 ft. high alongside.

Thence S 44°57' E.

599.34 To Cor. No. 4.  
Identical with Cor. No. 3 New York No. 4 lode, of this survey.  
A granite rock 7 x 14 x 26 in. set 16 in. in ground, with mound of earth and stone, chiseled a cross (x) at cor. point and N Y 3,-4, N Y 4,-3, -3767. With a mound of stone 3 ft. high alongside.

Thence S 27°45' W.

300. To East end center.  
Identical with West end center New York No. 4 lode, of this survey.  
A granite rock 12 x 14 x 26 in. set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at center point, and E E C. N Y 3,-W E C. N. Y 4,-3767. With a mound of stone 3 ft. high alongside.

400. Bed of dry wash 10 ft. wide runs northwesterly.

600. To cor. No. 5.  
Identical with Cor. No. 2 New York No. 4 lode of this survey.  
A granite rock 14 x 17 x 28 in. set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 3,-5 N Y 4,-2-3767. With mound of stone 3 ft. high alongside.

Whence:-

Cor. No. 3, Sur. No. 3280, Gold Hill No. 1 lode, claimant unknown, bears S 20°57' E. 604.70 ft.

Thence N 44°57' W.

400. Bed of dry wash 20 ft. wide runs northwesterly.



599.34	<p>To Cor. No. 6.</p> <p>A granite rock, 10 x 14 x 26 in., set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at Cor. point and N Y 3,-6-3767. With a mound of stone 3 ft. high alongside.</p> <p>Thence N 67°51' W.</p>
210.	Bed of dry wash 20 ft. wide, runs northwesterly.
640.76	<p>Intersect line between Secs. 19 and 20 T 20 N. R. 20 W. G. &amp; S.R. M.</p> <p>At N 0°23'10" W. 2449.46 ft. from the Cor. to Secs. 19-20-29-30, and S 0°23'10" E. 140.47 ft. from the 1/4 Cor.</p>
758.67	To Cor. No. 1, the place of beginning.
	<p>NEW YORK NO. 4 LODE.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 2, New York No. 5 lode of this survey.</p> <p>An andesite rock 14 x 16 x 26 in. set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 4,-1, N Y 5-2-3767. With a mound of stone 3 ft. high alongside.</p> <p>Whence:-</p> <p>The 1/4 Cor. between Secs. 20 and 29 T. 20, N., R. 20 W., G. &amp; S.R. M. bears S 27°27'40" E. 999.46 ft.</p> <p>Thence N 52°08' W.</p>
500.	Bed of dry wash 10 ft. wide runs southwesterly.
1494.95	To Cor. No. 2.
	<p>Identical with Cor. No. 5, New York No. 3 lode of this Survey, hereinbefore described.</p> <p>Thence N 27°45' E.</p>
200.	Bed of Dry Wash, 10 ft. wide, runs northwesterly.
300.	To West end center.
	Identical with East end center, New York No. 3 lode of this Survey, hereinbefore described.
600.	To Cor. No. 3.
	Identical with Cor. No. 4 New York No. 3 lode of this Survey, hereinbefore described.
	Thence S 52°08' E.
1270.	Bed of dry wash 10 ft. wide, runs westerly.
1494.95	To Cor. No. 4.



Feet

- Identical with Cor. No. 3 New York No. 5 lode of this Survey.
- A porphyry stone 14 x 16 x 30 in. set 18 in. in ground, with mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 4-4, N Y 5-3, 3767. With a mound of stone 3 ft. high alongside  
Thence S 27°45' W.
- 300. To East end center.  
Identical with West end center, New York No. 5 lode of this Survey.  
An andesite rock 12 x 14 x 24 in., set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at center point, and E E C. N Y 4, W E C. N Y 5, 3767. With a mound of stone 3 ft. high alongside.
- 600. To Cor. No. 1, the place of beginning.  
NEW YORK NO. 5 LODE.  
Beginning at Cor. No. 1  
Identical with Cor. No. 3, New York No. 6 lode of this Survey.  
An andesite rock 10 x 12 x 26 in., set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 5-1, N Y 6-3, 3767. With a mound of stone 3 ft. high alongside.  
Whence:-  
The 1/4 Cor. between Secs. 20 and 29, T. 20 N., R. 20 W., G.&S.R.M., bears S 88°33' W. 658.40 ft.  
Thence N 52°8' W.
- 470. Wagon Road. Course northerly and southerly.
- 1417.58 To Cor. No. 2.  
Identical with Cor. No. 1, New York No. 4 lode of this Survey, hereinbefore described.  
Thence N 27°45' E.
- 300. To West end center.  
Identical with East end center, New York No. 4 lode of this Survey, hereinbefore described.
- 600. To Cor. No. 3.  
Identical with Cor. No. 4, New York No. 4 lode of this Survey, hereinbefore described.  
Thence S 52°08' E.
- 1417.58 To Cor. No. 4.



Feet.

Identical with Cor. No. 4, New York No. 6 lode of this Survey.  
An andesite rock, 14 x 15 x 27 in., set 16 in. in ground. With mound of earth and stone, chiseled a cross (X) at Cor. point and N Y 5-4, N Y 6-4, 3767. With a mound of stone 3 ft. high alongside.

Thence S 27°45' W.

300.

To East end center.

Identical with West end center, New York No. 6 lode of this Survey.  
An andesite rock, 10 x 18 x 24 in., set 16 in. in ground, with mound of earth and stone, chiseled a cross (X) at center point, and E E C. N Y 5, W E C. N Y 6, 3767. With a mound of stone 3 ft. high alongside.

600.

To cor. No. 1, the place of beginning.

NEW YORK NO. 6 LODE.

Beginning at Cor. No. 1.

An andesite rock, 9 x 13 x 27 in., set 16 in. in ground. With mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 6-1, 3767. With a mound of stone 3 ft. high alongside.

Whence:-

The Cor. to Secs. 20-21-28-29, T. 20 N., R. 20 W., G. & S.R. M., bears N 71°43'15" E. 564.36 ft.

Thence S 27°45' W.

37.92

Intersect Line 1 - 2, Sur. No. 3644, Midway Lode, Midway Moss Mining Company, claimant, at S 83°30' E. 214.68 ft. from Cor. No. 1.

220.

Bed of dry gulch 6 ft. wide, runs southerly.

300.

To East end center.

An andesite rock 11 x 14 x 26 in., set 16 in. in ground, With mound of earth and stone chiseled a cross (X) at center point, and E E C. N Y 6, 3767. With a mound of stone 3 ft. high alongside.

450

Bed of dry gulch 10 ft. wide, runs southwesterly.

561.52

Intersect lines 3-4 and 1-2 Sur. No. 3644, Midway and Independent lodes, at S 83°30' E, 24.91 ft. from Cor. Nos. 4-1, Which said Cor. bears S 06°30' W. 488.0 ft. from Cor. No. 1, Sur. No. 3644, Midway lode.

600.

To Cor. No. 2.



Feet.

An andesite rock 9 x 13 x 26 in., set 16 in. in ground. With mound of earth and stone, chiseled a cross (X) at Cor. point, and N Y 6-2, 3767. With a mound of stone 3 ft. high alongside.

Whence:-

Cor. Nos. 4-1, Sur. No. 3644, Midway and Independent lodes, bears N 10°30' W. 37.50 ft.

Thence N 57°55' W.

12.16 Intersect line 4-1, Sur. No. 3644, Independent lode, at S6°30' W. 30.61 ft. from Cor. No. 1.

200 Bed of dry gulch, 10 ft. wide, runs southwesterly.

1353.37 Intersect line between Secs. 20 and 29, T. 20 N., R. 20 W., G & S R M., at N 89°41' W. 1961.93 ft. from the Cor. to Secs. 20-21-28-29. And S 89°41' E. 690.87 ft. from the 1/4 Cor.

1391.93 To Cor. No. 3.

Identical with Cor. No. 1, New York No. 5 lode of this Survey, hereinbefore described.

Thence N 27°45' E.

300. To West end center.

Identical with East end center, New York No. 5 lode of this Survey, hereinbefore described.

600. To Cor. No. 4.

Identical with Cor. No. 4, New York No. 5 lode of this Survey, hereinbefore described.

Thence S 57°55' E.

1050.09 Intersect line between Secs. 20 and 29, T. 20 N., R. 20 W., G. & S. R. M., at N. 89°41' W. 825.53 ft. from the Cor. to Secs. 20-21-28-29. And S 89°41' E. 1827.27 ft. from the 1/4 Cor.

1310. Bed of dry gulch, 6 ft. wide, runs southerly.

1391.93 To Cor. No. 1, the place of beginning.

Variation at all corners, 15° East.

LODE LINES.

As near as can be determined from present developments, the veins of the several lodes embraced in this survey extend from their respective discovery points as follows, to-wit:

New York No. 1 lode:



N 62°39' W. 865 ft. and S 62°39' E. 600 ft.

New York No. 3 lode:

N 67°51' W. 758.67 ft. and S 44°57' E. 599.34 ft.

New York No. 4 lode:

N 52°08' W. 809.95 ft. and S 52°08' E. 685. ft.

New York No. 5 lode:

N 52°08' W. 767.58 ft. and S 52°08' E. 650. ft.

New York No. 6 lode:

N 57°55' W. 336.93 ft. and S 57°55' E. 1055. ft.

A R E A.

Total Area New York No. 1 Lode	20.179 Acres.
Total Area New York No. 3 Lode	18.202 "
Total Area New York No. 4 Lode	20.271 "
Total Area New York No. 5 Lode	19.222 "
Total Area New York No. 6 Lode	19.118 "
Area in conflict with	
Sur. No. 3644, Midway Lode	1.342 "
Sur. No. 3644, Independent Lode	0.014 "

All Corners of this Survey are identical with the respective locations, as found marked upon the ground.

L O C A T I O N.

This Survey is located in the East 1/2 Sec. 19, the West 1/2 and S. E. 1/4, Sec. 20, and the N. E. 1/4 of Sec. 29, T. 20 N., R. 20 W. Gila and Salt River Meridian.

A D J O I N I N G C L A I M S.

The adjoining and conflicting lode claims to this Survey are as follows:-

On the North

Record No. 2, Grace, Best, and Stetson lodes, unsurveyed, claimants unknown.

On the South:

Veritas, Vincens, Slim Jim, Edna, Winner, and Cora lodes, unsurveyed, claimants unknown, and the New York No. 7 lode, unsurveyed, claimant herein.

On the East:

Sur. No. 3644, Midway and Independent lodes, Midway Moss Mining Company, claimant.



On the West:

New York No. 2 lode, unsurveyed, claimant herein.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the lodes of this survey by the claimants or their grantors, is not less than Five Hundred Dollars for each lode, and that said improvements consist of:

On the New York No. 1 Lode--

- No. 1 The discovery cut, the mouth of which is on the lode line at N 62°39' W. 600 ft. from the East end center, 5 ft. wide, runs S 20° W. 25 ft., to a 10 ft. face, at face of cut a shaft 4 x 6 ft., 60 ft. deep, all on a mineralized quartz vein or ledge.

Value of cut and shaft \$1400.00

- No. 2 A cut, the mouth of which bears from Cor. No. 4 N. 81°20' W. 577 ft., 4 ft. wide, runs S 46°50' W. 31 ft., to a 12 ft. face, in earth and rock, at face of cut a tunnel 4 x 6 ft. runs S. 46°50' W. 26 ft. to face, in solid andesite.

Value of cut and tunnel \$540.00

- No. 3 A cut, the face of which is on the lode line, at N 62°39' W. 25 ft. from the East end center, 5 ft. wide, 8 ft. face, runs S 27° W. 14 ft. from face to mouth, on a mineralized quartz vein or ledge.

Value \$100.00

A 1/4 interest in improvement No. 7 on the New York No. 6 lode, is credited to On the New York No. 3 Lode-- this survey, \$630.00

- No. 1 The discovery shaft, which is on the lode line, at N. 44°57' W. 599.34 ft. from the East end center, 4 x 7 ft., 8 ft. deep, on a mineralized quartz vein.

Value \$100.00

A 1/4 interest in improvement No. 7 on the New York No. 6 lode, is credited to On the New York No. 4 Lode-- this survey, \$630.00

- No. 1 The discovery shaft, which is on the lode line at N 52°08' W. 685 ft. from the East end center, 4 x 6 ft. 8 ft. deep, on a mineralized quartz vein.

Value \$100.00

- No. 2 A shaft which bears from Cor. No. 1 N 27°30' W. 640 ft., 5 x 7 ft., 8 ft. deep, on a quartz vein.

Value \$100.00



- No. 3 Cut, the mouth of which bears from Cor. No. 2 N 74°40' E. 336 ft., 4 ft. wide, runs N 26° E., 15 ft. to a 9 ft. face, on a quartz vein.
- Value \$100.00
- A 1/4 interest in improvement No. 7 on the New York No. 6 lode is credited to this lode, \$630.00  
On the New York No. 5 Lode--
- No. 1 The discovery shaft, which is on the lode line at N 52°08' W. 650 ft. from the East end center, 4 x 7 ft., 100 ft. deep. At the bottom of shaft, a drift, 4 x 6 ft. runs N. 52° W. 60 ft. to face, and a drift 4 x 6 ft. runs S 52° E. 42. ft. to face, all on a quartz vein.
- Value of shaft and drifts \$3500.00
- No. 2 A cut, the mouth of which bears from Cor. No. 2, S 79°15' E. 605 ft., 4 ft. wide, runs N 80° E 20 ft. to a 9 ft. face, at face of cut a tunnel 4 x 6 ft. runs E. 15. ft., thence N 78° E. 15 ft. to face, in a quartz vein.
- Value of cut & tunnel \$600.00
- No. 3 A shaft which bears from Cor. No. 2 N 80°35' E. 650 ft. 8 x 14 ft. 15 ft. deep, on a quartz ledge,
- Value \$200.00
- A 1/4 interest in improvement No. 7 on the New York No. 6 lode is credited to this lode, \$630.00  
On the New York No. 6 Lode--
- No. 1 The discovery shaft, which is on the lode line, at N 57°55' W. 1055 ft. from the East end center, 4 x 7 ft., deep, in mineralized quartz and andesite.
- Value \$100.00
- No. 2 A cut, the mouth of which is on the lode line at S 57°55' E. 49.50 ft. from the West end center, 4 ft. wide, runs S 27° W., 15 ft., to an 8 1/2 ft. face, in a quartz vein.
- Value \$100.00
- No. 3 A cut, the mouth of which bears from the West end center S 43° E. 17 ft., 4 ft. wide, runs S 57° E. 19 ft., to an 8 ft. face, at face of cut a tunnel 4 x 6 ft. runs S 57° E. 9 ft. to face, on a quartz vein.
- Value of cut & tunnel \$270.00
- No. 4 A shaft which bears from Cor. No. 2 N 51°15' W. 610 ft., 4 x 6 ft., 8 ft. deep, on a quartz vein.



	Value	\$100.00
No. 5.	A shaft which bears from Cor. No. 2 N 51°20' W. 465 ft. 4 x 6 ft., 8 ft. deep, on a quartz vein.	

	Value	\$100.00
No. 6	A cut, the mouth of which bears from Cor. No. 3 S 76°35' E. 525. ft., 5 ft. wide, runs N 41° W. 20. ft., to a 10 ft. face, at face of cut a tunnel, 4 x 6 ft., runs N 43° W. 27 ft., thence N 23° W. 24 ft., thence N 53° W. 68 ft., to center of winze, 4 x 6 ft., 15 ft. deep; and 128 ft. to bend; thence N 45° 50' W. 53 ft., thence N. 55°10' W. 55 ft. to face, on a quartz vein. At face of tunnel a cross-cut runs N 27° W. 17 ft., thence N 5° W. 27 ft. to face.	

Value of cut, tunnel, winze and cross-cut \$5490.00

No. 7	A shaft, which bears from Cor. No. 3 N 85° 35' E. 410 ft., 4 x 7 ft. 150 ft. deep. At bottom of shaft, a drift 4 x 6 ft. runs N 52° W. 14 ft to face, and a drift, 4 x 6 ft. runs S 54° E. 30 ft. to face, on a quartz vein.	
-------	--	--

	Value of shaft and drifts	\$4410.00.
--	---------------------------	------------

This shaft, and the drift therefrom are being run for the joint development of all of the lodes of this Survey and the adjoining New York No. 2 and New York No. 7 lodes, belonging to claimant herein. The surface of the ground on this group is low, rolling hills, and this shaft, being located, apparently, at the junction of two veins, is a practical main-working shaft for the entire group, and with one plant of machinery and one system of workings, all of the lodes of this group can be economically developed and ore extracted therefrom. This shaft is therefore a common improvement for the benefit of all of the lodes of this survey, and a 1/7 interest in said improvements is properly accredited to each of the five lodes of this survey, and the two adjoining lodes above mentioned. An undivided 1/7 interest in said improvement is accredited to this lode.

	Value	\$630.00
--	-------	----------

An undivided 1/7 interest in Improvement No. 7 on New York No. 6 lode, is accredited to value of improvements on the New York No. 1, New York No. 3, New York No. 4, and New York No. 5 lodes,



hereinabove described, value \$630.00.

#### OTHER IMPROVEMENTS.

A frame and iron house, the S. E. cor. of which bears from Cor. No. 1 New York No. 5 lode N 38°15' W. 494 ft., 12 x 20 ft., course of long side S 82° W.

A frame and iron engine room and shop, the S. W. Cor. of which bears from Cor. No. 3, New York No. 6 lode, N. 83°35' E. 420 ft., 20 x 30 ft., course of long side S 42° E.

This building is the housing for a small plant of hoisting machinery. Claimants to the above herein.

#### I N S T R U M E N T.

This Survey was made with a C. L. Berger and Sons' No. 2 transit, the courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100' and 500' steel tapes.

#### R E P O R T.

All lines and ties in this survey were run upon the ground, and the courses and distances found to be as herein given. No bearing objects were available in the Survey. The corners to Secs. 12-18-19 and 20, 19-20-29-30, and Secs. 20-21-28-29 are 2" iron pipes with brass caps, properly set and marked.

The 1/4 Cor. between Secs. 19 and 20, and Secs. 20 and 29 are 1" iron pipes, with brass caps properly set and marked.

I find the line from the corner to Secs. 20, 21, 28, and 29 to the 1/4 cor. between Secs. 20 and 29 to be N 89°41' W, 2652.80 ft.

I find the west line of Sec. 20 from the corner to Secs. 19-20-29-30 to the 1/4 cor. between Secs. 19 and 20 to be N 0°23'10" W. 2589.93 ft., and from said 1/4 cor. to the cor. to Secs. 17, 18, 19, and 20, to be N 0°21' E. 2642.95 ft.

Sur. No. 3644, Midway and Independent lodes

All corners are redwood posts, 4" sq., properly set and scribed.

Sur. No. 3280, Gold Hill No. 1 lode.

All corners are redwood posts 4" sq., properly set and scribed.

Sur. No. 3247, Independent lode.

All corners are stones set in the ground, properly chiseled with a mound of stone alongside.



## NOTE:-

The main vein on this group extends along the lode line for the full length of the five lodes of this Survey, as indicated by the several workings and the outcrop, which is very plain. The sharp bend in the vein, as indicated by the lode line of the New York No. 3 lode, actually exists on the ground, and can be plainly seen by the outcrop.

## NOTE:-

The disagreement between these field notes and the location certificates is due to errors in the latter.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

E. J. Durrell and A. J. Olsen

known as the New York No. 1, New York No. 3, New York No. 4, New York No. 5 and New York No. 6 lodes.

and showing the respective capacities in which they acted.

- E. W. Gilbreath, Chainman.
- E. W. Gilbreath, Chainman.
- ....., Axman.
- ....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, E. W. Gilbreath

and ..... do solemnly swear that we assisted

Edward L. Haff, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

E. J. Durrell and A. J. Olsen

Known as the New York No. 1, New York No. 3, New York No. 4, New York No. 5 and New York No. 6 lodes.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- E. W. Gilbreath, Chainman.
- ....., Chainman.
- ....., Axman.
- ....., Flagman.

Subscribed and sworn to by the above-named persons before me this 17<sup>th</sup>

day of May, 1921

My Commission Expires April 23rd 1923

[Signature]  
Notary Public



4-686.

### FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edward L. Haff, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
April 25-1921, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of E. J. Durrell and A. J. Olsen  
known as the  
New York No. 1, New York No. 3, New York No. 4, New York No. 5  
and New York No. 6 lodes.  
situate in San Francisco Mining District,  
Mohave County, Arizona, in Section s  
19-20 and 29, Township No. 20 N., Range No. 20 W. G. & S. R. M.  
and designated as Survey No. 3767, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimants or their grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Edward L. Haff  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff  
U. S. Mineral Surveyor, before me a Notary Public in and for  
Mohave County State of Arizona this 17<sup>th</sup>  
day of May, 1921

W. H. Long  
Notary Public



6-1044  
My Commission  
Expires April 23rd 1923



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

August 26, 1921.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

E. J. Durrell and A. J. Olsen, known as the New York No. 1, New York No. 3, New York No. 4, No. 6 lodes, New York No. 5, and New York, situate in San Francisco Mining District, Mohave County, Arizona, in Sections 19, 20, & 29, Township No. 20 N., Range No. 20 W., and designated as Survey

No. 3767, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim<sup>or for each of</sup> by claimant or their grantors, and that said improvements consist of 10 shafts, 8 cuts, 4 tunnels, 1 winze, 1 crosscut and 4 drifts, total value \$17,310, of which \$1260 is reserved for the New York No. 2 and New York No. 7 lodes, unsurveyed.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.



4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

August 26, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. J. Durrell and A. J. Olsen

known as the New York No. 1, New York No. 3, New York No. 4, New York No. 5, and New York No. 6 lodes

situate in San Francisco mining district, Mohave County, Arizona

in Sections 19, 20, & 29, Township No. 20 N., Range No. 20 W.

designated as Survey No. 3767

executed by Edward L. Haff, U. S. Mineral

Surveyor, May 9 - 17, 1921, under my instructions dated

April 25, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.