

OCT. 26. 1921

MINERAL SURVEY No. 3788

Arizona Land District

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley and D.V.Marley

consisting of seven contiguous locations

Made under

Regulations under the Act of June 30, 1919, as amended November 11, 1920

situated in

Fort Apache Indian Reservation Mining-District,

Gila County, Arizona, approx. in

Section 36, Township 6 N., Range 17 E. Unsur,

Surveyed under instructions dated October 6, 19 21.

changed on con. sheets to 23-T6N, 17E.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located Mar. 11, April 8 and Sept 30, 19 21.

Survey commenced October 11, 19 21.

Survey completed October 15, 19 21.

Address of claimant's attorney, Chas. L. Rawlins, Box 98, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

September 30, 1921.

1.

MINERAL SURVEY NO. 3788.

Feet.

Beginning at Cor. No. 1, identical with N.E. Cor. monument of the location.

A cross on limestone in place, about which is chiseled 1-3788, with mound of stone alongside, whence

U.S.L.M. No. 3788 bears S. 74°-06'E. 1292.2 ft.
Cor. No. 8, Sur. No. 3795 brs. S. 35° 18' W. 2117.6 ft.

A cedar tree, 12 ins. in diameter, blazed and scribed cross B.T. 3788, bears S. 50°-57'W. 33.65 ft.

A cedar tree. 12 ins. in diameter, blazed and scribed cross B.T. 3788, bears N. 15°-45'W. 18.20 feet.

No other bearings available.

Thence S. 33°-10'W.

Along line of the location.

1929.50 Intersect line 8-1, Sur. 3795, unapproved, N. 56°-04'E.
202.6 ft. from Cor. No. 8.

2149.45 Intersect line 7-8. Sur. 3795, unapproved, S. 33°-56'E.
85.6 ft. from Cor. No. 8.

4199.70 To Cor. No. 2, identical with S.E. Cor. monument of the location.

A limestone, 5 x 8 x 24 ins., chiseled cross at the exact corner and 2-3788, set 12. ins. in the ground, with mound of stone alongside, whence

A diabase boulder showing 12 x 12 x 20 ins. out of the ground, chiseled cross B.R. 3788, bears N. 21°-45'W. 6.55 ft.

No other bearings available.

Thence N. 56°-50'W.

Along line of the location.

1498.80 To Cor. No. 3, identical with S.W. Cor. monument of the location.

A limestone boulder, 10 x 15 ins., flush with the ground chiseled cross at the exact corner and 3-3788, with mound of stone alongside, whence

A diabase boulder, 3 x 3 x 4 ft. out of the ground, chiseled cross B.R. 3788, bears S. 56°-50'E. 5.35 ft.

Feet. A cedar tree, 17 ins., in diameter, blazed and scribed cross B.T. 3788, bears S.55°-23'W. 15.05 ft.

No other bearings available.

Thence N.33°-10'E.

Along line of the location.

4199.70 To Cor. No. 4, identical with N.W. Cor. of the location.

A quartzite stone, 7 x 8 x 25 ins., chiseled cross at the exact corner and 4-3788, set 12 ins. in the ground, with mound of stone alongside, whence

A quartzite boulder 4 x 5 x 8 ft. out of the ground, chiseled cross B.R. 3788, bears S.56°-50'E. 6.95 ft.

A cottonwood tree, 9 ins. in diameter, blazed and scribed cross B.T. 3788, bears N.63°-24'E. 39.60 ft.

No other bearings available.

Thence S.56°-50'E.

Along line of the location.

1498.80 To Cor. No. 1, the place of beginning.

Mean magnetic variations at all corners 14°-20'E.

oooooooooooooooooooo

AREA

Total area of survey, 144.502 acres.

Area in conflict with Sur. 3795, ~~unapproved,~~ 0.199 acres.

oooooooooooooooooooo

LOCATION.

Sec. 36

This survey is located approximately in T. 6 N., R. 16 E., G. & S.R.B. & M., unsurveyed, on the Fort Apache Indian Reservation, Gila County, Arizona.

oooooooooooooooooooo

ADJOINING AND CONFLICTING CLAIMS.

This survey is bounded on the north, west and south by unappropriated Indian Reservation, On the east by unappropriated Indian Reservation and Sur. 3795, ~~unapproved,~~ owned by Apache Asbestos Company.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 1/4 inch Berger transit. The courses were deflected from the true meridian as determined by Polaris observation, verified by Solar observation.

The distances were measured with a 660 foot steel tape.



REPORT.

U.S.L.M. 3788, to which tie is given, is a diabase boulder, 12 x 16 x 18 ins. above the ground, chiseled cross at the exact point and U.S.L.M. 3788, with mound of stone alongside.

The tie to this monument was made direct from Corner No. 1. Sur. 3795, ~~unapproved.~~

Cor. No. 1 of said survey 3795 is a quartzite boulder, with mound of stone alongside, properly marked. Cors. 7 and 8 are stones with mounds of stone alongside, properly marked. The tie to Cor. No. 8 of said survey 3795 from Cor. No. 1 of this survey, was computed through a tie made from a point on line 1-2, 1928.2 ft. from Cor. No. 1, S.55°-56'W. 203.8 ft. direct to Cor. No. 8 of said Sur. 3795. The bearings of lines 7-8 and 8-1, were determined direct from Cor. No. 8.

Edwin P. Stewars

United States Mineral Surveyor.

Globe, Arizona,
October 17, 1921.

In the execution of Mineral Survey No. 3788, I find that the claims are not within the two mile limit of an approved corner of the public survey or a U.S.L.M., so establish U.S.L.M. No. 3788.

There being no suitable post available, I selected a diabase boulder, which shows 12 x 16 x 18 ins. above the ground, and which is situated on a high knoll visible for a great distance in all directions, chiseled a cross and U.S.L.M. 3788 on top of it and erected a monument of stone, 6 ft. base, 5 ft. high, S.27°W. 9.0 ft. from it.

This monument is on the north side of Salt River, about two miles in a N.23°E. direction from the Regal Mine; about 7000 feet in a N.48°E. direction from the Salt Banks on Salt River; and about 1900 feet in a S.01°-20'W. direction from the Needle's Eye, a land mark in this vicinity. Approximately, the monument is in Latitude 33°-50'-30" N.

A diabase boulder, showing 1.5 x 1.5 x 2.5 ft. out of the ground chiseled cross B.R. U.S.L.M. 3788, bears S.46°-41'E. 7.45 ft.

A diabase boulder, showing 2 x 4 x 5 ft. out of the ground, chiseled cross B.R. U.S.L.M. 3788, bears S.53°-10'W. 16.0 ft.

Cor. No.1, Mineral Survey No. 3788, bears N.74°-06'W. 1292.2 ft.

Cor. No. 1, Mineral Survey No. 3795, bears N.17°-34'W. 246.75 ft.

Edwin P. Stewars

United States Mineral Surveyor.

Globe, Arizona,
October 17, 1921.

3788

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley and D.V.Marley,

~~known as the~~ Consisting of seven contiguous locations,

and showing the respective capacities in which they acted.

Tee Hinton , *Chainman.*

..... , *Chainman.*

..... , *Arman.*

..... , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We,

and I, Tee Hinton, , do solemnly swear that ^Iwe assisted

Edwin T. Stewart , United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley and D.V.Marley,

~~known as the~~ Consisting of seven contiguous locations,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the ^{exterior}~~corner and~~ boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

Tee Hinton , *Chainman.*

..... , *Chainman.*

..... , *Arman.*

..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 17th

day of October , 19 21.

My commission expires November 12, 1924. M. L. Harrison

Notary Public.

Gila County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 6, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of B.H.Kerrick, Charles Pennington, W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley and D.V.Marley, ~~known as the~~ consisting of seven contiguous locations, situate in Fort Apache Indian Reservation Mining-District, Gila County, Arizona, Approx., in Section ~~Approx~~ Sec. 36, Township No. 6 N., Range No. 17 E., unsurveyed, and designated as Survey No. 3788, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, ~~and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions,~~ and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, ~~and that the labor expended and improvements made upon said mining claim by claimant or~~ grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate ~~of expenditures upon any other claim.~~ and that said exterior boundaries as surveyed embrace the seven contiguous locations as applied for and no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M.L.Harrison, a Notary Public,
this 17th
day of October, 19 21.

My commission expires
November 12, 1924.

M.L.Harrison
Notary Public,
Gila County, Arizona.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

December 19, 1921.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of B.H.Kerrick, Charles Pennington,
W.C.Ashlock, J.B.Kerrick, Bennit Hancock, Wm.G.Shanley, and D.V.Marley
, known as the

, situate in Fort Apache Indian Reservation
Mining District, Gila County,
Arizona, in Section Approx. 36, Township No. 6 N.
Range No. 16 E., Unsur., and designated as Survey
No. 3788, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of~~

~~_____

_____~~

~~and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

December 19, 1921, 191

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of B.H. Kerrick, Charles Pennington, W.C. Ashlock, J.B. Kerrick, Bennit Hancock, Wm. C. Shanley, and D.V. Marley

known as the

situate in Fort Apache Indian Reservation mining district,
Gila County, Arizona

in Section Approx. 36, Township No. 6 N., Range No. 16 E., Unsur.
designated as Survey No. 3788

executed by Edwin T. Stewart, U. S. Mineral
Surveyor, October 11 - 15, 1921, 191, under my instructions dated

October 6, 1921, 191, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.~~


U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3788
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Mineral Survey No. 3788, located in section 12, Township 5 North, Range 16 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Mineral survey No. 3788 was canceled May 4, 1999, by memo 9605 (952) M.S.3788, which is now a part of the original field notes."

May 4, 1999
Date



Chief Cadastral Surveyor of Arizona