

MINERAL SURVEY No. 3795

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE exterior boundaries of the MINING CLAIM OF

Apache Asbestos Company

consisting of 24 contiguous locations

Made under

Regulations under the Act of June 30, 1919, as amended Nov. 11, 1920

Fort Apache Indian Reservation Mining District,

Gila County, Arizona, approximately in

Sections 25 & 36, Township 6 N., Range 17 E., uns. & 30 & 31, Township 6 N., Range 17 E., uns.

Surveyed under instructions dated July 25, 1921.

by Edwin T. Stewart U. S. Mineral Surveyor.

Claim located March 8 and 9, 1921.

Survey commenced October 16, 1921.

Survey completed October 23, 1921.

Address of claimant's agent, Geo. A. Thayer, Box 1438, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

June 11 and 12, 1921.

Feet.

MINERAL SURVEY NO. 3795.

Beginning at Cor. No. 1, identical with corner of the location.

A diabase stone, 4 x 6 x 30 ins., chiseled cross at the exact corner and 1-3795, set 14 ins. in the ground, with mound of stone alongside, whence

A quartzite boulder, showing 4 x 6 x 8 feet out of the ground, chiseled cross B.R. 3795, bears N.41°-50'W. 29.0 ft.

U. S. L. M. No. 3788 bears S.17°-34'E. 246.75 ft.

No other bearings available.

Thence N.33°-56'W.

Along line of the location.

1800.00 To Cor. No. 2, identical with corner of the location.

A quartzite boulder, 1.5 x 2 x 4 ft. out of the ground, chiseled cross at the exact corner and 2-3795, with mound of stone alongside, whence

A diabase boulder, 2 x 3.5 x 5.5 ft. out of the ground, chiseled cross B.R. 3795, bears N.33°-56'W. 13.60 ft.

No other bearings available.

Thence N.56°-04'E.

Along line of the location,

2997.00 To Cor. No. 3, identical with N.E. corner monument of the location.

A limestone boulder, 15 x 24 ins., flush with the ground, chiseled cross at the exact corner and 3-3795, with mound of stone alongside, whence

A cedar tree, 20 ins. in diameter, blazed and scribed cross B.T. 3795, bears N.45°-42'E. 44.0 ft.

No other bearings available.

Thence S.33°-56'E.

Along line of the location.

1546.00 Bed of Salt River draw, flowing southerly.

2638.00 Bed of Salt River Draw, flowing southeasterly.

5276.90 To Cor. No. 4, identical with S.E. corner monument of the location.

A limestone, 5 x 6 x 24 ins. chiseled cross at the

Feet.

exact corner and 4-3795, set 12 ins. in the ground, with mound of stone alongside, whence

A cross on diabase in place, about which is chiseled

B.R. 3795, bears N.56°-03'E. 5.1 ft.

No other bearings available.

Thence S.56°-04'W.

Along line of the location.

2997.00 To Cor. No. 5, identical with corner of the location.

A quartzite stone, 4 x 8 x 26 ins., chiseled cross at the exact corner and 5-3795, set 12 ins. in the ground, with mound of stone alongside, whence

A cross on limestone in place, about which is chiseled

B.R. 3795, bears N.33°-56'W. 11.40 ft.

A cedar tree, 10 ins. in diameter, blazed and scribed cross B.T. 3795, bears S.55°-35'E. 69.60 ft.

No other bearings available.

Thence N.33°56' W.

Along line of the location.

1676.90 To Cor. No. 6, identical with corner of the location.

A diabase stone, 4 x 5 x 24 ins., chiseled cross at the exact corner and 6-3795, set 12 ins. in the ground, with mound of stone alongside whence

A cross on the southeast face of limestone ledge, about which is chiseled B.R. 3795, bears N.25°-23'W. 18.4 ft.

No other bearings available.

Thence S.56°-04'W.

Along line of the location.

2883.00 To Cor. No. 7, identical with S.W. corner monument of the location.

A quartzite boulder showing 2.5 x 4 x 9 ft. out of the ground, chiseled cross at the exact corner and 7-3795 with mound of stone alongside, whence

A mesquite tree, 6 ins. in diameter, blazed and scribed cross B.T. 3795, bears N. 11°-40'E. 17.95 ft.

No other bearings available.

Thence N.33°-56'W.

Feet. Along line of the location.

1714.40 Intersect line 1-2. Sur. 3788, ~~unapproved~~, S. 33°-10'W.
2149.45 ft. from Cor. No. 1.

1800.00 To Cor. No. 8, identical with N.W. corner monument of
the location.

A limestone, 6 x 6 x 26 ins., chiseled cross at the
exact corner and 8-3795, set 12 ins. in the ground, with
mound of stone alongside, whence

A limestone boulder, 3.5 x 3.5 ft., flush with the ground,
chiseled cross B.R. 3795, bears S. 33°-56'E. 27.45 ft.

Cor. No. 1, Sur. 3788, ~~unapproved~~, bears N. 35°-18'E. 2117.6
ft.

No other bearings available.

Thence N. 56°-04'E.

Along line of the location.

202.60 Intersect line 1-2, Sur. 3788, ~~unapproved~~, S. 33°-10'W.
1929.5 ft. from Cor. No. 1.

2883.00 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-30'E.

oooooooooooooooooooo

AREA.

Total area of survey, 482.192 acres.

Area in conflict with Sur. 3788,
~~unapproved~~, 0.199 acres

oooooooooooooooooooo

LOCATION.

Secs. 25 & 36

This survey is located approximately in T. 6 N., R. 16 E., Unsur. &
Secs. 30 & 31, 17 E., G. & S.R.B. & M., ~~unsurveyed~~, on the Fort Apache
Indian Reservation, Gila County, Arizona.

oooooooooooooooooooo

ADJOINING AND CONFLICTING CLAIMS.

This survey is bounded on the north by Sur. 3788,
~~unapproved~~, owned by B.H. Kerrick, et al; and by unappr-
opriated Indian Reservation. On the east by unknown claims
unsurveyed, owners unknown, On the south and west by
unappropriated Indian Reservation.

Feet.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 $\frac{1}{4}$ inch Berger transit.

The courses were deflected from the true meridian as determined by Polaris observation, verified by Solar observation.

The distances were measured with a 660 foot steel tape.

oooooooooooooooooooo

REPORT.

U.S.L.M. No. 3788, to which tie is given, is a diabase boulder, 12 x 16 x 18 ins. above the ground, chiseled cross at the exact point and U.S.L.M. 3788, with mound of stone alongside. The tie to this monument was made direct from Cor. No. 1.

Sur. 3788, ~~unapproved~~.

Cor. No. 1, is a cross on limestone in place and Cor. No. 2 is set limestone, both corners being properly marked, with mound of stone alongside. The bearing of line 1-2 was determined direct and the extent of the conflict with said survey 3788 and the tie from Cor. No. 8 of this Sur. to Cor. No. 1 of said Sur. 3788, was computed through a traverse run N.55°-56'E. 203.8 ft.; thence N.33°-10'E 1928.2 ft. from Cor. No. 8 of this survey to Cor. No. 1 of said Survey 3788.

Edwin P. Stewart.

United States Mineral Surveyor.

Globe, Arizona,

November 25, 1921.

Thayer
24- 3795

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Apache Asbestos Co.
~~known as the~~ consisting of 24 contiguous locations.
and showing the respective capacities in which they acted.

Charles Pennington , *Chainman.*
Rudolph Wolf , *Chainman.*
..... , *Arman.*
..... , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, Charles Pennington,
and Rudolph Wolf , do solemnly swear that we assisted
Edwin T. Stewart , United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of
Apache Asbestos Co.
~~known as the~~ consisting of 24 contiguous locations
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the ^{exterior} ~~corner~~ and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

Charles Pennington , *Chainman.*
Rudolph Wolf , *Chainman.*
..... , *Arman.*
..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 25th
day of October , 19 21.

My commission expires
November 12, 1924.

M. L. Harrison
Notary Public, Gila
County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 25, 1921, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Apache Asbestos Co., known as the consisting of 24 contiguous locations, situate in Fort Apache Indian Reservation Mining District, Gila County, Arizona, approx., in Sections 25 & 36 6 N. 16 E., Unsur., &c, Township No. 6 N., Range No. 17 E., unsurveyed., and designated as Survey No. 3795, as represented in the foregoing field notes, which accurately show the ^{exterior} boundaries of said mining claim as distinctly marked by monuments on the ground, ~~and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions,~~ and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, ~~and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.~~ and that said exterior boundaries as surveyed embrace the 24 contiguous locations as applied for and no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M.L. Harrison, a Notary Public,
this 25th
day of October, 19 21.

My commission expires
November 12, 1924.
M.L. Harrison
Notary Public, Gila
County, Arizona.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

December 19, 1921.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Apache Asbestos Co.,

, known as the consisting of 24 contiguous locations,

, situate in Fort Apache Indian Reservation

Mining District,

Gila

County,

Arizona,

Approx.

25 & 36

6 N.,

in Sections

30 & 31

Township No.

6 N.,

16 E., Unsur., &

Range No.

17 E., Unsur.

, and designated as Survey

No. 3795. has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of~~

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

December 19, 1921, 191

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Apache Asbestos Co.,

known as the

consisting of 24 contiguous locations,

situate in Fort Apache Indian Reservation mining district,

Gila County, Arizona, Approx.

in Sections 25 & 36 6 N. 16 E., Unsur., & 30 & 31 6 N. 17 E., Unsur.

designated as Survey No. 3795

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, October 16 - 23, 1921, 191, under my instructions dated

July 25, 1921, 191, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3795
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

Mineral Survey No. 3795, located in section 12, Township 5 North, Range 16 East and sections 6, 7 and 8 Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Mineral survey 3795 was canceled May 4, 1999, by memo 9605 (952) M.S. 3795, which is now a part of the original field notes."

May 4, 1999
Date



Chief Cadastral Surveyor of Arizona