

JUL 17 1921

4-683

1

MINERAL SURVEY No. 3818

ARIZONA Land District.

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

Apache Exploration and Development Co. known as the GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, & 12 lodes

Made under

Regulations under the Act of June 30, 1919, as amended November 11, 1920.

San Carlos Indian Reservation Mining District,

Graham County, Arizona, Approximately in

Section ---, Township 4 S., Range 21 E., uns. G. & S.R.M.

Surveyed under instructions dated November 30, 1921

by Edwin T. Stewart U. S. Mineral Surveyor.

Claim-located (see notices) 19

Survey commenced June 1, 19 22.

Survey completed June 7, 19 22.

Address of claimant's Agent; Geo. A. Thayer, Box 1438, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

See Notices

Feet.	MINERAL SURVEY NO. 3818.
	<p>Beginning at Cor. No. 1, identical with S.W. Cor. monument of the location.</p> <p>A diabase stone, 6 x 12 x 24 ins., chiseled cross at the exact corner and 1-3818, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>U.S.L.M. No. 3818 bears N.28°-52'E. 574.8 ft.</p> <p>A diabase boulder 8 x 14 x 24 ins. out of the ground, chiseled cross B.R. 3818, bears S.78°-26'E. 7.75 ft.</p> <p>No other bearings available.</p> <p>Thence N.20°-29'E.</p> <p>Along lines of the locations.</p>
1134.0	Bed of gulch, draining easterly
2400.0	<p>To Cor. No. 2, identical with N.W. Cor. monument of the location.</p> <p>A diabase stone, 8 x 8 x 24 ins., chiseled cross at the exact corner and 2-3818, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>A diabase stone, 7 x 14 ins., flush with the ground, chiseled cross B.R.-3818, bears N.20°-29'E. 5.55 ft.</p> <p>A 1/2 inch drill hole near the northwest end of the top of a granite boulder, 4.5 x 5 x 5 ft. out of the ground, bears S.69°-31'E. 54.55 ft. On account of the roughness of the surface of this boulder B.R. and the survey number could not be chiseled on it.</p> <p>No other bearings available.</p> <p>Thence S.69°-31'E.</p> <p>Along lines of the locations.</p>
1800.0	Bed of gulch, draining northeasterly.
4500.0	<p>To Cor. No.3, identical with N.E. Cor. of the location.</p> <p>A diabase stone, 5 x 6 x 24 ins., chiseled cross at the exact corner and 3-3818, set 12 ins. in the ground, with mound of stone alongside, whence</p> <p>A diabase boulder, 7 x 14 x 18 ins. out of the ground, chiseled cross B.R. 3818, bears S.88°-55'E. 27.35 ft.</p>

No other bearings available.

Thence S.20°-29'W.

Along lines of the location.

368.0 Bed of gulch, draining northeasterly.

2400.0 To Cor. No. 4, identical with S.E. Cor. of the location.

In bed of gulch, which drains northeasterly, and not set.

Witness Cor. bears N.69°-31'W. 30.95 ft.

A cross on the east face of diabase outcropping, about which is chiseled B.R.3818, bears N.54°-31'W. 27.35 ft.

No other bearings available.

Thence N.69°-31'W. from true corner,

Along lines of the locations.

30.95 To Witness Cor. for Cor. No. 4.

A diabase stone, 6 x 8 x 26 ins., chiseled cross at the exact point and W.C.-4-3818, set 12 ins. in the ground, with mound of stone alongside.

4500.0 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-00'E.

.....

AREA.

Total area of survey, 247.934 acres.

.....

LOCATION.

This survey is located approximately in T. 4 S., R. 21 E., G. & S.R.B. & M., /on the San Carlos Indian Reservation, Graham County, Arizona.

.....

ADJOINING CLAIMS.

Vacant land on the north. The Geronimo Extension No.5, Geronimo Extension No.6, Geronimo Extension No.7, Geronimo Extension No.8 lodes, unsurveyed, owned by the claimant of this survey, on the east. Vacant land on the south. ~~and the~~ Geronimo Extension No. 1, Geronimo Extension No. 2, Geronimo Extension No. 3 and Ger-

onimo Extension No.4 lodes, unsurveyed, owned by the claimant of this survey, on the west.

.....

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a $6\frac{1}{4}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 660 foot steel tape.

.....

REPORT.

U.S.L.M. No. 3818, to which tie was made direct on the ground from Cor. No. 1, is across on quartzite outcropping, about which is chiseled U.S.L.M. 3818, with mound of stone bearing S.04°-30'W. 16.4 ft. from it.

Edwin P. Stewars

UNITED STATES MINERAL SURVEYOR.

Cloke, Arizona,
July 21, 1921.

REPORT OF ESTABLISHING U.S.L.M. NO. 3818.

In the execution of Mineral Survey No. 3818, I find that the survey is not within the two mile limit of an approved corner of the public survey or a U.S.L.M., so established U.S.L.M. No. 3818.

There being no suitable post available, I selected a quartzite out cropping on a high knoll, visible for a great distance in all directions, chiseled a cross and U.S.L.M. 3818 on it and erected a monument of stone, 6 ft. base, 5 ft. high, S.04°-30'W. 16.4 ft. from the cross.

This monument is approximately in Latitude 33°-07'N.; is about four miles in a southwesterly direction from Bylas, a station on the Arizona Eastern Railroad; and is approximately in T. 4 S., R. 21 E., G. & S.R.B. & M., unsurveyed, Graham County, Arizona.

Mt. Turnbull is visible from the monument, and bears S.70°-03'W. about five miles.

A quartzite boulder, showing 1.5 x 3.0 x 5 ft. out of the ground chiseled cross B.R. U.S.L.M. 3818, bears N.11°-32'W. 16.45 ft.

A quartzite boulder, 1 x 2 x 2 ft. out of the ground, chiseled cross B.R. U.S.L.M. 3818, bears S.41°-39'E. 30.25 ft.

Edwin P. Stewart

UNITED STATES MINERAL SURVEYOR.

~~Globe, Arizona,~~
~~July 15, 1922.~~

3818
"

T 4 S Located on Blue Print Map of Arizona, from
R 21 E approx corner to Bylas, Mt. Turnbull & Lake

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Apache Exploration and Development Co.

~~known as the~~ consisting of 12 contiguous locations known as the GERONIMO NOS. 1,2,3,4,5,6,7,8,9,10,11, and 12 lodes and showing the respective capacities in which they acted.

Phil H. Bell, Chainman.

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We,

and I, Phil H. Bell, do solemnly swear that ^Iwe assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Apache Exploration and Development Co.

~~known as the~~ consisting of 12 contiguous locations, known as the GERONIMO NOS. 1,2,3,4,5,6,7,8,9,10,11, and 12 lodes represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the exterior boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

Phil H. Bell, Chainman.

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 12th

day of July, 19 22.

My commission expires November 12, 1924.

M. L. Harrison

Notary Public, Gila County, Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
November 30, 1922., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Apache Exploration and Development Co.
Consisting of twelve contiguous locations, ^{known as the} ~~known as the~~
GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, & 12 lodes,
situate in San Carlos Indian Reservation Mining District,
Graham County, Arizona, approx., in Section
-----, Township No. 4S., Range No. 21 E., Unsur.,
and designated as Survey No. 3818, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, ~~and that the labor expended and~~
improvements made upon said mining claim by claimant or ~~grantors~~ grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim. ~~and that said exterior boundaries as~~
surveyed embrace the 12 contiguous locations as applied for and
no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M.L. Harrison, a Notary Public
in and for Gila County, Arizona, this 12th
day of July, 19 22.

My commission expires
November 12, 1924.

M. L. Harrison
Notary Public, Gila
County, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

August 30, 1922

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Apache Exploration and Development Co.

known as the GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 lodes

situate in San Carlos Indian Reservation

Mining District, Graham County, Arizona, approximately

in Section ----, Township No. 4 S., Range No. 21 E., Unsur., and

designated as Survey No. 3818, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

August 30, 1922

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Apache Exploration and Development Co.

, known as the

GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 lodes

situate in San Carlos Indian Reservation mining district,

Graham County, Arizona, Approx.

in Section ---, Township No. 4 S., Range No. 21 E., Unsur

designated as Survey No. 3818

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, June 1 - 7, 1922, under my instructions dated

November 30, 1921, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of Francis D. Smith

U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3818
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 lodes, Mineral Survey No. 3818, located in approx. sections 11 and 12, Township 4 South, Range 21 East (unsurveyed), Gila and Salt River Meridian, Arizona, is hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"GERONIMO NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 lodes, were canceled June 21, 2011, by memo 9605 (956) M.S. 3818, which is now a part of the original field notes."

June 21, 2011
Date

Daniel L. Maby
Acting Chief Cadastral Surveyor of Arizona