

MINERAL SURVEY No. 3825

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs J. N. Gallagher

KNOWN AS THE

Ferris and Kid Mc Gee #1 Lodes
Tombstone Mining District,
Cochise County, Arizona

Sections 1 & 2 Unsurveyed Township R. 1 S., Range 21 E.

Surveyed under instructions dated Feb. 4, 1922

by John A. Rockefeller
U. S. Mineral Surveyor.

Claim located Location
See Notices, 19

Survey commenced February 8, 1922

Survey completed February 15, 1922

Address of claimant's Attorney, O. Gibson
Tombstone
Ariz.

DATES OF AMENDED LOCATIONS.

T.A. 7

FERN LODE

Feet	
	<p>Beginning at Cor. No. 1, set a post 4 ft. long 6 x 6 ins. 6 ins. in the ground to bedrock, in a mound of stone, scribed S.E.C-F 1-3825</p> <p>Whence: Cor. of loc. a stone monument bears S 15° 10' E 7 feet.</p> <p>X.B.R. 1-3825 chiseled on a rhyolite reef bears N.39° 54' W. 26.2 ft.</p> <p><i>An iron pipe 4 feet high placed on and above the stone at W.C. 26½ mile point on the boundary of the private land grant of San Juan, de las Boquillas y Nogales bears N. 72° 21' E. 2121.0 ft.</i></p> <p>Thence S. 51° 34' W. Va. 13° 40' E.</p>
646	Center of Bronkow Wash 60 ft. wide course westerly
957	Center of road from Tombstone-Charleston highway to workings of this claim.
1365.3	To Cor. No. 2, identical with location and with Cor. No. 1, Kid McGee # 1 lode of this survey, a post in a mound of stone, reset post (5 ft. long 6 x 4 ins.) 1 foot in ground to hardpan, in a mound of stone. Scribe post S.W.C-F S.E.C-K.M.1 and 2-1-3825.
	<p>Whence: X B R 2-1-3825 chiseled on a granite rock 8 x 8 x 6 inches bears N. 70° 58' E. 31.65 ft.</p> <p>X B R (not smooth surface for more) chiseled on a granite rock 20 x 12x1 inches bears S.26° 43' E. 53.8ft.</p> <p>Thence N. 38° 24' W. Va. 13° 30' E.</p>
116	Center of mine road bears N.Ely. & S.Wly.
191	Center of Bronkow Wash 54 ft. wide course S. Westerly
216.1	Point for W. center End falls in edge of wash at point not suitable for permanent monument <i>a witness corner hereafter described bears N 38° 24' W 10.7 feet</i>
226.8	Establish a witness monument which is also true E. Center End of Kid McGee # 1 lode of this survey, set a post 4 ft. long 6 x 4 ins. 1 foot in ground to hardpan, in a mound of stone, scribed W.C.-W C E F and E C E-K M 1 and 3825
	Whence: Center end of location, a post in a

Feet

- mound of stone bears N. $38^{\circ} 24'$ W. 10 ft.
- 516.1 To Cor. No. 3, set a post 4 ft. long 4 x 5 ins., 6 ins. in the ground to bedrock, in a mound of stone, scribed N.W.C-F 3-3825.
- Whence: Cor. of loc., a stake in a mound of stone bears S. $80^{\circ} 00'$ W. 13.0 ft.
- X B R 3-3825 chiseled on a rhyolite rock 14 x 8 x 6 ins. bears S. $84^{\circ} 15'$ W. 18.25 ft.
- X B. R 3-3825 chiseled on a rhyolite rock 16 x 5 x 8 ins. bears N. $15^{\circ} 29'$ E. 25.3 ft.
- Thence N. $48^{\circ} 06'$ W. Va. $14^{\circ} 05'$ E.
- 1499.8 To Cor. No. 4, set a post 4 ft. long 6 x 5 ins., 8 ins. in the ground to bedrock, in a mound of stone, scribed N E C-F 4-3825.
- Whence: Cor. of loc. a monument of stone bears N. $26^{\circ} 30'$ E. 28.3 ft.
- X B R 4-3825 chiseled on rhyolite rock 18 x 14 x 6 ins. bears S. $74^{\circ} 05'$ E. 19.85 ft.
- X B R 4-3825 chiseled on rhyolite rock 14 x 12 x 4 ins. bears N. $61^{\circ} 05'$ E. 5.70 ft.
- Thence S. $38^{\circ} 24'$ E. Va. $13^{\circ} 35'$ E.
- 300 To Cor. No. 5, set a post 4 ft. long 6 x 6 ins., 8 ins. in ground to bedrock, in a mound of stone, scribed E C E-F 5-3825.
- Whence: E. center end of location, a monument of stone bears N. $48^{\circ} 06'$ E. $8\frac{1}{2}$ ft.
- X B R 5-3825 chiseled on a rhyolite reef bears N. $6^{\circ} 40'$ E. 21.75 ft.
- X B R (not smooth space for more) chiseled on a rhyolite rock 24 x 16 x 8 ins. bears S. $63^{\circ} 42'$ E. 10.85 ft.
- Thence S. $15^{\circ} 10'$ E. Va. $13^{\circ} 10'$ E.
- 334 To Cor. No. 1 the place of beginning.

Feet

KID MCGEE #1 LODE

Beginning at Cor. No. 1, identical with location and with Cor. No. 2 Fern lode of this survey and previously described.

Whence: *An iron pipe 4 feet high placed on and above the stone* WC 28 1/2 mile point on the

boundary of the private land grant of San Juan de las Boquillas y Nogales bears N. 64° 14' E 3431.9 ft.

Thence S. 73° 40' W. Va. 13° 30' E.

380 Center Bronkow Wash 40 ft. wide course S. Wly.

452.5 Center of Mine road bears N. Ely. and S. Wly.

~~575 Center of Mine Road bears S. Ely. and N. Wly.~~

1250 Center of Bronkow Wash 80 Ft. wide course Northerly.

1372.3 To Cor. No. 2, set a post 5 ft. long 6 x 4 ins. 18 ins.

in the ground, in a mound of stone, scribed

S W C- K M 1 2-3825.

Whence: Cor. of location a post in a mound of stone bears S. 73° 40' W. 215 ft.

X B R 2-3825 chiseled on a ^{pink} porphyry rock 12 x 10 x 4 ins. bears N. 66° 05' E. 8.2 ft.

No other rock or tree bearing available.

Thence N. 38° 24' W. Va. 13° 55' E.

180 Center of Bronkow Wash 70 ft. wide course W. N. W.

283.6 To Cor. No. 3, identical with location, a post 4 ft. high

6 x 4 ins. surround same with a mound of stone and scribed

W C E-K M 1 3-3825.

Whence: X B R 3-3825 chiseled on a limestone 12 x 9 x 2 ins. bears N. 8° 26' E. 12.8 ft.

No other rock or tree bearing available.

Thence N. 4° 40' W. Va. 13° 40' E.

303.7 To Cor. No. 4, identical with location, a post 4 ft.

high 6 x 4 ins., surround same with a mound of stone and scribe N W C-K M 1 4-3825.

Whence: X B R 4-3825 chiseled on a granite rock 14 x 7 x 1 inches bears S. 63° 50' E. 7.3 ft.

Feet

No other rock or tree bearing available.

Thence N. $76^{\circ} 56'$ E. *Va. $13^{\circ} 40' E$*

134 Intersect W. side of Northerly board addition to an adobe house 6.1 ft. from N. W. corner and 4.2 ft. from adobe portion.

144 Intersect E. side same building at 5.6 ft. from N. E. Cor..
^{The} adobe portion of house 15 x 15 ft.

518.5 Intersect board fence inclosing small corral at 22.6 ft. from N. W. Cor.

558.3 Intersect E. side same corral at 24.5 ft. from N. E. Cor.

763.0 Center of Mine road bears Southerly and Northerly.

1220.5 To Cor. No. 5, set a post 4 ft. long 6 x 4 ins., 6 ins. in ground to bedrock, in a mound of stone, scribe post N E C-K M 1 5-3825.

Whence: Cor. of location a stone monument bears N. $76^{\circ} 56'$ E 205 ft.

Cor. No. 3 Fern lode of this survey, previously described bears S. $38^{\circ} 24'$ E. 13.4 ft.

Thence S. $38^{\circ} 24'$ E. *Va. $14^{\circ} 05'$ E.*

13.4 Cor. No. 3 Fern lode of this survey.

3027 E center end, identical with witness Cor. W. center end Fern lode of this survey and previously described.

Whence: E center end of location, a post in a mound of stone bears N. $38^{\circ} 24'$ W. 10 ft.

313.4 Point in edge of wash for true W. C. E. Fern lode of this survey.

338.5 Center of Bronkow Wash 54 ft. wide course S. Westerly.

413.5 Center of Mine road bears N. Easterly and S. Westerly.

529.5 To Cor. No. 1 the place of beginning.

AREA	ACRES
FERN Lode	18.832
KID McGER # 1 Lode	16.079

LOCATION.

This claim is located within the boundaries of the private land grant of San Juan de las Boquillas y Nogales in Cochise County Arizona, in the unsurveyed portion of sections 1 and 2 of T. 21 S., R 21 E. G and S.R.M..

VEINS.

The presumed courses of the veins from their respective discoveries are as follows:

On the FERN Lode;

S. 48° 06' W. 70.0 ft. and N. 48° 06' E. 1429.8 ft.

On the KID MCGEE ~~#~~1 Lode;

N. 75° 50' E. 34.4 ft., and S. 75° 50' W. 1360.2 ft.

ADJOINING CLAIMS.

On the East Aztec lode unsurveyed, claimed by this claimant.

On the South War Eagle lode ^{unsurveyed} claimed by H. T. Fisher.

EXPENDITURE OF \$500.00

I certify that the value of labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors, is not less than five hundred dollars, and that ^{said} improvements consist of:

On the FERN Lode.

No. 1. Discovery shaft, which ^{is} a common improvement for both the Fern and Kid McGee ~~#~~1 lodes and is now being worked and machinery for pumping and hoisting installed; the center of North side of which bears N. 48° 06' E. 70 ft. from true W. Center End. Shaft 8 x 6 ft. timbered with manway and ladders and surmounted by gallows frame. Depth from collar to bottom .51 ft.. Descending; at 7 ft. rock work; at 43.2 ft. cross cut Northerly 6½ x 5 ft. 12 ft. to face, and Southerly 6½ x 5 ft. 4 ft. to face; at surface Northerly 16ft. from collar a cut in earth and rock 10 x 11 ft. to a 6 ft. face in which is hoisting engine surmounted by a board house of same dimension; continuing Northerly from hoist house, a cut 3 ft. to a 3 ft. face 20 ft. wide S. Wly. and N. Ely. ; Easterly from hoist house a cut 8 ft. to a 5 ft. face 25 ft. wide Northeasterly; in this cut is installed a boiler from which steam is supplied to operate pump in shaft.

Value of timbered shaft 51 ft. at \$ 25. per foot	
" " cross cut 16 feet @ \$10. per ft.	\$ 1275
" " cuts, excavations for engine and boiler	160
	225
Total value	<u>\$1660</u>

One-half assigned to Kid McGee #1 lode, ⁷⁵
Value 1/2 assigned to this claim ----- \$ 830.
 No. 2. Road work common improvement on the two lode

claims; enters claim at S51°34'W 957 ft. Value, \$100
 from Cor. No.1.; approximately 1800 ft. Total ~~\$1750~~

Assign one-half to Kid McGee #1 lode, \$ ~~880.00~~
Value 1/2 assigned to this claim \$50.
 On the KID MCGEE #1 Lode.

No. 1. Discovery shaft the center of North side of which bears S. 75° 50' W. 34.4 ft. from E. C. E.; shaft 6 x 5 ft. now 6 ft. deep partly filled with debris.

Value	\$ 50
One-half common improvements <i>above described.</i>	880
Total	930

OTHER IMPROVEMENTS.

On the FERN Lode:

- A. A cut and tunnel now caved, the mouth of which bears N. 14° 04' W. 305 ft. from a point on line 1-2 at S. 51° 34' W. 802 ft from Cor. No. 1. Claimant unknown.
- B. A shaft the center of which bears S. 76° 00' W. 144.5 ft. from Cor. No. 5, shaft 6 x 4 ft. now 5 ft. deep. Claimant unknown.

On the KID MCGEE #1 Lode:
 From E. Center End

- A. A shaft the center of North side of which bears S. 75° 50' W. 44.5 ft.; shaft 5 x 3½ ft. 9 ft. deep.
- B. A shaft the center of North side of which bears S. 75° 50' W. 55 ft.; shaft 5½ x 4 ft. 9 ft. deep.
- C. A cut the mouth of which bears S. 59° 48' W. 332 ft.; cut 4½ ft. wide extends Northerly 30 ft. to a face of 7 ft. Claimant of Improvements A. B. & C. unknown. From a point on lode line at S. 75° 50' W. 1235.4 ft. from E. C. E.
- D. An adobe house the N.W. Cor. of which bears S. 14° 10' E. 16.7 ft. house 35 x 35 ft. Claimed by this claimant.
- E. Adobe and frame house described on line 4-5 Claimed by this claimant. From a point on line 4-5 at N. 76° 56' E. 507.8 ft. from Cor. 4
- F. A frame house the N.W. Cor. of which bears S. 43° 58' E. 22 ft. house 12 x 10 ft.; connected with this house is small corral noted in description of line 4-5. Both house and corral are claimed by Maria Gallego.

REPORT.

Data was furnished by the Surveyor General in connection with this survey, calling for a U.S. Mineral Monument No. 4, at a point apparently ten or twelve hundred feet N.N. Westerly from Cor. No. 4 of the Fern lode. The presumed location is a very rocky hill quite suitable for such purpose; but no trace of such monument could be found after a diligent search by my assistant and myself, extending over an hour in time.

A description of the Bronkow lode, Lot No. 37, was included in above data. The N.W. Corner of this lode should apparently be 100 feet distant from the Fern lode. No corners of Lot No. 37 can be identified.

The W.C. 26 $\frac{1}{2}$ Mile stone was placed by me in survey of the private land grant of the San Juan de las Boquillas y Nogales, in 1899. Seven years later I made a preliminary survey and placed the W.Center End of the Manila Mine tying to W.C. 26 $\frac{1}{2}$ M stone by course S51°17'E. 137.7ft. The rock W.C. 26 $\frac{1}{2}$ M has been covered by waste from the Manila shaft, but perpetuated by an iron pipe extending up through the shallow dump. In this survey I checked the position of this pipe by above course and distance from W.Center End of Manila lode and found it to agree exactly.

Improvement No. 2, Fern lode, was constructed by the claimant for the purpose of developing the claims of this survey.

Tombstone Arizona,

February 23 1922.

John A. Rockfellow
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John P. Rockefeller
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Mrs. J. N. Gallagher
 known as the Fern and Kid Mc Gee #1 lodes
 and showing the respective capacities in which they acted.

John P. Rockefeller Chairman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We, I~~ John P. Rockefeller
 and _____, do solemnly swear that ~~we~~ I assisted John P. Rockefeller,
Rockefeller United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Mrs. J. N. Gallagher
 known as the Fern and Kid Mc Gee #1 lodes
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

John P. Rockefeller Chairman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of March, 1925

L. W. Christ

NOTARY PUBLIC

My commission expires February 19, 1924

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Feb 4 1922, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mrs J. V. Gallagher,
known as the
Fern and Kid Mc Gee #1 lodes,
situate in Tombstone Mining District,
Cochise County, Ariz, in Sections
1 & 2 Unsur, Township No. 21 S, Range No. 21 E,
and designated as Survey No. 3825, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Mineral Surveyor, before me Francis J. Abell the
undersigned Notary Public, this 23rd
day of February, 1922.

My commission
exp. Feb. 19, 1924.

Francis J. Abell
Notary Public

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

March 27, 1922.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Mrs. J. N. Gallagher

, known as the FERN and KID MCGEE #1 lodes

, situate in Tombstone

Mining District, Cochise County,

, in Sections 1&2 Unsur, Township No. 21 S.,

Range No. 21 E., and designated as Survey

No. 3825, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim ^{or for each of} by claimant or her grantors, and
that said improvements consist of 2 shafts, 2 crosscuts, 3 excavations,
and 1800 ft. of road, total value \$1810.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

..... Phoenix, Arizona,

..... March 27, 192 2.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

..... Mrs. J. N. Gallagher

....., known as the

..... FERN and KID McGEE #1 lodes

situate in Tombstone mining district,

..... Cochise County, Arizona

in Section s 1&2 Unsur., Township No. 21 S., Range No. 21 E.

....., designated as Survey No. 3825

executed by John A. Rockfellow, U. S. Mineral

Surveyor, February 8 - 15, 192 2, under my instructions dated

..... February 4, 192 2, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

..... 

U. S. Surveyor General for Arizona