

APR-3 1922

4-683

MINERAL SURVEY No. 3827

ARIZONA

Land District.

FIELD NOTES

exterior boundaries of the OF THE SURVEY OF THE MINING CLAIM OF

E. E. Swan

consisting of 18 contiguous locations

KNOWN AS THE

Made under Regulations under the Act of June 30, 1919, as amended November 11, 1920.

Fort Apache Indian Reservation Mining-District,

Gila County, Arizona, approximately in Sections 35 & 36, Township 6 N., Range 17 E., Unsur.

Sections 1 & 2, Township 5 N., Range 17 E.

Surveyed under instructions dated March 6, 19 22.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located, 19

Survey commenced March 15, 19 22.

Survey completed March 22, 19 22.

Address of claimant's Agent, John Carter, Box 2537, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

1.

Feet.

MINERAL SURVEY NO. 3827.

Beginning at Cor. No. 1, identical with N.W. Cor. monument of the locations.

A diabase stone, in place, flush with the ground, 11x24 ins., chiseled cross at the exact corner and 1-3827 on top, with mound of stone alongside, whence

A cross on diabase out crop, about which is chiseled B.R. 3827, bears S.50°-07'E. 16.05 ft.

Cor. No. 1, Sur. 3820, bears S.53°-26'E. 2067.9 ft.

The ~~21¹/₂ Mile~~ Meander Corner, ^{on 22d Mile} on the West Boundary of the White Mountain or San Carlos Indian Reservation bears S.62°-31'-20" W. 3648.2 ft.

No other bearings available.

Thence N.50°-35'E.

Along lines of the location.

3000.00 To Cor. No. 2, identical with N.E. Cor. monument of the locations.

A quartzite stone, 6 x 6' x 24 ins., chiseled cross at the exact corner and 2-3827 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A pinon tree, 10 ins. in diameter, blazed and scribed cross B.T. 3827, bears N.83°-23'W. 61.3 ft.

No other bearings available.

Thence S.39°-25'E.

Along lines of the location.

5400.00 To Cor. No. 3, identical with S.E. Cor. monument of the locations.

A limestone, 4 x 7 x 25 ins., chiseled cross at the exact corner and 3-3827 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A cedar tree, 8 ins. in diameter, blazed and scribed cross B.T. 3827, bears S.17°-09'W. 24.6 ft.

A pinon tree, 13 ins. in diameter, blazed and scribed cross B.T. 3827, bears S.89°-29'W. 39.45 ft.

Feet.

No other bearings available.

Thence S.50°-35'W.

Along lines of the locations.

3000.00 To Cor. No. 4, identical with S.W. Cor. of the locations.

A limestone, 7 x 10 x 26 ins., chiseled cross at the exact corner and 4-3827 on the side facing the claim, set 12 ins, in the ground, with mound of stone alongside, whence

A cedar tree, 30 ins. in diameter, blazed and scribed cross B.T. 3827, bears S.72°-43'W. 30.75 ft.

A cross on the northwest face of limestone outcrop, about which is chiseled. B.R. 3827, bears S.39°-25'E. 7.40 ft.

No other bearings available.

Thence N.39°-25'W.

Along lines of the locations.

1960.70 Intersect line 7-8, Sur. 3820, S.78°-40'W. 329.1 ft. from Cor. 7 and N.78°-40'E. 232.7 ft. from Cor. 8.

2455.00 Intersect line 8-1, Sur. 3820, N.11°-20'W. 436.1 ft. from Cor. 8 and S.11°-20'E. 1063.9 ft. from Cor. 1, from which the lines of said Sur. 3820, conflicting with this survey, extend N.78°-40'E. 589.8 ft. to Cor. No. 2; thence S.11°-20'E. 850.1 ft. to Cor. No. 3; thence N.58°-34'E. 350.3 ft. to Cor. No. 4; thence S.31°-26'E. 1482.0 ft. to Cor. No. 5; thence S.58°34'W. 599.9 ft. to Cor. No. 6; thence N.31°-26'W. 881.2 ft. to Cor. No. 7.

5400.00 To Cor. No. 1, the place of beginning..

Mean magnetic variation at all corners, 15°-00'E.

.....

AREA

Total area of survey	371.901 acres. ✓
Area in conflict with Sur. 3820	37.624 acres. ✓

.....

LOCATION.

This survey is located approximately in T. 5 N., R. Secs. 1 & 2,

Feet.

& Secs. 35 & 36, T. 6 N., R. 17 E.,
17 E., G. & S.R.B. & M., unsurveyed, on the Fort Apache
Indian Reservation, Gila County, Arizona.

oooooooooooooooooooo

ADJOINING AND CONFLICTING CLAIMS.

This survey is bounded on the north, east, south
and west by unappropriated Indian Reservation. An
unknown claim, unsurveyed, conflicts at the southwest
corner of the survey, and the claims of Sur. 3820
owned by L.R. Jacobson et al. conflicts almost in their
entirety with the survey.

oooooooooooooooooooo

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 1/4 inch Berger transit.
The courses were deflected from the true meridian as
determined by direct Solar observations. The distances
were measured with a 660 foot steel tape.

oooo oooo oooooooooo

REPORT.

The ~~21 1/2~~ ^{on the 22d mile} Mile Meander Corner, on the West Boundary of the
White Mountain or San Carlos Indian Reservation, to which
tie is given is a 1 inch iron post set in mound of stone,
with brass cap marked MC 21 1/2 M 27.8 chs. PL WMIR AWB
1915. The surface of the ground along the line from Cor.
No. 1 of the survey to the Meander Corner being very
steep and rough, and it being necessary to cross Salt
River, with the line, which at the date of making this
survey, on account of high water could not be done, I
resorted to triangulation to obtain the tie. From Cor.
No. 1, by turning the angle off of line 4-1, I determine
the bearing to the Meander Corner to be S.62°-31'-20"W.
Then from a point on line 4-1, S.39°-25'E. 3248.7 ft.
from Cor. No. 1, by turning the angle off of line 4-1

Feet.

I determine the bearing to the Meander Corner to be N. $81^{\circ}-08'-10''$ W. Solving the resulting triangle, I obtain the tie reported herein. I determine the area in conflict of Survey No. 3820 with this survey by retracing the lines of Sur. 3820. I find a nominal error in all the lines of said survey, and an error in excess of the limit of error in the tie line from Cor. No. 1 of said Sur. 3820 to the ~~21 $\frac{1}{2}$~~ Mile Meander Corner, ^{on the 22d mile} as computed through the lines of this survey. All the corners of said Sur. 3820 are either stones in place or set stones with mounds of stone alongside, each of which ^{is} ~~are~~ properly chiseled with number of corner and survey number.

Edwin A. Suwar

United States Mineral Surveyor.

Globe, Arizona
March 31, 1922.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

E. E. Swan

~~known as the~~ Consisting of 18 contiguous locations.

and showing the respective capacities in which they acted.

Phil H. Bell, *Chainman.*

Chainman.

Acman.

Flagman.

FINAL OATHS OF ASSISTANTS.

~~We,~~

~~and~~ I, Phil H. Bell, do solemnly swear that ~~we~~ ^I assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying ^{exterior} ~~the~~ boundaries of the mining claim of E. E. Swan

~~known as the~~ consisting of 18 contiguous locations

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the ^{exterior} ~~corner and~~ boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

Phil. H. Bell, *Chainman.*

Chainman.

Acman.

Flagman

Subscribed and sworn to by the above-named persons before me this 31st

day of March, 19 22.

My commission expires
November 12, 1924.

M. L. Harrison

Notary Public, Gila
County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 6, 1922, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of E. E. Swan, consisting of 18 contiguous locations, known as the _____, situate in Fort Apache Indian Reservation Mining District, Gila County, Arizona, approx., in Sections 35 & 36 6 N. 17 E. Unsur & 1 & 2, Township No. 5 N., Range No. 17 14 E. Unsur, and designated as Survey No. 3827, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim. and that said exterior boundaries as surveyed embrace the 18 contiguous locations as applied for and no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M. L. Harrison, a Notary Public in
and for the County of Gila, Arizona, this 31st
day of March, 19 22.

My commission expires
November 12, 1924.

M. L. Harrison
Notary Public,
Gila County, Arizona.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,
Phoenix, Arizona,

June 30, 1922.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

E. E. Swan

~~known as the~~ consisting of 18 contiguous locations

, situate in Fort Apache Indian Reservation

Arizona Mining District, Gila County,
17 E., Unsur., in Section s 35 & 36 Township No. 5 N.
17 E., Unsur.

Range No. _____, and designated as Survey
No. _____, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended~~
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott
Arizona.

United States Surveyor General for

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

June 30, 1922

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. E. Swan

, known as the

consisting of 18 contiguous locations

situate in Fort Apache Indian Reservation mining district,

Gila County, Arizona, Approx. in

in Sections 35 & 36 1 & 2, Township No. 6 N. 5 N., Range No. 17 E., Unsur. 17 E., Unsur.

, designated as Survey No. 3827

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, March 15 - 22, 1922, under my instructions dated

March 6, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3827
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Mineral Survey No. 3827, located in section 24, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Mineral Survey No. 3827 was canceled May 11, 1999, by memo 9605 (952) M.S. 3827, which is now a part of the original field notes."

May 11, 1999
Date


Chief Cadastral Surveyor of Arizona