

1  
APR-3 1922

MINERAL SURVEY No. 3831

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE exterior boundaries of the MINING CLAIM OF

MC D. Robinson, R.M. Anderson and Geo. England.

Made under Regulations under the Act of June 30, 1919, as amended  
November 11, 1920.  
KNOWN AS THE

Falls Nos. 1 to 6 inc. lodes

San Carlos Indian Reservation Mining District,

Gila County, Arizona, approximately in

Sections 15 & 22, Township 5 N., Range 17 E., uns.

Surveyed under instructions dated February 25., 1922.

by Edwin T. Stewart  
U. S. Mineral Surveyor.

Claim located \_\_\_\_\_, 19

Survey commenced March 5, 1922.

Survey completed March 11, 1922.  
% of R.M. Anderson.

Address of claimants, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Feet.

MINERAL SURVEY NO. 3831.

Beginning at Cor. No. 1, identical with S.W. Cor. monument of the locations.

A diabase stone, 3 x 9 x 24 ins., chiseled cross at the exact corner and 1-3831 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A diabase stone, 18 x 30 ins., flush with the ground, chiseled cross B.R. 3831, bears S.29°-50'E. 9.65 ft.

The 19 $\frac{1}{2}$  Mile Monument on the West Boundary of the White Mountain or San Carlos Indian Reservation bears N.87°-23'-10"W. 2752.1 ft.

No other bearings available.

Thence N.00°-03'E.

Along lines of the locations.

6000.00 To Cor. No. 2, identical with N.W. Cor. monument of the locations.

A quartzite stone, 8 x 9 x 24 ins., chiseled cross at the exact corner and 2-3821 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A quartzite stone, 14 x 30 ins., flush with the ground, chiseled cross B.R. 3831 bears S.89°-57'E. 16.05 ft.

No other bearings available.

Thence S.89°-57'E.

Along line of the location.

600.00 To Cor. No. 3, identical with monument of the location.

A  $\frac{1}{2}$  inch drill hole in diabase outcrop, about which is chiseled 3-3831, with mound of stone alongside.

No bearings available.

Thence S.00°-03'W.

Along line of the location.

633.00 To Cor. No. 4, identical with mounment of the location.

A quartzite stone, 9 x 11 x 25 ins., chiseled cross

Feet.

at the exact corner and 4-3831, on the side facing the claim, whence

A pinon tree, 12 ins. in diameter, blazed and scribed cross B.T. 3831, bears N.10°-02'E. 40.95 ft.

A cedar tree, 5 ins. in diameter, blazed and scribed cross B.T. 3831, bears N.85°-32'W. 28.4 ft.

No other bearings available.

Thence S.89°-57'E.

Along line of the location.

478.50 To Witness Corner for Cor. No. 5.

A cross on limestone in place, about which is chiseled W.C.-5-3831, with mound of stone alongside.

600.00 To point for Cor. No. 5, identical with N.E. corner monument of the locations. Not set on account of falling on steep diabase slide where a permanent corner could not be established.

Witness corner bears N.89°-57'W. 121.5 ft.

Cor. No. 1, Sur. 3794, bears S.16°-49'W. 953.0 ft.

No other bearings available.

Thence S.00°-03'W.

Along lines of the locations.

827.00 Intersect line 1-2, Sur. 3794, N.72°-47'E. 287.9 ft. from Cor. No. 1.

1797.00 Intersect line 4-1, Sur. 3794, S.17°-13'E. 926.3 ft. from Cor. No. 1.

2999.50 To Cor. No. 6, identical with S.E. Cor. monument of the locations.

A quartzite stone, 7 x 12 x 26 ins., chiseled cross at the exact corner and 6-3831 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

A cedar tree, 24 ins. in diameter, blazed and scribed cross B.T. 3831, bears N.74°-08'W. 78.45 ft.

No other bearings available.

Thence N.89°-57'W.

Along line of the location.

Feet.  
 600.00 To Cor. No. 7, identical with monument of the location.  
 A limestone, 8 x 8 x 25 ins., chiseled cross at the  
 exact corner and 7-3831, on the side facing the claim,  
 set 12 ins. in the ground, with mound of stone alongside,  
 whence

A cross on the west face of limestone bluff, about which  
 is chiseled B.R. 3831, bears S.89°-57'E. 33.10 ft.

No other bearings available.

Thence S.00°-03'W.

Along lines of the location.

2367.50 To Cor. No. 8, identical with monument of the location.  
 A diabase stone, 5 x 6 x 24 ins., chiseled cross at the  
 exact corner and 8-3831 on the side facing the claim,  
 set 12 ins., in the ground, with mound of stone alongside.

No bearings available.

Thence N.89°-57'W.

Along line of the location.

600.00 To Cor. No. 1 the place of beginning.

Mean magnetic variation at all corners, 15°-10'E.

.....

AREA.

Total area of survey	123.960 acres.
Area in conflict with Sur. 3794	3.061 acres.

.....

LOCATION.

This survey is located approximately in <sup>secs. 15 & 22</sup> T. 5 N., R.  
 17 E., G. & S.R.B. & M., unsurveyed, on the San Carlos  
 Indian Reservation, Gila County, Arizona.

.....

ADJOINING AND CONFLICTING CLAIMS.

Unknown claims, unsurveyed, owners unknown, adjoin  
 on the north. Unknown claims, unsurveyed, owners unknown,  
 adjoin, and Sur. 3794 owned by Apache Asbestos Company,  
 conflicts, on the east. The Camp Site of the claimant  
 adjoins on the south. And, unknown claims, owners

Feet. unknown, adjoin on the west.

.....

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 1/4 inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observations. The distances were measured with a 660 foot steel tape.

.....

REPORT.

The 19 1/2 Mile Monument on the West Boundary of the White Mountain or San Carlos Indian Reservation is a 1 1/2 inch iron post 12 ins. above the ground with brass cap stamped 19 1/2 M. WMIR AWB PL 1915. The tie to this monument from Cor. No. 1 was computed from a traverse extending N.89°-57'W. 1900.0 ft.; thence N.81°-42'W. 858.2 ft. from Cor. No. 1 to said Reservation corner.

*Edwin P. Stewart*

United States Mineral Surveyor.

Globe, Arizona,  
March 31, 1922.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

McD. Robinson, R.M. Anderson and Geo. England

known as the Falls Nos. 1 to 6 inc. lodes

and showing the respective capacities in which they acted.

Phil H. Bell, Chainman.

Chainman.

Arman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

We,

~~and~~ I, Phil H. Bell, do solemnly swear that ~~we~~ <sup>I</sup> assisted

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mc D. Robinson, R.M. Anderson and

Geo. England

known as the Falls Nos. 1 to 6 inc. lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the exterior boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for ARIZONA

Phil. H. Bell, Chainman.

Chainman.

Arman.

Flagman

Subscribed and sworn to by the above-named persons before me this 31st

day of March, 19 22.

M. L. Harrison

My commission expires  
November 12, 1924.

Notary Public  
Gila County, Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 25, 1922, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mc D. Robinson, R.M. Anderson and Geo. England, known as the Falls Nos. 1 to 6 inc. Lodes, situate in San Carlos Indian Reservation Mining District, Gila County, Ariz., approx. in Sections 15 & 22, Township No. 5 N., Range No. 17 E. and designated as Survey No. 3831, as represented in the foregoing field notes, which accurately show the exterior boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor-General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim, and that said exterior boundaries as surveyed embrace the 6 contiguous locations as applied for and no additional tracts.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M.L. Harrison, a Notary Public
in and for the County of Gila, Arizona this 31st
day of March, 19 22.

My commission expires
November 12, 1922.
M. L. Harrison

Notary Public, Gila
County, Arizona.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 15, 1922.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

McD. Robinson, R.M. Anderson, and Geo. England

, known as the FALLS NOS. 1 to 6 lodes

, situate in San Carlos Indian Reservation Mining District, Gila County,

Arizona, Approx., in Sections 15 & 22, Township No. 5 N.,

Range No. 17 E., Unsur., and designated as Survey

No. 3831, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

Arizona.

United States Surveyor General for



4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona,

May 15, 1922

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

McD. Robinson, R. M. Anderson, and Geo. England

, known as the

FALLS NOS. 1 to 6 lodes

situate in San Carlos Indian Reservation mining district,

Gila County, Arizona, Approx.

in Section S. 15 & 22, Township No. 5 N., Range No. 17 E., Unsur.

, designated as Survey No. 3831

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, March 5 - 11, 1922, under my instructions dated

February 25, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is~~

~~on file in this office and a true copy of said certified copy of said location certificate is included and~~

~~made a part of the transcript of the field notes.~~



U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 3831  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Falls No.1, No.2, No.3, No.4, No.5 and No.6 lodes, Mineral Survey No. 3831, located in section 2, Township 4 1/2 North, Range 17 East and section 35, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Falls No.1, No.2, No.3, No.4, No.5 and No.6 lodes, M.S. 3831 were canceled May 11, 1999, by memo 9605 (952) M.S. 3831, which is now a part of the original field notes."

May 11, 1999  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona