

4-683

MINERAL SURVEY No. 3846

ARIZONA Land District.

FIELD NOTES

EXTERIOR BOUNDARIES OF THE
OF THE SURVEY OF THE MINING CLAIM OF

Chas. A. Johnson

KNOWN AS THE

Sunset Nos. 1, 2, 3, 4, 5, 6

~~KNOWN AS THE~~
MADE UNDER

Regs. under the Act of June 30, 1919, as amended Nov. 11, 1920

Ind. Res. San Carlos Mining District,

Gila County, Ariz. Approx.

Section 11, 12 & 13, Township 5N, Range 17E, Unsur.

Surveyed under instructions dated April 18, 1922

by R. G. Thomas
U. S. Mineral Surveyor.

Claim located, 19

Survey commenced July 13, 1922

Survey completed July 18, 1922

Address of claimant Lakeside, Ariz.

~~DATES OF AMENDED LOCATIONS.~~

Cert. copy \$1.25 est. of 9-11-29

MINERAL SURVEY NO. 3846.

Feet	Sunset Group.
33.3	<p>Beginning at Cor.No.1,</p> <p>Identical with Cor.No.3 Min.Sur.No.3810</p> <p>A diabase stone, 0.8 x 0.4 ft.square, 12 inches out of ground with mound of stone, chiseled 3-3810 to which add 1-3846 for this survey.</p> <p>The 20$\frac{1}{2}$ M.Cor. of the W.M.I.R.-W.B. bears S.86°54'08"W 7320.31 ft.</p> <p>A diabase boulder 4 x 3 x 2 ft. chiseled B R-1-3846 with cross for exact point bears N 58°14' E, 6.0 ft.</p> <p>Thence N.0° 04' E.</p>
1297.97	<p>To Cor.No.2.</p> <p>A limestone rock, 24 ins.long, 0.3 x 0.6 ft.square, set 12 inches in the ground with mound of stone chiseled 2-3846 with cross for exact corner point.</p> <p>A limestone boulder in place, 1.5 x 2.0 x 1.0 ft, chiseled B R -2-3846 with cross for exact point bears N.89° 55' W., 41.31 ft</p> <p>Thence S.89°56'E.</p>
2386.0	<p>To Cor.No.3.</p> <p>A shaly limestone outcrop 20 x 10 ft square, 10 ft high, chiseled 3-3846, with cross for exact corner point with mound of stone 3ft.from edge at north end.</p> <p>No bearings available.</p> <p>Thence S.0° 04' W.</p>
231.95	<p>To Cor. No.4.</p> <p>A limestone rock, 24 ins.long, 0.4 x 0.5 ft. square, set 12 inches in ground with mound of stone, chiseled 4-3846 with X for exact corner point.</p> <p>No bearings available.</p> <p>Thence S.71°^{06'}20'E.</p>
633.95	<p>To Cor.No.5.</p> <p>Corner falls on sand bar of Salt River below high water</p>

MINERAL SURVEY NO. 3846 (cont.)

mark and I establish W.C. on line, 5-6, a limestone boulder, 3x 2 x 2 ft. square, chiseled W 6 -5-3846 with X for exact point, with mound of stone, at S. 0° 04' W., 245.25 ft. from Cor. No. 5.

A diabase boulder 4 x 3 x 2 ft. chiseled B R -5-3846, with X for exact point bears N. 33° 18' 40" W., 117.24 ft from Cor. No. 5

Thence S. 0° 04' W. from Cor. No. 5.

245.25 W.C. -5-3846 heretofore described.

1157.17 To Cor. No. 6.

At top of diabase cliff 90 ft. high, 3 ft. from edge on flat diabase outcrop 3 ft. wide, with mound of stone, chiseled 6-3846 with cross for exact corner point.

No bearings available.

Thence S. 39° 06' E.

1498.85 To Cor. No. 7.

A diabase boulder 2.0 x 1.5 ft. square, 1.0 ft. out of ground, with mound of stone, chiseled 7-3846 with X for exact corner point.

No bearings available.

Thence S. 0° 04' W.

893.92 To Cor. No. 8.

A diabase outcrop 3.0 x 4.0^{ft.} square, 3 ft high, with mound of stone, chiseled 8-3846 with X for exact corner point.

No bearings available.

Thence N. 39° 28' W.

1487.07 To Cor. No. 9

A diabase boulder 3.0 x 2.5 ft. square, 1.5 ft. out of ground, with mound of stone, chiseled 9-3846 with X for exact corner point.

No bearings available.

MINERAL SURVEY NO. 3846 (cont.)

Thence N.0°04'E.

569.74 To Cor.No.10.

A diabase boulder 1.0 x0.7 ft.square,0.5 ft. out of ground,with mound of stone,chiseled 10-3846 with X for exact corner point.

A diabase boulder 3.0 x 3.0 x3.0 ft. chiseled B R B R -10-3846 with X for exact point bears N.0°04'E, 34.48 ft.

Thence N°71°06' W.

633.39 To Cor.No.11.

A diabase stone 24 ins.long,0.4 x0.6 ft.square, set 12 ins. in ground,with mound of stone, chiseled 11-3846 with X for exact corner point.

A diabase boulder 2.0 x3.0 x 2.0 ft.,chiseled B R 11-3846 with X for exact point bears S.0°04'W.,77.56 ft.

Thence N.0°04'E.

432.30 To Cor.No. 12.

A diabase stone 24 ins. long,0.3 x 0.7 ft square,set 12 ins. in the ground, with mound of stone, chiseled 12-3846 with X for exact corner point.

No bearings available.

Thence N.89°56'W.

586.46 Cor.No.4- Sur. No. 3810

2386.46 To place of beginning.

Variation at all corners 15° E.

AREA:

Total area Mineral Survey No.3846

Acres
111.302 ✓

LOCATION:

This survey is located on unsurveyed ground which when surveyed will be approximately Sec. 11, 12 & 13 T.5, R.17E, C.&S.R.B.&M., within the boundaries of the San Carlos Indian Reservation.

MINERAL SURVEY NO. 3846 (cont.)

INSTRUMENT:

This survey was made with a Gurley transit. The courses were deflected from a true meridian as determined by an observation on Polaris at its eastern elongation. The distances were measured with a 500 ft. steel tape.

ADJOINING CLAIMS:

This survey is bounded on the south by the Squirrel group, Sur.No.3810, on the west by the Big Peninsula lode, **unsur**, and on the north and east by unappropriated ground of the Indian Reservation.


REPORT:

20 1/2 M.Cor. is a 1 inch iron pipe in mound of stone with brass cap marked

20 1/2 M-
AWB
PL WMIR
1915

Sur.3810:-

Cors. 3 and 4 are stones properly set and chiseled with the number of the corner and survey. I find line 3-4 to be correct as approved.



R.G. Thomas

U.S.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. G. Thomas
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Chas. A Johnson
 known as the Sunset Nos. 1, 2, 3, 4, 5, and 6 lodes
 and showing the respective capacities in which they acted.

R. L. Evans, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. L. Evans
 and _____, do solemnly swear that we assisted
R. G. Thomas, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Chas. A. Johnson
 known as the Sunset Nos. 1, 2, 3, 4, 5, and 6 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the ^{exterior} ~~corner~~ and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

E. L. Evans, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 27th
 day of September, 1922

My commission expires Nov 14, 1925.

Harry V. Bevis
 Notary Public in and for
 Gila County, Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, R. G. Thomas, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
April 18, 1922, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Chas. A. Johnson,
known as the
Sunset Nosbers 1, 2, 3, 4, 5, and 6 lodes,
situate in San Carlos Indian Reservation Unsur Mining District,
Gila County, Ariz Approx., in Section
11, 12 & 13, Township No. 5N., Range No. 17E,
and designated as Survey No. 3846, as represented
in the foregoing field notes, which accurately show the ^{exterior} boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim. and that said exterior bdy's. as surveyed
embrace the 6 contiguous locations as applied for and no
additional tracts.

R. G. Thomas
U. S. Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas
U. S. Mineral Surveyor, before me a Notary Public, in and for
the County of Gila, State of Arizona this 27th
day of September, 1922

My Commission
expires Nov 14, 1925

Harry V. Beni
Notary Public

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 22, 1922

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Chas. A. Johnson

known as the SUNSET NOS. 1, 2, 3, 4, 5, and 6 lodes

situate in San Carlos Indian Reservation

Mining District, Gila County, Arizona, Approx.

in Section 11, 12, 13, Township No. 5 N., Range No. 17 E., Unsur., and

designated as Survey No. 3846, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

Phoenix, Arizona,

December 22, 1922

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Chas. A. Johnson

, known as the

SUNSET NOS. 1, 2, 3, 4, 5, and 6 lodes

situate in San Carlos Indian Reser. mining district,

Gila County, Arizona, Approx.

in Section 11, 12 & 13, Township No. 5 N., Range No. 17 E., Unsur.

, designated as Survey No. 3846

executed by P. G. Thomas, U. S. Mineral

Surveyor, July 13 - 18, 1922, under my instructions dated

April 18, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is~~

~~on file in this office and a true copy of said certified copy of said location certificate is included and~~

~~made a part of the transcript of the field notes.~~



U. S. Surveyor General for Arizona,

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3846
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Sunset No.1, No.2, No.3, No.4, No.5 and No.6 lodes, Mineral Survey No. 3846, located in sections 25, 26 and 36, Township 5 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Sunset No.1, No.2, No.3, No.4, No.5 and No.6 lodes, M.S. 3846 were canceled May 11, 1999, by memo 9605 (952) M.S. 3846, which is now a part of the original field notes."

May 11, 1999
Date



Chief Cadastral Surveyor of Arizona