

MINERAL SURVEY No. 3853

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. T. Dowdy

KNOWN AS THE

Dasy lode, Coyote & New Weaver Placers
Weaver Mining District,

Yavapai County, Arizona

Section 6, Township 9 N, Range 4 W Unsurveyed

Surveyed under instructions dated June 3, 1922

by Richard L. Muritt
U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced June 13, 1922.

Survey completed June 17, 1922.

Address of claimant Robert E. Morrison
177y. Prescott Ariz.

DATES OF AMENDED LOCATIONS.

Feet	Mineral Survey ^{No.} 3853
	<p>Dasy lode</p> <p>Beginning at Cor. No 1 a rock in place 12'x18'x4' above the ground chiselled X 1 D 3853. The $\frac{1}{4}$ Cor. Bet. sections 1 and 6, T 9 N, R 4 & 5 W brs. S81°43'W 2980.3'</p> <p>A Granite rock in place chiselled X B R 1 D 3853 brs. N15°45'E 30.3'; A Granite rock in place brs. S81°45'E 22.1' chiselled X B R 1 D 3853. The loc. mon a mound of stones 2x2 ft. brs. N86°30'W 200.0 ft. Cor. No 2 New Weaver placer of this survey brs. S41°37'E 270.23 ft.</p> <p>-----</p> <p>Thence N57°20'E Va. 14°E</p>
243.3	To the N.C.E. a mound of stones 3x3 ft. The loc. Mon. a mound of stones 2x2 ft. Brs. N26°40'W 150 ft.
440.0	To the center of Weaver Creek 150 ft wide course South
543.3	To Cor No 2 A Granite stone 6x10x24 ins. set 12 ins. in the ground chiselled X 2 D 3853 mound of stones 3x3 ft. alongside . A Granite rock in place chiselled x B R 2 D 3853 brs. S39°02'E 15.6 ft. The location Mon. a mound of stones 3x3 ft brs. N14°W 220 ft. No other bearings available.
	<p>-----</p> <p>Thence S26°40'E Va. 14°E</p>
490.0	Cross road course N37°E & S 37°W
1215.6	To Cor. No 3 A Granite stone 10x12x24 ins. set 12 ins. in the ground chiselled X 3 D 3853, with a mound of stones 3x3 ft. alongside. No bearings available , the loc. Mon. a mound of stones 3x3 ft. brs. N57°20'E 325'.
	<p>-----</p> <p>Thence S57°20'W Va. 14°E</p>
300.0	To the S.C.E. a mound of stones 3x3 ft. Identical with the location.
543.3	To Cor. No 4 identical with the location , a Granite stone 12x16x24 ins. set 12 ins. in the ground, chiselled X 4 D 3853 No bearings available. Loc. Cor a mound of stones 2x2 ft.

Feet	Cor. No 6 Antelope and Cor. No 4 Grey Devell lodes Survey No 1248 brs. S8°37'E 1674. ft.

	Thence N26°40'E Va. 14°E
243.62	Intersect line 3-4 New Weaver placer of this survey at S36°31'W 432.15 ft from Cor. No 3.
570.00	Cross road course N48°E & S48°W
919.23	Intersect line 1-2 New Weaver placer of this survey S36°31'W 78.11' ^{from} to Cor. No 2.
1050.0	To the center of Weaver Creek 150 ft. wide course S46°W
1215.60	To Cor. No. 1 the place of beginning.

	Coyote Placer
	Beginning at Cor. No 1 identical with the location a Granite rock in place 10x14x12 ins. above the ground chiselled X ¹ C 3853 P No bearings available, loc. Mon. a mound of stones 2x2 ft. The $\frac{1}{4}$ Cor. bet ^{ween} Secs. 1 & 6 T 9 N, Rs. 4 & 5 W brs. N56°32'20''W 1805.32 ft.

	Thence N40°03'15''E Va. 14°E
1151.1	To Cor. No 2 a Granite rock in place 4x6x4 ft. above the ground, chiselled X 2 C 3853 P, Ident ^{ical} with the loc. a mound of stones 2x3 ft. No bearings available.

	Thence S75°15'E Va. 14°E
400.00	To the center of Weaver Creek 150 ft. wide course S38°W
527.86	Intersect line 1-2 New Weaver placer of this survey at N36°31'E 783.38 ft. from Cor. No 1.
547.2	To Cor. No 3 identical with the location a Granite rock in place 5x3x2 ft. above the ground chiselled X 3 C 3853 P. A rock in place brs. N4°20'W 9.7 ft. chiselled X B R 3 C 3853. A Granite rock in place chiselled X B R 3 C 3853 brs. S25°25'E 6.0 ft. Loc Cor. a mound of stones 5x3 ft.

Feet	
	Thence S39°09'30''W Va. 14°E
248.0	Cross pipe line course S27°E & N27°W
389.7	Intersect line 1-2 New Weaver placer of this survey at
	N36°31'E 401.73 ^{ft.} from Cor No 1.
1327.02	To Cor. No 4, identical with the location a Granite
	rock in place 2x2 ft. x 6 ins. above the ground chiselled
	X 4 C 3853 P . A Granite rock in place brs. S11°10'E 19.1'
	chiselled X B R 4 C 3853; A Granite rock in place chiselled
	X B R 4 C 3853 brs. S27°W 15.6 ft. Loc. Cor. a mound of
	stones 2x3 ft.
	Thence N56°22'W Va. 14°E
430.0	To the center of Weaver Creek 150 ft. wide course
	S53°W
519.7	To Cor. No.1 the place of beginning.

	New Weaver Placer
	Beginning at Cor. No 1, identical with the location a
	Granite stone 8x10x30 ins. set 15 ins. in the ground
	with a mound of stones chiselled x N W 1 3853 P. A
	Granite rock in place chiselled x B R N W 1 3853 brs.
	N8°43'W 18.4 ft. A Granite rock in place chiselled X B R
	N W 1 3853 brs. N46°50'E 12.ft. Loc. Cor. a mound of s
	stones 3x3 ft. The $\frac{1}{4}$ Cor. bet. ^{weaver} Secs. 1 & 6 T 9 N, R. 4 & 5
	W brs. N69°00'30''W 2454.71 ft.

	Thence N36°31'E Va. 14°E
401.73	Intersect line 3-4 Coyote placer of this survey at S39°
	09'30''W 389.7 ^{ft.} from Cor. No 3.
783.88	Intersect line 2-3 Coyote placer of this survey At N75°
	15'W 19.34' from Cor. No 3.
1295.19	Intersect line 4-1 Dasy lode of this survey N26°40'W
	919.28 ft. from Cor. No 4.
1373.3	To Cor. No 2 a Granite stone 6x10x30 ins. set 15 ins. in
	the ground with mound of stones chiselled X N W2 3853 .
	No bearings available, the loc Mon. a mound of stones

Feet	3x3 ft. brs. N36°31'E 140 ft. Cor. No 3 Coyote placer of this survey brs.S34°45'W 582.52 ft.	

	Thence S58°09'E Va. 14°E	
281.97	Intersect west boundary of the 50 ft. strip along the lode line of the Dasy lode of this survey.	
350.00	Cross road Course N37°E & S37°W	
377.71	Intersect east boundary of the 50 ft strip along the lode line of Dasy lode of this survey.	
605.00	To Cor. No 3 a Granite stone 16x20x24 ins. set 12 ins. in the ground with a mound of stones chiselled N W3 3853 P No bearings available , the loc. Mon. a mound of stones 3x3 ft. brs. N36°31'E 140ft	

	Thence S36°31'W Va.14°E	
133.01	Intersect east boundary of the 50 ft. strip along the lode line of Dasy lode of this survey.S26°40'E 253.84 ft from point 377.71 on line 2-3 of this claim.	
189.03	Intersect west boundary of the 50 ft. strip along the lode line of Dasy lode of this survey. S26°40'E 360.76 ft. from point 281.97 on line 2-3 of this claim.	
432.15	Intersect line 4-1 Dasy lode of this survey at N26°40W 243.62 ft. from Cor. No. 4.	
1373.3	To Cor. No 4 ^{area?} iden. with the location a Granite rock in place 12x36x12 ins. above the ground chiselled x N W 4 3853 P. A Granite rock in place chiselled X B R N W 4 3853 brs. N00°36'E 20.8 ft. A Granite rock in place chiselled X B R N W 4 3853 brs N71°35'W 23 ft. Loc. Cor a mound of stones 3x3 ft.	

	Thence N58°09'W Va. 14°E	
250.00	Cross road course N35°E & S35°W	
605.00	To Cor. No. 1 the place of beginning.	

	Area	
	Total area Dasy lode -----	Acres 15.078
	Area in conflict with New Weaver placer of	

this survey --- 3.532

Area in conflict with New Weaver placer of this survey exclusive of its conflict with the 50 ft. strip along the lode line of Dasy lode of this Sur. 3.179

Total Area New Weaver placer ---- 19.610

Area in conflict with Coyote placer of this survey. 0.079

Total Area Coyote placer ----- 14.413

Lode line

As near as can be told from the present developements the vein of the Dasy lode extends as follows from its discovery shaft; S26°40'E 675 ft & N26°40'W 540.6 ft.

Location

This claim is located in the Weaver Mining District, *Yavapai Co,* in section 6, T. 9 N, R. 4 W. unsurveyed.

Expenditure of five hundred dollars

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of ;

Dasy lode;

No 1 the Dis.shaft which is on the lode line 675 ft. from the S.C.E. 4x6x8 ft Value \$50.00

No 2 an incline shaft which brs. S28°E 420 ft from the N.C.E 4x6x100 ft course N56°30'E Value \$2000.00

No. 3 a shaft which brs. N70°W 335 ft. from Cor. No 3 4x6x12 ft. value \$50.00.

Total value of improvements credited this lode \$2100.00

New Weaver placer;

The following bear from Cor. No 2

No.1 Dis. a shaft 4x6x20 ft. S25°E 15 ft. Value \$200.00

No 2 a shaft 4x6x20 ft. S3°10'E 78 ft. value \$200.00

No 3 a shaft 4x6x10 ft. S7°30'W 110 ft Value \$50.00
 No 4 a shaft 4x6x10 ft. S9°15'W 150 ft. Value \$50.00
 No 5 a Tunnel 4x6x80 ft. mouth brs.S32°W 220 ft.
 value ----- -\$400.00
 Total value improvements credited this claim \$900.00

Coyote placer

No 1 Dis. shaft 4x6x25 ft which brs.N88°50'W 230.ft from
 Cor. No 3 Value \$200.00

No 2 a shaft which brs S64°20'W 196.0 ft. from Cor. 3
 4x6x26 value \$200.00

No 3 a cut ~~the~~- 4x20x12 ft. face the mouth brs.S44°25'W
 256. ft from Cor. No.3 value \$50.00

No 4 a Cut the south end brs. N74°15'E 350 ft. from Cor

No 1 6x10x90 ft.course N43°E value \$200.00

Total value improvements credited this lode \$650.00

Adjoining Claims

This claim is bounded on the North by Unknown lode
 unsurveyed George Myers Claimant & U.S.land on the east
 by Engineer lode unsurveyed Octave Mines Co.Claimant &
 U.S.land, on the South by Arizona placer unsurveyed
 Octave Mines Co. claimant & U.S.Land, on the west by
 Unknown placer unsurveyed unsurveyed claimant unknown &
 U.S land.

Other Improvements

The following bear from Cor. No 4 New Weaver;
 South east Cor. house 10x20 ft. course of long side S60°E
~~475~~, N27°W 110 ft.
 S.E.Cor. house 24x20 ft. course long side N35°E brs.N27°W
 225 ft.
 S.E.Cor.House 26x30 ft. course long side N65°W, brs N4°W
 295 ft.
 S.E.Cor.house 32x24 ft.course long side N35°E, brs N3°E
 360.ft.
 S.E.Cor house 8x10 ft.course long side N35°E brs.N5°30'E
 430 ft.

The S.W.Cor. of the following bear from cor.No 1
New Weaver;

S82°E 310 ft a house 24x40 ft course long side S65°E
N83°45'E 375 ft. a house 16x30 ft. course long side S65°E
N71°E 490 ft. Concrete tank 7x7 ft course side N35°E
N71°E 505 ft. Blacksmith shop 12x16 ft. course Long side S65°E
N60°40'E 667 ft. house 18x24 ft. course long side S65°E
N65°30'E 340' fenced Garden 140x170 ft, long side N35°E

A Pump at shaft No 1 Coyote Claim , pumps water through
a $1\frac{1}{2}$ " pipe to concrete tank on New Weaver claim.

Instrument

This survey was made with a light mountain Gurley
Transit. The courses were deflected from the meridian as
determined by direct solar observations. The distances
were measured with 50 ft. and 500 ft steel tapes.

Report

The lode line of the Dasy location of this claim was run
direct upon the ground and the several corners
established by means of offsets therefrom. All tie lines
were run direct upon the ground.

The I/4 Cor. between sections 1 & 6 T 9 N, R. 4 & 5 W is
an iron pipe properly marked.

Richard L. Merritt
Richard L Merritt

U.S. Mineral Surveyor.

JUL 12 1922

9

4-694.

Title Page to Report under Paragraph 60, Mining Circular, Approved May 21, 1907.

REPORT

Under paragraph 60, General Mining Circular, approved May 21, 1907, upon the Placer Mining Claim known as the Coyote & New Weaver Placers

....., claimed by
J. T. Dowdy

situate in Weaver Mining District
Yavapai County, Arizona, embracing
parts of N.E. 1/4 of SW 1/4,
NW 1/4 of SE 1/4,
SW 1/4 of NE 1/4,

in Sec. 6, Town 9 N, Range 4 W Unsurreyed.

Examination made June 16, 19 22

By Richard L. Merrill
U. S. Mineral Surveyor.

Report on Coyote and New Weaver Placers Sur.3853.

(A) The soil is composed of Granite rocks and Granite gravel mixed with clay. There is very little vegetation and no timber, the vegetation consists of small Mesquites and catclaw.

(B) Weaver creek flows in a Southwesterly course through the Coyote claim. The wash formed by this creek averages 150 ft. in width. This stream has an intermittent flow flowing about three months of the year. Water can always be obtained by sinking on or near the creek, the present depth to the water in Shaft No.1 on the Coyote claim being seven ft.

(C) Character and extent of work;

Coyote claim;

No 1 a shaft 4x6x20' brs. N88°50'W 230' from Cor. 3
No.2 a shaft 4x6x20' ft. brs. S64°20'W 196. ft. fr. Cor 3

No 3 a cut 4x20x12' face brs S44°25'W 256' fr. Cor3
the south end

No 4 a cut 6x10x90 ft. brs. N74°15'E 350 ft from Cor.

No.1 course of cut N43°E

New Weaver claim ;

The following bear from Cor. No.2

No 1 a shaft 4x6x20 ft brs. S25°E 15 ft.

No 2 a shaft 4x6x20 ft brs S3°10'E 78 ft.

No 3 a shaft 4x6x10 ft brs S7°30'W 110. ft.

No 4 a shaft 4x6x10 ft brs. S9°15'W 150. ft.

No 5 a tunnel 4x6x80 ft the mouth brs S32°W, 220' course
S79°E

(D) Centers of trade;

Octave ,10 inhabitants is $\frac{1}{2}$ mile south, Congress Junction,30 inhabitants is $7\frac{1}{2}$ miles west.

(E) The Octave mine is $\frac{1}{4}$ mile south.

(F) The claims are adapted to placer mining. Water has been taken from Weaver Creek for mining on the Coyote claim and can be taken to any part of either the Coyote or the New Weaver claim.

(G) See Part C hereof.

(H) There are no millsites, salt springs or saltlicks in the immediate vicinity.

Richard L. Merritt
U.S. Mineral Surveyor

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, Richard L. Merritt, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U S. Surveyor
General for Arizona, dated June 3, 1922

I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of J. T. Dowdy

known as the New Weaver & Coyote placers
situate in Weaver Mining District,
Yavapai County, Arizona, embracing
parts, NE 1/4 of SW 1/4, NW 1/4 of SE 1/4,
SW 1/4 of NE 1/4 Sec. 6

in Township No. 9 N, Range No. 4 W Uns., and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard
L. Merritt, U. S. Mineral Surveyor,

before me E. McSwiggan
this 10th day of July, 1922,

E. McSwiggan
Notary Public

My commission expires Dec. 7th, 1922

JUL 2 1922

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

state OF Arizona }
COUNTY OF Yavapai } ss.

D. LONGEROT and GEO. MYERS

being first duly sworn, severally depose and say that he is personally and well acquainted with the placer-mining claim of J. T. Dowdy

, known as the New Weaver &

Coyote Placers situate in Weaver Mining District,

Yavapai County, Arizona, embracing parts of NE 1/4 of SW 1/4, NW 1/4 of SE 1/4, SW 1/4 of NE 1/4

Sec 6, in Township No. 9N

Range No. 4W Unsur.; and also with the character of all the land included in said claim, and has been so acquainted for FOUR year & last past; that his knowledge of said claim and land is derived from PERSONAL KNOWLEDGE FROM OBSERVATION

and is such as to enable him to testify understandingly with regard thereto; that he has carefully read the foregoing report of Richard L. Merritt U. S. Deputy Mineral Surveyor, and that to his own personal knowledge said report is in all respects true and accurate.

D. Longerot
Geo Myers

Subscribed and sworn to by the above-named persons before me this 7th day of July, 1922

John E. Zwick
Notary Public

My Commission Expires
February 23, 1924

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of J. T. Dowdy

Known as the Dasy loda, Coyote & New Weaver placers
and showing the respective capacities in which they acted.

- W. H. Merritt, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

I
We, W H Merritt

and, do solemnly swear that I we assisted Richard L.
Merritt, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of J. T. Dowdy

known as the Dasy loda, Coyote & New Weaver placers
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

-, Chainman.
- W H Merritt, Chainman.
-, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th,
day of July, 1922.

My commission expires Dec. 7th, 1922

E. M. Swiggin
Notary Public.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 3, 1922, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. T. Dowdy

....., known as the Pasy loda, New Weaver & Coyote placers, situate in Weaver Mining District, Yavapai County, Arizona, in Section 6, Township No. 9N, Range No. 4W Unsurveyed and designated as Survey No. 3853, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me E. M. Swiggin,
a Notary Public, this 10th,
day of July A. D., 1922.

My commission expires Dec. 7th, 1922

E. M. Swiggin
Notary Public

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 13, 1922

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

J. T. Dowdy

known as the DASY lode, and COYOTE and NEW WEAVER Placers

situate in Weaver

Mining District, Yavapai County, Arizona

in Section 6, Township No. 9 N., Range No. 4 W., Unsur., and

designated as Survey No. 3853, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 9 shafts, 2 cuts and 1 tunnel.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

.....Phoenix, Arizona,.....

.....September 13, 1922.....

I, U. S. Surveyor General forDistrict of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

.....J. T. Dowdy.....

....., known as the

.....DASY lode, and COYOTE and NEW WEAVER Placers.....

situate inWeaver..... mining district,

.....Yavapai..... County,Arizona.....

in Section6....., Township No.9 N....., Range No. 4 W., Unsur.

....., designated as Survey No.3853.....

executed byRichard L. Merritt....., U. S. Mineral

Surveyor,June 13 - 17....., 1922, under my instructions dated

.....June 3....., 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General forArizona.....