

MINERAL SURVEY No. 3903

1

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Michael McBride,

KNOWN AS THE

SID No. 1 and SID No. 2 Lodes

Hassayampa, Mining District,

Yavapai County, Arizona,

Approx. Section 24, Township 12 1/2 N., Range 3 W. unsurveyed, in the Prescott National Forest. Surveyed under instructions dated June 19-1923, 19

by Richard L. Merritt, U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced July 1921, 1923

Survey completed Sept 17, 1923

Address of claimant to W.H. Merritt, Prescott, Arizona

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 3903

Feet

Sid No. 1 Lode,

Beginning at Cor. No. 1, identical with the location and with Cor. No. 2 Mountain Con lode Sur. No. 3090 A. and S.E. Cor. Red Oak lode unsurveyed.

A Porphyry stone 4x8x12 ins. above the ground, chiseled X.2 M.C. 3090 A. I chiseled¹ S. No. 1, 3903 on the side facing this lode. Whence U.S.L.M. No. 2827 Brs. S. 16°43'E. 6581.33 feet. No bearings available. Loc. Cor. an oak post 4 X 4 ins. X 5 ft. in mound of stones.

Thence N. 18°51'W. Va. 14° E.

300

W.C.E. Identical with the Loc. An oak post 4 x 4 ins. ^{+5ft} in mound of stones. *Ident. with E.C.E. Red Oak lode Uns.*

600

To Cor. No. 2.

Identical with the Loc, and with Cor. No. 1, of Sid No. 2 ^{lode} of this sur. and N.E. Cor. Red Oak, and S.E. Cor. of Burr Oak lodes uns. X-2-S-No. 1., 1, S. No. 2, 3903, chiseled on rock in place 4 X 4 X 4 feet above the ground. Loc. an oak post 4 X 4, ~~2ins~~ X 4 ft. in mound of stones. Whence a Pine tree 16 ins. diam. scribed X.B.T. 2-s-No. 1., 1 S. No. 2, Brs. N 18°01'E. 3.3 ft. No other bearings available.

Thence M 71°09'E. Va. 14° E

200

Cross wash 20 ft. wide Course S29°00'E

300

Cross road Course S 28° E & N. 28° W.

1500

To Cor. No. 3.

Identical with the loc. and with Cor. No. 4 Sid No. 2 lode of this sur. and Cor. No. 1 High Ore. and Cor. No. 2 Anaconda lodes Sur. No. 3090 A. A porphyry stone 6x6x12 ins. above the ground chiseled 1-H-0.2-A. 3090 A. I chiseled 3-S. No. 1. 4-S-No. 2-3903 on the side facing these lodes. Loc. an oak post 4x4 ins. x 5 ft. in mound of stones. & dirt, No bearings available.

Thence S 18°51'E. Va. 14° E.

300

E.C.E. identical with the Loc. and with W.C.E. Anaconda ^{lode} Sur. No. 3090 A.

Feet
600

To Cor. No.4.
Identical with the Loc. and with Cor. No.1, ^{Cor. No.} Anaconda ² of
^{Cor. No.} Copper Plate, and ³ Mountain Con lodes Sur. No. 3090 A.
A Porphyry stone 4x6x12 ins. above the ground chiseled
X-1 A.2-C.P. and 3-M.C-3090 A.I. chiseled 4-S.No.1-3903 on
the side facing this lode. An Oak Tree 5 ins. diam. scribed
X-B.T-4-S-No.1-3903 ^{Brs.} N. 32° E. 20.3 ft. No other bearings
available. Loc. Cor. Oak Post 4x4 ins. x 5 ft. in mound of
stones.

Thence S 71°09' W. Va. 14° E.

1100 Cross Road course S 28° E and N 28° W.

1200 Cross Wash 20 ft. wide course S 16° E

1500 To Cor. No 1 the place of beginning.

Sid No.2 Lode.

Beginning at Cor. No.1, identical with the loc. and with
Cor. No.2, Sid No.1, lode of this Sur. hereinbefore described
Whence U.S.L.M. No. 2827 ^{Brs.} S 16°53' E 7180.4 ft:

Thence N 18° 51' W. Va. 14° E.

300 W.C.E. identical with the Loc. and with the E.C.E. Burr Oak
lode unsurveyed.

550 Cross wash 20 ft. wide course S 46° E.

600 To Cor. No.2.

Identical with the loc. and with the N.E. Cor. Burr Oak and
S.W. Cor. Rattler lodes unsurveyed,

A Granite stone 8x12x24 ins. set 12 ins. in the ground
with mound of stones, chiseled X-2-S.No.2-3903, whence
A Walnut Tree 10 ins. diam. scribed B.T-2-S.No.2, 3903 ^{Brs.}
S 81°43' W 7.2 ft. No other bearings available.

Loc. Cor. an Oak Post 4x4 ins. x 5 ft. in mound of stones.

Thence N 71°09' E Va. 14° E

100 Cross Road course S 37° E. and N 37° W.

1500 To Cor. No3.

Identical with the loc. and with the S.E. Cor. Rattler lode
uns. and Cor. No.1 Ontario, and 2 High Ore Lodes Sur. No. 3090 A.

Feet

Survey 3903 continued

A Porphy stone 4x8x12 ins. above the ground with mound of stones, chiseled X-1-0, 2-H-0-3090 A. I chiseled 3 S.No. 2-3903 on the side facing this lode. No bearings available. Loc. Cor. Oak Post 4x4 ins. x 5 ft. in mound of stones.

Thence S 18°51' E Va. 14- E.

300 E.C.E Identical with the Loc. and with the W.C.E. High Ore lode Sur. No. 3090 A. an Oak Post 4x4 ins. x 5 ft. in mound of stones

600 To Cor. No. 4
Identical with the Loc. and with cors. No. 1 High Ore, No. 2 Anaconda lodes Sur. No. 3090 A. and No. 3 Sid No. 1 lode of this Sur. hereinbefore described.

Thence S 71°09' W. Va. 14° E

1200 Cross Road course S 28° E and N 28° W.

1300 Cross wash 20 ft. wide course S 29° E and N 28° W.

1500 To Cor. No. 1 the place of beginning.

AREA.

Sid No. 1 Total Area 20.661 acres.

Sid No. 2 " " 20.661 "

Lode Lines

As near as can be determined from the present development the vein on the Sid No. 1 lode extends from the discovery N 71°09' E 397 ft & S 71°09' W 1103 ft.

The vein on Sid No. 2, lode extends from discovery S 71°09' W 590 ft. and N 71°09' E 910 ft.

Location,

This Claim is Located in Hassayampa Mining District, *Yavapai* Co, Arizona, approximately in Sec. 24 Twp. 12½ N. R. 3, W. unsurveyed, within the Prescott National Forest.

Expenditure of five hundred dollars.

I certify that the value of the labor and improvements made upon the locations embraced in this claim by the claimant or his grantors is not less than five hundred dollars for each lode, and that said improvements consist of;

Sid No.1 lode..

No.1 Dis. Cut which is on the lode line 397ft. from the E.C.E. 4x18x10 ft. value.....\$50.00

No.2 Cut which brs. from W.C.E.N 59:12'E 760 ft. 4x25x10 ft. face; value..... \$50.00

1/2 the value of shaft No.2, Sid No.2 lode (a common improvement) \$560.00 is credited to this lode.

Total value of the improvements credited to this lode \$ 660.00

Sid No.2 lode.

No.1 Dis. Cut which is on the lode line 590 ft. from the W.C.E. 4 x 15 x 10 ft. face Value.....\$ 50.00

Shaft No.2, a common improvement, brs. from Cor. No.1 N 68.32'E. 413 ft. 4x6x56 ft. timbered, Value \$1120.00 1/2 of which is credited to this lode..\$560.00

Total value of improvements credited to this lode \$610.00

Adjoining Claims,

This claim is bounded on the North by Rattler lode unsurveyed, on the East by High Ore, and Anaconda lodes Sur.No.3090 A. on the South by Mountain Con lode Sur. No.3090 A, on the West by Red Oak and Burr Oak, lodes unsurveyed, claimed by claimant hereof.

Instrument.

This survey was made with a Gurley Light Mountain Transit, the courses were deflected from the meridian as determined from direct Solar observations. The Distances were measured with a five hundred and a fifty foot steel tape.

Survey No.3903 continued,

Report.

The lode lines of the location of these claims was run direct upon the ground and the several corners were established by offsets therefrom. The tie lines were run direct upon the ground.

This claim is located on rolling ground, and shaft No.2 on Sid No.2, the common improvement, is so located that by sinking and drifting both lodes in this survey may be developed.

U.S.L.M.No.2827, is a rock in place chiseled X*U*S*L*M-
No.2827 with mound of stones.

Richard L. Merrill

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard I. Merritt,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 _____ Michael McBride,
 known as the Sid No. 1 and Sid No. 2 lodes
 and showing the respective capacities in which they acted.

_____, *Chainman.*
George N. Merritt, _____, *Chainman.*
 _____, *Aceman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I, George N. Merritt,
 and _____, do solemnly swear that ~~we~~ I assisted _____
Richard I. Merritt, _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
 _____ Michael McBride,
 known as the Sid No. 1 and Sid No. 2 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

_____, *Chainman.*
George N. Merritt, _____, *Chainman.*
 _____, *Aceman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this First
 day of October, 1923, 19

W. A. Merritt,

 _____, *Notary Public.*

My Commission Expires
 January 18 - 1927

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
June 19- 1923, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Michael McBride,
known as the
SID No. 1 and SID No. 2 lodes,
situate in Hassayampa Mining District,
Yavapai County, Arizona, in Section
^{approx 24}~~23~~, Township No. 12 1/2 N, Range No. 3 W unsurveyed, in the Prescott
National Forest. and designated as Survey No. 3903, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt,
U. S. Mineral Surveyor, before me W. H. Merritt
A Notary Public this First
day of October 1923, 19

W. H. Merritt
Notary Public

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

January 23, 1924.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Michael McBride
, known as the SID NO. 1, and SID NO. 2 lodes
, situate in Hassayampa
Mining District, Yavapai County,
Arizona, in Section Approx. 24, Township No. 12 1/2 N.
Range No. 3 W., unsurveyed, and designated as Survey

No. 3903, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or his grantors, and
that said improvements consist of 3 cuts and 1 shaft, total value \$1270.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

January 23, 1924.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Michael McBride

, known as the

SID NO. 1, and SID NO. 2 lodes

situate in Hassayampa mining district,

Yavapai County, Arizona

in Section Approx. 24, Township No. 12 1/2 N., Range No. 3 W., Unsur.

, designated as Survey No. 3903

executed by Richard L. Merritt, U. S. Mineral

Surveyor, July 18 - Sept. 17, 1923, under my instructions dated

June 19, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 19, 1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Michael McBride, known as the SID NO. 1, and SID NO. 2 lodes, situate in Hassayampa Mining District, Yavapai County, Arizona, in Section Approx. 24, Township No 12 1/2 N., Range No. 3 W., unsurveyed, in the Prescott National Forest, and designated as Survey No. 3903, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the Amended location certificate, which was received by me from the Surveyor General ~~with said instructions~~, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me W. H. Merritt, Notary Public
Public this 4
day of October, 1924

W. H. Merritt
Notary Public
My Commission Expires January 18 - 1927