

MINERAL SURVEY No. 3922

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

SACATON COPPER COMPANY

KNOWN AS THE

MINERAL BUTTE, MINERAL BUTTE #1, MINERAL BUTTE #2, MINERAL BUTTE #3, MINERAL BUTTE NO.8 and MINERAL BUTTE NO. 9 lodes

Gila River Indian Reservation

Mining-District,

Pinal

County, Arizona

Section 1 4 S. 7 E., ~~und.~~
6 4 S. 8 E.,

Surveyed under instructions dated December 4, 19 23.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located ^{location} See notices, 19

Survey commenced February 2, 19 24.

Survey completed February 6, 19 24.

Address of claimant's Attys, Rice & Mathews, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices.

MINERAL SURVEY NO. 3922.

Feet.

Beginning at Cor. No. 1, identical with monument of the location, Cor. 21, Sur. 3739 and the Cor. of Townships 4 S., Ranges 7 and 8 E., G. & S.R.M.

On the south boundary of Township 3 S., ^{R. 8 E.} and the north boundary of the Gila River Indian Reservation.

A 3 in. iron post, 14 ins. above the ground, with brass cap marked PL in the north half, GRIR 1911 in the south half, S. 1 T 4 S., R. 7 E., in the S.W. quadrant and S. 6 R. 8 E. in the S.E. quadrant. It not being permissible to mark this corner for this survey, I set a witness corner N. 89°-51'E. 8.45 ft. from it.

From the true corner point an ironwood tree, 6 ins. in diameter, blazed and scribed cross B.T. 3739, to which I add 3922 for this survey, bears N. 34°-38'E. 21.75 ft.

No other bearings available.

Thence N. 89°-51'E.

Along said Township and Reservation lines, line 21-1 of said Sur. 3739 and line of the location, between sections 31 and 6.

8.45 To witness corner for Cor. No. 1, identical with witness corner for Cor. No. 21 of said Sur. 3739.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of earth and stone, scribed W.C.-21-3739, to which I add W.C.-1-3922 for this claim.

702.00 Road, course northwesterly and southeasterly.

1050.00 Road, course northeasterly and southwesterly.

1399.00 Road, course northwesterly and southeasterly.

2255.30 To South quarter corner of Section 31, ^{T. 3 S., R. 8 E.} I am unable to find this corner, but establish its position from the bearing trees set for it.

2636.50 To North quarter corner of Section 6, ^{T. 4 S., R. 8 E., E} which is a 1 in. iron post, 24 ins. above the ground, in mound of stone, with brass cap marked $\frac{1}{4}$ S. 6 GRIR 1911 in the south half

3000.00 To Cor. No. 2, identical with N.E. Cor. of the location.
On the north boundary line of the Gila River Indian
Reservation, the Township line between Townships 3 and 4
S., Range 8 E., between sections 31 and 6, and on line 21-
1, Sur. 3739.

A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 18 ins. in the ground, scribed
2-3922, whence

A monzonite stone, 7 x 9 x 15 ins., set flush with the
ground, chiseled cross B.R. 3922, bears N.89°-51'E.
7.85 ft.

A schist stone, 4 x 12 x 13 ins., set 8 ins. in the ground,
chiseled cross B.R. 3922, bears N.00°-04'W. 7.53 ft.

Cor. No. 1, Sur. 3739, bears N.89°-51'E. 2023.9 ft.

No other bearings available.

Thence S.00°-04'E.

Along line of the location.

79.00 Road, course northeasterly and southwesterly

1200.00 To Cor. No. 3, identical with S.E. Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 20 ins. in the ground, scribed 3-3922,
whence

An ironwood tree, 6 ins. in diameter, blazed and scribed
cross B.T. 3922, bears S.52°-12'W. 17.40 ft.

A palo verde tree, 7 ins. in diameter, blazed and scribed
cross B.T. 3922, bears S.63°-01'E. 30.90 ft.

No other bearings available.

Thence S.89°-51'W.

Along line of the location.

394.00 Road, course northerly and southerly.

3000.00 To Cor. No. 4, identical with monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 14 ins. in the ground, on bed rock,
with mound of earth and stone, scribed 4-3922, whence

A monzonite boulder, 6 x 10 x 13 ft., chiseled cross B.R.
3922 on the north end, bears S.03°-14'E. 40.15 ft.

An ironwood tree, 6 ins. in diameter, blazed and scribed cross B.T. 3922, bears S.82°-29'W. 46.65 ft.

No other bearings available.

Thence S.89°-56'W.

Along line of the location.

1499.70 To Cor. No. 5, identical with S.W. Cor. of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 19 ins. in the ground, with mound of stone, scribed 5-3922, whence

A paloverde tree, 6 ins. in diameter, blazed and scribed cross B.T. 3922, bears N.15°-22'W. 35.7 ft.

An ironwood tree, 5 ins. in diameter, blazed and scribed cross B.T. 3922, bears N.23°-27'E. 43.95 ft.

No other bearings available.

Thence N.00°-04'W.

Along line of the location.

282.00 Road, course northeasterly and southwesterly.

437.00 Bed of wash draining southwesterly.

1200.00 To Cor. No. 6, identical with N.W. Cor. of the location.

On the Township line between Townships 3 and 4 S., Range 7 E., the north boundary of the Gila River Indian Reservation and line 20-21, Sur. 3739, between sections 36 and 1.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 11 ins. in the ground, on bed rock, with mound of earth and stone, scribed 6-3922, whence

A cross and B.R. 3922 on monzonite out crop, 1.5 x 1.5 x 3.5 ft. above the ground, bears N.72°-53'E. 9.10 ft.

Cor. No. 20, Sur. 3739, bears S.89°-56'W. 5682.4 ft.

No other bearings available.

Thence N.89°-56'E.

Along line of the location, said Township and Reservation lines, line 20-21, Sur. 3739, between sections 36 and 1.

- 847.60 Bed of wash, draining southwesterly .
- 1308.60 Bed of wash, draining southwesterly.
- 1325.40 To the Cor. of Townships 3 S., Ranges 7 and 8 E., a paloverde post, 3½ ins. in diameter, 11 ins. above the ground, marked T.3 S., R.7 E., S.36 on N.W. and R.8 E., S.31 on N.E., set in monument of earth and stone. Continuing along said Township and Reservation lines, line of the location and line 20-21 of said Sur. 3739, between sections 31 and 1.
- 1499.70 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-25'E.

.....

AREAS.

Total area of survey,	123.959 acres.
Area in conflict with Sur. 3739,	123.959 acres.

.....

LOCATION.

This survey is located in Section 1, T. 4 S. R. 7 E., ~~unapproved~~, and in Section 6, T. 4 S., R. 8 E., G.& S. R.M., Blackwater Mining District, in the Gila River Indian Reservation, Pinal County, Arizona.

.....

ADJOINING AND CONFLICTING CLAIMS.

This survey is bounded on the north by the Red Hills No. 5, Red Hills No. 4, Red Hills No. 3, Red Hills No.2, Red Hills No. 1, Magma Junction and Red Hills No. 13 mining claims, unsurveyed, owned by the claimant. On the east by the Mineral Butte No. 18 and Mineral Butte No. 19 mining claims of Sur. 3739. On the south by the Mineral Butte No. 4, Mineral Butte No. 6 and Mineral Butte No. 10 mining claims of Sur. 3739. And on the west by the Mineral Butte No. 13 and Mineral Butte No. 12 mining claims of Sur. 3739. The Mineral Butte, Mineral Butte #1, Mineral Butte #2, Mineral butte #3, Mineral Butte

No.8 and Mineral Butte No.9 mining claims of Sur. 3739 are identical with the mining claims of the same name included in this survey. All of the adjoining and conflicting claims mentioned above as being included in Sur. 3739 are located on the Gila River Indian Reservation and are held under lease by the claimant.

.....

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 6 $\frac{1}{2}$ inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 ft. steel tape.

.....

REPORT.

Cor. No. 1 of Sur. 3739 is a 4 x 4 post properly set and scribed. Cor. No. 20 of said Sur. 3739 is a three inch iron post set for a section corner, with a 4 x 4 pine post properly set and scribed as a witness corner near it. Cor. No. 21 of said Sur. 3739 is a three inch iron post set as described herein. I find lines 20-21 and 21-1 of said Sur. 3739 correct as approved.

Edwin P. Steward

United States Mineral Surveyor.

Globe, Arizona,
March 7, 1924.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

SACATON COPPER COMPANY

Mineral Butte, Mineral Butte #1, Mineral Butte #2, Mineral Butte #3, Mineral Butte No. 8 and Mineral Butte No. 9 lodes known as the _____ and showing the respective capacities in which they acted.

C.A. Pennington, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, _____

and I, C.A. Pennington, do solemnly swear that ~~we~~ ^I assisted _____

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of SACATON COPPER COMPANY, known as the

Mineral Butte, Mineral Butte #1, Mineral Butte #2, Mineral Butte #3, Mineral Butte No. 8, Mineral Butte No. 9. lodes

~~known as the~~ _____

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

C.A. Pennington, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 7th

day of March, 19 24.

My commission expires
November 12, 1924.

M. L. Harrison

Notary Public, Gila
County, Arizona.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
December 4, 1923, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of SACATON COPPER COMPANY, known as Mineral Butte,
Mineral Butte #1, Mineral Butte #2, Mineral Butte #3, known as the
Mineral Butte No. 8, and Mineral Butte No. 9 lodes
, situate in Gila River Indian Reservation Mining-District,
Pinal County, Arizona, in Section 1
6, Township No. 4 S., Range No. 7 E., unsurveyed
8 E.,
and designated as Survey No. 3922, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, ~~and that the labor expended and~~
~~improvements made upon said mining claim by claimant or granters~~
~~are as therein fully stated, and that the character, extent, location, and itemized value~~
~~thereof are specified therein with particularity and full detail, and that no portion of~~
~~said labor or improvements so credited to this claim has been included in the estimate~~
~~of expenditures upon any other claim.~~

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me M. L. Harrison, a Notary Public,
this 7th
day of March, 19 24.

My commission expires
November 12, 1924.

M. L. Harrison
Notary Public, Gila
County, Arizona

(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,
Phoenix, Arizona,

April 28, 1924.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Sacaton Copper Company
MINERAL BUTTE, MINERAL BUTTE #1, MINERAL BUTTE #2,
known as the MINERAL BUTTE #3, MINERAL BUTTE NO. 8, and
MINERAL BUTTE NO. 9 lodes, situate in Gila Indian Reservation

Mining District, Pinal County,
Arizona, in Section 16, Township No. 4 S.,
Range No. 7 E. and 8 E., and designated as Survey
No. 3922

, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or grantors, and
that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Charles M. Donohoe
Arizona.

United States Surveyor General for

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

.....Phoenix, Arizona,.....

.....April 28....., 1924

I, U. S. Surveyor General forDistrict of Arizona,.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

.....Sacaton Copper Company.....

....., known as the
MINERAL BUTTE, MINERAL BUTTE #1, MINERAL BUTTE #2, MINERAL BUTTE #3,
MINERAL BUTTE NO. 8, and MINERAL BUTTE NO. 9 lodes.....

situate inGila River Indian Reservation..... mining district,

.....Pinal..... County,Arizona.....

in Section s..... 1....., Township No. 4 S. 7 E., and
..... 6....., Township No. 4 S., Range No. 8 E.....

....., designated as Survey No. 3922.....

executed byEdwin T. Stewart....., U. S. Mineral

Surveyor,February 2 - 6....., 1924, under my instructions dated

.....December 4....., 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Charles M. Donohoe

U. S. Surveyor General forArizona.....