

April 2, 1926

MINERAL SURVEY No. 3961

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Al A. NANCE

KNOWN AS THE

PICNIC and UNCLE SAM FRACTION. lodes

SAN FRANCISCO Mining District,

MOHAVE County, ARIZONA

Section 15 & 16, Township 21 N., Range 20 W. G. & S.R. B. & M.

Surveyed under instructions dated August 22, 1924

by L. H. FOSTER

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced Dec. 1st., 19 25

Survey completed Dec. 10th., 19 25

Address of claimant Kingman, Arizona Box 246 L.L. WALLACE, Atty

DATES OF AMENDED LOCATIONS.

106212
13

| Claim | located | amended |
|--------------------|----------------|----------------|
| Picnic | May 9th. 1909 | Jan. 1st. 1912 |
| Uncle Sam Fraction | Jan, 1st. 1912 | XXXXXXXXXX |

MINERAL SURVEY NO. 3961

feet

PICNIC lode

Beginning Cor. No. 1.

A pine post, 4 ins. square, 4 ft long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed P-1-3961.

The 1/4 corner between sections 15 and 16, T. 21 N. R. 20 W. G. & S.R. B. & M. bears S. 52°52' 30" E. 462.97 ft.

Thence N. 41°13' W.

1500.00

To Cor. No. 2.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed P-2-3961.

Thence N. 48°36' E.

292.42

Intersect line 3-4, Gold Dome lode, Sur. No. 2869, at N. 50°39' W. 526.58 ft. and S. 50°39' E. 973.42 ft. from Cors. No. 3 and 4, respectively.

300.00

To the northerly end center post of the location.

600.00

To Cor. No. 3.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed P-3-3961.

Cor. No. 3 Gold Dome lode, Sur. No. 2869 bears S. 18° 11' E. 565.53 ft.
Thence S. 41°13' E.

549.32

Intersect line 2-3 and 3-2, Gold Dome lode, Sur. No. 2869 and Uncle Sam Fraction lode, this survey, respectively, at S. 56°13' W. 390.25 ft. and 339.38 ft. from Cors 2 and 3 and at N. 56°13' E. 223.15 ft. and 70.62 from Cors 3 and 2, respectively.

1500.00

To Cor. No. 4.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed P-4-3961.

MINERAL SURVEY NO. 3961.

feet

Picnic Lode, continued

Thence S. 48° 36' W.

300.00

To the southerly end center post of the location.

511.80

Intersect line 1-2, Uncle Sam Fraction lode, this survey, at N. 16° 32' W. 439.06 ft. from Cor. No. 1, and S. 16° 32' E. 1058.07 ft. from Cor. No. 2.

600.00

To Cor. No. 1, the place of beginning.

No bearing objects available.

All corners are identical with the location.

Variation, all corners, 15° 30' E.

#

UNCLE SAM FRACTION lode

Beginning Cor. No. 1.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed USF-1-3961.

The 1/4 corner between sections 15 and 16, bears N. 64° 58' E. 196.50 ft. T. 21 N., R. 20 W.

Thence N. 16° 32' W.

439.06

Intersect line 4-1, Picnic lode, this survey, at N. 48° 36' E. 88.20 ft. from Cor. No. 1, and S. 48° 36' W. 511.8 ft. from Cor. No. 4.

1497.13

To Cor. No. 2.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed USF-2-3961.

On line 2-3, Gold Dome lode, Sur. No. 2869 at N. 56° 13' E. 152.53 ft. from Cor. No. 3.

Thence N. 56° 13' E.

70.62

Intersect line 3-4, Picnic lode, this survey, at S. 41° 13' E. 549.32 ft. from Cor. No. 3, and N. 41° 13' W. 950.68 ft. from Cor. No. 4.

160.87

To the southerly end center post, Gold Dome lode, Sur. No. 2869.

MINERAL SURVEY NO. 3961.

feet

Uncle Sam Fraction lode, continued

300.00

To the northerly end center monument of the location.

410.00

To Cor. No. 3.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed USF-3-3961.

On line 1-4, King Edward lode, Sur. No. 2869 at S. 23°43' E. 47.77 ft. from Cor. No. 1.

Cor. No. 2, Gold Dome lode, Sur. No. 2869, bears N. 56°13' E. 50.87 ft.

Thence S. 23°43' E.

1452.23

To Cor. No. 4.

A pine post, 4 ins. square, properly set, scribed USF-4-3961.

Identical with Cor. No. 4, King Edward lode, Sur. No. 2869.

Thence S. 56°13' W.

300.00

To the southerly end center post of the location.

600.00

To Cor. No. 1, the place of beginning.

No bearing objects available.

All corners are identical with the location.

Variation, all corners, 15°30' E.

#

LOCATION

This survey is located in sections 15 and 16, T. 21 N. R. 20 W. G. & S. R. B. & M. in the San Francisco Mining District, Mohave County, Arizona.

MINERAL SURVEY NO. 396I

Lode Lines

As near as can be determined from present developments, the course of the lode lines of the two claims of this survey, extend from their respective discoveries, as follows;-

Picnic lode;

N. 41° 13' W, 650 ft. and S. 41° 13' E. 850 ft. from the discovery cut.

Uncle Sam Fraction lode;

N. 16° 32' W. 550 ft. and S. 16° 32' E. 947.13 ft. from the discovery cut.

#

AREAS

| Claim | Acres |
|----------------------------------|---------------------------------|
| Picnic lode ----- | 20.661 |
| In conflict with Gold Dome lode, | |
| Sur. No. 2869 ----- | 3.230 |
| Uncle Sam Fraction lode ----- | 16.57 ⁶ ₇ |
| In conflict with Picnic lode, | |
| this survey ----- | 6.404 |

#

FIVE HUNDRED DOLLARS EXPENDITURE

I certify that the value of the improvements and labor, made upon or for the benefit of this group of lode claims, by the Claimant or his Grantors, is not less than Five Hundred Dollars for each claim, and consists of the following;-

Picnic Lode.

No. 1 :- The discovery cut, 5 ft. wide, 8 ft. face, extending S. 40° E. 15 ft., Value -----\$40.00

Face is on the lode line 650 ft. from the N.E.C.

MINERAL SURVEY NO. 3961.

Improvements, continued

No. 2 ; - An open cut, 8 ft. face, 5 ft. wide, extending S. 20° E. 17 ft. The face bears S. 28° 30' E. 840 ft. from Cor. No. 3.

Value ----- \$50.00

No. 3 ; - A shaft, 4 by 6 ft. by 9 ft. deep, bears S. 21° E. 670 ft. from Cor. No. 3.

Value ----- \$50.00

No. 4 ; - An open cut, 12 ft. face, 5 ft. wide, extending N. 30° W. 20 ft. with a tunnel 4 by 6 ft. running S. 45° E. 28 ft. Center of face bears S. 30° E. 680 ft. from Cor. No. 3.

Value ----- \$325.00

No. 5 ; - A shaft, 4 by 6 ft. by 10 ft. deep, bears S. 33° 10' E. 710 ft. from Cor. No. 3.

Value ----- \$60.00

Uncle Sam Fraction lode.

No. 1. The discovery cut, 10 ft. face, 5 ft. wide, extending S. 5° W. 13 ft. with a tunnel running N. 5° E. 97 ft. 4 by 6 ft. Face of cut is on the lode line 550 ft. from the N.E.C.

Value ----- \$1000.00

No. 2 ; - An open cut, 12 ft. face, 5 ft. wide, extending S. 17° W. 15 ft. with a tunnel, 4 by 6 ft. running N. 50° E. 27 ft. Center of face bears S. 16° 40' W. 245 ft. from Cor. No. 3.

Value ----- \$325.00

No. 3 ; - An open cut, 12 ft. face, 5 ft. wide, extending S. 65° W. 22 ft. Center of face bears S. 4° W. 225 ft. from Cor. No. 3.

Value ----- \$60.00

#

REPORT

This survey was made with a C.L. Berger & Sons' Mining transit and a 500 and 100 ft. steel tape.

Meridian was determined by direct observation on the sun.

MINERAL SURVEY NO. 3961

Report, continued,

The side and end lines and all other lines were measured direct on the ground.

The corners of Survey No. 2869 tied to in this survey are pine posts, 4 ins. square, properly set and marked.

The 1/4 corner of sections 15 and 16, T. 21 N. R. 20 W. G. & S. R. B. & M. is a 1 inch iron pipe, properly set and marked.

#

Adjoining and Conflicting Claims

This group is joined on the northeast by the King Edward and Gold Dome lodes, Sur. No. 2869 and on all other sides by Public Domain. It conflicts with the Gold Dome lode.

The differences between this survey and the location notices are due to error in the latter.

L. H. Foster

U. S. MINERAL SURVEYOR.

~~Box. 589~~

~~Kingman, Arizona.~~

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. FOSTER, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated August 22, 1924, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of AL A. NANCE, known as the PICNIC and UNCLE SAM FRACTION lodes, situate in SAN FRANCISCO Mining District, MOHAVE County, ARIZONA, in Section 15 & 16, Township No. 21 N., Range No. 20 W. G. & S. R. B. & M., and designated as Survey No. 3961, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor, before me Mary E. Cannon
Notary Public this 31st
day of March, 1926

Mary E. Cannon
Notary Public

Commission Expires
Nov 20-1927

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,
PUBLIC SURVEY OFFICE,

Phoenix, Arizona,

April 12, 1926

I, U. S. Surveyor-General for Office Cadastral Engineer, Phoenix, Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of

Al A. Nance

known as the PICNIC and UNCLE SAM FRACTION lodes

situate in San Francisco

Mining District, Mohave County, Arizona

in Section 15 & 16, Township No. 21 N., Range No. 20 W., and

designated as Survey No. 3961, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claims by claimant or his grantors, and that said improvements
consist of each of 6 cuts, 2 shafts, and 3 tunnels, total value \$1910

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer, Phoenix, Arizona.

United States Surveyor-General for

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona

April 12, 1926

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Al A. Nance

known as the

PICNIC AND UNCLE SAM FRACTION lodes

situate in San Francisco mining district,

Mohave County, Arizona

in Section s 15 & 16, Township No. 21 N., Range No. 20 W.

designated as Survey No. 3961

executed by L. H. Foster, U. S. Mineral

Surveyor, December 1 - 10, 1925, under my instructions dated

August 22, 1924, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of John S. Adams

Office Cadastral Engineer Phoenix, Arizona.