

MINERAL SURVEY No. 3966

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Henry Stene

Carl G. Krook, Atty.

KNOWN AS THE

Lola lode

Owens

Mining District,

Mohave

County,

Arizona

Section 28

Township

12 N.

Range 14 West

Surveyed under instructions dated October 30, 19 24.

by L. H. Foster

U. S. Mineral Surveyor.

Claim located March 27th., 19 12

Survey commenced Dec. 1st., 19 24.

Survey completed Dec. 2nd., 19 24

Carl G. Krook, Claimant's Atty.

Address of claimant, Kingman, Arizona.

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 3966

feet

Lola Lode

Beginning Cor. No. 1.

A lime stone, 5 by 14 ins. by 32 ins. long, with a cross cut at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked L-1-3966.

The 1/4 corner between sections 21 & 28, T. 12 N. R. 14 W. G. & S. R. B. & M. bears N. 22° 45' W. 1565.60 ft.

Thence N. 83° 18' E.

1500.00

To Cor. No. 2.

A lime stone, 9 by 12 ins. by 20 ins. long, with a cross cut at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, marked L-2-3966.

Thence S. 6° 42' E.

300.00

To the east end center monument of the location.

600.00

To Cor. No. 3.

A lime stone, 6 by 8 ins. by 18 ins. long, with a cross cut at the exact corner, set 10 ins. in the ground, in a mound of earth and stone, marked L-3-3966.

Thence S. 83° 18' W.

1500.00

To Cor. No. 4.

A lime stone, 5 by 10 ins. by 18 ins. long, with a cross cut at the exact corner, set 10 ins. in the ground, in a mound of earth and stone, marked L-4-3966.

Thence N. 6° 42' W.

300.00

To the west end center monument of the location.

600.00

To Cor. No. 1, the place of beginning.

No bearing objects available.

Variation, all corners, 15° 30' E.

Mineral Survey No. 3966

Lode Line

As near as can be determined from present developments, the lode line of the claim in this survey extends from the discovery, as follows;

S. 83° 18' W. 465 ft. and N. 83° 18' E. 1035 ft. from the discovery cut.

Location.

This survey is located in the Owens Mining District, Mohave County, Arizona, in the North East quarter of section 28, T. 12 N. R. 14 W. G. & S. R. B. & M.

Area

Lola lode -----20.661 Acres.

Five Hundred Dollars Improvement.

I certify that the value of the improvements and labor, made upon or for the benefit of this claim, by the claimant or his grantor, is not less than Five Hundred dollars and consists of the following;-

No. 1 - The discovery cut, ^{face is on the lode line 465 ft. from the N.E.C.} 8 ft. face, 6 ft. wide, extending S. 7° E. 20 ft. From the face a tunnel, 4 by 6 ft. runs N. 7° W. 40 to the bottom of a shaft, 6 by 8 ft. by 12 ft. deep. At a point in tunnel, 5 ft. from the face of cut, a crosscut, 4 by 6 ft. runs N. 85° E. 10 ft.

Value -----\$550.00

No. 2 - An open cut, 8 ft. face, 6 ft. wide, extends N. 40° W. 25 ft. The face bears N. 53° E. 605 ft. from Cor. No. 4.

Value ----- \$90.00

Mineral Survey No. 3966

Improvements, continued,

No. 3 - An open cut, 12 ft. face, 8 ft. wide, extending S. 45° W. 20 ft. The center of face is on the lode line at 550 ft. from the west end center.

Value ----- \$125.00

No. 4 - An open cut, 6 ft. face, 4 ft. wide, extending S. 60° W. 40 ft. The center of face bears N. 56° E. 680 ft. from Cor. No. 4.

Value ----- \$100.00

No. 5 - An open cut, 8 ft. face, 6 ft. wide, extending S. 55° W. 30 ft. Center of face bears N. 55° E. 595 ft. from Cor. No. 4.

Value ----- \$90.00

No. 6 - A shaft, 7 by 7 ft. by 10 ft. deep. The center bears N. 47° W. 420 ft. from Cor. No. 3.

Value ----- \$60.00

No. 7 - An open cut, 7 ft. face, 5 ft. wide, extending S. 85° W. 20 ft. Center of face bears N. 53° W. 340 ft. from Cor. No. 3.

Value ----- \$60.00

No. 8 - An open cut, 8 ft. face, 4 ft. wide, extending S. 7° E. 25 ft. The lode line crosses cut at S. 7° E. 12 ft. from face and at 375 ft. from the east end center.

Value ----- \$125.00

Report

All side and end lines and all other lines were measured direct on the ground.

The 1/4 corner between sections 21 & 28, T. 12 N. R. 14 W. G. & S. R. B. & M. is a one inch pipe, with a brass cap, properly marked and set in a mound of stone.

The tie was made to the above corner for the reason that it is visible from all corners of the claim, the east quarter corner and the north east section corner being behind lime stone cliffs.

Mineral Survey No. 3966

Adjoining and conflicting Claims.

There are no adjoining claims and ^{this survey} is surrounded on all sides by Public Domain.

Instrument and Meridian.

This survey was made with a 100 and 500 ft. steel tape and with a Berger & Sons Mining transit.

Meridian was determined by direct observation on the sun.

The difference between this survey and the location notice is due to error in the latter.

December 16th. 1924

Kingman Arizona

U. S. Mineral Surveyor.

Faint mirrored text from the reverse side of the page is visible through the paper, including phrases like 'The difference between this survey and the location notice is due to error in the latter.', 'The tie was made to the above corner for the reason that it is visible from all corners of the claim.', and 'The east quarter corner and the north east section corner being behind line stone cliff.'

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by L. H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Henry Stene

known as the Lola lode

and showing the respective capacities in which they acted.

Rex B. Brown, Chainman.

XXXXXXXXXXXX, Chainman.

XXXXXXXXXXXX, Axman.

XXXXXXXXXXXX, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Rex B. Brown

and XXXXXXXXXXXX, do solemnly swear that ~~we~~ ^I assisted

L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Henry Stene

known as the Lola lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

+ Rex B. Brown, Chainman.

, Chainman.

, Axman.

, Flagman

Subscribed and sworn to by the above-named persons before me this 16

day of December, 19 27

Mary E. Leonard
Notary Public

Commissioner
Mar 20/1927

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 30th. 1924, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Henry, Stene. Carl G. Krook, Atty, known as the Lola lode, situate in Owens Mining District, Mohave County, Arizona, in Section 28, Township No. 12 N., Range No. 14 W. G. & S.R. B. & M., and designated as Survey No. 3966, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor before me Mary Clendon
Notary Public this 16
day of December, 1924.

Mary Clendon
Notary Public

Commission Expires
Mar 20/1927

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 2, 19 25

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Henry Stone

known as the LOLA Lode

situate in Owens

Mining District, Mohave County, Arizona

in Section 28, Township No. 12 N., Range No. 14 West, and

designated as Survey No. 3966, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 shafts, 7 cuts, 1 tunnel and 1 crosscut, total value \$1200.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Charles M. Donohoe

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

February 2, 1925

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Henry Stene

, known as the

LOLA Lode

situate in Owens mining district,

Mohave County, Arizona

in Section 28, Township No. 12 N, Range No. 14 West

, designated as Survey No. 3966

executed by L. H. Foster, U. S. Mineral

Surveyor, December 1 - 2, 1924, under my instructions dated

October 30, 1924, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Charles M. Douvlos

U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9630 (942)
Group 715

November 28, 1994

Memorandum

To: Chief, Office Section, Branch of Cadastral Survey
From: Chief Cadastral Surveyor
Subject: Notice of Cancellation of Surveys, Navajo Special Meridian, Arizona

Effective November 28, 1994, the surveys of the following townships of the Navajo Special Meridian, Arizona are cancelled.

Surveyed Townships

T. 1 N., Rs. 7, 9, 10, and 11 W.
T. 2 N., Rs. 7, 10, and 11 W.
T. 3 N., Rs. 6, 7, 10, and 11 W.
T. 4 N., Rs. 6, 10, and 11 W.
*T. 5 N., Rs. 6, 10, and 11 W.
T. 6 N., Rs. 6, 7, 9, 10, and 11 W.
T. 7 N., Rs. 7, 9, 10, and 11 W.

Partially Surveyed Townships

T. 1 N., Rs. 5, and 8 W.
T. 2 N., Rs. 5, 8, and 9 W.
T. 3 N., Rs. 5, 8, and 9 W.
T. 4 N., Rs. 5, 7, 8, and 9 W.
T. 5 N., Rs. 5, 7, 8, and 9 W.
T. 6 N., Rs. 5, and 8 W.
T. 7 N., Rs. 5, 6, and 8 W.

Also effective November 28, 1994, the suspension is lifted on the plat approved June 23, 1933, and accepted January 6, 1934, T. 5 N., R. 10 W.

*Portions of T. 5 N., R. 10 W., were resurveyed in 1933 under Group 183 and in 1940-42 under Group 235 for the primary purpose of preserving the identification of the Boundary of Canyon De Chelly National Monument. The portions of those surveys resurveyed in 1991-92 under Group 715, plat accepted August 16, 1994, and the subdivision of sections 10, 22, 25 and 26 in the 1940-42 resurvey are the only portions of the Navajo Special Meridian that remain uncanceled.

This cancellation is to include the 1869 survey of the South and West Boundaries, by Treaty of June 1, 1868, and the subsequent 1919-20 resurvey of the West Boundary of the Navajo Indian Reservation.

Townships surveyed or partially surveyed in New Mexico under the Navajo Special Meridian were cancelled by Memorandum dated June 17, 1936 under memorandum file #1643519 "E" and included the following townships:

T. 1 N., Rs. 1, 2, and 3 W.	T. 9 N., Rs. 1, 2, 3, and 4 W.
T. 2 N., Rs. 1, and 5 W.	T. 10 N., Rs. 1, 2, 3, 4, and 5 W.
T. 3 N., Rs. 1, and 5 W.	T. 11 N., Rs. 1, 2, 3, 4, and 5 W.
T. 4 N., Rs. 1, 2, and 5 W.	T. 12 N., Rs. 3, 4, and 5 W.
T. 5 N., Rs. 1, and 2 W.	T. 13 N., Rs. 1, 2, 3, 4, and 5 W.
T. 6 N., Rs. 1, 2, 3, and 4 W.	T. 14 N., Rs. 3, 4, and 5 W.
T. 7 N., Rs. 1, 2, and 3 W.	
T. 8 N., Rs. 1, 2, 3, and 4 W.	

By Directors' Letter dated May 11, 1951, the surveys executed in Arizona under the Navajo Special Meridian in Tps. 8, 9, 10, 11, 12, 13, 14, 15 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W. were cancelled. In particular they are:

Surveyed

T. 8 N., Rs. 9, 10, and 11 W.
 T. 9 N., Rs. 9, 10, and 11 W.
 T. 10 N., Rs. 5, 9, and 10 W.
 T. 11 N., Rs. 5, 9, 10, and 11 W.
 T. 12 N., Rs. 9, 10, and 11 W.
 T. 13 N., Rs. 9, 10, and 11 W.
 T. 14 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W.
 T. 15 N., Rs. 7, 8, 9, and 10 W.

Partially Surveyed

T. 8 N., Rs. 6, 7, and 8 W.
 T. 9 N., Rs. 5, 6, and 8 W.
 T. 10 N., Rs. 6, 7, 8, and 11 W.
 T. 11 N., Rs. 6, 7, and 8 W.
 T. 12 N., Rs. 5, and 6 W.
 T. 13 N., Rs. 5, 6, 7, and 8 W.
 T. 15 N., Rs. 5, 6, and 11 W.

Unsurveyed

T. 8 N., R. 5 W.
 T. 9 N., R. 7 W.
 T. 12 N., Rs. 7, and 8 W.

By Memorandum dated January 29, 1992, File No. 9630 (942), this office. Tps. 1 and 2 N., R. 6 W. were cancelled.

A copy of this memorandum will be placed at the front of each of the following original field note books, located at the Arizona State Cadastral Survey Office, containing the field notes of the affected surveys.

BOOK: 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 2627, 3342, 3502, 3966, 4288

The notation, "Cancelled November 28, 1994 per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plats:

Approved February 28, 1870

T. 1 N., Rs. 9, and 10 W.
 T. 2 N., R. 10 W.
 T. 3 N., R. 10 W.
 T. 4 N., R. 10 W.
 T. 5 N., R. 10 W.
 T. 6 N., R. 10 W.
 T. 7 N., R. 10 W.

Approved May 7, 1870

T. 6 N., R. 9 W.
 T. 7 N., R. 9 W.

Approved May 23, 1870

T. 1 N., R. 7 W.
 T. 2 N., R. 7 W.
 T. 3 N., Rs. 6, and 7 W.
 T. 4 N., R. 6 W.
 T. 5 N., R. 6 W.
 T. 6 N., Rs. 6, and 7 W.
 T. 7 N., R. 7 W.

Approved March 7, 1871


T. 1 N., R. 11 W.
 T. 2 N., Rs. 5, and 11 W.
 T. 3 N., Rs. 5, and 11 W.
 T. 4 N., Rs. 5, and 11 W.
 T. 5 N., R. 11 W.
 T. 6 N., R. 11 W.
 T. 7 N., R. 11 W.

The notation, "Cancelled November 28, 1994, except for those portions resurveyed in 1991-92, Group 715, plat accepted August 16, 1994, and the survey of the subdivision of sections 10, 22, 25 and 26 on this plat, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved December 3, 1943, and accepted December 23, 1943.

The notation, "Suspension Lifted, November 28, 1994, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved June 23, 1933, and accepted January 6, 1934.



James P. Kelley