

4-686

MINERAL SURVEY No. 3986

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Eugene A. Williams

KNOWN AS THE

Cora Bell, Shaw, Apr. 3 Phool, Burson & Minnesota  
lodes.

Hassayampa Mining District,

Yavapai County, Arizona

Approx.  
Sections 25, 35 & 36, Township 12 1/2 N, Range 2 W Unsurveyed

Surveyed under instructions dated July 23, 1925

by Richard L. Merrill  
U. S. Mineral Surveyor.

Claim located See Location Notice, 19

Survey commenced July 27, 1925

Survey completed August 7, 1925

Address of claimant W. H. Merrill, Agent,  
Prescott Ariz

DATES OF AMENDED LOCATIONS.

See Location Notice



- Feet Beginning at Cor. No. 1, Identical with the loc.,  
 A Porphyry stone 6X10 X 24" set 12 ins. in the ground with mound of stones, chiseled X-1-B-3986, Whence U.S.M.M. No. 1  
 Brs. S 55°37'20"E 3180.17 ft. an Oak tree 7 ins. diam.  
 Scribed X-B-T-1-B-3986 Brs. N46°45'E 17.4 ft. an Oak 12" diam. Scribed X-B-T-1-B-3986 Brs. S 7°45'W. 18.6 ft.  
 Loc. Cor. Post 4 X 4 " X 4 ' in mound of stones.  
 Thence S47°45'W. Va. 14°E
1500. To Cor. No. 2 identical with the loc. and with Cor. No. 1  
 April Phool lode of this sur. a Porphyry stone 6X8X24 ins. set 12 ins. in the ground with mound of stones chiseled, X-2-B.1-A.P.3986, Pine tree 10 ins. diam. scribed X-B-T.2-B.1-A-P.3986 Brs. N 48°30' E. 6.6 ft. an Oak tree 12 ins. diam. chiseled X-B-T.2-B.1-A.P.3986 brs. N 59°30' W, 8.8 ft.  
 Loc. Cor. post 4x4 ins. X 4 ft. in mound of stones.  
 Thence N 14°28' W. Va. 14° E.
- 338.5 S.C. End identical with the loc. and with the N.C. End of April Phool lode of this sur. A mound of stones 3X3 ft.
677. To Cor. No. 3, identical with the loc. and with Cor. No. 4  
 April Phool and No. 1 Cora Bell, and No. 2 Minnesota lodes of this sur. A Porphyry stone 8X8X 24 ins. set 12 ins. in the ground chiseled X.3.B.4.A.P.1-C.B.2.M.3986. A Pine tree 10 ins. diam. scribed X.B.T.3.B.4 A.P.1 C.B.2 M. brs. S 8°40'E 17.7 ft. A Pine tree 9 ins. diam. scribed X.B.T.3.B.1.C.B.4, A.P.2, M. 3986 brs. S. 64°43'E. 11.6 ft.  
 Loc. Cor. mound of stones 3 X 3 ft.  
 Thence N 47°45' E Va. 14° E
650. Cross Wash 6. ft wide course N 80° W.
1380. Cross Wash 5 ft. wide course S 37° W
1500. To Cor. No. 4 Identical with the loc. <sup>and with Cor. 1, Minnesota lode of this sur.</sup> A Porphyry 8X10 X 24 ins. set 12 ins. in the ground with mound of stones chiseled, X.4.B.1.M.3986. No bearings available. Loc Cor. Post 4x4 ins. X 4 ft. in mound of stones.



Feet  
 338.5 N.C.End.identical with the loc. Mound of stones 3 X 3 ft.  
 677. To corner No.1 the place of beginning.

Minnesota lode. Then

Beginning at Cor.No.1, identical with the loc. and with  
 Cor. No.4 Burson lode, of this sur. hereinbefore described,  
 Whence U.S.M.M.No.1 brs. S 48°44' 15" E. 3716.67 ft.

Thence S 47°45' W. Va. 14° E

120 Cross Wash 5 ft. wide course S 37°00' W.

850 Cross Wash 6 ft. wide course N 80°00' W.

1500. To cor. No.2, identical with the loc. and with Cors. No.4  
 April Phool, No.1 Cora Bell, and No.3 Burson lodes of this  
 Sur. hereinbefore described.

Thence N. 14°28' W. Va. 14° E

338.5 S.C.End identical with the loc. and with the N.C.End of  
 Cora Bell lode of this Sur. a mound of stones 3X3 ft.

454.5 Cross Wash 10 ft. wide course N 55° W. with Cor. No.

638.5 To Cor. No.3 identical with the loc. and with Cor. No.4,  
 Cora Bell lode of this sur. a Porphyro stone 4X6X24 ins. set  
 set 12 ins. in the ground with mound of stones chiseled,  
 X.3.M.4-C.B.3986, <sup>an Oak tree</sup> Whence 10 ins. diam, scribed X.B.T.3.M.  
 4.C.B. 3986 Brs. N 29° <sup>27 1/2'</sup> W. a n Oak Tree 8 ins. diam. scribed  
 X.B.T.3.M.4.C.B. 3986 Brs. S 82°05' W. 16. ft. loc. cor a  
 mon. 3X3 ft.

Thence N 47°45' E. Va. 14° E.

1500. To Cor. No.4, identical with the loc. a Porphyry stone  
 10X10X24 ins. set 12 ins. in the ground with mound of  
 stones Chiseled, X.4.M.3986, whence an Oak tree 7 in. diam  
 chiseled X.B.T.4.M.3986 brs. N 18°48' W. 21.7 ft. No other  
 bearings available. Loc. Cor. mound of stones 3X3 ft.



Feet. Thence S 14° 28' E. Va. 14- E

300. NC.End. identical with the loc. a mound of stones 3 X 3 ft.

638.5 To Cor.No.1 the place of beginning.

April Phool lode,

Beginning at Cor.No.1 Identical with the loc.and with

Cor.No.2 Burson lode of this Sur.hereinbefore described,

Whence U.S.M.M.No.1 brs.S 78°06'E. 3817.05 ft.

Thence S 45°48'W.Va. 14- E

1320. Cross Road course N 30° w and S 30° E

1475.12 Intersect line 1-2 Sur. No.2648 Aztec lode at N.14°25'W  
384.81 ft.from Cor.No.1

1500. To Cor.No.2, Identical with the loc. a Porphyry stone  
5X7X24 ins.set 12 ins.in the ground with mound of stones  
chiseled X-2 A.P.3986 an Oak tree 6 ins.diam scribed  
X.B.T.2-A.P.3986 brs.N.48°08'E.12.75 ft. an Oak tree  
10 ins.diam.scribed X-B.T.2.A.P.3986 brs.N 21°.43'W  
27.1 ft. Loc.Cbr mound of stones 3X3 ft.

Thence N 14°28'W. Va. 14° E.

338.5 S.C.End identical with the loc.a mond 3X3 ft.

677. To Cor.No.3, identical with the loc.and with Cor.No.2  
Cora Bell lode of this Sur. a Granite stone 8X8X24 ins.  
set 12 ins.in the ground with mound of stones chiseled,  
X-3.A.P.2-C.B.3986.whence an Oak Tree 6 ins.diam. scri-  
bed X-B.T.3-A.P.2 C.B.3986 Brs.S58°20' W.20.8 ft.

an Oak tree 6 ins.diam. scribed X-B.T.3-A.P.2-C.B.3986  
Brs. S 89°03' E.28.7 ft. Loc.Cor.mound of stones 3X3 ft.

Thence N45°48'E Va. 14° E.

25.58 Intersect line 1-2 Sur.No.2648 Aztec lode at <sup>N</sup> 14°25' <sup>W</sup> E.  
~~437.86~~ <sup>1062.14</sup> ft.from Cor.No.2.

2 20. Cross Road course N22°.E and S 22°.W

1500. To Cor.No.4, Identical with the loc.and with Cors.No.1  
Cora Bell.2 Minnesota, and No.3 Burson lodes of this Sur.  
Hereinbefore described.

~~S 14°28'E. Va. 14° E~~



Feet  
 338.5 N.C.End identical with the loc.and with the S.C.End  
 Burson lode of this Sur. hereinbefore described.  
 677. To Cor.No.1 the place of beginning.

---

Cora Bell lode.  
 Beginning at Cor.No.1 Identical with the loc.and with  
 Cors. No.2 minnesota, No.3 Burson, and No.4 April Phool  
 lodes of this sur.hereinbefore described.Whence, U.S.M.M.  
 No.1 Brs.S.69°43'10" E.4162.21 feet.

---

Thence S 45°48'W.Va. 14° E  
 1280. Cross Road course N.22° E and S 22° W.  
 1474.42 Intersect line 1-2 Sur.No.2648 Aztec lode, at S.14°25'E.  
 437.86 ft.from Cor.No.2  
 1500. To Cor.No.2 Identical with the loc.and with Cor.No.3  
 April Phool lode of this Sur.hereinbefore described.

---

Thence N.14°28' W.Va.14°E.  
 338.5 S.C.End identical with the Loc.a mound of stones 3X3 ft.  
 440.86 Intersect line 2-3 Sur.No.2648 Aztec lode, at S.52°20' W.  
 24.62 ft.from Cor.No.2  
 638.5 To Cor.No.3 Identical with the loc.a Porphyry stone 6X10  
 X24 ins.set 12 ins.in the ground with mound of stones  
 chiseled X-3-C.B.3986, whence an Oak tree 10 ins.diam.  
 Blazed and scribed X°B.T.3-C.B.3986 brs.N.43°43' E.  
 19.7 ft.an Oak tree 6 ins.diam.scribed X°B.T.3-C.B.3986  
 Brs.S.41°10' W.33.2 ft.Loc.Cor.mound Of stones 3X3 ft.  
 Cor.No2 Sur.No.2648 Aztec lode Brs.S.21°20 E.189.3 ft.

---

Thence N.45°48'E. Va. 14- E  
 278.6 Cor.No.2 Shaw lode of this Sur.  
 578.6 E.C.End Shaw lode of this Sur.  
 730. Cross Road course N.28° W.and S.28° E  
 878.6 Cor.No1 Shaw lode of this Sur.  
 1420. Cross Wash course 12 ft.wide course N.55°W.  
 1500. To Cor.No.4, identical with the loc.and with Cor.No.3  
 Minnesota lode of this Sur.hereinbefore described.

---



(5)

- Feet Thence S.14°28' E. Va. 14° E.
184. Cross Wash 10 ft. wide course N.55° W.
300. N.C. End identical with the loc. and with the S.C. End  
Minnesota lode of this Sur. *Hereinbefore described*
- 638.5 To Cor. No.1 the place of beginning.
- 
- Shaw lode
- Beginning at Cor. No.1 Identical with the Loc. A Porphyry  
stone 6X8X24 ins. set 12 ins. in the ground with mound  
of stones chiseled, X-1-S.3986, whence U.S.M.M. No.1, Brs.  
S.70°09' E. 4794.01 feet. an Oak tree 6 ins. diam. Brs. S.41°  
45' W. 10.3 ft. Loc. Cor mound of stones 3X3 ft. *No other Brs. available.*
- Thence S.45°48' W. Va. 14° E.
- 148.6 Cross road Course N.28° W. and S.28° E.
300. E.C. End identical with the Loc. a mound of stones 3X3 ft.
600. To Cor. No.2, Identical with the Loc. A porphy stone  
5X6X24 ins. set 12 ins. in the ground with mound of stones  
chiseled, X-2-S.3986. whence an Oak tree 10 ins. diam.  
scribed X-B.T.2-S.3986 brs. S.72°50' E. 31.1 ft. an Oak  
tree 5 ins. diam. scribed X-B.T.2-S.3986 brs. N.20°45' W.  
12.2 ft. Loc. cor. a mound of stones 3X3 ft.
- 
- Thence N.86°57' W. Va. 14° E.
1080. Cross Hassayampa River 40 ft. wide course N.41° W.
1500. To Cor. No.3 identical with the loc. a Porphy stone 6X8X  
24 ins. set 12 ins. in the ground with mound of stones  
chiseled X-3-S.3986, whence an Oak tree 7 ins. diam. scribed  
ed X-B.T.3-S.3986 brs. N.31° E. 25.3 ft. an Oak tree 6 ins.  
diam. scribed X-B.T.3-S.3986 brs. S.77°50' E. 22.9 ft.  
Loc. mound of stones 3X3 ft.
- 
- Thence N.45°48' E. Va. 14° E.
300. W.C. End identical with the loc. Mound of stones 3X3 ft.  
which is in the center of the Hassayampa river, 40 ft.  
wide course N.41° W.
600. To Cor. No.4 identical with the loc. a Granite stone 10X  
12X24 ins. set 12 ins. in the ground with mound of stones  
chiseled X-4-S.3986, an Oak tree 6 ins. diam. Scribed X-B.  
S.4°39' E.  
T. Brs. S.4°30' W. 17.9 ft.



Feet An Oak tree 5 ins diam. Scribed X-B.T.4.S.3986 Brs.  
 S.53°30'E. 22.4 ft. Loc. Cor. mound of stones 3X3 ft.  
 Thence S.86° 57'E. Va. 14- E.  
 1280. Cross road course N.39° W. and S.39° E  
 1500. To Cor.No.1 the place of beginning.

AREA;

Burson lode total area..	20.625	Acres
Minnesota lode " " .....	19.452	"
April Phool " " .....	20.243	"
" <i>Area</i> in conflict with Sur.No.		
2648..Aztec lode.....	0.340	"
Cora Bell lode total area.....	19.092	"
" <i>Area</i> in conflict with Sur.No.2648		
Aztec lode.....	0.226	"
Shaw lode total area.....	15.172	"

LODE LINES,

As near as can be determined from present development  
 the veins on these lodes extends from the *respective* discoveries as  
 follows;

- Burson lode, N47°45'E, 200 ft. and S.47° 45' W. 1300.ft.
- Minnesota lode, S.47° 45' W.736 ft. and N.47°45'E.764 ft.
- April Phool lode, N.45°48'E.300.ft. and S.45°48' W. 1200.ft.
- Cora Bell lode N.45°48'E.580 ft. and S.45°48' W. 920,ft.
- Shaw lode, S.86°57' E.515 ft. and -N.86° 57' W. 985 ft.

ADJOINING CLAIMS;

This Claim is bounded on the West by Sur.No.2648 Aztec  
 lode, and on all other sides by U.S.Land.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements  
 made upon this claim, by the claimants or their grantors  
 is not less than five hundred dollars for each lode,  
 and that said improvements consist of:



(7)

Burson lode,

No. 1 Dis. Cut, face of which is on the lode lone  
S47°45'W. 200 ft. from the N.C. End 4X12X15 face, course  
N47°45'E. Value . . . . . \$ 50.00

No. 2 Tunnel, mouth of which Brs. from Cor. No.2 N14°28'W.  
140 ft 4X6X20 ft, course N47°45'E. Value . . \$150.00

No. 3 Shaft which Brs. from Cor. No.2 N8°00'E.  
185 ft. 4X6X20 ft. Value . . . . . \$200.00

No. 2 Tunnel Cora Bell lode, a common improvement, ~~one~~  
*of the value of*  
~~One~~ fourth, is credited to this lode. . . . . \$1000.00  
Total credited to this lode . . . . . \$1400.00

Minnesota lode.

No. 1 Dis. shaft which is on the lode lone 736 ft from  
the S.C. End 4X6X10 ft. Value . . . . . \$ 100.00

No. 2 Tunnel, mouth of which Brs. from Cor.No. 3 S80°45'E  
380 ft. 4X6X12 ft. Course N47°45'E. Value. . \$ 100.00

No. 2 tunnel Cora Bell lode, a common improvement, ~~one~~  
*of the value of*  
~~One~~ fourth, is credited to this lode . . . . . \$1000.00  
Total credited to this lode . . . . . 1200.00

April Phool lode,

No. 1 Dis. shaft which is on the lode line 300 ft, from  
the N.C. End 4X6X10 ft. Value . . . . . \$100.00

No. 2. Shaft which Brs. from Cor. No. 1 S84°30'W. 315 ft.  
4X6X50 ft. Value . . . . . \$500.00

No. 2 Tunnel Cora Bell lode, a common improvement, ~~one~~  
*of the value of*  
~~One~~ fourth, is credited to this lode . . . . . \$1000.00  
Total credited to this lode . . . . . \$1600.00

Cora Bell lode,

No. 1 Dis. tunnel, mouth of which is on the lode line  
580 ft. from the N.C. End 4X6X100 ft. Course N45°48'E.  
Value . . . . . \$800.00

No. 2 Tunnel, mouth of which Brs. From Cor. No. 3  
N63°30'E. 675 ft. thence S22°E 140 ft. thence S57°E  
360 ft. Tunnel is 4X6 ft. Value . . . . . \$4000.00

*This tunnel is*  
a common improvement, *of its value*  
~~one~~ fourth, ~~\$1000.00~~ is credited  
to this lode. ~~\$1000.00~~

No. 3 Tunnel, mouth of which Brs. from Cor. No. 3 N82°



N82°15'E 725 ft. 4X6X50 ft. Course S57°E. Value . \$400.00  
 No. 4 Shaft which is on the lode line 730 ft from S.C.  
 end 4X6X10 ft. Value . . . . . \$100.00  
 No. 5 Shaft which Brs. from Cor. No. 3 N85°45'E. 775 ft  
 4X6X30 ft. Value . . . . . \$300.00  
 Total value credited to this lode . . . . . \$2600.00  
 Shaw lode.

No. 1 Dis. tunnel, mouth of which is on the lode line  
 515 ft. from the E.C. end 4X6X40 ft. Course S86°57'E.  
 Value . . . . . \$320.00  
 No. 2 Tunnel; mouth of which Brs. from Cor. No. 4  
 S16°E 375 ft. 4X6X30 ft. Course N70°15'E. Value . \$240.00  
 No. 3 Tunnel, mouth of which Brs. from Cor. No. 4  
 S24°E 380 ft. 4X6X60 ft. Course N70°15'E. Value. \$480.00  
 Total <sup>value</sup> credited to this lode . . . . . \$1040.00

---

LOCATION:

This claim is located in Hassayampa Mining District,  
 Yavapai County, Arizona, approximately in Sec. 25, 35 & 36  
 Twp. 12 $\frac{1}{2}$ . N.R.2,W. unsurveyed, within the Prescott  
 National Forest.

---

INSTRUMENT:

This survey was made with a Gurley Transit, the courses  
 were deflected from the meridian from direct Solar  
 observations. The distances were measured a five hundred  
 and a fifty foot steel tapes.

---

REPORT:

The lode lines of these claims were run upon the ground, and  
 the several corners were established by offsets therefrom.  
 The tie lines were run direct upon the ground. U.S.M.M.No.1  
 is a stone 10X12X15 ins. properly chiseled. Sur. No. 2648  
 Aztec lode Cor.No. 1 is a loose stone; Cor. No. 2 is a  
 mound of stones from which the N.C. end a Porphyry stone  
 4X8X12 ins. above the ground chiseled X-A.N.C.E.  
 2648 Brs. S52°20'W 324 ft.  
 Could not find Cor. No. 3 Sur. No. 2648, Aztec lode.



(9)

This claim is located on mountainous ground, and Tunnel No. 2 Cora Bell lode is so located so by sinking, drifting and crosscutting the entire claim, excepting the Shaw lode, may be developed.

*Richard L. Merritt*  
Richard L. Merritt  
U. S. Mineral Surveyor.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Eugene A. Williams

known as the Cora Bell, Shaw, April Phool, Burson & Minnesota lodes and showing the respective capacities in which they acted.

George Merritt, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

I  
We, George Merritt

and \_\_\_\_\_, do solemnly swear that we assisted Richard L

Merritt, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Eugene A. Williams

known as the Cora Bell, Shaw, April Phool, Burson & Minnesota lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the <sup>Office Cadastral Engineer</sup> ~~United States Surveyor-General~~ for Arizona

\_\_\_\_\_, Chainman.

Geo Merritt, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 22

day of August, 1925

W H Merritt

Notary Public

(my Commission Expires  
Jan 18-1927)



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor,  
Office Cadastral Engineer  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
July 23 1925, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Office Cadastral Engineer Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Eugene A. Williams, known as the  
Cora Bell, Shaw, April Phool, Burson, & Minnesota lodes  
situate in Hassayampa Mining District,  
Yavapai County, Arizona, in Section  
Approx. 25, 35 & 36, Township No. 12 1/2 N., Range No. 2 W. Unsurveyed,  
and designated as Survey No. 3986, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Office Cadastral Engineer Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or his grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Richard L. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt  
U. S. Mineral Surveyor, before me W. H. Merritt  
a Notary Public this 22  
day of August, 1925

W. H. Merritt  
Notary Public

My Commission Exp.  
Jan 18 - 1927



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL  
OFFICE OF DISTRICT CADASTRAL ENGINEER

Phoenix, Arizona,

September 28, 19 25

~~I, U. S. Surveyor-General for~~ I, Office Cadastral Engineer for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Eugene A. Williams

known as the CORA BELL, SHAW, APRIL PHOOL, BURSON, and MINNESOTA lodes situate in Hassayampa

Mining District, Yavapai County, Arizona, Approx.

in Sections 25, 35, 36, Township No. 12 1/2 N., Range No. 2 W., Unsur., and designated as Survey No. 3986

, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon, said mining claim by claimant or his grantors, and that said improvements consist of 6 shafts, 1 cut and 8 tunnels, total value \$7840.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer for Arizona.  
~~United States Surveyor-General for~~



**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR  
~~OFFICE OF U. S. SURVEYOR GENERAL~~  
OFFICE OF DISTRICT CADASTRAL ENGINEER.**

Phoenix, Arizona,

September 28, 1925.

~~I, U. S. Surveyor General for~~ I, Office Cadastral Engineer for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Eugene A. Williams

, known as the

CORA BELL, SHAW, APRIL PHOOL, BURSON, and MINNESOTA lodes

situate in Hassayampa mining district,

Yavapai County, Arizona, Approx.

in Section s 25, 35, 36, Township No. 12 1/2 N., Range No. 2 W., Unsur.

, designated as Survey No. 3986

executed by Richard L. Merritt, U. S. Mineral

Surveyor, July 27 - August 7, 1925, under my instructions dated

July 23, 1925, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Office Cadastral Engineer for  
~~U. S. Surveyor General for~~ Arizona.