

MINERAL SURVEY No. 4002

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Gija Tungsten Corporation

KNOWN AS THE

Gija No 2,  
Cochise

Mining District,

Cochise County, Arizona

Section 2, Township 16 S., Range 22 E.

Surveyed under instructions dated Feb. 26, 1926

by John A. Rockefeller  
U. S. Mineral Surveyor.

Claim located See Notice, 19

Survey commenced March 2, 1926

Survey completed March 4, 1926

Address of claimant's Attorney Lee O. Woolery

DATES OF AMENDED LOCATIONS.

Tomstone  
Ariz.



## Mineral SURVEY NO.4002.

## Gija No.2 Lode.

Beginning at Corner No.1, the S.E. Cor. of location  
a post  
a post 4 ins.sq. 4 ft. above ground, in a mound of  
stone, scribed S E C - G2, add 1-4002.

Whence:

The  $\frac{1}{4}$  corner bet. Secs. 1 and 2 T. 16 S., R.22 E., G. & S.R.M.,  
bears S.  $2^{\circ} 31' E.$  877.5 ft.

X B.R. 1-4002 chisled on a granite face 5 X 5 ft.  
bears N.  $54^{\circ} 42' E.$  44.1 ft.

Thence:

Feet S  $56^{\circ} 26' W,$  Va.  $13^{\circ} 35' E.$

1500 To Cor. No.2, a post 4 ins.sq.  $3\frac{1}{2}$  ft. high,  
in a mound of stone, scribed S W C - G 2  
add 2 - 4002.

Whence:

X B.R.2-4002 chisled on granite bed rock exposing  
48 X24 in., 66 in. high, bears S  $63^{\circ} 52' W.$  7.35 ft.

X B R 2-4002 chisled on granite bed rock exposing  
10 X 3 ft. 1 ft. high, bears S  $47^{\circ} 58' E.$  28.1 ft.

Thence:

N  $33^{\circ} 24' W,$  Va.  $13^{\circ} 40' E.$

300 W. Center End, a post 4 ins. sq. 4 ft. high, in a  
mound of stone, scribed W C E -G 2 add 4002.

Whence:

X B R ( not space for more ) chisled on a granite 12 X 8  
ins. 2 ins. high in a reef bears S  $47^{\circ} 29' E.$  15.15 ft.

600 To Cor No.3, a post 4 ins. sq.  $3\frac{1}{2}$  ft. high, in a mound  
of stone scribed N W C - G 2 add 3-4002.

No nearby bearings available.

Thence:

N  $56^{\circ} 26' E$  Va.  $13^{\circ} 50' E$

955.8 Barbed wire fence bears E.S.E. and W.N.W.

967 Gulch 9 ft. wide course E.S.E.

1227 Barbed wire fence bears N  $12^{\circ} 30' E$  and S  $12^{\circ} 30' W.$

1500 To Cor.No. 4 a post 4 ins. sq.  $3\frac{1}{2}$  ft. above ground, in  
a mound of stone, scribed N E C - G 2 add 4- 4002.



No nearby bearings available.

- Thence: S 33° 34' E Va. 13° 40' E
- 67 Wash 6 ft. wide course easterly.
- 255.5 Barbed wire fence bears easterly and westerly.
- 300 E. Center End a mound of stone (post fallen). Set new post 4 ins. sq. 4 ft. long, 8 ins. in the ground to hard pan, in a mound of stone, scribed E C E - G2 4002.

Whence:

- X B R 4002 chisled on a granite reef bears S 26° 36' E 49.65 ft.
- The S.E. Cor. <sup>Cor. No. 2,</sup> of Placer Queen placer, <sup>Sur. No. 4001,</sup> a post scribed S E C - P Q 2-4001, bears N 6° 04' E 851.2 ft.
- 600 To Cor. No. 1, the place of beginning.
- All corners of this survey are identical with location.

AREA.

Area Gija No. 2 lode, 20.661 acres.

LODE LINE.

The presumed course of the vein is from discovery N 56° 26' E 745 ft. to E.C.E., and S 56° 26' W. 755 ft. to W.C.E..

LOCATION.

This claim is located in Sec. 2, T16 S., R22 E., G. & S.R.M., in Cochise Mining District, Cochise County, Ariz. There are no adjoining claims so far as known.

EXPENDITURE OF \$500.00

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

- No. 1. Discovery work the easterly end of which bears from the West Center End N 56° 26' E 755 ft.

Work consists of a cut 4 ft. wide extending S. westerly 15 ft. to easterly edge of a shaft, the center of the shaft being S 56° 26' W. 18.5 ft. from point on Lode Line at mouth of cut. Shaft now 6 X 6 ft. 5 ft. deep, once much deeper.

Value of cut and shaft, \$50.00

From point on Lode Line at N 56° 26' E 757.7 ft. from W.C.E.



No.2. A shaft the center of which bears S 63° 30' W 136.5 ft.  
 Shaft badly caved, now 10 X 10 ft. <sup>3ft</sup> deep.  
 Value \$30.00

No.3. A shaft the center of which bears N 54° 35' E 1245 ft.  
 Shaft 7 X 5 ft., 11 ft. deep, once deeper.  
 Value \$100.00

From point on Lode Line at N 56° 26' E, 498.8 ft. from W.C.E.

No.4. E. end of an open stope bears S 1° 40' W 53.5 ft.  
 Work irregular.  
 Value \$30.00

No.5. Center of foot wall of shaft bears S 27° 00' W 74.6 ft.  
 Shaft 7 X 5 ft., 12 ft. deep (once deeper).  
 Value \$100.00

No. 6 Center of foot wall of shaft bears S 34° 47' W 137.3 ft.  
 Shaft 6 X 5 ft., 10 ft. deep (once 40 ft. deep).  
 Present Value \$100.00

No.7. From improvement No.5 to improvement No. 6 is an open stope  
 irregular, averaging 3 X 3 ft.  
 Value \$100.00

No.8. Center of foot wall of shaft bears S 42° 44' W 222 ft.  
 Shaft 6 X 4 ft., 18 ft. deep.  
 Value \$180.00

No.9. From improvment No. 6 to improvment No. 8 is an open stope  
 irregular, averaging 5 X 5 ft.  
 Value \$200.00

No.10. From Cor. No. 3 the center of west end of an open stope  
 bears S 54° 00' E 56.5 ft.  
 Stope 5 X 4 ft. (average) extending N. Westerly 11 ft.  
 Value \$50.00  
 All of above improvements claimed by this claimant.

REPORT.

The  $\frac{1}{4}$  Sec. Corner between Secs.1-2, T 16 S, R 22 E, with  
 which this survey is connected is a regulation iron  
 standard with brass cap properly marked.



This survey was made with a Young & Sons Mountain transit. (No. 6855) provided with Smith Solar Attachment. The courses were deflected from true Meridian as determined by direct Solar observations. The distances were measured with 50 ft. and 500 ft. steel tapes.

Tombstone, Ariz.

March 11, 1926.

*John W. Rockefeller*  
 U.S. Mineral Surveyor.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Gija Tungsten Corporation  
 known as the Gija No. 2 lode  
 and showing the respective capacities in which they acted.

Owen T. Smith, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, Owen T. Smith  
 \_\_\_\_\_, do solemnly swear that we assisted John A. Rockefeller  
 \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Gija Tungsten Corporation  
 known as the Gija No. 2 lode  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona United States Surveyor-General for \_\_\_\_\_

Owen T. Smith, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman

Subscribed and sworn to by the above-named persons before me this 12  
 day of March, 1924

W. Peake  
 notary Public  
my com expires Jan 8 - 1930  
 1930



FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States ~~Surveyor General~~ for Office Cadastral Engineer of Pima Ariz, dated Feb 26 1926, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said ~~Surveyor General~~ Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Gija Tungsten Corporation, known as the Gija No. 2 lode, situate in Cochise Mining District, Cochise County, Arizona, in Section 2, Township No. 16 S, Range No. 22 E and designated as Survey No. 4002, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the ~~Surveyor General~~ Office Cadastral Engineer with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller


U. S. ~~Deputy~~ Mineral Surveyor, before me Lee O. Woolery, a Notary

Public of Cochise County, Arizona this 13<sup>th</sup>

day of March 1926, My Commission expires Jan. 7, 1929

Lee O. Woolery

Notary Public  
Cochise County, Arizona



U.S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL, PUBLIC SURVEY OFFICE, Phoenix, Arizona,

March 30, 1926

Office Cadastral Engineer, at Phoenix, Arizona, I, U.S. Surveyor-General for

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Gija Tungsten Corporation

known as the Gija No. 2 lode,

situate in Cochise

Mining District, Cochise County, Arizona

in Section 2, Township No. 16 S., Range No. 22 E.,

designated as Survey No. 4002, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 shafts, 1 cut, and 4 stopes, total value \$940.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

United States Surveyor-General for Office Cadastral Engineer at Phoenix, Arizona.



CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

March 30, 1926

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of Gija Tungsten Corporation

....., known as the

Gija No. 2 lode,

situate in Cochise mining district,

Cochise County, Arizona,

in Section 2, Township No. 16 S., Range No. 22 E., G.

& S.R.B. & M., designated as Survey No. 4002

executed by John A. Rockfellow, U. S. Mineral

Surveyor, March 2-4-, 1926, under my instructions dated


February 26, 1926, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

  
.....  
Office Cadastral Engineer at Phoenix, Arizona.