

April 2, 1926

4-683

MINERAL SURVEY No. 4005

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Gold Mines Company

KNOWN AS THE

Klondyke lode

Wallapai Mining District,

Mohave County, Arizona

Section 34, Township 21 N., Range 17 W. & 4 20 N 17 W.

Surveyed under instructions dated March 5th., 19 26

by L. H. Foster U. S. Mineral Surveyor.

Claim located October 10th., 19 01

Survey commenced March 20th., 19 26

Survey completed March 23rd., 19 26

Address of claimant Kingman Arizona L.L. Wallace, Atty, Box 246.

DATES OF AMENDED LOCATIONS.

February 21st. 1910

Handwritten notes: 34, 40.87, 2.55, 40.15, 12.16, 4

MINERAL SURVEY NO. 4005

feet

KLONDYKE LODGE

Beginning Cor. No. 1, a malpais stone 8 x 10 x 10 ins. above ground, marked BK-1-2750 and OF-2-2750, to which I add K-1-4005.

Identical with Cors. No. 1 and 2, Bi-Metal and Oro Fino lodes, Sur. No. 2750, respectively.

The 1/4 section corner of 34, T. 21 N. R. 17 W. G. & S. R. B. & M. bears N. 81° 56' W. 587.50 ft.

Thence N. 38° 07' W.

122.00 Cross south line of Old Trails Highway running S. 45° W.

146.00 Cross north line of Old Trails Highway.

412.00 Cross Power Line running S. 58° W.

1460.00 To Witness corner <sup>for Cor.</sup> No. 2.

A granite stone, 8 by 8 ins. by 30 ins. long, with a cross cut at the exact point, set 15 ins. in the ground, in a mound of earth and stone, marked WC-K-2-4005.

1470.00 Cross south bank of wash, 4 ft. deep, running S. 67° W.

1500.00 To Cor. No. 2. falls in wash.

The monument of ~~the~~ location. W.C., heretofore described, bears S. 38° 07' E. 40 ft.

Thence N. 51° 53' E. (From true Cor. Pt.)

300.00 To the northerly end center monument of the location.

460.00 Cross north bank of wash.

600.00 To Cor. No. 3.

A tufa stone, 5 by 8 ins. by 26 ins. long, with a cross cut at the exact corner, set 15 ins. in the ground in a mound of earth and stone, marked K-3-4005.

Thence S. 38° 07' E.

55.00 Cross north bank of wash.

180.00 Cross south bank of wash running S. 67° W.

1158.00 Cross Power Line running N. 58° E.

MINERAL SURVEY NO. 4005

feet

KLONDYKE LODE, continued

1325.00 Cross North line Old Trails Highway running N.52° E.

1350.00 Cross south line Old Trails Highway.

1500.00 To Cor. No. 4, a malpais stone 8 x 8 ins., 10 ins. above ground, marked BM-2-2750, and MP-1-2750, to which I add K-4-4005.

Identical with Cors. No.1 and 2, Mineral Point and Bi-Metal lodes, Sur. No. 2750.

Thence S. 51° 53' W.

300.00 To the southerly end center point and identical with the northerly end center, Bi-Metal lode, Sur. NO. 2750.

600.00 To Cor. No. 1, the place of beginning.

No bearing objects available.

All corners are identical with the location.

Variation, all corners, 15° 30' E.

# # # # # # # # # # # # # # # # # # # # #

LOCATION.

This survey is located in section 34 T. 21 N. R. & in Sec. 4, T. 20 N., R. 17 W. 17 W. G. & S. R. B. & M. in the Wallapai Mining District, Mohave County, Arizona.

# # # # # # # # # # # # # # # # # # # # #

LODE LINE

As near as can be determined from present development, the vein of the claim in this survey extends S. 38° 07' E. 10 ft. and N. 38° 07' W. 1490 ft. from the discovery shaft.

# # # # # # # # # # # # # # # # # # # # #

AREA

Klondyke lode -----20.661 Acres

MINERAL SURVEY NO. 4005

FIVE HUNDRED DOLLAR EXPENDITURE

I certify that the value of the labor and improvements made upon or for the benefit of this lode claim by the Claimant or its grantors, is not less than Five Hundred Dollars and <sup>that said improvements</sup> consists of the following:-

No. 1;- The discovery shaft, 4 by 6 ft. by 8 ft. deep, on the lode line 10 ft. from the South End Center. Value ----- \$25.00

No. 2;- Ashaft, 4 by 6 ft. by 50 ft. deep, bears N. 48 E. 200 from Cor. No. 1. Value ----- \$1000.00

No. 3;- A shaft, 4 by 6 ft. by 60 ft. deep, bears N. 69 W. 480 ft. from Cor. No. 4. Value ----- \$750.00

No. 4;- A shaft, 4 by 6 ft. by 70 ft. deep, bears S. 22 E. 570 ft. from Cor. No. 3. Value ----- \$875.00

No. 5;- A shaft, 4 by 6 ft. by 60 ft. deep, bears S. 19 E. 555 ft. from Cor. No. 3. Value ----- \$750.00

Other Improvements

The southwest corner of an iron bldg 14 by 50 ft. bears N. 19 W. 194 ft. from Cor. No. 1. Course of long side is N. 52 E.

# # # # # # # # # # # # # # # # # # # # # #

REPORT

This survey was made with a C. L. Berger & Sons' Mining Transit and with a 500 and 100 ft. Steel tape.

MINERAL SURVEY NO. 4005.

REPORT, continued,

All side and end lines and all other lines were measured direct on the ground.

Meridian was determined by direct observation on the sun.

Cor. No. 2 is located in a large wash and could not be set permanent, so a witness corner is set on the bank.

The corners of survey No. 2750 are all stone and properly set and marked.

The I/4 corner of section 34 T. 21 N. R. 17 W. G. & S. R. B. & M. is a stone properly set and marked S C I/4.

The Old Trails Highway is shown in the survey of this claim and as there is no official location at this point, I tie to the side of the traveled road...

# # # # # # # # # # # # # # # # # # # # #

ADJOINING and CONFLICTING Claims

This claim is joined on the south by the Bi-Metal lode, Sur. No. 2750 and all other sides by Public Domain.

There are no conflicting claims.

*L.H. Foster*  
U. S. MINERAL SURVEYOR

Box-589,  
Kingman, Arizona.

16.48  
1988  
1087.68  
74018

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by L. H. Foster  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
 \_\_\_\_\_ The Arizona Gold Mines Company \_\_\_\_\_  
 known as the \_\_\_\_\_ Klondyke lode \_\_\_\_\_  
 and showing the respective capacities in which they acted.

- \_\_\_\_\_ Chas. F. Adams \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ XXXXXXXXXXXXXXXXXX \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ XXXXXXXXXXXXXXXXXX \_\_\_\_\_, *Acman.*
- \_\_\_\_\_ \_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

~~XVX~~ I, \_\_\_\_\_ Chas. F. Adams \_\_\_\_\_  
 and \_\_\_\_\_ XXXXXX \_\_\_\_\_, do solemnly swear that ~~I~~ <sup>I</sup> assisted \_\_\_\_\_  
 \_\_\_\_\_ L. H. Foster \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of \_\_\_\_\_ The Arizona Gold Mines Company \_\_\_\_\_  
 \_\_\_\_\_  
 known as the \_\_\_\_\_ Klondyke lode \_\_\_\_\_  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the Office Cadastral Engineer, at Phoenix,  
United States Surveyor-General for \_\_\_\_\_ Arizona \_\_\_\_\_

- \_\_\_\_\_ Chas. F. Adams \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ XXXXXXXXXXXXXXXXXXXXXXXXXX \_\_\_\_\_, *Chainman.*
- \_\_\_\_\_ XXXXXXXXXXXXXXXXXXXXXXXXXX \_\_\_\_\_, *Acman.*
- \_\_\_\_\_ \_\_\_\_\_, *Flagman*

Subscribed and sworn to by the above-named persons before me this \_\_\_\_\_ 1st. \_\_\_\_\_

day of \_\_\_\_\_ April \_\_\_\_\_, 1926

\_\_\_\_\_ Mary E. Cannon \_\_\_\_\_

\_\_\_\_\_ A. Notary Public \_\_\_\_\_

Commission Expires  
Nov 20 - 1927

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated March 5th. 1926, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of The Arizona Gold Mines Company, known as the Klondyke lode, situate in Wallapai Mining District, Mohave County, Arizona, in Section 34, Township No. 21 N., Range No. 17 W. G. & S. R. B. & M., and designated as Survey No. 4005, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

[Signature of L. H. Foster]
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor, before me [Signature of Mary E. Cannon]
a Notary Public this 1st.
day of April, 1926

[Signature of Mary E. Cannon]
Notary Public

GOVERNMENT PRINTING OFFICE

Commission Expires
Nov 20 - 1927

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

April 12, 1926

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

~~The Arizona Gold Mines Company~~

, known as the

~~KLONDYKE lode~~

situate in Yavapai mining district,

~~Mohave~~

County,

Arizona

in Section 34, Township No. 21 N., Range No. 17 W., &  
4, Township No. 20 N., Range No. 17 W.

, designated as Survey No. 4005

executed by L. H. Foster, U. S. Mineral

Surveyor, March 20 - 23, 1926, under my instructions dated

March 5, 1926 have been critically examined and the necessary  
corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is  
on file in this office and a true copy of said certified copy of said location certificate is included and  
made a part of the transcript of the field notes.

~~John D. Adams~~

Office Cadastral Engineer, Phoenix, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,  
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

April 12, 1926.

I, U. S. Surveyor-General for Office Cadastral Engineer, at Phoenix, Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey  
of the mining claim of The Arizona Gold Mines Company  
known as the KLONDYKE lode  
situate in Wallapai  
Mining District, Mohave County, Arizona  
in Section 34, Township No. 21 N., Range No. 17 W., &  
4, Township No. 20 N., Range No. 17 W., and  
designated as Survey No. 4005, has been correctly copied from the originals on file in  
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if  
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein  
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-  
ments made upon said mining claim by claimant or its grantors, and that said improvements  
consist of 5 shafts, total value \$3400.  
  
  
  
  
  
  
  
  
  
  
  
  
and that no portion of said labor or improvements has been included in the estimate of expenditures  
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

*John D. Aldous*  
Office Cadastral Engineer.  
United States Surveyor-General for