

MINERAL SURVEY No. 4015

Arizona *Land District.*

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

CUNO SELLE

KNOWN AS THE

PROSPERITY NUMBER ONE (1) and PROSPERITY NUMBER FOUR (4)
lodes.

BLUE TANK *Mining District,*

YAVAPAI *County, ARIZONA*

Section 36 Uns., *Township* 8 North, *Range* 4 West, Uns.

Surveyed under instructions dated May 27th., 19 26.

by HARRY E. JONES,
U. S. Mineral Surveyor.

874W



Claim located See location notices attached, 19

Survey commenced June 7th., 19 26.

Survey completed June 9th., 19 26.

Address of claimant Gibbs & Gibbs Atty. for claimant,
106 N. Central Ave. Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

Feet	MINERAL SURVEY NO. 4015
	<p>Prosperity Number One (1) lode.</p> <p>Beginning at Cor. No. 1, a 3½ft. ½in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-1-PNo. 1; set 24ins. in ground and surrounded with a substantial mound of earth and rock, identical with the loc. monument. U. S. Loc. Mon. No. 4015 bears N. 57° 41' W. 2344.32 ft. No other suitable bearings available.</p> <p>Thence N. 75° 25' E.</p>
1500.00	<p>To Cor. No. 2, a 3½ft. ½in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-2-PNo. 1; set 18ins. in ground and surrounded with a substantial mound of earth and rock, identical with the loc. monument. No suitable bearings available.</p> <p>Thence S. 14° 35' E.</p>
300.00	To East End Center, a substantial mound of earth and rock, identical with the loc. monument.
350.00	Enter bed of gulch, course Southwesterly.
485.00	Leave bed of gulch, course Southwesterly.
600.00	<p>To Cor. No. 3 point, identical with Cor. 2 point of Prosperity ^{Number Four (4)} lode of this survey; ^{and Loc. Mon. point.} This point for the corner falling in the center of a used road and it being impracticable to establish same at true corner point, I therefore set same at S. 75° 25' W. 25.00 ft. a 3½ft. ½in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-WC-3-PNo. 1; WC-2-PNo. 4; set in ground 18ins. and surrounded with a substantial mound of earth and rock, identical with</p> <p>witness loc. monument. No suitable bearings available.</p> <p>Thence S. 75° 25' W.</p> <p>Along line 2-1 Prosperity No. 4 lode, this survey.</p>
25.00	To Witness Corner previously described.
90.00	Enter bed of gulch, course, southwesterly.
205.00	Cross center of road, course NE and SW.
450.00	Cross center of road, course NW and SE.
550.00	Leave bed of gulch, course southeasterly.
1500.00	To Cor. No. 4, identical with loc. mon. and Cor. 1 Pros-

perity ^{Four (4)} ~~Number One~~ lode, this survey, a 3½ft. ½in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-4-PNo. 1; 1-PNo. 4; set 20 ins. in ground and surrounded with a substantial mound of earth and rock.
No suitable bearings available.

Thence N. 14° 35' W.

150.00 Cross center of road, course E and W.
300.00 To West End Center, a substantial mound of earth and rock identical with loc. monument.
600.00 To Cor. No. 1 the place of beginning.

Prosperity Number Four (4) lode.

Beginning at Cor. No. 1, identical with the loc. monument ^{Number One (1)} and Cor. 4 Prosperity ~~No. 1~~ lode this survey, previously described.

U. S. L. M. No. 4015 bears N. 49° 19' W. 2813.20 ft.

Thence N. 75° 25' E.

Along line 4-3 Prosperity ^{Number One (1)} ~~No. 1~~ lode this survey,

950.00 Enter bed of gulch, course Southwesterly.
1050.00 Cross center of road, course NW and SE.
1295.00 Cross center of road, course NE and SW.
1410.00 Leave bed of gulch, course southwesterly.
1475.00 To Witness Corner No. 2 identical with ^{witness} loc. mon. and ^{witness} corner No. 3 Prosperity ^{Number One} ~~No. 1~~ lode this survey previously described.
1500.00 To Cor. No. 2 point, which falls in road bearing NE and SW., identical with Corner No. 3 point of Prosperity ^{Number One} (1) lode of this survey.
W.C. heretofore described brs. S. 75° 25' W. 25 ft.
Thence S. 14° 35' E.
65.00 Enter bed of gulch, course Northwesterly,
130.00 Leave bed of gulch, course northwesterly.
230.00 Cross center of road, bears NW and SE.
300.00 To East End Center, a substantial mound of earth and rock, identical with loc. monument.
600.00 To Cor. No. 3, a 3½ft. ½in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-3-PNo. 4; set 18 ins. in ground and surrounded with a substantial mound of earth and rock identical with loc. monument.

Thence S. 75° 25' W.

Feet
 1320.00 Enter bed of gulch, course southwesterly.
 1390.00 Leave bed of gulch, course southwesterly.
 1500.00 To Cor. No. 4, a 3 $\frac{1}{2}$ ft. $\frac{1}{2}$ in. galv. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4015-4-P No. 4; set 18ins. in ground and surrounded with a substantial mound of earth and rock identical with the loc. monument.

Thence N. 14° 35' W.

300.00 To West End Center, a substantial mound of earth and rock identical with loc. monument.
 600.00 To Cor. No. 1 the place of beginning.

 Mean magnetic variation at all corners is 14° 35' E.

LODE LINES

As near as can be determined from the present developments the veins of the locations embraced in this claim extend as follows from their discovery points.

Number One

Prosperity, No. (1) lode, N. 75° 25' E. 450 ft. and S. 75° 25' W. 1050 ft.

Number Four

Prosperity, No. (4) lode, N. 75° 25' E. 650 ft. and S. 75° 25' W. 850 ft.

AREA

Total area Prosperity, No. (1) lode,	20.661 Ac.
Total area Prosperity, No. (4) lode,	20.661 Ac.

LOCATION

This survey is located approximately in what will be when surveyed, the S $\frac{1}{2}$ of Section 36, T. 8 N. R. 4 W. G&SRB&M. Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of the locations embraced in this mining claim by the claimant or his grantors is not less than Five Hundred Dollars, and that said improvements consist of:

Prosperity Number One (1) lode

No. 1 Dis. point an outcropping ledge in place, bears S. 75°25'W. 450 ft. from the East End Center.

No. 2 cut 4x10x6 ft. facing S. the mouth of which bears S. 68°40'W. 518 ft. from the East End Center.

Value \$ 100

No. 3 shaft 5x7x32 ft. deep partially timbered, the center of which bears S. 59°47'W. 530 ft. from the East End Center

545
Value \$ ~~545~~

No. 4 shaft 4x6x5 ft. deep the center of which bears S. 67°20'W. 545 ft. from the East End Center. Value \$75.

No. 5 cut 4x12x4 ft. facing SW. the mouth of which bears S. 67°20'W. 567 ft. from the East End Center. Value \$75

No. 6 open trench 2x2.5x~~35~~ ft. ^{course SE,} long, the NW end of which bears S. 59°47'W. 640 ft. from the East End Center.

Value \$75

No. 7 shaft 4x6x5 ft. deep the center of which bears S. 59°47'W. 730 ft. from the East End Center. Value \$75

Prosperity Number Four (4) lode.

No. 1 Dis. point an outcropping ledge in place bears S. 75°25'W. 650 ft. from the East End Center.

No. 2 shaft 4x6x38 ft. deep partially timbered, the center of which bears S. 85°35'W. 562 ft. from the East End Center.

Value \$530

No. 3 shaft 5x5x26 ft. deep concrete curbed ~~hacks~~ the center of which bears N. 79°55'W. 648 ft. from the East End Center.

Value \$470

No. 4 cut 4x12x5 ft. facing SW. the mouth of which bears N. 88°W. 893 ft. from the East End Center. Value \$ 100

OTHER IMPROVEMENTS

A 12x12 ft. frame house ~~hacks~~ the SE cor of which bears S. 51°15'W. 487 ft. from the E. End Center Prosperity ^{Number One} ~~No. 1~~ lode.

A 12x12 ft. frame house the SE cor of which bears N. 80°45'W. 667 ft. from the E. End Center Prosperity ^{Number Four} ~~No. 4~~ lode.

A 16x20 ft. tent framed, the SE cor of which bears N. 78°

18' W. 667 ft. from the E. End Center Prosperity ^{Number Four} No. (4) lode.

ADJOINING CLAIMS

This claim is bounded on the North by the Prosperity No. 2 lode, on the East by public domain, on the South by the Rainbow lode, and on the West by public domain, and the ~~Pros~~ Prosperity No. 7 lode.

INSTRUMENT

This survey was made with a W. & L. E. Gurley light mountain transit reading to single minutes.

The courses were deflected from the true meridian as determined from direct sun observations.

The distances were measured with 50 ft. and 660 ft. steel tapes.

REPORT

The U. S. Loc. Mon. No. 4015 to which this survey is tied was established upon the ground, in this vicinity because of the fact that a determination was made that this claim did not lie within the 2 mile limit of public survey corner which was known to exist.

The claimant herein owns the adjoining lode claims unsurveyed.

Henry Jones
U. S. Mineral Surveyor.

UNITED STATES LOCATION MONUMENT

NO. 4015

BLUE TANK MINING DISTRICT

YAVAPAI COUNTY, ARIZONA.

This monument is established on top of a small sharp conical hill, in the foothills of the Weaver Mountains about 6 miles northeasterly from Wickenburg, Arizona, and is located approximately on the line common to what will be sections 35 and 36, T. 8 N. R. 4 E. when surveyed.

The exact point is fixed by a piece of $\frac{3}{4}$ in. drill steel 20 inches long driven into the rock in place, over which a piece of $1\frac{1}{2}$ inch pipe $8\frac{1}{2}$ ft. long was telescoped, being marked on the North and South face near the top, U. S. LOC. MON. NO. 4015, B.T.DIST. and the same surrounded with a substantial mound of rock to a height of 4 ft.

Cor. 1 Prosperity ^{Number One} (1) lode, Sur. No. 4015 bears S.57° 41' E. 2344.32 ft.

Cor. 1 Prosperity ^{Number Four} (4) lode, Sur.No.4015 bears S.49°19'E. 2813.20 ft.


Cor. No. 14, Maricopa-Yavapai County Line Survey bears S.29°20'W. 8126.47 ft.

Cor. No.13, Maricopa-Yavapai County Line Survey bears S.80°24'W. 17902.15 ft. whence the $\frac{1}{4}$ corner common to Secs 31-36, T. 8 N. R. 4 & 5 W, bears N.75°58'W. 8090.4 ft.

A monument located on top of Red Picacho Peak bears S.71° 36'30"E. 38373.8 ft. by triangulation.

Millers windmill bears N.58°22'W. 4474.91 ft. by triangulation.

No other suitable bearings were available, and the monument is so prominently located that it can be seen for a considerable distance from any direction.


U. S. Mineral Surveyor.

June 14th. 1926.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 _____ Cuno Selle,

 known as the _____ Prosperity No. (1) and Prosperity No. (4) lodes _____
 and showing the respective capacities in which they acted.

_____ S. J. Byers _____, *Chainman.*
 _____ Maurice Vinson _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, _____ S. J. Byers, _____
 and _____ Maurice Vinson, _____, do solemnly swear that we assisted _____
 _____ Harry E. Jones, _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
 _____ Cuno Selle,

 known as the _____ Prosperity No. (1) and Prosperity No. (4) lodes, _____
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the _____ Office Cadastral Engineer, at Phoenix, Arizona. _____
 _____ United States Surveyor-General for _____

_____ S. J. Byers _____, *Chainman.*
 _____ M. Vinson _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 11th
 day of June, 1926.

_____ Ralph A. Phillip _____
 _____, *Notary Public.*

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix Arizona, dated May 27th. 1926. I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Cuno Belle, known as the Prosperity, No. (1) and Prosperity, No. (4) lodes, situate in Blue Tank Mining District, Yavapai County, Arizona, in Section 36 Unsur, Township No. 8 N., Range No. 4 W. Hqs. G&SRB&M., and designated as Survey No. 4015, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones, U. S. Mineral Surveyor, before me a notary public in and for State of Arizona, County of Maricopa, this 11th. day of June, 1926.

Ralph A. Phillip
Notary Public

GOVERNMENT PRINTING OFFICE

My commission expires June 23rd. 1927.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,
PUBLIC SURVEY OFFICE,
Phoenix, Arizona,

July 26, 1926

I, U. S. Surveyor-General for Office Cadastral Engineer,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Cuno Selle

known as the PROSPERITY NUMBER ONE (1) and PROSPERITY NUMBER FOUR (4) lodes situate in

Blue Tank

Mining District, Yavapai County, Arizona

in Section 36 Unsur, Township No. 8 North, Range No. 4 West,

designated as Survey No. 4015, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 3 cuts, 5 shafts and 1 trench, total value \$2045

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

United States Surveyor-General for

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

_____ July 26 _____, 1926

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

_____ Cuno Selle _____

_____, known as the

PROSPERITY NUMBER ONE (1) and PROSPERITY NUMBER FOUR (4) lodes

situate in _____ Blue Tank _____ mining district,

_____ Yavapai _____ County, _____ Arizona _____

in Section 36 Unsur., Township No. 8 North, Range No. 4 W.,

_____, designated as Survey No. 4015

executed by _____ Harry E. Jones _____, U. S. Mineral

Surveyor, _____ June 7 - 9 _____, 1926, under my instructions dated

_____ May 27 _____, 1926, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

John A. Adams
Office Cadastral Engineer, Phoenix, Arizona.