

A 1

4-683

MINERAL SURVEY No. 4016

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

BLUE LODGE MINING CORPORATION

KNOWN AS THE

MENE ALTO

MAZATZAL Mining District,

YAVAPAI County, ARIZONA

Approx. Section 9, Township 9 North, Range 7 East, Uns.

Surveyed under instructions dated June 1st., 19 26.

by HARRY E. JONES, U. S. Mineral Surveyor.

Claim located See attached location notice, 19

Survey commenced June 3rd., 19 26.

Survey completed June 5th., 19 26.

Address of claimant Alfred Madden, Sec'y. & Treas. 1115 E. Monroe St., Phoenix, Ariz.

DATES OF AMENDED LOCATIONS.

Feet

MINERAL SURVEY NO. 4016

Mene Alto Lode

Beginning at Cor. No. 1, a 3½ft. ½in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4016-1-MA; set 12 ins. in ground and surrounded with a substantial mound of stone, identical with the location monument.

U. S. Loc. Mon. No. 4016, bears N. 0°58' E. 246.47 ft.
No other suitable bearings available.

Thence N. 18° 03' W.

300.00 To Southwest End Center, a substantial mound of stone, identical with the location monument.

600.00 To Cor. No. 2, a 3½ft. ½in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4016-2-MA; set 12ins. in ground and surrounded with a substantial mound of stone identical with the location monument.

Thence N. 71°57' E.

920.00 Cross center of 5 ft. wash, course Westerly.

1440.00 Cross center of 3 ft. wash, course Southwesterly.

1500.00 To Cor. No. 3, a 3½ft. ½in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4016-3-MA; set 16ins. in ground and surrounded with a substantial mound of stone identical with the location monument.

Thence S. 18° 03' E.

221.00 Cross center of 5 ft. wash, course Northwesterly.

300.00 To Northeast End Center, a substantial mound of stone, identical with the location monument.

600.00 To Cor. No. 4, a 3½ft. ½in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 4016-4-MA; set 18ins. in ground and surrounded with a substantial mound of stone, identical with the location monument.

Thence S. 71° 57' W.

1500.00 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners is 14°31' E.

LODE LINE

As near as can be determined from the present developments the vein of the location embraced in this claim extends as follows from the discovery point.

Mene Alto lode, N.71°57'E. 750 ft. and S.71°57'W. 750 ft.

AREA acres.

Total area Mene Alto lode, 20.661

LOCATION

This survey is located in approximately what will be ^{when surveyed} Section 9, T. 9 N. R. 7 East, ~~when surveyed from the~~ Gila and Salt River Base and Meridian, within the boundaries of the Tonto National Forest, Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of the location embraced in said mining claim by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

No. 1 Dis. shaft and cut 12x54x10 ft. facing the NW ^{center of mouth} bears N.71°57'E. 750 ft from the Southwest End Center.

Value of cut \$ 270.00

No. 2 cut 4x12x8 ft. facing ^{mouth} N. bears N.73°44'E. 905 ft. from the Southwest End Center. Value \$100.00

No. 3 cut 4x10x8 ft. facing Westerly with tunnel 4x6x8 ft. long running Easterly from ^{mouth of cut} cut, bears N.73°44'E. 720 ft. from the Southwest End Center. Value \$ 180.00

No.4 cut 4x12x8ft. facing Westerly ^{mouth of cut} bears N. 74° 53 ' E. 690 ft. from the Southwest End Center, Value \$100.00

No. 5 cut 4x12x8 ft. facing NWly. and tunnel 4x6x6 ft. long ^{mouth of cut} bears N.66°14'E. 450 ft. from the Southwest End Center, Value \$160.00

OTHER IMPROVEMENTS

A shaft 4.5x5x60 ft. deep from the floor of the No.1 Dis.

cut, bears N.71°57'E. 750 ft. from the Southwest End Center, and which was not labor performed by the claimant herein.

ADJOINING CLAIMS

The Mene Alto lode of this survey is bounded on all sides by public domain.

INSTRUMENT

This survey was made with a W. & L. E. Gurley light mountain transit.

The courses were deflected from the true meridian as determined from direct sun observations.

The distances were measured with 50 ft. and 660 ft. steel tapes.

REPORT

The U. S. Loc. Mon. No. 4016 to which this survey is tied was established upon the ground, because of the fact that no public land corner, or other permanent survey corner was know to exist with ⁱⁿ 2 miles of the claim as surveyed.

Harry E. Jones
U. S. Mineral Surveyor.

UNITED STATES LOCATION MONUMENT

NO. 4016

Mazatzal Mining District,

Yavapai County, Arizona.

This monument was established on the Southwest spur or ridge of Mazatzal Range of Mountains and is situated approximately in Section 9, T. 9 N. R. 7 E. Unsurveyed, The exact point for this monument is fixed by an inch pipe 7 ft. long being driven into a crevice in the rock in place and wedged solidly in a vertical position, and surrounded with a substantial mound of stone, the pipe being stamped U.S. LOC. MON. NO. 4016 on the East and West faces, at about 2 ft. and 3 ft. from the top respectively. Cor.1 Mene Alto lode, Sur.No.4016 bears S.0°58'W. 246.47 ft. Turret Peak bears across Bloody Basin, N.58°09'W. 15 miles and 2745 ft. by triangulation.

Rosenburg Ranch also known as Maverick Spring, a house at this place bears S.9°19'W. 6 miles and 3411 ft. by triangulation.

North Peak bears N.82°02'E. 9 miles and 2186 ft. by triangulation.

Mazatzal Peak bears S.63°57'E. 11 miles and 977 ft. by triangulation.

No other suitable bearings available, and the monument being so prominently located that it can be seen for a considerable distance in any direction.

Harvey Jones
U. S. Mineral Surveyor.

June 3-5, 1926.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Blue Lode Mining Corporation
 known as the Mene Alto lode
 and showing the respective capacities in which they acted.

_____S. J. Byers_____, *Chainman.*
 _____Maurice Vinson_____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, S. J. Byers,
 and Maurice Vinson, do solemnly swear that we assisted _____
Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
Blue Lode Mining Corporation
 known as the Mene Alto lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.
~~United States Surveyor General for~~

S. J. Byers_____, *Chainman.*
Maurice Vinson_____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 7th.

day of June, 1926

Ralph A. Phillips


 _____, *Notary Public.*

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,
at Phoenix, Arizona, dated June 1st. 1926,
I have, in strict conformity to the laws of the United States, the official regulations and instruc-
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Claim of
Blue Lode Mining Corporation, known as the
Mene Alto lode,
situate in Mazatzal Mining District,
Yavapai County, Arizona, in Section
Approx. 9, Township No. 9 North Range No. 7 East, Unsurveyed,
and designated as Survey No. 4016, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly
marked by monuments on the ground, and described in the attached copy of the location certifi-
cate, which was received by me from the Office Cadastral Engineer with said instructions, and
that all corners of said survey have been established and perpetuated in strict accordance with
the law, official regulations and instructions thereunder; and I do further solemnly swear that the
foregoing are the true and original field notes of said survey and my report therein, and that the
labor expended and improvements made upon said mining claim by claimant or its
grantors are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of said labor
or improvements so credited to this claim has been included in the estimate of expenditures upon
any other claim.


U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones,
U. S. Mineral Surveyor, before me a notary public in and for the County
of Maricopa, State of Arizona, this 7th
day of June, 1926.


Notary Public.

GOVERNMENT PRINTING OFFICE

My commission expires June 23rd. 1927.

~~U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.~~

Department of the Interior,

~~OFFICE OF U. S. SURVEYOR-GENERAL,~~

Phoenix, Arizona,

June 17, 1926.

I, ~~U. S. Surveyor-General for~~ Office Cadastral Engineer,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Blue Lode Mining Corporation

known as the MENE ALTO lode

situate in Mazatzal

Mining District, Yavapai County, Arizona

in Section Approx. 9, Township No. 9 N., Range No. 7 E., Unsur., and

designated as Survey No. 4016, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 cuts, and 2 cut and tunnels, total value \$810.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer, Phoenix, Arizona.

~~United States Surveyor-General for~~

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona

June 17, 1926

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

Blue Lode Mining Corporation

_____, known as the

MENE ALTO lode

situate in _____ Mazatzal _____ mining district,

Yavapai _____ County, _____ Arizona

in Section Approx. 9, Township No. 9 N., Range No. 7 E., Unsur.

_____, designated as Survey No. 4016

executed by Harry E. Jones, U. S. Mineral

Surveyor, June 3 - 5, 1926, under my instructions dated

June 1, 1926, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



Office Cadastral Engineer, Phoenix, Arizona.