

Dec. 13, 1926  
" 29 "

4-683

1

MINERAL SURVEY No. 4027

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jeff D. Milton

KNOWN AS THE

PEARL, CRESCENT, COPPER DOG, and WESTERN STAR Lodes.

West Huachuca Mining District,

Cochise County, Arizona

Section Approx. 3, Township 23 S, Range 19 E. Unsurveyed

Surveyed under instructions dated Nov. 1, Nov. 24 Am, 19 26

by J. N. Stevens  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced November 15, 1926

Survey completed November 30, 1926

Address of claimant Fairbank, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices.

| Feet.   | MINERAL SURVEY NO. 4027   |
|---------|---|
|         | Pearl Lode.   |
|         | Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.2 Western Star lode of this Sur. on line 4-1 Crescent lode of this Sur.  |
|         | An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 P, 2 W S - 4027, with md of stone alongside, whence U.S.L.M. No.4027 brs. S.15°05'20" E., 410.73 ft. |
|         | An oak tree 10 ins. diam. brs. S.40°28'E., 7.6 ft. Blazed and scribed 1-2-4027 B T.   |
|         | No other bearings are available.  |
|         | Thence S.68°58'E.,<br>Va. 13°30'E.,   |
| 300.00  | To N. end center, identical with Loc. Mon.  |
|         | An oak post 4 ins. diam. by 4 ft. high set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. P.  |
| 375.81  | To Cor. No.1 Crescent lode of this Sur., hereinafter described, and intersect line 4-1, Copper Dog lode of this Sur. at N.39°26'E., 144.38 ft. from Cor. No.1   |
| 600.00  | To Cor. No.2, identical with Loc. Mon.  |
|         | An iron pipe 1 in. diam. with cap on top, 18 ins. above ground set 18 ins. in the ground, stamped 2 P - 4027 , with md. of stone alongside:   |
|         | Cor. No.1 Copper Dog lode of this Sur. brs. S.84°06' 30" W., 302.55 ft.   |
|         | No other bearings are available.  |
|         | Thence S.21°02'W.<br>Va. 13°30'E.   |
| 30.0    | Trail brs. northeasterly.   |
| 226.79  | Intersect line 1-2 Copper Dog lode of this Sur. at S.50°34'E., 284.28 ft. from Cor. No.1  |
| 1070.0  | Gulch brs. southeasterly.   |
| 1300.0  | Trail brs. easterly.  |
| 1500.00 | To Cor. No.3, identical with Loc. Mon.  |
|         | An iron pipe 1 in. diam. with cap on top, 18 ins. above ground,   |

| Feet.   | MINERAL SURVEY NO. 4027  |
|---------|--|
|         | Pearl Lode - Cont'd.   |
|         | set 18 ins. in the ground, stamped 3 P -4027 with Md of stone along side. Cor. No.4 HES. No.300 Forest Homestead Entry, Gustav J Peterson brs. S.58°41'E., 1345.2 ft.                              |
|         | No other bearings are available.   |
|         | Thence N.68°58'W.,<br>Va. 13°30'E.   |
| 300.0   | To S. end center.  |
|         | A pine post 4 ins. diam by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. P.  |
| 600.0   | To Cor. No.4, identical with Loc. Mon.   |
|         | An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 4 P - 4027 .  |
|         | No bearings are available.   |
|         | Thence N.21°02'E.<br>Va. 13°30'E.  |
| 900.00  | To Cor. No.1, Western Star lode of this Sur., hereinafter described.   |
| 1200.00 | To E. end center, Western Star lode of this Sur., hereinafter described.   |
| 1500.00 | To Cor. No.1, the place of beginning.  |
|         | CRESCENT Lode.   |
|         | Beginning at Cor. No.1, identical with Loc. Mon. on line 4-1   |
|         | Copper Dog lode of this Sur. at N.29°26'E., 144.38 ft. from Cor. No. 1 and on line 1-2 Pearl lode of this Sur. at N.68°58'W., 224.19 ft. from Cor. No.2.   |
|         | An iron pipe 1 in. diam. with cap on top 18 ins. above ground, set 18 ins in the ground, stamped 1 C - 4027 , with md of stone alongside, whence U.S.L. M. No.4027 brs. S.42°58'40" W., 357.71 ft. |
|         | No other bearings are available.   |
|         | Thence N.39°26'E.<br>Va. 13°30'E.  |
| 315.8   | To E. end center, identical with Loc. Mon.   |
|         | A pine post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone , scribed E. Cr. C.   |

Feet.

MINERAL SURVEY NO. 4027  
CRESCENT Lode - Cont'd.

631.6 To Cor. No.2 , identical with Loc. Mon., on line 4-1 Copper Dog lode of this Sur.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground set 18 ins. in the ground , stamped 2 C - 4027 , with md of stone alongside.

No bearings are available.

Thence N.68°58'W.  
Va. 13°30'E.

1500.0 To Cor. No.3. Not set. Point for Cor. falls on face of dangerous cliff 30 ft. high, unsuitable for permanent Cor. W.C. Brs. S.39°26'W. 53.33 ft.

Thence S.39°26'W. from true Cor. point.  
Va. 13°30'E.

53.33 To Witness Cor. to Cor. No.3 .

An iron pipe 1 in. diam.with cap on top, 18 ins. above ground, set 18 ins. in the ground , stamped 3 C - 4027 W.C. with md of stone alongside. whence a cross (X) on the vertical face of cliff high 30 ft brs. N.39°26' E., 1.0 ft. Chiseled X -3 C - 4027 B.R.

No other bearings are available.

315.8 To W. end center, identical with Loc. Mon.

A pine post 5 ins. diam. by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. C.

631.6 To Cor. No.4, identical with Loc. Mon. on line 2-3 Western Star lode of this Sur. at S.68°58'E., 375.81 ft. from Cor. No.3.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 4 C- 4027 , with md of stone alongside.

A juniper tree 18 ins. diam . brs. S.47°E., 25.0 ft. blazed and scribed 4-4027 B.T.

No other bearings are available.

Thence S.68°58'E.  
Va. 13°30'E.

1124.19 To Cor. Nos.2 and 1 , Western Star and Pearl lodes respectively of this Sur., heretofore described.

1500.00 To Cor. No.1, the place of beginning.

Feet

## MINERAL SURVEY NO. 4027

## Copper Dog Lode.

Beginning at Cor. No.1, identical with Loc. Mon.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 CD-4027 with md of stone alongside, whence U.S. L. M. No. 4027 brs. S.45°22'30" W., 213.77 ft.

Cor. No.2 Pearl lode of this Sur. Brs. N.84°06'30"E., 302.55 ft.

No other bearings are available.

Thence S.50°34' E.

Va. 13°30'E.

284.28 Intersect line 2-3 Pearl lode of this Sur. at S.21°02' W. 226.79 ft. from Cor. No.2.

300.0 To 3. end center, identical with Loc. Mon.

A pine post 4 ins. sq. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. C.D.

600.0 To Cor. No. 2. identical with Loc. Mon.

An iron pipe 1 in. diam. with cap on top, 18 ins above ground, set 18 ins. in the ground, stamped 2 C D - 4027.

No bearings are available.

Thence N. 39°26'E.,

Va. 13°30'E.

1500.0 To Cor. No.3, identical with Loc. Mon.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 3 C D - 4027 .

No bearings are available.

Thence N.50°34'W.

Va. 13°30'E.

300.0 To N. end center, identical with Loc. Mon.

A pine post 5 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. C D.

600.0 To Cor. No.4, identical with Loc. Mon.

| Feet    | MINERAL SURVEY NO. 4027  |
|---------|--|
|         | COPPER DOG Lode - Cont'd.  |
|         | An iron pipe 1 in. diam. with cap on top, 18 ins. above ground set 18 ins. in the ground, stamped 4 C D - 4027 with md. of stone alongside.  |
|         | No bearings are available.   |
|         | Thence S.39°26'W.<br>Va. 13°30'E.  |
| 724.02  | To Cor. No.2 Crescent lode of this Sur., heretofore described.   |
| 1039.82 | To E. end center Crescent lode of this Sur., heretofore described  |
| 1355.62 | To Cor. <del>Cor.</del> No.1 Crescent lode of this Sur., heretofore described and intersect line 1-2 Pearl lode of this Sur. at N.68°58' W., 224.19 ft. from Cor. No.2.                                |
| 1500.00 | To Cor. No.1, the place of beginning.  |
|         | WESTERN STAR Lode.   |
|         | Beginning at Cor. No.1, identical with Loc. Mon. on line 4-1 Pearl lode of this Sur., at N.21°02'E., 900 ft. from Cor. No.4.   |
|         | An iron pipe 1 in. diam. with Cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 1 W S - 4027 with md. of stone alongside, whence U.S. L. M. No.4027 brs. N.63°02'20" E., 361.35 ft. |
|         | No other bearings are available.   |
|         | Thence N.21°02'E.<br>Va. 13°30'E.  |
| 300.00  | To E. end center, identical with Loc. Mon.   |
|         | A pipe post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed E. Cr. W. S.   |
| 600.00  | To Cor. No.2, identical with Loc. Mon. and Cor. No.1 Pearl lode of this Sur., heretofore described, on line 4-1 Crescent lode of this Sur.   |
|         | Thence N.68°58'W.<br>Va. 13°30'E.  |
| 1124.19 | To Cor. No.4 Crescent lode of this Sur., heretofore described.   |
| 1500.00 | To Cor. No.3, identical with Loc. Mon.   |
|         | An iron pipe , 1 in. diam. with cap on top, 18 ins above ground set 18 ins. in the ground, stamped 3 W S - 4027 with md of stone alongside.  |
|         | An oak tree 12 ins. diam. brs. N.52°W., 7 ft. blazed and scribed   |
|         | 3-4027 BT.   |

Feet.

MINERAL SURVEY No.4027  
WESTERN STAR Lode - Continued.

No other bearings are available.

Thence S.21°02'W.  
Va. 13°30'E.

300.00 To W. end center, identical with Loc. Mon.

A pine post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. W S.

600.00 To Cor. No. 4, identical with Loc. Mon.

An iron pipe 1 in. diam. with cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 4 W S - 4027 with md of stone alongside.

A Juniper tree 12 ins. diam. brs. N.5°30'E., 17.7 ft.

No other bearings are available.

Thence S.68°58'E.  
Va. 13°30'E.

100.00 Gulch brs. southwesterly.

1500.00 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from the present developments, the veins of the several locations embraced in this claim extend as follows from their respective discoveries.

Pearl lode, 657 ft. N.21°02'E., and 843.0<sup>ft.</sup> S.21°02'W.,  
Crescent lode, 365.0 ft. S.68°58'E., and 1135.0 ft. N.68°58'W.  
Copper Dog lode, 440.0 ft. S.39°26'W., and 1060.0 ft. N.39°26'E.  
Western Star lode. 650.0 ft. N.68°58'W., and 850.0 ft. S.68°58'E.

Area.

Total area, Pearl lode ----- 20.661  
Area in conflict with;  
Copper Dog lode of this Sur. ----- 1.055

Total area, Crescent lode ----- 20.637

Total area, Copper Dog lode ----- 20.661

Total area, Western Star lode ----- 20.661

The survey of each lode of this location is identical with the respective locations as staked upon the ground.

LOCATION.

This survey is located approximately in the ~~1-1-2~~ Section 3  
T.23 S., R.19 E. Unsurveyed, in the Coronado National Forest.

## MINERAL SURVEY No.4027

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

## Pearl lode.

No.1 The discovery cut, the mouth of which being the discovery point, on the center line , 657 ft. from the center of line 1-2 , 5 ft. wide , 10 ft. face , running N.30° W., 25 ft. to face. From face of cut is a tunnel 4 x 6 ft. running N. 30° W., 78 ft. to face.

At mouth of tunnel is an inclined winze 4 x 6 ft. 40 ft. deep

At 45 ft. from mouth of tunnel is an inclined winze 4 x 6 ft. , 20 ft. deep. At face of tunnel is an inclined winze 4 x 6 ft. , 20 ft. deep.

Total value of cut tunnel and winzes \$ 1680.0

No 2 A tunnel, the mouth of which brs. from Cor. No.1 , S. 15° W., 480.0 ft. , 4 x 6 ft. running S.25°E., 20 ft. to face.

Value \$200.00

## COPPER DOG Lode.

No.1 The discovery cut, the mouth of which being the discovery point , on the center line 440.0 ft. from the center of line 1-2 5 ft. wide 10 ft. face running N.55°W., 20 ft. to face. From face of cut is a tunnel 4 x 6 ft. running N.10° W., 54 ft. to face.

At 40 ft. from mouth of tunnel is a winze 4 x 6 ft. 10 ft. deep.

Total value of cut, tunnel and winze \$ 750.00

No.2 A tunnel, the mouth of which is on the center line , 580.0 ft. from the center of line 1-2 , 4 x 6 ft. running N.42° W., 100 ft. to face. At 10 ft. from the mouth is a tunnel 4 x 6 ft (inclined ) running West 40 ft. to face. At 60 ft. from mouth is a tunnel 4 x 6 ft. running S.48° W., 15 ft. to face. From the same point is another tunnel 4 x 6 ft. running N.48°E., 15 ft. to face.

Total value \$1700.00



MINERAL SURVEY No. 4027

EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.

CRESCENT Lode.

No 1, The discovery cut, the mouth of which being the discovery point, on the center line 365 ft. from the center of line 1-2 5 ft. wide, 10 ft. face, running N.70° E., 25 ft. to face. From face is a tunnel 4 x 6 ft. running N.70° E., 28 ft. thence S.20°E., 10 ft. to face.

Total value Cut and tunnel \$505.0

No.2 A cut, the mouth of which brs. from Cor. No.1 N.29°W., 690.0 ft. 4 1/2 ft. wide, 10 ft. face running N.10° E., 15 ft. to face.

Value \$100.0

WESTERN STAR Lode.

No.1 The discovery shaft, the center of which being the discovery point, on the center line 850.0 ft. from the center of line 1-2 4 x 6 ft. 8 ft. deep.

Value \$80.0

No.2 A tunnel, the mouth of which brs. from Cor. No.4, S.87°30'E., 700.0 ft. 4 x 6 ft. running N. 30° E., 20 ft.

Value \$200.0

No.3 A tunnel, the mouth of which brs. from Cor. No.4 N.72°30'E., 605 ft. 4 x 6 ft. running S. 12°E., 20 ft. to face.

Value \$200.0

No.4 A tunnel, the mouth of which brs. from Cor. No. 4 S.76°30'E., 550.0 ft. 4 x 6 ft. running N. 4° E., 30 ft. to face.

Value \$300.0

INSTRUMENT.

This survey was made with a Gurley Mountain transit, the courses were deflected from the true meridian as determined by direct Solar observations. The distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims.

MINERAL SURVEY No.4027

Report - Cont'd.

There being no corners of the public survey within two miles of this claim I established U.S. L. M. No 4027 which consists of a pine post 8 ins. diam. at base, 12 ft. long. set 2 ft. in the ground and surrounded with md of stone 6 ft. base by 4 ft. high, scribed U.S. L. M. No.4027 - W.H. M. D.

Cor. No.4 H.E.S. No.300 consists of a limestone rock, 10 x 12 ins. showing 8 ins. above ground, chiseled 4 H E S-300

ADJOINING CLAIMS.

On the east by Sylvania Gold lode, unsur., claimant herein.

SOLAR OBSERVATION.

Direct solar observation taken Saturday, Nov. 20 at 3 P.M. Solar time. Sun bisected. Lat. 31°28'. Lon. 110°24'

Difference in time 10h 22 m .

Apparent declination- 19°35'14.6 "

Dec'l =  $\frac{5'57''}{19°41'11.6''}$   
90°

$$\sin \frac{1}{2} A = \frac{\sqrt{\sin(S-L)(S-H)}}{\cos L \cos H}$$

P = 90°+Dec'l = 1 09°41'11.6 "

L =31°28'

H =21°28'35" (Appt H - 21°31', Refraction - 2'25" )

P =109°41'11.6 "

2)  $\frac{162°37'46.6''}{s. 81°18'53''}$

S-L = 49°50'53"

S-H = 59°50'18"

9.8832850

9.9368209

0.0690795

0.0312515

2)  $\frac{19.9204369}{9.9602189}$

= 65°51' ± 1/2 A.

131°42' = A.

180°-131°42' = S48°18' W.- bearing of Sun.

62°44' Angle to right from Sun.

111°02'

180°

N. 68°58' W. bearing of line.

Set up at Cor. No.2 Western Star lode - FS to Cor. No.3

do not include in copy

Field Notes - U.S. L. M. No. 4027

West Huachuca Mining District.

Cochise County, Arizona.

Established Wednesday Nov. 17, 1926 by T.N. Stevens,

U.S. Mineral Surveyor.

On a rocky point of a high ridge at an elevation of about 6500 feet, overlooking the surrounding country, I dug a hole 2 ft. deep to solid formation, over the center of this hole I carefully leveled my transit, whence, Va. 13°30'E. by direct solar observation;-

Peterson Peak in the Huachuca Mts. brs. N.20°06'E/, about 2000.0 feet.

The smoke-stack of smelter at Cananea, Mexico brs. S.8°34'E., about 30 miles.

Sunnyside P.O. brs. S.10°40'W., about 2 miles.

Mon. No.106 on the International boundary line brs. S.21° 15' 40" W., 51386.7 ft.

The Cameron ranch on the S. boundary of San Rafael Grant brs. S.58°41'W., about 15 miles.

Triangulation Sta. on Red Mountain in the Patagonia Range brs. N.81°09'W., about 19.9 miles.

Look-out Sta. on the summit of Old Baldy, Santa Rita Mts., brs/ N.58°34'W., about 31.1/2 miles.

I now remove transit and set a pine post stripped of bark, 8 ins. diam. at base and 6 ins. at top, 12 ft. long in its position and surrounded with md. of stone 6 ft. base by 4 ft. high, scribed, U.S. L. M. No. 4027, W.H.M. D.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Jeff D. Milton

known as the PEARL, CRESCENT, COPPER DOG and WESTERN STAR lodes

and showing the respective capacities in which they acted.

S.C. Wood \_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Axman.*

\_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, I, S.C. Wood

and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_

T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Jeff D. Milton

known as the PEARL, CRESCENT, COPPER DOG, and WESTERN STAR lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the office Cadastral Engineer at Phoenix United States Surveyor-General for Arizona.

S.C. Wood \_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Chainman.*

\_\_\_\_\_, *Axman.*

\_\_\_\_\_, *Flagman*

Subscribed and sworn to by the above-named persons before me this 30th

day of November, 1926

Machelle Hess

Notary Public

my comm. expires Feb. 6. 1928



### FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,  
at Phoenix, Ariz., dated Nov. 1 & Nov. 24 1926,  
I have, in strict conformity to the laws of the United States, the official regulations and instruc-  
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly  
executed the survey of the Mining Claim of Jeff D. Milton,  
known as the  
PEARL, CRESCENT, COPPER DOG and WESTERN STAR Lodes.,  
situate in West Huachuca Mining District,  
Cochise County, Ariz., in Section  
Approx. 3, Township No. 23 S., Range No. 19 E., Unsurveyed,  
and designated as Survey No. 4027, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly  
marked by monuments on the ground, and described in the attached copy of the location certifi-  
cate, which was received by me from the Office Cadastral Engineer with said instructions, and  
that all corners of said survey have been established and perpetuated in strict accordance with  
the law, official regulations and instructions thereunder; and I do further solemnly swear that the  
foregoing are the true and original field notes of said survey and my report therein, and that the  
labor expended and improvements made upon said mining claim by claimant or his  
grantors are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of said labor  
or improvements so credited to this claim has been included in the estimate of expenditures upon  
any other claim.

T. N. Stevens  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T. N. Stevens  
U. S. Mineral Surveyor, before me Mabelle Hess, a  
notary Public this 6th  
day of December, 1926.

Mabelle Hess  
notary Public  
Omnia County, Arizona

*My Com. expires  
Feb. 6, 1928*

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,  
PUBLIC SURVEY OFFICE,  
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 7, 1927.

I, U. S. Surveyor-General for Office Cadastral Engineer,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Jeff D. Milton

known as the PEARL, CRESCENT, COPPER DOG, and WESTERN STAR lodes situate in West Huachuca

Mining District, Cochise County, Arizona

in Section Approx. 3, Township No. 23 S., Range No. 19 E., Unsur., and

designated as Survey No. 4027, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of each of 4 cuts, 1 shaft, 11 tunnels and 4 winzes, total value \$5715.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer, Phoenix, Arizona.

United States Surveyor-General for

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

January 7, 1927

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of \_\_\_\_\_

\_\_\_\_\_ Jeff D. Milton \_\_\_\_\_

\_\_\_\_\_, known as the

PEARL, CRESCENT, COPPER DOG, and WESTERN STAR lodes \_\_\_\_\_

situate in \_\_\_\_\_ West Huachuca \_\_\_\_\_ mining district,

\_\_\_\_\_ Cochise \_\_\_\_\_ County, \_\_\_\_\_ Arizona \_\_\_\_\_

in Section Approx. 3 \_\_\_\_\_, Township No. \_\_\_\_\_ 23 S. \_\_\_\_\_, Range No. 19 E. \_\_\_\_\_ Unsur.

\_\_\_\_\_, designated as Survey No. \_\_\_\_\_ 4027 \_\_\_\_\_

executed by \_\_\_\_\_ T. N. Stevens \_\_\_\_\_, U. S. Mineral

Surveyor, \_\_\_\_\_ November 15 - 30 \_\_\_\_\_, 1926, under my instructions dated

\_\_\_\_\_ Nov. 1 and Nov. 24 \_\_\_\_\_, 1926, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

\_\_\_\_\_  
*John D. Adams*  
Office Cadastral Engineer Phoenix, Arizona.