

Dec. 22, 1927
Feb. 1, 1928
Mar. 21, 1928

4-683

MINERAL SURVEY No. 4056.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Lucky Strike Copper Company.

KNOWN AS THE

Dante No. 1, Dante No. 2, Dante No. 3, Grand Pa, Grand View, Leveco, Lone Pine, Pay Day, Paris, Portland, Queen, Ratoff, Sun Rise, Tyrolo, and Whale Lodes.

Hassavampa Mining District,

Yavapai County, Arizona

Sections 24 and 25, Township 12 1/2 N., Range 3W., Unapproved
Sections 19 and 30, Township 12 1/2 N., Range 2W., Unsurveyed

Surveyed under instructions dated Sept. 13, 1927.

by Otto Stoehr.

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Sept. 22, 1927.

Survey completed Oct. 8, 1927.

Address of claimant's Atty. in fact: Paul R. Diffen,
Prescott, Arizona.

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 4056.

Dante No.1 Lode.

Beginning at Cor.No.1, identical with Cor.No.1 Dante No.2 lode, Cor.No.4 Ratoff lode, and Cor.No.2 Lone Pine lode, all of this survey. A basalt stone 24" x 12" x 10" set 12" in the ground, with mound of stone alongside. I chisel a cross on top and D1-1, D2-1, R-4, LP2-4056 on the respective faces, from which

A juniper 4" diam. bears N. 4-00'E. 16.3 ft., scribed D1-1, D2-1, R4, LP2-4056 B.T.

An oak 4"diam.bears S.69E.129.4 ft., scribed D1-1, D2-1, R4, LP2-4056 B.T.

Feet	Thence N.6°-34'E.
	Descend along north slope.
200.00	Dry gully slopes S.66°-00'E.
	Ascend gradual south slope.
300.00	West center end monument, a mound of stone.
600.00	Cor.No.2, identical with Cor. No.4 Dante No.2 lode of this survey. A basalt stone 24" x 12" x 8" set 12" in the ground, with mound of stone alongside. I chisel a cross on top and D1-2, D2-4 - 4056 on the respective faces, from which
	A juniper 5" diam. bears S.16°-30'E. 174.4 ft., scribed D1-2, D2-4 -4056 B.T.
	A cross in a rock ledge, 24" x 24" x 3" above ground, bears S.60°-30'E. 92.4 ft. I chisel this ledge D1-2, D2-4 -4056 B.O.
	Thence S.66°-05'E.
	Descend gradual east slope.
320.00	East fork of Little Copper Creek, 2 ft. wide, flows south.
	Ascend west slope.

Mineral Survey No. 4056 Continued.

Dante No.1 Lode Continued.

Feet	
1332.00	<p>Cor.No.3. A basalt stone 28" x 10" x 8" set 12" in the ground with mound of stone alongside. I chisel a cross on top and D1-3 -4056 on southwesterly face, from which</p> <p>A pine 5" diam. bears N.7°-54'E. 133.5 ft., scribed D1-3 -4056 B.T.</p> <p>A pine 8" diam. bears S.60°-45'E. 311.1 ft., scribed D1-3 -4056 B.T.</p> <p>United States Location Monument No.2024 bears N.85°-48'-10"E.2599.45 ft.</p> <p>Thence S.6°-34'W. Descend along southwesterly slope.</p>
54.55	Cor.No.2 Grand Pa lode of this survey.
300.00	East center end monument, a mound of stone.
600.00	<p>Cor.No.4. A basalt stone 30" x 15" x 6" set 15" in the ground with mound of stone alongside. I chisel a cross on top and D1-4 -4056 on northwesterly face, from which</p> <p>A cross in a rock ledge, 36" x 36" x 20" above ground, bears S.65°-30'W. 3.6 ft. I chisel this ledge D1-4 -4056 B.O.</p> <p>A pine 5" diam. bears N.74°-15'W. 23.2 ft., scribed D1-4 -4056 B.T.</p>
	Thence N.66°-05'W.
	Descend westerly slope.
132.00	Cor.No.3 Leveco lode of this survey.
274.43	Intersect line 1-2 Grand Pa lode of this survey, S.36°-02'W. 532.50 ft. from Cor.No.2.
432.00	North center end monument Leveco lode of this survey, a mound of stone.
697.00	Witness corner for Cor.No.2 Leveco lode of this survey

Mineral Survey No. 4056 Continued.

Dante No. 1 Lode Continued.

Feet.	
732.00	Point for Cor. No. 2 Leyeco lode and Cor. No. 3 Lone Pine lode, both of this survey, falls in east fork of Little Copper Creek, 2 ft. wide, which flows S. 45°-00'E.
790.50	Witness corner for Cor. No. 3 Lone Pine lode of this survey.
890.00	East fork of Little Copper Creek, 2 ft. wide, flows S. 45°-00'E. Ascend east slope.
1032.00	North center end monument Lone Pine lode of this survey- a mound of stone.
1332.00	Cor. No. 1 the place of beginning.
	<hr/> Dante No. 2 Lode.
	Beginning at Cor. No. 1, identical with Cor. No. 1 of Dante No. 1 lode of this survey, heretofore described.
	<hr/> Thence N. 74°-24'W.
	Ascend east slope.
300.00	North center end monument Ratoff lode of this survey.
400.00	Top of ridge extends N. 6°-00'E. and S. 6°-00'W. Descend west slope.
600.00	Cor. No. 3 Ratoff-lode of this survey.
760.00	Fork of Little Copper Creek, 1 ft. wide, flows south.
	Ascend east slope.
1100.00	Summit of ridge extends north and south. Descend southwest slope.
1208.60	Cor. No. 2, identical with Cor. No. 1 Dante No. 3 lode of this survey. A basalt stone 25" x 18" x 9", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and D2-2, D3-1 -4056 on the respective faces, from which

Mineral Survey No.4056 Continued.	
Dante No.2 Lode Continued.	
Feet	<p>An oak 6" diam. bears N.75°-30'E. 106.5 ft., scribed D2-2, D3-1 -4056 B.T.</p> <p>An oak 5" diam. bears S.38°-30'W. 72.2 ft., scribed D2-2, D3-1 -4056 B.T.</p> <hr/> <p>Thence N.6°-34'E.</p> <p>Ascend southwest slope.</p>
140.00	<p>Summit of ridge extends N.60°-00'W. and S.60°-00'E.</p> <p>Thence along east slope.</p>
300.00	West center end monument, a mound of stone.
600.00	<p>Cor.No.3, identical with Cor.No.4 Dante No.3 lode of this survey. A basalt stone 25" x 10" x 10", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and D2-3, D3-4 -4056 on the respective faces, from which</p> <p>An oak 5" diam. bears S.6°-34'W. 96.0 ft. scribed D2-3, D3-4 -4056 B.T.</p> <p>A juniper 24" diam. bears S.76°-30'E. 171.0 ft., scribed D2-3, D3-4 -4056 B.T.</p> <p>The ^{Std.} corner to sections 31 and 36 T.13 N. R's. 2 and 3 W., Gila and Salt River Meridian, bears N.49°-44'E. 745.8 ft.</p> <hr/> <p>Thence S.74°-24'E.</p> <p>Descend east slope.</p>
250.00	<p>Fork of Little Copper Creek, 1 ft. wide, flows S.20°-00'E.</p> <p>Ascend west slope.</p>
690.00	Summit of ridge extends north and south.
1208.60	<p>Descend east slope.</p> <p>Cor.No.4, identical with Cor. No.2 Dante No.1 lode of this survey, heretofore described.</p> <p>United States Location Monument No. 2024 bears S.84°-45'-20"E. 3826.12 ft.</p> <hr/>

Feet	Mineral Survey No.4056 Continued. Dante No. 2 Lode Continued.
	Thence S.6°-34'W.
	Descend gradual south slope.
300.00	East center end monument, a mound of stone.
400.00	Dry gully slopes S.66°-00'E.
	Ascend north slope.
600.00	Cor.No.1, the place of beginning.
	Dante No.3 Lode.
	Beginning at Cor.No.1, identical with Cor.No.2 Dante No.2 lode of this survey, heretofore described.
	Thence N.74°-24'W.
	Along southwest slope.
1105.00	Little Copper Creek, 1 ft. wide, flows S.10-00'W.
1416.40	Cor.No.2. A granite stone, 24"x10"x8", set 12" in the ground, with mound of stone alongside. I chisel it with a cross on top and D3-2 -4056 on northeasterly face, from which An oak 7" diam. bears S.36°-00'W. 13.2 ft., scribed D3-2 -4056 B.T. An oak 7" diam. bears N.69°-00'W. 7.0 ft., scribed D3-2 -4056 B.T. Cor.No.2, Little Copper lode No.2, Mineral Survey No.2914, bears S.69°-53'E. 189.0 ft.
	Thence N.6-34'E.
	Ascend south slope.
300.00	West center end monument, a mound of stone.
600.00	Cor.No.3 on top of ridge, which extends N.30°-00'W. and S.30-00'E. A basalt stone 24"x12"x9", set 12" in the ground with mound of stone alongside. I chisel it with a cross on top and D3-3 -4056 on southeasterly face, from which

33
7

Feet	<p>Mineral Survey No.4056 Continued.</p> <p>Dante No.3 Lode Continued.</p>
	<p>A juniper 5" diam. bears S.68°-30'E. 15.6 ft., scribed D3-3 -4056 B.T.</p> <p>An oak 4" diam. bears S.6°-30'W. 60.5 ft., scribed D3-3 -4056 B.T.</p> <p>Cor.No.3 is approximately 900.0 ft. easterly from the State Highway from Phoenix to Prescott.</p>
	<p>Thence S.74°-24'E.</p> <p>Descend east slope.</p>
290.00	Little Copper Creek, 1 ft. wide, flows S.30°-00'E.
640.00	Dry gully slopes S.30-00'W.
	Ascend west slope.
1100.00	Top of butte.
	Descend east slope.
1416.40	Cor.No.4, identical with Cor. No.3 Dante No.2 lode of this survey, heretofore described.
	United States Location Monument No.2024 bears S.82°-16'-30"E. 5019.75 ft.
	Thence S.6-34'W.
300.00	East center end monument, a mound of stone.
460.00	Summit of ridge extends N.60°-00'W. and S.60°-00'E.
	Descend southwest slope.
600.00	Cor.No.1, the place of beginning.
	Grand Pa Lode.
	Beginning at Cor. No.1, identical with Cor.No.2 Queen lode of this survey. A basalt stone 26"x12"x9", set 13" in the ground, with mound.of.stone alongside. I. chisel it with a cross on top and G.P.1, Q2-4056 on the respective faces, from which
	An oak-6"-diam. bears S.71°-30'E. 51.6 ft., scribed G.P.1, Q2-4056 B.T.
	A pine 8" diam. bears S.26°-00'E. 65.2 ft., scribed G.P.1, Q2-4056 B.T.

Mineral Survey No.4056 Continued.

Grand Pa Lode Continued.

Feet

Thence N.36°-02'E.

Descend Northeasterly slope.

390.00 East fork Little Copper Creek, 2 ft. wide,
flows S.25°-00'E.

Ascend west slope.

607.50 Intersect line 4-1, Dante No.1 lode and line 2-3
Leveco lode both of this survey, N.66°-05'W. 274.43 ft.
and 142.43 ft. from Cor.No.4 and Cor.No.3 respectively.

1140.00 Cor.No.2. This falls on a granite ledge, 18"x18"x
20" above ground, which I chisel with a cross and
G.P.2-4056, from which

A pine 5" diam. bears N.8°-00'E. 188.0 ft.,
scribed G.P.2-4056 B.T.

A pine 8" diam. bears S.70°-50'E. 295.5 ft.,
scribed G.P.2-4056 B.T;

On line 3-4 Dante No.1 lode of this survey,
N.6°-34'E. 545.45 ft. from Cor.No.4.

Thence S.87°-00'E.

Ascend westerly slope.

300.00 North center end monument, a mound of stone.

400.00 Top of ridge extends N.65°-00'W.-and-S.65°-00'E.

600.00 Cor.No.3. A basalt stone, 24"x18"x7", set 12". in
the ground, with mound of stone alongside. I chisel
it with a cross on top and G.P.3-4056 on southwesterly
face, from which

A cross on a rock ledge, 30"x24"x3" above
ground bears N.35°-30'W. 20.0 ft. I chisel it
G.P.3-4056 B.O.

A pine 10" diam. bears N.48°-00'E. 83.9 ft.
scribed G.P.3-4056 B.T;

United States Location Monument N°2024 bears
N.82°-08'-40"E. 2018.45 ft.

Mineral Survey No. 4056 Continued.

Grand Pa Lode Continued.

Feet

Thence S.36-02'W.

120.00 Top of ridge extends N.65-00'W. and S.65-00'E.

Descend southwesterly slope.

1140.00 Cor.No.4, identical with Cor.No.3 Queen lode of this survey. A basalt stone 30"x24"x9", set 15" in the ground, with mound of stone alongside. I chisel a cross on top and G.P.4, Q3-4056 on the respective faces, from which

An oak 4" diam. bears N.80-15'W. 111.8 ft., scribed G.P.4, Q3-4056 B.T.

A cross in a rock ledge, 60"x60"x12" above ground, bears S83-30'E. 13.7 ft. I chisel this ledge G.P.4, Q3-4056 B.O.

Thence N.87-00'W.

Descend west slope.

300.00 South center end monument, a mound of stone.

310.00 East fork Little Copper Creek, 2 ft. wide, flows south.

Ascend east slope.

329.36 Intersect line 3-4 Leveco lode of this survey, S.25-53'-30"W. 497.64 ft. from Cor.No.3.

600.00 Cor.No.1, the place of beginning.

Grand View Lode.

Beginning at Cor.No.1, identical with Cor.No.4, Sun Rise lode of this survey; A juniper post 4"x4"x60", set 18" in the ground, with mound of stone alongside. I scribe it G.V.1, S4-4056 on the respective faces, from which

A juniper 5" diam. bears N.65°-00'W. 72.0 ft., scribed G.V.1, S4-4056 B.T.

A juniper 6" diam. bears S.74-00'E. 114.6 ft. scribed G.V.1, S4-4056 B.T.

The 1/4 corner on the east line of section 25, T.12 1/2 N. R.3W., G&S.R.M. bears S.38°-50'E. 164.0 ft.

Mineral Survey No.4056 Continued.

Grand View Lode Continued.

Feet	Thence S.82°-44'E.
	Following top of ridge.
300.00	North center end monument, a mound of stone.
380.00	Leave ridge, which turns S.45°-00'E., and descend.
600.00	Cor.No.2, identical with Cor. No.3 Sunrise lode of this survey. A basalt stone, 24"x16"x7", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and G.V.2, S3-4056 on the respective faces, from which
	A cross in a rock ledge 12"x12"x15" above ground bears S.4°-00'W. 28.6 ft. I chisel this ledge G.V.2, S3-4056 B.O.
	A cross in a rock ledge 12"x12"x24" above ground, bears S.61°-15'W. 36.1 ft. I chisel this ledge G.V.2, S3-4056 B.O.
	United States Location Monument No.2024 bears N.43°-45'E. 5742.26 ft.
	Thence S.32°-08'W.
	Ascend northeast slope.
250.00	Top of ridge extends N.60°-00'W. and S.60°-00'E.
	Descend southwesterly slope.
780.00	Dry gully slopes S.15°-00'E.
	Ascend along east slope.
1182.80	Cor.No.3. A cross chiseled in a rock ledge 24"x32"x6" above ground. I chisel this ledge G.V.3-4056, from which
	A cross in a rock ledge, 18"x20"x20" above ground, bears S.61°-00'E. 17.7 ft. I chisel this ledge G.V.3-4056 B.O.
	A cross in a rock ledge, 17"x12"x6" above ground bears S.8°-00'W. 43.5 ft. I chisel it G.V.3-4056 B.O.

	Mineral Survey No. 4056 Continued.
	Grand View Lode Continued.
	<hr/>
	Thence N. 82°-44' W.
	Along southerly slope.
300.00	South center end monument, a mound of stone.
600.00	Cor. No. 4. A basalt stone 24"x12"x10", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and G.V. 4-4056 on northeasterly face, from which
	A juniper 6" diam. bears N. 45°-00' W. 93.2 ft., scribed G.V. 4-4056 B.T.
	A cross in a rock ledge, 24"x24"x36" above ground, bears N. 41°-30' E. 48.1 ft. I chisel this ledge G.V. 4-4056 B.O.
	<hr/>
	Thence N. 32°-08' E.
	Ascend along westerly slope.
1182.80	Cor. No. 1, the place of beginning.
	<hr/>
	Leveco Lode.
	Beginning at Cor. No. 1, identical with Cor. No. 4 Lone Pine lode and Cor. No. 2 Portland lode, both of this survey. A basalt stone, 24"x12"x10", set 12" in the ground with mound of stone alongside. I chisel a cross on top and L1, L.P. 4, P2-4056 on the respective faces, from which
	An oak 4" diam. bears N. 70°-00' W. 96.0 ft., scribed L1, L.P. 4, P2-4056 B.T.
	A juniper 8" diam. bears N. 74°-30' E. 136.2 ft., scribed L1, L.P. 4, P2-4056 B.T.
	On line 4-1 Pay Day lode of this survey, S. 5°-45' W. 539.62 ft. from Cor. No. 1.
	<hr/>
	Thence N. 25°-53'-30" E.
	Descend north slope.
150.00	Dry gully slopes N. 85°-00' E.
	<hr/>

Mineral Survey No.4056 Continued.

Leveco Lode Continued.

Feet	
	Ascend south slope.
320.00	Top of ridge extends east and west.
	Descend north slope.
569.24	Intersect line 1-2 Pay Day lode of this survey, N.82°-44'W. 403.91 ft. from Cor.No.2
695.00	Little Copper Creek, 2 ft. wide, flows S.70°-00'E.
715.00	Center of private road, extending N.70°-00'W and S.70°-00'E.
	Ascend south slope.
1150.00	Top of ridge extends S.75°-00'E. and N.75°-00'W.
	Descend north slope.
1452.97	Set a witness corner because true point for corner falls in the east fork of Little Copper Creek. A basalt stone 26"x10"x8", set 12" in the ground, with mound of stone alongside. I chisel it with a cross on top and L2-4056 W.C. on northeast face, whence An oak 10" diam. bears N.41°-58'E. 56.3 ft., scribed L2-4056 W.C.B.T. An oak 4" diam. bears N.44°-13'W. 25.2 ft., scribed L2-4056 W.C.B.T.
1487.97	True point for Cor. No.2, identical with Cor.No.3 Lone Pine lode of this survey, falls in east fork of Little Copper Creek, 2 ft. wide, which flows S.45°-00'E. No. corner set at this point. On line 4-1 Dante No.1 lode of this survey. Witness corner heretofore described bears S.25°-53'-30"W. 35.0 ft. Witness corner hereafter described bears S.66°-05'E. 35.0 ft.
	Thence S.66°-05'E.
	From true point for Cor. No.2.
35.00	Witness corner to Cor.No.2, A basalt stone,

Feet

Mineral Survey No. 4056 Continued.

Leveco Lode Continued.

24"x10"x8", set 12" in the ground with mound of stone alongside. I chisel it with a cross on top, and L2-4056 W.C. on west face, from which

An oak 4" diam. bears N.89°-17'W. 65.0 ft., scribed L2-4056 W.C.B.T.

An oak 10" diam. bears N.21°-27'W. 26.4 ft., scribed L2-4056 W.C.B.T.

Ascend westerly slope.

300.00 North center end monument, a mound of stone.

457.57 Intersect line 1-2 Grand Pa lode of this survey, N.36°-02'E, 607.5 ft. from Cor. No.1.

600.00 Cor.No.3. A basalt stone 24"x12"x12", set 12" in the ground with mound of stone alongside. I chisel a cross on top and L3-4056 on southwesterly face, from which

A pine 5" diam. bears S.63°-30'E. 109.0 ft., scribed L3-4056 B.T.

A pine 12" diam. bears N.13°-00'W. 189.5 ft., scribed L3-4056 B.T.

United States Location Monument No.2024 bears N.75°-14'-30"E.2876.65 ft.

Thence S. 25°-53'-30"W.

Descend westerly slope.

360.00 East fork Little Copper Creek, 2 ft. wide, flows south.

497.64 Intersect line 4-1 Grand Pa lode of this survey, and line 2-3 Queen lode of this survey, S.87°-00'E. 270.64 ft. from Cor.No.'s 1-2.

Ascend along northeast slope.

800.00 Dry gully slopes N.40°-00'E.

1401.66 Intersect line 2-3 Pay Day lode of this survey, S.5°-45'W. 629.82 ft. from Cor. No.2

Mineral Survey No.4056 Continued.

Leveco Lode Continued.

Feet

1487.97

Cor.No.4. A basalt stone 24"x10"x8", set 12" in the ground with mound of stone alongside. I chisel it with a cross on top and L4-4056 on northwesterly face, from which

An oak 4" diam. bears N.58°-10'W. 72.7 ft., scribed L4-4056 B.T.

A juniper 4" diam. bears N.0°-30'E. 93.8 ft., scribed L4-4056 B.T.

Thence N.66°-05'W.

Along northerly slope.

110.37

Intersect line 1-2 Queen lode of this survey, S.17°-00'W. 899.67 ft. from Cor.No.2.

300.00

South center end monument, a mound of stone.

600.00

Cor.No.1, the place of beginning.

Lone Pine Lode.

Beginning at Cor. No.1, identical with Cor.No.1 Portland lode of this survey. A basalt stone 24"x6"x6", set 12" in the ground, with mound of stone alongside. I chisel it with a cross on top and L.P.1, Pl-4056 on the respective faces, from which

An oak 18" diam. bears N.84°-30'W. 40.0 ft., scribed L.P.1, Pl-4056 B.T.

An oak 6" diam. bears N.65°-00'E. 12.2 ft., scribed L.P.1, Pl-4056 B.T.

On line 1-2 Paris lode of this survey.

The corner to sections 19 and 30 T.12 1/2 N. R.2W. and sections 24 and 25 T.12 1/2 N.R.3W., Gila and Salt River Meridian bears N.65°-31'E. 78.78 ft. This is an unapproved corner.

Thence N.25°-53'-30"E.

Descend along northwest slope.

530.00

Cor.No.1 Paris lode and Cor.No.1 Ratoff lode, both of this survey.

Mineral Survey No.4056 Continued.

Lone Pine Lode Continued.

Feet	
640.00	West fork Little Copper Creek, 1 ft.wide, flows east.
660.00	Center of private road, running east and west.
	Ascend south slope.
1140.00	Top of ridge extends N.80°-00'W. and S.80°-00'E.
	Descend north slope.
1487.97	Cor.No.2, identical with Cor.No.1 Dante No.1, Cor.No.1 Dante No.2 and Cor.No.4 Ratoff lodes, all of this survey, heretofore described.
	Thence S.66°-05'E.
	Descend east slope.
300.00	North center end monument, a mound of stone.
442.00	East fork Little Copper Creek, 2 ft. wide, flows S.45°-00'E.
541.50	Set a witness corner because true point for Cor. No.3 falls in east fork of Little Copper Creek.
	I chisel a cross and L.P.3-4056 W.C. in a rock ledge, 10 ft. x 10 ft. x 3 ft. above ground, whence
	An oak 10" diam. bears S.80°-00'E. 77.0 ft., scribed L.P.3-4056 W.C.B.T.
	An oak 4" diam. bears S.29°-00'E. 42.4 ft., scribed L.P.3-4056 W.C.B.T.
600.00	True point for Cor.No.3 falls in east fork of Little Copper Creek, so no corner set at this point.
	Identical with Cor.No.2 Leveco lode of this survey.
	On line 4-1 Dante No.1 lode of this survey.
	United States Location Monument No.2024 bears N.81°-38'-10"E.3366.01 ft.
	Witness corner heretofore described bears N.66°-05'W. 58.50 ft.
	Witness corner hereafter described bears S.25°-53'-30"W. 35.0 ft.

Feet	Mineral Survey No.4056 Continued.
	Lone Pine Lode Continued.
	Thence S.25°-53'-30"W. from true corner point.
35.00	Witness corner to Cor.No.3. A basalt stone 26"x10"x8", set 12" in the ground, with cross on top and mound of stone alongside. I chisel it L.P.3-4056 W.C. on northwest face, whence
	An oak 10" diam. bears N.41°-58'E. 56.3 ft., scribed L.P.3-4056 W.C.B.T.
	An oak 4" diam. bears N.44°-13'W. 25.2 ft., scribed L.P.3-4056 W.C.B.T.
	Identical with witness corner to Cor.No.2 Leveco lode of this survey.
	Ascend north slope:
337.97	Top of ridge extends S.75°-00'E. and N.75°-00'W.
	Descend south slope.
772.97	Center private road, running N.40°-00'W. and S.40° E.
792.97	Little Copper Creek, 2 ft. wide, flows S.70°-00'E.
	Ascend north slope.
918.73	Intersect line 1-2 Pay Day lode of this survey, S.82°-44'E. 196.09 ft. from Cor. No.1.
1167.97	Top of ridge extends east and west.
	Descend south slope.
1337.97	Dry gully slopes N.85°-00'E.
	Ascend north slope.
1487.97	Cor.No.4, identical with Cor. No.1 Leveco lode and Cor. No.2 Portland lode of this survey, heretofore described.
	On line 4-1 Pay Day lode of this survey, S.5°-45'W. 539.62 ft. from Cor.No.1.
	Thence N.66°-05'W:
	Descend northwest slope.
130.00	Dry gully slopes N.45°-00'E:
	Ascend east slope.
300.00	South center end monument, a mound of stone.

Mineral Survey No. 4056 Continued.

Lone Pine Lode Continued.

Feet

360.00

Top of ridge extends north and south.

Descend west slope.

600.00

Cor. No. 1, the place of beginning.

Pay Day Lode.

Beginning at Cor. No. 1. A conglomerate boulder 26"x16"x4", set 12" in the ground with mound of stone alongside. I chisel it with a cross on top and P.D. 1-4056 on southeasterly face, from which

An oak 20" diam. bears N. 54°-15' W. 15.0 ft., scribed P.D. 1-4056 B.T.

An oak 6" diam. bears N. 3°-40' E. 15.6 ft., scribed P.D. 1-4056 B.T.

Thence S. 82°-44' E.

Along north slope.

196.09

Intersect line 3-4 Lone Pine and line 1-2 Levéco lodes of this survey, N. 25°-53'-30" E. 569.24 ft. from Cor. Nos. 4-1.

300.00

North center end monument, a mound of stone.

600.00

Cor. No. 2: A basalt stone 30"x12"x9", set 15" in the ground with mound of stone alongside. I chisel a cross on top and P.D. 2-4056 on southwesterly face, from which

An oak 16" diam. bears S. 38°-45' E. 29.5 ft., scribed P.D. 2-4056 B.T.

An oak 8" diam. bears S. 52°-00' W. 4.5 ft., scribed P.D. 2-4056 B.T.

On line 1-2 Queen lode of this survey, N. 17°-00' E 1212.00 ft. from Cor. No. 1.

United States Location Monument No. 2024 bears N. 67°-41' E. 3600.39 ft.

Thence S. 5°-45' W.

Mineral Survey No. 4056 Continued.	
Pay Day Lode Continued.	
Feet	
	Ascend north slope.
100.00	Top of ridge extends N.60°-00'E. and S.60°-00'W.
	Descend south slope.
205.00	Dry gully slopes N.65°-00'E.
	Ascend northwesterly slope.
629.82	Intersect line 3-4 Leveco lode of this survey, N.25°-53'-30"E. 86.31 ft. from Cor.No.4
850.00	Top of ridge extends east and west.
	Descend southerly slope.
1018.37	Intersect line 1-2 Whale lode of this survey, N.46°-33'E. 698.56 ft. from Cor.No.1.
1177.36	Intersect line 4-1 Queen lode of this survey, S.87°-00'E. 236.72 ft. from Cor.No.1.
1374.36	Cor.No.3, identical with Cor.No.2 Sun Rise lode of this survey. A basalt stone 24"x12"x7", set 12" in the ground with mound of stone alongside. I chisel a cross on top and P.D.3, S2-4056 on the respective faces, from which A juniper 5" diam. bears S.80°-30'W. 176.4 ft., scribed P.D.3, S2-4056 B.T. A juniper 5" diam. bears N.47°-00'W. 88.9 ft., scribed P.D.3, S2-4056 B.T.
	Thence N.82°-44'W.
	Ascend east slope.
210.00	Top of ridge extends north and south.
	Descend westerly slope.
300.00	South center end monument, a mound of stone.
300.48	Intersect line 1-2 Whale lode of this survey, N.46°-33'E. 238.85 ft. from Cor.No.1.
380.00	Dry gully slopes south.
	Ascend east slope.
600.00	Cor.No.4, identical with Cor.No.1 Sun Rise lode of this survey. A basalt stone 24"x12"x6", set 12"

Feet

Mineral Survey No.4056 Continued.

Pay Day Lode Continued.

in the ground, with mound of stone alongside. I
chisel a cross on top and P.D.4, S.1-4056 on the
respective faces, from which

An oak 4" diam. bears S.11-15'E. 22.4 ft.,
scribed P.D.4, S.1-4056 B.T.

An oak 4" diam. bears S.54-40'W. 24.8 ft.,
scribed P.D.4, S1-4056 B.T.

On line 2-3 Portland lode of this survey,
N.5-45'E. 395.30 ft. from Cor.No.3.

Thence N.5-45'E.

Descend gradual northerly slope.

834.74

Cor.No.2 Portland lode, Cor.No.1 Leveco lode and
Cor.No.4 Lone Pine lode, all of this survey.

960.00

Dry gully slopes N.80-00'E.

Ascend south slope.

1150.00

Top of ridge extends east and west.

Descend north slope.

1374.36

Cor.No.1, the place of beginning.

Paris Lode.

Beginning at Cor.No.1, identical with Cor.No.1

Ratoff lode of this survey, A basalt stone

24"x12"x8", set 12" in the ground with mound of
stone alongside. I chisel a cross on top and

PA 1, R1-4056 on the respective faces, from which

An oak 6" diam. bears S.0-30'E. 19.0 ft.,
scribed PA 1, R1-4056 B.T.

An oak 14" diam. bears N.55-00'W. 9.0 ft.,
scribed PA 1, R1-4056 B.T.

On line 1-2 Lone Pine lode of this survey.

United States Location Monument No.2024 bears
N.75-32'-20"E. 4437.58 ft.

Feet	<p style="text-align: center;">Mineral Survey No.4056 Continued.</p> <p style="text-align: center;">Paris Lode Continued.</p> <hr/>
	<p style="text-align: center;">Thence S.25°-53'-30"W.</p> <p style="text-align: center;">Ascend along northwest slope.</p>
530.00	Cor.No.1 Lone Pine lode and Cor.No.1 Portland lode, both of this survey.
1060.00	Dry gully slopes north.
1330.00	Cor.No.2. A basalt stone 24"x10"x6", set 12" in the ground with mound of stone alongside. I chisel a cross on top and PA2-4056 on northwesterly face, from which
	A juniper 8" diam. bears N.6°-00'W. 516.0 ft. scribed PA2-4056 B.T.
	A basalt stone 18"x8"x8", set 10" in the ground, with cross on top and mound of stone alongside, bears N.74°-24'W. 17.0 ft. I chisel it PA2-4056BR.
	<hr/> <p style="text-align: center;">Thence N.74°-24'W.</p> <p style="text-align: center;">Along north slope.</p>
300.00	South center end monument, a mound of stone.
375.00	Dry gully slopes N.30°-00'E.
	Ascend east slope.
600.00	Cor.No.3. A basalt stone 24"x12"x10", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and PA3-4056 on northeasterly face, from which
	A juniper 10" diam. bears S.80°-45'W. 63.2 ft., scribed PA3-4056 B.T.
	A juniper 4" diam. bears N.49°-00'E. 44.7 ft., scribed PA3-4056 B.T.
	<hr/> <p style="text-align: center;">Thence N.25°-53'-30"E.</p> <p style="text-align: center;">Descend northerly slope.</p>
1330.00	Cor.No.4, identical with Cor.No.2 Ratoff lode of this survey. A basalt stone 24"x18"x4", set 12" in the ground with mound of stone alongside. I chisel a

Mineral Survey No.4056 Continued.

Paris Lode Continued.

Feet

cross on top and PA4, R2-4056 on the respective faces,
from which

A yellow pine 36" diam. bears N.87°-00'W.
27.4 ft., scribed PA4, R2-4056 B.T.

An oak 12" diam. bears N.49°-00'E. 8.5 ft.,
scribed PA4, R2-4056 B.T.

Thence S.74°-24'E.

Along north slope.

300.00 North center end monument, a mound of stone.

420.00 Dry gully slopes N.25°-00'E.

600.00 Cor.No.1, the placé of beginning.

Portland Lode.

Beginning at Cor.No.1, identical with Cor.No.1
Lone Pine lode of this survey, heretofore described.

On line 1-2 Paris lode of this survey.

Thence S.66°-05'E.

Ascend west slope.

240.00 Top of ridge extends north and south.

300.00 North center end monument, a mound of stone.

470.00 Dry gully slopes N.45°-00'E.

Ascend northwest slope.

600.00 Cor.No.2, identical with Cor.No.1 Leveco lode
and Cor.No.4 Lone Pine lode, both of this survey and
heretofore described.

On line 4-1 Pay Day lode of this survey.

United States Location Monument No.2024 bears
N.65°-19'-40"E. 4379.79 ft.

Thence S.5°-45'W.

Ascend gradual northerly slope.

834.74 Cor.No.4 Pay Day lode and Cor.No.1 Sun Rise lode,
both of this survey.

1040.00 Top of ridge extends west and S.10°-00'E.

Mineral Survey No. 4056 Continued.

Portland Lode Continued.

Feet

Descend southwest slope.

1230.04 Cor. No. 3. A basalt stone 24"x7"x4", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and P3-4056 on northwesterly face, from which

An oak 4" diam. bears N. 88°-30' W. 65.0 ft., scribed P3-4056 B.T.

An oak 4" diam. bears N. 19°-50' W. 117.7 ft., scribed P3-4056 B.T.

Thence N. 66°-05' W.

Along south slope.

94.68 Intersect line 4-1 Sun Rise lode of this survey, S. 19°-34' W. 376.68 ft. from Cor. No. 1.

300.00 South center end monument, a mound of stone.

600.00 Cor. No. 4. A basalt stone 24"x12"x8", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and P4-4056 on northeasterly face, whence

An oak 4" diam. bears N. 70°-30' W. 40.2 ft., scribed P4-4056 B.T.

An oak 4" diam. bears S. 50°-15' E. 16.0 ft., scribed P4-4056 B.T.

Thence N. 5°-45' E.

Ascend south slope.

80.00 Top of ridge extends east and west.

Descend north slope.

1230.04 Cor. No. 1, the place of beginning.

Queen Lode.

Beginning at Cor. No. 1. A basalt stone 24"x10"x6", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and Q1-4056 on northeasterly face, whence

A juniper 4" diam. bears S. 44°-50' W. 66.0

Feet	Mineral Survey No.4056 Continued.
	Queen Lode Continued.
	ft., scribed Q1-4056 B.T.
	An oak 4" diam. bears N.62°-50'W. 25.2 ft., scribed Q1-4056 B.T.
	Thence N.17°-00'E.
	Ascend south slope.
390.00	Top of ridge extends east and west.
	Descend north slope.
522.33	Intersect line 4-1 Leveco lode of this survey, N.66°-05'W. 110.37 ft. from Cor.No.4.
970.00	Dry gully slopes N.70°-00'E.
	Ascend south slope.
1100.00	Top of ridge extends N.60°-00'E. and S.60°-00'W.
	Descend north slope.
1212.00	Cor.No.2 Pay Day lode of this survey.
1285.00	Center private road extending east and west.
1300.00	Little Copper Creek, 2 ft. wide, flows S.80°-00'E.
	Ascend south slope.
1422.00	Cor.No.2, identical with Cor.No.1 Grand Pa lode of this survey, heretofore described.
	Thence S.87°-00'E.
	Descend east slope.
270.64	Intersect line 3-4 Leveco lode of this survey, N.25°-53'-30"E. 990.33 ft. from Cor.No.4.
290.00	East fork of Little Copper Creek, 2 ft. wide, flows south.
300.00	North center end monument, a mound of stone.
	Ascend west slope.
600.00	Cor.No.3, identical with Cor.No.4 Grand Pa lode of this survey, heretofore described.
	United States Location Monument No.2024 bears N.65°-50'-25"E. 2926.47 ft.

Feet	Mineral Survey No.4056 Continued.
	Queen Lode Continued.
	Thence S.17°-00'W.
	Descend along west slope.
444.17	Intersect line 1-2 Tyrolo lode of this survey, N.78°-28'E. 393.26 ft. from Cor.No.1.
677.67	Intersect line 1-2 Whale lode of this survey, S.46°-33'W. 9.48 ft. from Cor.No.2.
750.00	Little Copper Creek, 2 ft. wide, flows S.40°-00'E. Ascend northeast slope.
1260.00	Top of ridge extends N.45°-00'W. and S.45°-00'E. Descend southwest slope.
1422.00	Cor.No.4. A basalt stone 24"x14"x9", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and Q4-4056 on northwest face, whence A juniper 4" diam. bears N.4°-00'W. 105.8 ft., scribed Q4-4056 B.T. A juniper 4" diam. bears N.64°-30'E. 130.2 ft., scribed Q4-4056 B.T.
	Thence N.87°-00'W.
	Ascend southeast slope.
70.35	Intersect line 4-1 Tyrolo lode of this survey, S.1°-57'-50"E. 853.32 ft. from Cor.No.1
300.00	South center end monument, a mound of stone.
363.28	Intersect line 2-3 Pay Day lode of this survey, S.5°-45'W. 1177.36 ft. from Cor.No.2.
506.61	Intersect line 1-2 Whale lode of this survey, S.46°-33'W. 1006.03 ft. from Cor.No.2.
600.00	Cor.No.1, the place of beginning.
	Ratoff Lode.
	Beginning at Cor.No.1, identical with Cor.No.1 Paris lode of this survey, heretofore described. On line 1-2 Lone Pine lode of this survey.
	Thence N.74°-24'W.

Mineral Survey No. 4056 Continued.

Ratoff Lode Continued.

Feet

Along north slope.

180.00 Dry gully slopes N.25°-00'E.

300.00 South center end monument, a mound of stone.

600.00 Cor. No. 2, identical with Cor. No. 4 Paris lode
of this survey, heretofore described.

Thence N.25°-53'-30"E.

95.00 West fork of Little Copper Creek, 1 ft. wide,
flows S.80°-00'E.130.00 Center of private road, extending N.74°-00'W.
and S.74°-00'E.

Ascend along west slope.

957.97 Cor. No. 3. A basalt stone 30"x18"x12", set 12" in
the ground, with mound of stone alongside. I chisel a
cross on top and R3-4056 on southeast face, whenceAn oak 6" diam. bears N.8°-45'E. 39.5 ft.,
scribed R3-4056 B.T.An oak 5" diam. bears N.81°-15'E. 66.6 ft.,
scribed R3-4056 B.T.

On line 1-2 Dante No. 2 lode of this survey.

Thence S.74°-24'E.

Ascend west slope.

200.00 Top of ridge extends N.6°-00'E. and S.6°-00'W.

Descend east slope

300.00 North center end monument, a mound of stone.

600.00 Cor. No. 4, identical with Cor. No. 1 Dante No. 1,
Cor. No. 1 Dante No. 2, and Cor. No. 2 Lone Pine lodes,
all of this survey and heretofore described.United States Location Monument No. 2024 bears
N.86°-22'E. 3886.52 ft.

Thence S.25°-53'-30"W.

Ascend north slope.

Feet

Mineral Survey No.4056 Continued.

Ratoff Lode Continued.

347.97

Top of ridge extends N.80°-00'W. and S.80°-00'E.

Descend south slope.

827.97

Center of private road, running east and west.

847.97

West fork of Little Copper Creek, 1 ft. wide, flows east.

Ascend northwest slope.

957.97

Cor.No.1, the place of beginning.

Sun Rise Lode.

Beginning at Cor.No.1, identical with Cor.No.4, Pay Day lode of this survey, heretofore described.

On line 2-3 Portland lode of this survey, N.5°-45'E. 395.30 ft. from Cor.No.3.

Thence S.82°-44'E.

Descend east slope.

220.00

Dry gully slopes-south.

Ascend westerly slope.

299.52

Intersect line 1-2 Whale lode of this survey, N.46°-33'E. 238.85 ft. from Cor.No.1.

300.00

North center end monument, a mound of stone.

390.00

Top of ridge extends north and south.

Descend east slope.

600.00

Cor.No.2, identical with Cor.No.3 Pay Day lode of this survey, heretofore described.

United States Location Monument No.2024 bears N.51°-44"-50"E. 4416.74 ft.

Thence S.19°-34'W.

Ascend northeast slope.

250.00

Top of ridge extends N.30°-00'W. and S.30°-00'E.

Descend along westerly slope.

360.46

Intersect line 4-1 Whale lode of this survey, S.58°-41'E. 410.55 ft. from Cor.No.1.

960.00

Dry gully slopes S.65°-00'E.

Mineral Survey No. 4056 Continued.	
Sun Rise Lode Continued.	
Feet	
	Ascend north slope.
1500.00	Cor. No. 3, identical with Cor. No. 2 Grand View lode of this survey, heretofore described.
	Thence N. 82°-44' W.
	Ascend along northeast slope.
220.00	Top of ridge extends S. 45°-00' E. and N. 82°-44' W.
	Thence following top of ridge.
300.00	South center end monument, a mound of stone.
600.00	Cor. No. 4, identical with Cor. No. 1 Grand View lode of this survey, heretofore described.
	Thence N. 19°-34' E.
	Descend north slope.
805.00	Dry gully slopes S. 60°-00' E.
	Ascend south slope.
1123.32	Intersect line 3-4 Portland lode of this survey, N. 66°-05' W. 94.68 ft. from Cor. No. 3.
1280.00	Top of ridge extends east and west.
	Descend north slope.
1500.00	Cor. No. 1, the place of beginning.
	Tyrola Lode.
	Beginning at Cor. No. 1. A basalt stone 24"x8"x8", set 12" in the ground, with cross on top and mound of stone alongside. I chisel it Tl-4056 on southeast face, whence
	An oak 8" diam. bears S. 42°-00' E. 36.0 ft., scribed Tl-4056 B.T.
	An oak 5" diam. bears S. 10°-15' W. 43.3 ft., scribed Tl-4056 B.T.
	Thence N. 78°-28' E.
	Descend east slope.
195.00	North end monument, a mound of stone.

Mineral Survey No.4056 Continued.

Tyrolo Lode Continued.

Feet

245.00 Little Copper-Creek, 2 ft. wide, flows S.10°-00'E.

Ascend west slope.

393.26 Intersect line 3-4 Queen lode of this survey, N.17°-00'E. 977.83 ft. from Cor.No.4.

447.40 Cor.No.2. A basalt stone 24"x10"x8", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and T2-4056 on southwest face, whence

An oak 6" diam. bears west 47.3 ft., scribed T2-4056 B.T.

An oak 5" diam. bears N.5°-50'E. 41.7 ft., scribed T2-4056 B.T.

Theoretical point for Cor.No.2 Giberalter lode, Mineral Survey No.2835, bears S.81° 46' 35"E. 349.22 ft.

United States Location Monument No.2024 bears N.59°-36'E. 3184.91 ft.

Thence S.9°-46'E.

Descend along west slope.

336.89 Intersect line 2-3 Whale lode of this survey, S.58°-41'E. 200.89 ft. from Cor.No.2.

730.00 Little Copper Creek, 2 ft. wide, flows S.35°-00'E.

799.67 Intersect line 3-4 Whale lode of this survey, S.46°-33'W. 361.52 ft. from Cor.No.3.

Ascend northeast slope.

1108.30 Cor.No.3. A basalt stone 24"x10"x6", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and T3-4056 on northwest face, whence

A pine 5" diam. bears S.49°-30'W. 33.0 ft., scribed T3-4056 B.T.

A pine 10" diam. bears N.25°-30'W. 98.0 ft., scribed T3-4056 B.T.

The Hassayampa River 10 ft. wide, flowing southerly, is 450 ft. east of this corner.

Mineral Survey No. 4056 Continued.

Tyrelo Lode Continued.

Feet	
	Thence S. 78°-28' W.
	Ascend northeast slope.
140.00	Top of ridge extends N. 45°-00' W. and S. 45°-00' E.
	Descend southwest slope.
300.00	South center end monument, a mound of stone.
350.00	Dry gully slopes S. 10°-00' E.
	Ascend northeast slope.
485.75	Intersect line 3-4 Whale lode of this survey, S. 46°-33' W. 944.99 ft. from Cor. No. 3.
600.00	Cor. No. 4. A basalt stone 24"x10"x7", set 12" in the ground with mound of stone alongside. I chisel a cross on top and T4-4056 on northeast face, whence A juniper 4" diam. bears N. 44°-45' E. 98.3 ft., scribed T4-4056 B.T. A juniper 6" diam. bears S. 31°-45' W. 47.9 ft., scribed T4-4056 B.T.
	Thence N. 1°-57' -50" W.
	Descend northeast slope.
230.00	Dry gully slopes east.
	Ascend southwest slope.
270.09	Intersect line 4-1 Queen lode of this survey, N. 87°-00' W. 70.35 ft. from Cor. No. 4.
550.00	Top of ridge extends N. 45°-00' W. and S. 45°-00' E.
	Descend along northeast slope.
692.14	Intersect line 1-2 Whale lode of this survey, S. 46°-33' W. 425.84 ft. from Cor. No. 2.
1123.41	Cor. No. 1, the place of beginning.

Whale Lode.

Beginning at Cor. No. 1. A basalt stone 24"x8"x6",
set 12" in the ground, with mound of stone alongside.
I chisel a cross on top and W1-4056 on northeast
face, whence

Mineral Survey No. 4056 Continued.

Whale Lode Continued.

Feet.

A juniper 6" diam. bears N.51-15'W. 39.5 ft., scribed W1-4056 B.T.

An oak 10" diam. bears N.75-00'E. 118.0 ft., scribed W1-4056 B.T.

Thence N.46-33'E.

Descend northeast slope.

140.00 Dry gully slopes S.10-00'E.

Ascend southwest slope.

238.85 Intersect line 3-4 Pay Day lode and line 1-2 Sun Rise lode, both of this survey, N.82-44'W. 300.48 ft. from Cor. Nos. 3-2.

435.00 Top of ridge extends N.15-00'W. and S.15-00'E.

Descend northeast slope.

479.42 Intersect line 4-1 Queen lode of this survey, N.87-00'W. 506.61 ft. from Cor. No. 4.

698.56 Intersect line 2-3 Pay Day lode of this survey, N.5-45'E. 355.99 ft. from Cor. No. 3.

Ascend southwest slope.

980.00 Top of ridge extends N.50-00'W. and S.50-00'E.

Descend northeast slope.

1059.61 Intersect line 4-1 Tyrol lode of this survey, N.1-57'-50"W. 692.14 ft. from Cor. No. 4.

1420.00 Little Copper Creek, 2 ft. wide, flows S.40-00'E.

Ascend southwest slope.

1475.97 Intersect line 3-4 Queen lode of this survey, N.17-00'E. 744.33 ft. from Cor. No. 4.

1485.45 Cor. No. 2. A basalt stone, 24"x14"x9", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and W2-4056 on southerly face, whence

An oak 6" diam. bears N.80-50'E. 60.4 ft., scribed W2-4056 B.T.

An oak 6" diam. bears S.40-30'E. 55.0 ft., scribed W2-4056 B.T.

Feet	Mineral Survey No.4056 Continued.
	Whale Lode Continued.
	Thence S.58-41'E.
	Along southwest slope.
200.89	Intersect line 2-3 Tyrolo lode of this survey, S.9-46'E. 336.89 ft. from Cor.No.2.
300.00	North center end monument, a mound of stone.
600.00	Cor.No.3. A basalt stone 24"x15"x9", set 12" in the ground, with mound of stone alongside. I chisel a cross on top and W3-4056 on westerly face, whence A pine 7" diam. bears N.4-30'W. 105.1 ft., scribed W3-4056 B.T.
	A pine 6" diam. bears N.57-40'E. 22.7 ft., scribed W3-4056 B.T.
	United States Location Monument No.2024 bears N.47-31'E. 3185.09 ft.
	Thence S.46-33'W.
	Descend southwest slope.
320.00	Little Copper Creek, 2 ft. wide, flows S.35-00'E.
	Ascend northeast slope.
361.52	Intersect line 2-3 Tyrolo lode of this survey, S.9-46'E. 799.67 ft. from Cor.No.2.
640.00	Top of ridge extends N.45-00'W. and S.45-00'E.
	Descend southwest slope.
805.00	Dry gully slopes S.20-00'E.
	Ascend northeast slope.
944.99	Intersect line 3-4 Tyrolo lode of this survey, N.78-28'E. 114.25 ft. from Cor.No.4.
1485.45	Cor.No.4 on top of butte. A limestone rock, 27"x20"x8", set 13" in the ground, with mound of stone alongside. I chisel a cross on top and W4-4056 on northerly face, whence A cross in a rock ledge, 24"x18"x10" above ground, bears N.56-40'W. 20.7 ft. I chisel this ledge W4-4056 B.O.

Mineral Survey No.4056 Continued.

Whale Lode Continued.

Feet

A pine 12" diam, bears N.7-15'E. 195.0 ft., scribed W4-4056 B.T.

Thence N.58-41'W.

Descend west slope.

189.45 Intersect line 2-3 Sun Rise lode of this survey, S.19-34'W. 360.46 ft. from Cor.No.2.

300.00 South Center end monument, a mound of stone.

490.00 Dry gully slopes south.

Ascend east slope.

600.00 Cor.No.1, the place of beginning.

Variation at all corners 14-30'E.

Lode Lines.

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:-

Dante No.1 lode...200.0 ft. N.66-05'W. and 1132.0 ft. S.66-05'E.

Dante No.2 lode...690.0 ft. N.74-24'W. and 518.6 ft. S.74-24'E.

Dante No.3 lode...510.0 ft. N.74-24'W. and 906.4 ft. S.74-24'E.

Grand Pa lode....330.0 ft. S.36-02'W. and 810.0 ft. N.36-02'E.

Grand View lode...425.0 ft. N.32-08'E. and 757.8 ft. S.32-08'W.

Leveco lode.....740.0 ft. S.25-53'-30"W. and 747.97 ft. N.25-53'-30"E.

Lone Pine lode....700.00 ft. S.25-53'-30"W. and 787.97 ft. N.25-53'-30"E.

Pay Da

Mineral Survey No. 4056 Continued.

Lode Lines Continued.

Pay-Day lode...450.00 ft. N.5°-45'E. and 924.36
ft. S.5°-45'W.

Paris lode.....960.0 ft. S.25°-53'-30"W. and
370.0 ft. N.25°-53'-30"E.

Portland lode..980.04 ft. S.5°-45'W. and 250.00 ft.
N.5°-45'E.

Queen lode.....1232.0 ft. S.17°-00'W. and 190.0 ft.
N.17°-00'E.

Ratoff lode....25.00 ft. S.25°-53'-30"W. and
932.97 ft. N.25°-53'-30"E.

Sun Rise lode..250.0 ft. S.19°-34'W. and 1250.0 ft.
N.19°-34'E.

Tyrolo lode....880.79 ft. S.7°-18'-45"E. and
230.00 ft. N.7°-18'-45"W.

Whale lode.....410.00 ft. S.46°-33'W. and 1075.45
ft. N.46°-33'E.

Area.

Acres

Total area Dante No.1 lode.....17.512

Total area Dante No.2 lode.....16.441

Total area Dante No.3 lode.....19.268

Total area Grand Pa lode.....13.164

Area in conflict with-

- Dante No.1 lode of this survey..1.640

Total area Grand View lode.....14.782

Total area Leveco lode.....20.483

Area in conflict with-

- Grand Pa lode of this survey... 2.395

Total area Lone Pine lode.....20.483

Total area Pay Day lode.....18.924

Area in conflict with-

- Lone Pine lode of this survey..1.214

Leveco lode of this survey.....7.431

Mineral Survey No.4056 Continued.

Area Continued.

	Acres
Total area Paris lode.....	18.025
Total area Portland lode.....	16.098
Total area Queen lode.....	19.005
Area in conflict with:-	
Leveco lode of this survey.....	3.966
Pay Day lode of this survey.....	3.195
Pay Day lode of this survey, exclusive of its conflict with Leveco lode of this survey.....	2.114
Total area Ratoff lode.....	12.983
Total area Sun Rise lode.....	20.187
Area in conflict with:-	
Portland lode of this survey...	0.408
Total area Tyrolo lode.....	13.318
Area in conflict with:-	
Queen lode of this survey.....	4.565
Total area Whale lode.....	19.742
Area in conflict with:-	
Pay Day lode of this survey....	1.227
Queen lode of this survey.....	4.200
Queen lode of this survey, exclusive of its conflict with Pay Day lode of this survey.....	3.939
Sun Rise lode of this survey..	2.301
Tyrolo lode of this survey....	8.406
Tyrolo lode of this survey, exclusive of its conflict with Queen lode of this survey.....	6.312

.....The survey of each lode of this location is identical with the respective location or amended location as staked upon the ground.

Mineral Survey No.4056 Continued.

Location.

This survey is located in sections 19 and 30, T.12 1/2 N. R.2W., unsurveyed and sections 24 and 25, T.12 1/2 N. R.3W., unapproved survey; Gila and Salt River Meridian, Hassayampa Mining District, Yavapai County, and within the Prescott National Forest.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

Dante No.1 lode.

No.1 The discovery cut, the mouth of which being the discovery point, is on the center line 200.0 ft. from the center of line 1-2; 6 ft. wide, 6 ft. face, runs N.66-05'W. 20.0 ft. to face.

Value.....\$160.00

Also one fifteenth of the following improvement..Discovery tunnel Tyrolo lode.....\$1300.00

Dante No.2 lode.

No.1 The discovery cut, the mouth of which being the discovery point, is on the center line 690.0 ft. from the center of line 2-3; 7 ft. wide, 5 ft. face, runs S.74-24'E. 15.0 ft. to face.

Value.....\$120.00

Mineral Survey No. 4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Dante No. 2 Lode.

Also one fifteenth of the following

improvement-Discovery tunnel Tyrolo Lode.. \$1300.00

Dante No. 3 Lode.

No. 1 The discovery cut, the mouth of which being the discovery point, is on the center line 510.0 ft. from the center of line 2-3; 6 ft. wide, 5 ft. face, runs S. 74°-24'E. 15.0 ft. to face.

Value..... \$100.00

Also one fifteenth of the following

improvement-Discovery tunnel Tyrolo Lode.. \$1300.00

Grand Pa Lode

No. 1 The discovery cut, the mouth of which being the discovery point, is on the center line 330.0 ft. from the center of line 4-1; 10 ft. wide, 12 ft. face, runs N. 36°-02'E. 30.0 ft. to mouth of 5 ft. x 7 ft. tunnel, which extends N. 36°-02'E. 20.0 ft.

Value of cut and tunnel..... \$800.00

Also one fifteenth of the following

improvement-Discovery tunnel Tyrolo Lode.. \$1300.00

Grand View Lode.

No. 1 The discovery shaft, on the center line 425.0 ft. from the center of line 1-2; 4 ft. x 6 ft., 35 ft. deep.

Value..... \$350.00

No. 2 A shaft, on the center line 250.0 ft. from the center of line 3-4; 4 ft. x 6 ft., 10 ft. deep.

Value..... \$100.00

Mineral Survey No.4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Grand View Lode Continued.

No.3 A cut, the mouth of which is on the center line 500.0 ft. from the center of line 1-2; 7 ft. wide, 8 ft. face. From mouth, cut extends N.57°-52'W. 25.0 ft.

Value..... \$300.00

No.4 A cut, the mouth of which is on the center line 355.0 ft. from the center of line 1-2; 6 ft. wide, 10 ft. face. From mouth, cut extends N.57°-52'W. 25.0 ft.

Value..... \$300.00

No.5 A shaft on the center line, 320.0 ft. from the center of line 1-2; 4 ft. x 6 ft., 90.0 ft. deep. From a point in the shaft, 10 ft. below the surface, a tunnel 7 ft. x 9 ft. extends N.32°-08'E. 25.0 ft.

Value of shaft and tunnel..... \$1400.00

Also one fifteenth of the following improvement..Discovery tunnel Tyrol Lode..\$1300.00

Leveco Lode.

No.1 The discovery cut, the mouth of which being the discovery point, is on the center line 740.0 ft. from the center of line 4-1; 12 ft. wide, 10 ft. face, runs N.25°-53'-30"E. 15.0 ft. to face.

Value..... \$200.00

No.2 A cut, the mouth of which bears from Cor.No.1 Leveco Lode, N.34°-15'E. 710.0 ft., 6 ft. x 6 ft. face, runs N.20°-00'E. 20.0 ft.

Value..... \$200.00

Mineral Survey No.4056 Continued.
Expenditure of Five Hundred Dollars Continued.

Leveco Lode Continued

No.3. A cut, the mouth of which bears from
Cor.No.1 Leveco Lode, N.42°00'E. 750.0 ft.,
45 ft. x 8 ft. face, runs N.20°00'E. 14.0ft.
Value.....\$250.00

No.4. A tunnel, the mouth of which is on the
center line, 665.0 ft. from the center of
line 4-1; 4 ft. x 6 ft., running S.18°00'W.
150.0 ft.
Value\$1500.00

No.5. A shaft on the center line, 680.0 ft.
from the center of line 4-1; 4 ft. x 6 ft.,
60.0 ft. deep.
Value..... \$600.00

Also one fifteenth of the following
improvement..Discovery tunnel Tyrolo Lode..\$1300.00

Lone Pine Lode.

No.1. The discovery shaft on the center line,
700.0 ft. from the center of line 4-1;
6 ft.x6 ft.,70.0 ft. deep.
Value..... \$1000.00

No.2. A cut, the mouth of which bears from
Cor.No.4, N.23°00'E. 590.0 ft., 4 ft. wide,
10 ft. face, runs south 35.0 ft.
Value..... \$300.00

No.3. A cut, the mouth of which is on the
center line, 660.0 ft. from the center of
line 4-1 ; 100.0 ft. wide, 8 ft. face,
extends S.25°53'-30"W. 12.0 ft.
Value..... \$500.00

No.4. A cut, the mouth of which bears from
Cor.No.4, N.24°00'W. 350.0 ft; 6 ft. wide,
14 ft. face , extends S.55°00'E. 12.0 ft.

Mineral Survey No.4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Lone Pine Lode Continued.

to mouth of tunnel, 4 ft.x 6ft., which
extends S.55°-00'E. 15.0 ft.

Value of cut and tunnel..... \$270.00

No.5. A cut, the mouth of which bears
from Cor.No.2, S.12°-00'W. 710.0 ft;
6 ft.wide, 8 ft. face, extends N.12°-00'E.
20.0 ft. to mouth of tunnel, 4 ft.x 6 ft.,
which extends N.12°-00'E. 45.0 ft.

Value of cut and tunnel..... \$650.00

Also one fifteenth of the following
improvement..Discovery tunnel Tyrolo
Lode\$1300.00

Pay Day Lode.

No.1. The discovery shaft on the center line,
450.0 ft. from the center of line 1-2;
4 ft.x 6 ft., 10 ft. deep.

Value..... \$100.00

No.2. A cut, the mouth of which bears from
Cor.No.1, S.1°-40'W. 635.0 ft., 4 ft.wide,
10 ft. face, running S.74°-00'W. 20.0 ft.

Value..... \$150.00

No.3. A cut, the mouth of which bears from
Cor.No.1, S.3°-00'E. 670.0 ft; 6 ft.wide,
10 ft. face, running S.30°-00'E. 18.0 ft.

Value..... \$180.00

No.4. A cut, the mouth of which bears from
Cor.No.2, S.10°-00'W. 490.0 ft; 8 ft.
wide, 5 ft. face, extends S.17°-00'W.
20.0 ft. to mouth of tunnel. Tunnel 4 ft.
x 6 ft. extends S.17°-00'W. 125.0 ft.

Mineral Survey No.4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Pay Day Lode Continued.

No.4 continued At a point in the tunnel, 105.0 ft.

from the mouth, a cross cut,

4 ft.x 6 ft. extends N.73°-00'W. 150.0

ft. At the end of the tunnel, a cross

cut 4 ft. x 6 ft. extends S.73°-00'E.

25.0 ft. Also at the end of tunnel is

a shaft 4 ft. x 6 ft., 22.0 ft. deep.

From bottom of shaft, a tunnel 4 ft.

x 6 ft. runs S.17°-00'W. 22.0 ft.

Value of tunnels, cross cuts, cut

and shafts.....\$3640.00

No.5. A shaft which bears from Cor. No.2, S.21°-00'W. 275.0 ft.;

5 ft.x 7 ft.,

45.0 ft. deep.

Value..... \$675.00

Also one fifteenth of the following

improvement..Discovery tunnel Tyrolo Lode

.....\$1300.00

Paris Lode.

No.1. The discovery cut, the mouth of which

being the discovery point, is on the

center line, 370.0 ft. from the center of

line 4-1; 7 ft. wide, 6 ft. face, runs

N.25°-53'-30"E. 15.0 ft.

Value..... \$120.00

No.2. A shaft, which bears from Cor.No.1,

S.45°-00'W. 510.0 ft; 6 ft.x 10 ft., 10 ft.

deep.

Value..... \$200.00

No.3. A shaft which bears from Cor.No.1,

S.42°-20'W. 530.0 ft; 5 ft.x 7 ft., 50.0 ft.

deep. From bottom of shaft, a tunnel

Mineral Survey No.4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Paris Lode Continued.

No.3 continued.

4 ft. x 6 ft., extends N.10°-00'E.29.0 ft.

Value of shaft and tunnel.....\$1040.00

Also one fifteenth of the following
 improvement..Discovery tunnel Tyrolo Lode..\$1300.00

Portland Lode.

No.1 The discovery shaft on the center
 line, 250.0 ft, from the center of
 line 1-2; 4 ft.x 6 ft.,10 ft. deep.

Value.....\$100.00

No.2. A cut, the mouth of which bears
 from Cor.No.2, S.78°-00'W. 140.0 ft;
 40.0 ft.wide,10.0 ft. face, running
 N.85°-00'W. 18.0 ft.

Value.....\$450.00

No.3. A shaft, which bears from Cor.No.2,
 S.70°-00'W. 125.0 ft., 6 ft.x 8 ft.,
 10 ft. deep.

Value.....\$150.00

No.4. A shaft which bears from Cor.No.2,
 S.62°-00'W. 140.0 ft., 6 ft. x 8 ft.,
 60.0 ft. deep.

Value.....\$900.00

Also one fifteenth of the following

improvement,..Discovery tunnel Tyrolo
 Lode.....\$1300.00

Mineral Survey No. 4056 Continued.
Expenditure of Five Hundred Dollars Continued.

Queen Lode.

No. 1. The discovery shaft on the center line, 190.0 ft. from the center of line 2-3; 5 ft. x 7 ft., 60.0 ft. deep.
Value.....\$900.00

No. 2. A shaft which bears from Cor. No. 2, S.10°-00'E. 350.0 ft., 4 ft. x 6 ft., 25.0 ft. deep. From bottom of shaft, a tunnel 4 ft. x 6 ft. extends N.5°-00'E. 25.0 ft.
Value of shaft and tunnel.....\$500.00
Also one fifteenth of the following improvement. Discovery tunnel Tyrola Lode\$1300.00

Ratoff Lode.

No. 1. The discovery cut, the mouth of which being the discovery point, is on the center line, 25.0 ft. from the center of line 1-2, 8 ft. wide, 5 ft. face, extending S.25°-53'-30"W. 25.0 ft.
Value.....\$200.00

No. 2. A cut, the mouth of which bears from Cor. No. 1, N.36°-00'W. 70.0 ft., 12 ft. wide, 5 ft. face, extending south 18.0 ft.
Value.....\$180.00

No. 3. A cut, the mouth of which bears from Cor. No. 1, N.56°-00'W. 110.0 ft., 10. ft. wide, 5 ft. face, extending south 30.0 ft.
Value.....\$240.00

No. 4. A cut, the mouth of which bears from Cor. No. 1, north 315.0 ft., 6 ft. wide, 8 ft. face, extending east 10.0 ft.

Mineral Survey No. 4056 Continued.
Expenditure of Five Hundred Dollars Continued.

Ratoff Lode Continued.

No. 4. continued. to mouth of tunnel, 4 ft.
x 6 ft., extending east 15.0 ft.

Value of cut and tunnel.....\$250.00

No. 5. A cut, the mouth of which bears
from Cor. No. 1, north 330.0 ft., 4 ft.
wide, 7 ft. face, extending north 12.0 ft.

Value.....\$120.00

Also one fifteenth of the following
improvement. Discovery tunnel Tyrolo Lode \$1300.00

Sun Rise Lode.

No. 1. The discovery cut, the mouth of
which being the discovery point, is on
the center line, 250.0 ft. from the
center of line 3-4., 9 ft. wide, 12 ft.
face, extending S.19°-34'W. 30.0 ft. to
mouth of tunnel, 4 ft. x 6 ft., which
extends S.49°-00'W. 15.0 ft.

Value of cut and tunnel.....\$750.00

No. 2. A cut, the mouth of which bears
from Cor. No. 1, S.59°-10'E. 230.0 ft.,
12 ft. wide, 15 ft. face, extending
N.35°-00'E. 45.0 ft. to mouth of tunnel,
5 ft. x 6 ft., which runs N.35°-00'E.
60.0 ft.

Value of cut and tunnel.....\$1250.00

Also one fifteenth of the
following improvement. Discovery
tunnel Tyrolo Lode.....\$1300.00

Mineral Survey No.4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Tyrolo Lode.

No.1 The discovery tunnel, the mouth of which being the discovery point, is on the lode line, 230.0 ft. distant from a point on line 1-2, which is 195.0 ft. distant from Cor.No.1; 5 ft. x 7 ft., extending S.63-00'W. 800.0 ft. At a point 310.0 ft. from mouth of tunnel, a cross cut 5 ft. x 7 ft. extends S.18-00'W. 120.0 ft. At a point 410.0 ft. from mouth of tunnel, another cross cut 5 ft. x 7 ft. extends S.23°-00'W. 120.0 ft. At a point 480.0 ft. from mouth of tunnel, another cross cut, 5 ft. x 7 ft. extends N.87°-00'W. 90.0 ft. At a point 590.0 ft. from mouth of tunnel, another cross cut 5 ft. x 7 ft. extends S.17°-00'E. 30.0 ft; At a point 680.0 ft. from mouth of tunnel, another cross cut 5 ft. x 7 ft. extends N.80°-00'W. 100.0 ft. At a point 710.0 ft. from mouth of tunnel, another cross cut 5 ft. x 7 ft. extends S.30°-00'W. 40.0 ft.

Total value of tunnel and cross cuts \$19500.00, one fifteenth of which is claimed as improvement on each location in said mining claim.

Value.....\$1300.00

Whale Lode.

No.1 The discovery cut, the mouth of which being the discovery point, is on the center line, 410.0 ft. from the center of line 4-1; 7 ft. wide, 8 ft. face, extends S.46-33'W. 20.0 ft.

Mineral Survey No. 4056 Continued.

Expenditure of Five Hundred Dollars Continued.

Whale Lode Continued.

No. 1 continued. Value.....\$200.00

Also one fifteenth of the following
improvement...Discovery tunnel Tyrolo

lode.....\$1300.00

The cost of the improvement of the discovery tunnel of the Tyrolo lode has been apportioned to all the claims in the group because the topography of the country is such that it will be possible to develop the entire group by extending this tunnel and by cross cutting from it.

Other Improvements

Four frame cabins; whose easterly sides are all in the same straight line, which bears S.6°-00'E. The northeasterly corner of the most northerly cabin bears S°67-00'W: 325.0 ft. from Cor. No. 3 Queen lode of this survey. This cabin is 12 ft. x 28 ft., course of long sides being S.6°-00'E. Between this first cabin and the second cabin (in order southerly) is a space of 30.0 ft. The second cabin is 15 ft. x 12 ft., the course of the long sides being S.6°-00'E. Between the second cabin and the third cabin (in order southerly) is a space of 8.0 ft. The third cabin is 16 ft. x 12 ft., the course of the long sides being S.6°-00'E. Between the third cabin and the fourth cabin (in order southerly) is a space of 9.0 ft. The fourth cabin is 12 ft. x 15 ft., the course of the long sides being S.6°-00'E. Cabins all belong to claimant herein.

Wagon road (as shown on plat) built and maintained by claimant herein on said claimant's property.

Mineral Survey No:4056 Continued.
Other Improvements Continued.

That part of road lying between property of claimant herein and the Prescott to Phoenix State Highway largely built and maintained by claimant herein.

Instrument.

This survey was made with a Peter Fleer and Co. transit No.511. The courses were deflected from the true meridian as determined by observation on Polaris at elongation. The distances were measured with a 200 ft. steel tape.

Report.

The lines of this survey were run and measured upon the ground and the corners set by courses and distances. The tie line was run directly upon the ground.

Location corners were marked with notices in tin cans and mounds of stones.

Corners No.1 and 2 Little Copper No.2 lode, Survey No.2914 are as described by the record thereof.

The territory covered by this survey has been sectionized by a government field party this past summer and, thru misleading local information, tie was first made (and corners set and marked) to the corner of sections 19 and 30, T.12 1/2 N. R.2 W.and sections 24 and 25, T.12 1/2 N. R.3 W.,Gila and Salt River Meridian, which has not as yet been approved. This corner was marked with a galvanized iron pipe with brass cap properly lettered. When the true information in regard to this new survey was received from the U.S. District Cadastral Engineer at Phoenix, tie was made to U.S.Location Monument No.2024, which is as described by the record thereof. This accounts for the fact that Cor.No.1 of each lode is not always the nearest corner to U.S.Location Monument

Mineral Survey No.4056 Continued.

Report Continued.

No.2024.

The southwest corner of section 31, T.13 N. R.2 W., Gila and Salt River Meridian, has been marked this past summer by the government field party with a galvanized iron pipe with brass cap properly stamped. The original southwest corner of said section 31 could not be identified, so tie was made to U.S. Location Monument No.2024 as shown.

Diligent search was also made for the 1/4 corner on the south line of said section 31, but without avail.

Diligent search was made for corners No.1 and No.2, Giberalter lode, Survey No.2835, but without success. The locus of Cor. No.2 said lode was determined from the record of Survey No.2835.

It is apparent that, with the exception of the north end line of the Tyrolo lode, the end lines of the various locations were originally measured with a tape or other means, but that the length of the side lines and distances to discovery points was estimated.

The northeast corner of section 24, T.12 1/2 N. R.3W., Gila and Salt River Meridian and the east 1/4 corner of section 25 of the same township and range are marked with iron pipe with brass cap properly stamped.

U.S.L.M. No. 1771 brs. N. 9° 40' W. 2347.78 ft. from U.S.L.M. No. 2024.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Otto Stoehr

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Lucky Strike Copper Company, known as the Dante No.1, Dante No.2, ~~Dante No.3, Grand Pa, Grand View, Leveco, Lone Pine, PayDay, Paris, Portland, Queen, Ratoff, Sun Rise, Tyrolo and Whale Lodes~~ known as the

and showing the respective capacities in which they acted.

- Wm. Baird , Chainman.
- , Chainman.
- , Axman.
- , Flagman.

FINAL OATHS OF ASSISTANTS.

~~XXXX~~ Wm Baird

I

~~XXXX~~, do solemnly swear that ~~we~~ assisted Otto Stoehr

....., United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Lucky Strike Copper Company, known as Dante No.1, Dante No.2, Dante No.3, Grand Pa, Grand View, Leveco, Lone Pine, PayDay, Paris, Portland, Queen, Ratoff, Sun Rise, Tyrolo and Whale Lodes known as the

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the ~~United States Surveyor General for~~ OFFICE CADASTRAL ENGINEER

- Wm Baird , Chainman.
- , Chainman.
- , Axman.
- , Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of October. A. D., 19 27

O.P. Hawks

My Commission Expires March 18th, 1928. Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Otto Stoehr, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Ariz., dated Sept. 13, 1927,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Lucky Strike Copper

Company, known as the Dante No. 1., Dante No. 2, Dante No. 3, Grand Pa, Grand View, Leveco, Lone Pine, Pay Day, Paris, Portland, Queen, Ratoff, Sunrise, Tyrole & Whale

Lodes, situate in Hassayampa Mining District, Yavapai County, Arizona, in Sections

24 and 25, Township No. 12 1/2 N., Range No. 3 W. Unapproved. and 19 and 30 " " 12 1/2 N. " " 2 W. Unsurveyed. and designated as Survey No. 4056, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Otto Stoehr
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Otto Stoehr
U. S. Mineral Surveyor, before me H. J. Weldon
this 15th
day of October, 192 7

H. J. Weldon
Notary Public

My Commission expires Aug. 21st, 1931.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, PUBLIC SURVEY OFFICE OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

April 14, 19 28

I, U. S. Surveyor-General for OFFICE CADASTRAL ENGINEER at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Lucky Strike Copper Company DANTE NO.1, DANTE NO.2, DANTE NO.3, GRAND PA, GRAND VIEW, LEVECO, LONE PINE, PAX DAY, PARIS, PORTLAND, QUEEN, RATOFF, SUN RISE, TYROLO and WHALE lodes Hassayampa

Mining District Yavapai County, Arizona

in Section s 24 & 25 19 & 30, Township No. 12 1/2 N. 12 1/2 N., Range No. 3 W., Unapproved 2 W., Unsurveyed

designated as Survey No. 4056, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 26 cuts, 13 tunnels, 15 shafts and 8 crosscuts, total value \$40,895.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

United States Surveyor-General for OFFICE CADASTRAL ENGINEER

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL
PUBLIC SURVEY OFFICE**

Phoenix, Arizona.

April 14, 1928

I, U. S. Surveyor General for OFFICE CADASTRAL ENGINEER, at Phoenix

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Lucky Strike Copper Company

DANTE NO.1, DANTE NO.2, DANTE NO.3, GRAND PA, GRAND VIEW, LEVECO, LONE PINE, PAY DAY, PARIS, PORTLAND, QUEEN, RATOFF, SUN RISE, TYROLO, and WHALE lodes

situate in Hassayampa mining district,

Yavapai County, Arizona

Sections 24 and 25 Township No. 12 1/2 N. Range 3 W., Unapproved
in Section s 19 and 30, Township No. 12 1/2 N., Range No 2 W., Unsurveyed

, designated as Survey No. 4056

executed by Otto Stoehr, U. S. Mineral

Surveyor, September 22 - October 8, 1927, under my instructions dated

September 13, 1927, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

John P. Adams
U. S. Surveyor General for OFFICE CADASTRAL ENGINEER