

Aug. 20, 1928
Sept. 17, 1928
1

4-683

MINERAL SURVEY No. 4067

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

H.D. AITKEN

KNOWN AS THE

DEPOT lode

PINE GROVE

Mining District,

YAVAPAI

County,

ARIZONA.

Section 14 unsur., Township 10 N., Range 1 W.

Surveyed under instructions dated June 20, 1928, 19

by J. WILLIAM WAARA

U. S. Mineral Surveyor.

Claim located Jan. 19, 1901, 19

Survey commenced July 9, 19 28

Survey completed July 11, 19 28

Address of claimant Prescott Arizona.

DATES OF AMENDED LOCATIONS.

May 26, 1928

Feet

MINERAL SURVEY NO. 4067

DEPOT Lode.

Beginning at Cor. No.1 situated on line 1-2 Home Mine lode Sur. No.1777, N.11°-11'E. 11.9 ft from Cor. No.2, a granite stone 6x14x30 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled D 1 4067 with cross on top for exact corner point, whence,

The South 1/4 corner Sec. 23 T.10 N.R.1 W of the Gila and Salt River Base and Meridian brs. S. 7°-50'-40" E. 5847.7 feet.

A granite rock in place 4x4x3 feet exposed and chiseled BxR D 1 4067 brs. N.81°-21'E. 12.3 ft.

~~The point for Cor. No.2 Home Mine Lode Sur.No.1777 brs. S.11°-11'W. 11.9 ft.~~

Thence N. 57°-02'W.

323.0 SOUTH CENTER END, a mound of stone.

643.2 TO COR.NO.2, a granite rock in place 8x16x6.inches exposed with a substantial mound of stone alongside, chiseled D 2 4067 with cross on top for exact corner point, whence;

A granite rock in place 15x20x6 feet exposed and chiseled BxR D 2 4067 brs. S. 70°-52'W. 5.0 ft.

Thence N.11°-06'E.

1501.0 TO COR.NO.3, a granite stone 6x8x28 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled D 3 4067 with cross on top for exact corner point, whence;

A granite rock in place 8x12x6 inches exposed and chiseled BxR D 3 4067 brs. N.57°-02'W. 0.9 ft.

Cor. No. 2 Utah lode Sur. No. 1777 brs. S.57°-02'E. 43.4 ft.

Thence S.57°-02'E.

43.4 Cor.No.2 Utah lode Sur. No. 1777.

322.7 NORTH CENTER END,a mound of stone.

344.6 South Center end Utah lode Sur. No.1777.

645.7 TO COR. NO.4 identical with Cor. No.4 Dividend Millsite sur.No. 3139B, Cor.No.1 Home Mine Lode, Cor. No.2 Nevada lode and Cor.No.3 Utah lode all Sur.No.1777, a granite stone 6x14x12 inches exposed with a substantial mound of stone alongside; chiseled ^{D 4 4067,} / D M S 4 3139B, H M 1 1777, N 2 1777, U 3 1777, with cross on top for exact corner point,whence,

A granite rock in place 3x4x3 feet exposed and chiseled BxR D 4 4067 brs. N.88°-03'W. 12.1 ft.

Cor. No.2 Home Mine lode Sur.No.1777 brs. S.11°-11'W. 1511.9 ft.

Thence S.11°-11'W.

618.0 Cross road brs. east and west.

1500.0 TO THE PLACE OF BEGINNING. All corners are identical with their respective locations. Variation at all corners 14°-30'E.

LODE LINES

As near as can be determined from the present developments, the vein on this lode extends as follows from the discovery;

N.11°-11'E. 370 ft and S.11°-11'W. 1130 ft.

AREAS

DEPOT lode

Total area - - - - - area 20.608

LOCATION

This survey is located in Sec. 14 unsurveyed, T.10 N.R.1 W. of the Gila and Salt River Base and Meridian, in the Prescott National Forest, Tiger Mining District, Yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon or for the benefit of this location by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of;

No.1 Discovery shaft, (under dump from Tunnel No.3) 4x6x8 ft deep, the center of which brs. S.11 -11'W. 370 ft from the north center end.

Value \$80.00

No.2 a shaft, the center of which brs. S. 18°-55'W. 895 ft from Cor. No.4, 4x6x8 ft deep.(in road excavation now)

Value \$80.00

No.3, a cut and tunnel, the mouth of cut brs. S. 63°-50'W. 435 ft. from Cor. No. 4, cut 4x6Ox14 foot face, thence a tunnel 4x6 ft running westerly 30 ft.

Value cut \$400.00
Tun. 300.00

No.4 a shaft, the center of which brs. N.65 -20'W. 155 ft from Cor. No.4, 4x6x15 ft deep.

Value \$150.00

OTHER IMPROVEMENTS

A frame house 23x32 ft, the S.E Cor. of which brs. S. 26°-00'W. 470 ft. from Cor. No.4.

A frame shed or barn, 15x75 ft, the S.E.Cor of which brs. S. 36°-17'W. 205 ft. from Cor. No. 4.

ADJOINING CLAIMS.

This survey is bounded on the west by the Florence lode unsurveyed, claimant unknown, on the north by the Utah lode Sur. No. 1777, Ethel M Murphy claimant, on the east by the Home Mine lode Sur.No.1777, Barrod Mining Company, claimant, and on the South by the Home No.2 and Basin lodes both unsurveyed, claimant unknown.

INSTRUMENT

This survey was made with a Lietz Light mountain transit No.9503. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 foot steel tape.

REPORT

The South 1/4 Cor. Sec.23 T.10 N.R.1 W. is a monument

of stone three feet high, from which a pine tree 24 inches in diameter and properly scribed brs. westerly 19.4 ft. and a white oak tree 12 inches in diameter properly scribed brs. easterly 28.9 ft.

Sur.No. 1777

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I did not find Cor. No. 2 Home Mine Lode, but was able to determine the locus of the point for corner from the call in the official record. I do not agree with the course and distance of line 1-2 Home Mine Lode, and line 2-3 Utah lode of this survey.

Sur. No. 3139B

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

The discrepancies found existing between the claim ^{and} as marked by the location monuments/as described in the location notice are due to errors in the location notice.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter

J. William Wagers
U.S. Mineral Surveyor

REPORT CONTIUNED

Improvements No.1 and 2 may now be located and their size determined only by the position and size of the dump. at the respective improvements. As each improvement is on sloping ground, its position is undoubtedly above the base of the dump.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. William Waara

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

H.D. Aitken

known as the DEPOT lode

and showing the respective capacities in which they acted.

Temp Gamel _____, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Temp Gamel

and _____, do solemnly swear that we assisted J. William

Waara, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of H.D. Aitken

known as the DEPOT lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor General for _____ Office Cadastral Engineer at Phoenix, Arizona.

Temp Gamel _____, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 1st

day of Aug., 19 28

Mary A. Brown

Notary Public

My Commission expires
July 17. 1930.

FINAL OATH OF U. S. MINERAL SURVEYOR

I, J. William Waara, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,
at Phoenix Arizona, dated June 20, 1928,
I have, in strict conformity to the laws of the United States, the official regulations and instruc-
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Claim of H.D. Aitken
_____, known as the
DEPOT lode,
situate in Pine Grove Mining District,
Yavapai County, Arizona, in Section
14 unsur., Township No. 10 N., Range No. 1 W.
and designated as Survey No. 4067, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly
marked by monuments on the ground, and described in the attached copy of the location certifi-
cate, which was received by me from the Office Cadastral Engineer with said instructions, and
that all corners of said survey have been established and perpetuated in strict accordance with
the law, official regulations and instructions thereunder; and I do further solemnly swear that the
foregoing are the true and original field notes of said survey and my report therein, and that the
labor expended and improvements made upon said mining claim by claimant or his
grantors are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of said labor
or improvements so credited to this claim has been included in the estimate of expenditures upon
any other claim.

J. William Waara
U. S. Mineral Surveyor.

Subscribed and sworn to by the said J. William Waara
U. S. Mineral Surveyor, before me a Notary Public
_____ this 2 nd.
day of Aug., 1928

Mary A. Brown

Notary Public

My commission expires
July 17, 1930

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, PUBLIC SURVEY OFFICE OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 27, 19 28

I, U. S. Surveyor-General for OFFICE CADASTRAL ENGINEER, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

H. D. Aitken

known as the DEPOT lode

situate in Pine Grove

Mining District, Yavapai County, Arizona

in Section 14 Unsur, Township No. 10 N., Range No. 1 W., and

designated as Survey No. 4067, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 3 shafts and 1 cut and tunnel, total value \$1010.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

United States Surveyor-General for OFFICE CADASTRAL ENGINEER

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL
PUBLIC SURVEY OFFICE**

Phoenix, Arizona,

October 27, 1928.

I, U. S. Surveyor General for OFFICE CADASTRAL ENGINEER, at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

H. D. Aitken

, known as the

DEPOT lode

situate in Pine Grove mining district,

Yavapai County, Arizona

in Section 14 Unsur., Township No. 10 N., Range No. 1 W.

, designated as Survey No. 4067

executed by J. William Waara, U. S. Mineral

Surveyor, July 9 - 11, 1928, under my instructions dated


June 20, 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General for OFFICE CADASTRAL ENGINEER

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4067
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The DEPOT lode, Mineral Survey No. 4067, located in section 14, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"DEPOT lode, M.S. 4067, was canceled May 20, 2002, by memo 9605 (956) M.S. 4067, which is now a part of the original field notes."

May 20, 2002
Date


Chief Cadastral Surveyor of Arizona