

4-683

MINERAL SURVEY No. 4074

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

L. W. Overlock and Ruth Overlock

KNOWN AS THE

ELAINE LODE

Warren Mining District,

Cochise County, Arizona

Sections 17 and 18, Township 23 S, Range 25 E
G & S R B & M

Surveyed under instructions dated August 20, 1928

by Ralph L. Motz
U. S. Mineral Surveyor.

Claim located October 30, 1926

Survey commenced August 22, 1928

Survey completed August 23, 1928

Address of claimant's Attorney, Sutter & Roche,
Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

Mineral Survey No. 4074

Feet

ELAINE lode

Beginning at Cor. No. 1, the S. E. Cor., identical with location and situated at the intersection of lines 4-1 and 2-3 of Survey No. 3177 Wedge lode and Survey No. 2135 Golden Era No. 4 lode respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-4074, E, whence Cor. No. 3 of Survey No. 2135 Golden Era No. 4 lode brs S 67° 50' E 79.2 ft., Cor. No. 1 of Survey No. 3177 Wedge lode brs N 10° 11' W 328.8 ft., Cor. No. 4 of Survey No. 3177 Wedge lode brs S 10° 11' E 303.1 ft., a quartzite rock 9 x 10 x 6 inches high above ground chiseled x B R 1-4074 brs S 81° 07' W 21.5 ft. and a shale ledge with 10 x 33 x 10 inches high exposure with like chiseling brs N 68° 25' E 23.0 ft. and the 1/4 Cor. between Secs. 17 and 18, T 23 S, R 25 E, G & S R B & M brs S 89° 15' W 613.3 ft.

thence N 67° 50' W -

1157.3 along line 3-2 of Survey No. 2135 Golden Era No. 4 lode to Cor. No. 2, identical with Cors. 1 and 2 of Survey No. 2062 Golden Era No. 2 lode and Survey No. 2135 Golden Era No. 4 lode respectively, a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 2-4074, E, whence a shale ledge with 9 x 12 x 9 inches high exposure chiseled B R x 2-4074 brs S 81° 07' E 22.0 ft. and a second shale ledge with 13 x 35 x 4 inches high exposure with like chiseling brs N 76° 52' W 48.0 ft.

thence N 65° 05' W -

347.5 along line 1-5 of Survey No. 2062 Golden Era No. 2 lode to Cor. No. 3, the S. W. Cor., identical with Cor. No. 3 of Survey No. 2429 Comodore lode, a pine post 4 inches square, 30 inches above ground in a mound of stones and scribed 3-4074 E, whence original location for the southwest corner being a mound of stones 3 feet high with 3 foot base brs S 4° 13' W 17.6 ft., a second monument of rocks 3 feet high with 3 foot base brs S 4° 13' W 53.3 ft. a third monument of rocks of like dimensions brs S 65° 05'

E 47.5 ft. and Cors. 4 and 5 of Survey No. 2429 Comodore lode and, Survey No. 2062, Golden, Era No. 2 lode respectively bear N 65° 05' W 252.5 ft.

thence N 4° 13' E

289.2 to original location for the west end center being a mound of stones 3 feet high with 3 foot base

595.7 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No. 2 of Survey No. 2429 Comodore lode and situated on line 2-3 of Survey No. 3178 Spar lode, a pine post 4 inches square 30 inches above ground in a mound of stones, and scribed 4-4074 E, whence a sandstone rock 11 x 18 x 11 inches high above ground chiseled B R x 4-4074 brs N 37° 05' W 8.4 ft. and a second sandstone rock in place 11 x 20 x 11 inches high with like chiseling brs N 68° 48' E 8.4 ft.

thence S 63° 16' E

78.6 along line 3-2 of Survey No. 3178 to Cor. No. 5, identical with Cor. No. 2 of Survey No. 3178 Spar lode and situated on line 2-3 of Survey No. 2136 Gold Nuggett lode a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 5-4074 E, whence a quartzite rock in place 15 x 36 x 20 inches high chiseled B R x 5-4074 brs ~~N 49° 39' W~~ N 25° 10' W 24.8 ft. and a sandstone rock in place 14 x 18 x 12 inches high with like chiseling brs S 80° 28' E 55.7 ft.

thence S 25° 41' W

16.1 along line 3-2 of Survey No. 2136 Gold Nuggett lode to Cor. No. 6, identical with Cor. No. 2 of Survey No. 2136 Gold Nuggett lode, a pine post 4 inches square, 30 inches above ground scribed 6-4074 E, whence a quartzite ledge with 21 x 30 x 16 inches high exposure chiseled B R x 6-4074 brs N 8° 12' W 18.3 ft., and a sandstone ledge with 19 x 24 x 22 inches high exposure with like chiseling brs N 47° 45' W 34.8 ft.

thence S 64° 19' E

1461.3 along line 2-1 of Survey No. 2136 Gold Nuggett lode, to

Mineral Survey No. 4074 (Con't)

Cor. No. 7, the N. E. Cor., situated at intersection of lines 2-1 and 1-2 of Survey No. 2136 Gold Nuggett lode and Survey No. 3179 Pearl lode respectively, a pine post 4 inches square, 4 feet long set 18 inches in the ground in a mound of stones and scribed 7-4074 E, whence original location for the northeast corner being a mound of stones 3 feet high with 3 foot base brs N 4° 13' E 107.6 ft., Cor. No. 1 of Survey No. 2136 Gold Nuggett lode brs S 64° 19' E 38.7 ft., Cor. No. 2 of Survey No. 3179 Pearl lode brs N 4° 13' E 477.9 ft. and a limestone ledge with 28 x 72 x 24 inches high exposure chiseled B R x 7-4074 brs N 64° 18' W 12.5 ft.

122.05 To Cor. No. 1 of ^{thence S 4° 13' W} Survey No. 3179 Pearl lode, also
 122.1 intersect line 1-2 of Survey No. 1705 Easter Sunday lode at N 89° 54' E 9.54ft. from Cor. No. 1 and S 89° 54' W 600.86ft. from Cor. No. 2, ~~also see the 1 of Survey No. 3179 Pearl lode.~~

152.9 to Cor. No. 2 of Survey No. 3177 Wedge lode, also intersect line 4-1 of Survey No. 1705 Easter Sunday lode at S 13° 18' E 31.6 ft. from Cor. No. 1; Cor. No. 1 of Survey No. 3177 Wedge lode brs S 77° 49' W 85.4 ft. from this point.

188.9 to original location for the east end center being a mound of stones 3 feet high with 3 foot base

495.3 to Cor. No. 1, the place of the beginning.

Lode line.

The presumed course of the vein on this claim is from the west end center S 67° 50' E 1499.0 ft.

Areas

Total Area Elaine lode - - - - - 17.862 A

Area in conflict with

Survey No. 1705 Easter Sunday lode - - 0.003 A

Survey No. 3177 Wedge lode - - - - - 0.322 A

Improvements

I hereby certify that the value of the labor and improve-

ments placed upon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of:-

No. 1 Discovery shaft 4 x 6 x 18 feet deep brs from west end center on lode line 750 ft.
Value - - - - - \$ 150.00

No. 2 Open cut 5 x 10 x 15 feet long with tunnel at face 4 x 6 x 50 feet long both brg S 30° W mouth of open cut brs from point on line 6-7 S 64° 19' E 506.4 ft. from Cor. No. 6 S 53° 00' E 355.0 ft. Value - - - - - 600.00

Total Value of Improvements - - - - - \$ 750.00

Other Improvements

Shaft 4 x 6 x 10 feet deep brs from Cor. No. 7 S 71° 30' W 341.0 ft.

Shaft 4 x 6 x 10 feet deep brs from Cor. No. 7 S 73° 50' W 290.00 ft.

Shaft 4 x 6 x 10 feet deep brs from Cor. No. 7 S 51° 15' W 178.0 ft.

Shaft 7 x 7 x 50 feet deep brs from Cor. No. 7 S 48° 45' W 165.0 ft.

Shaft 5 x 6 x 50 feet deep brs from Cor. No. 7 S 38° 30' W 165.0 ft.

Shaft 4 x 4 x 10 feet deep brs from Cor. No. 7 S 38° 30' W 223.0 ft.

Shaft 4 x 10 x 5 feet deep brs from Cor. No. 7 S 35° 40' W 261.0 ft.

Shaft 4 x 6 x 10 feet deep brs from Cor. No. 1 N 30° 42' W 250.0 ft.

Shaft 4 x 6 x 12 feet deep brs from Cor No 1 N 40° 02' W 284.0 ft.

Shaft 4 x 20 x 5 feet deep brs from Cor. No. 1 N 43° 35' W 211.0 ft.

Location

This survey is located in Secs. 17 and 18, T 23 S, R 25 E, G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

Instrument

This survey was made with a C. L. Berger & Sons No. 1 c transit. The distances were measured with 100 and 300 foot steel tapes. The courses were deflected from the true meridian as determined in Surveys Nos. 3177, 3178 and 3179. Magnetic variation $12^{\circ} 30'$ East at all corners.

Adjoining Claims

North	Survey No. 3178 Spar lode
	Survey No. 2136 Gold Nuggett lode
East	Survey No. 3179 Pearl lode
	Survey No. 1705 Easter Sunday lode
	Survey No. 3177 Wedge lode
South	Survey No. 2135 Golden Era No. 4 lode
	Survey No. 2062 Golden Era No. 2 lode
West	Survey No. 2429 Comodore lode

Report

1/4 Cor. between Sections 17 and 18, T 23 S, R 25 E, G & S R B & M is a granite rock 15 x 12 x 6 inches high above ground, marked 1/4 on west face.

Ralph L. Moz
 U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.
 August 23, 1928.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

L. W. Overlock and Ruth Overlock

known as the Elaine lode

and showing the respective capacities in which they acted.

Leslie Motz, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~xxx~~ I, Leslie Motz

~~xxxx~~, do solemnly swear that we assisted

Ralph L. Motz, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of L. W. Overlock and Ruth Overlock

known as the Elaine lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

Leslie Motz, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 23rd

day of August, 19 28

Charles Woods

Notary Public, in and for the County of Cochise, State of Arizona.

GOVERNMENT PRINTING OFFICE

My commission expires May 23rd 1929

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Ralph L. Motz, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona, dated August 20, 1928,
I have, in strict conformity to the laws of the United States, the official regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
L. W. Overlock and Ruth Overlock, known as the
ELAINE lode,
situate in Warren Mining District,
Cochise County, Arizona, in Sections
17 and 18, Township No. 23 South, Range No. 25 E, G&SRB&M
and designated as Survey No. 4074, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
original field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or their
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods
Notary Public this 23rd
day of August, 192⁸

Charles R. Woods
Notary Public, in and for the County of
Cochise, State of Arizona.

My commission expires May 23rd 1929

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona

October 30, 1928

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

L. W. Overlook and Ruth Overlook

known as the FLAINE Lode

situate in Warren

Mining District Cochise County Arizona

in Section 17 & 18 Township No. 23 S., Range No. 25 E., and

designated as Survey No. 4074, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimants

or their grantors,

and that said improvements consist of 1 shaft and 1 cut and tunnel, total value \$750.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

October 30, 1928

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

L. W. Overlock and Ruth Overlock

, known as the

ELAINE lode

situate in Warren mining district,

Cochise County, Arizona

in Sections 17 & 18, Township No. 23 S, Range No. 25 E.

designated as Survey No. 4074

executed by Ralph L. Motz, U. S. Mineral

Surveyor, August 22 - 23, 1928, under my instructions dated

August 20, 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

Handwritten signature of J. L. Deuss, Office Cadastral Engineer.