

MINERAL SURVEY No. 4103

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Edmund R Terry

KNOWN AS THE

Domicile, Hearthstone, and Secundus lodes  
Turkey Creek Mining District,

Yavapai County, Arizona, in Approx.

Section 21 & 28, Township 12 N, Range 1 W Unsurveyed

Surveyed under instructions dated May 28, 1929

by Richard L. Merritt  
U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced July 4, 1929

Survey completed July 30, 1929

Address of claimant O. Sullivan & Morgan Attorneys  
Prescott Arizona

DATES OF AMENDED LOCATIONS.

See location Notices

(1)  
MINERAL SURVEY NO. 4103

## HEARTHSTONE LODE

FEET	Beginning at Cor. No. 1 <sup>tical</sup> iden. with the loc <sup>ation</sup> , a Porphyry stone 10" x 24" x 24" set 12" in the ground, chiseled X-H-1-4103. A Juniper tree 7" in diam. scribed X-BT-1-H-4103 brs. S. 73° 43' E. 5.4 ft. An oak tree 10" in diam. scribed X-BT-1-H-4103 brs. N. 2° 14' E. 26.9 ft. The initial point Mineral Monument Turkey Creek Mining district brs. S. 65°21'20"E. 6017.33 ft. Loc. cor. a mound of stone 3' x 3'.  Thence N. 52°00'W. Va. 14°E.
300.00	To the S. C. E. a mound of stones 3' x 3' <sup>tical</sup> iden. with the loc <sup>ation</sup> .
415.0	Cross wash 15' wide, course S. 44°W.
600.0	To cor. No. 2 <sup>tical</sup> iden. with the loc <sup>ation</sup> , a Porphyry stone 4"x 6"x24" set 12" in the ground, chiseled X-H-2-4103. Cor. No. 4 Goodwin lode, lot 37, brs. N. 31°27'E. 444.25 ft. No bearings available. Loc. cor. a mound of stones 3' x 3'.  Thence N. 23°12'07"E. Va. 14°E.
465.78	Intersect line 1-4 Goodwin lode lot 37 at N. 44°25'W. 68.91 ft. from cor. No. 4.
1301.73	Intersect line 2-3 Goodwin lode lot 37 and line 2-1 Domicile lode of this survey at N. 44-09'W. 8.12' from cor. No. 3 Goodwin, 65.22' from cor. No. 1 Domicile.
1390.0	Cross wash 15' wide course S. 50°E.
1457.43	To cor. No. 3 <sup>tical</sup> iden. with the loc <sup>ation</sup> , a granite rock 12" x 14"x24" set 12" in the ground, chiseled X-3-H-4103. Cor. No. 3 Goodwin lode lot 37 brs. S. 20°30'W. 159.0'. Cor. No. 1 Domicile lode, <sup>this survey,</sup> brs. S. 4°47'20"W. 190.57'. No bearings available, loc. cor. a mound of stones 3' x 3'.  Thence S. 52°E. Va. 14°E.
54.11	Intersect line 4-1 Domicile lode of this survey at N. 20°30'E. 167.18' from Cor. No. 1.
158.0	To the N. C. E. a mound of stones 3' x 3' iden. with the loc.
253.0	Cross wash 10' wide, course south.



Feet	
458.0	<p>To cor. No. 4 <sup>tical</sup>iden. with the loc<sup>ation,</sup> a Porphyry stone 6" x 10" x 24" set 12" in the ground, chiseled X-4-H-4103. A Juniper tree 2' in diam. scribed X-BT-4-H-4103 brs. N. 14°38'E. 20.4'. No other bearings available, loc. cor. a mound of stones 3' x 3'.</p> <p>Thence S. 17°57'W. Va. 14°E.</p>
1500.00	<p>To cor. No. 1 the place of beginning.</p>
	<p>DOMICILE LODE</p>
	<p>Beginning at cor. No. 1 <sup>tical</sup>iden. with the loc<sup>ation,</sup> a Porphyry stone 4"x8"x24" set 12" in the ground, chiseled XD-1-4103. A Juniper tree 10" diam. scribed X-BT-1-D-4103 brs. S. 54°20'E. 22'. An Ash tree 7" diam. scribed X-BT-1-D-4103 brs. N. 57°10'W. 13.4'.</p>
	<p>The <sup>Initial Point</sup> <sup>Mineral Monument</sup> <sup>Turkey Creek</sup> <sup>Mining District</sup> brs. S. 53°11'45"E. 6723.93!</p>
	<p>Loc. cor. an Oak post 4"x4"x5' long in a mound of stones.</p>
	<p>Thence N. 44°09'W. Va. 14°E.</p>
57.1	<p>To cor. No. 3 Goodwin lode, Lot 37, hereinafter described.</p>
65.22	<p>Intersect line 2-3 Hearthstone lode of this survey at S. 23°12'07"W. 155.7 ft from cor. No. 3.</p>
331.0	<p>To the S. C. E. a mound of stones 3 x 3 ft. <sup>tical</sup>iden. with the location.</p>
607.50	<p>To cor. No. 2 Goodwin lode, Lot 37 hereinafter described.</p>
662.0	<p>To cor. No. 2 <sup>tical</sup>iden. with the loc<sup>ation,</sup> a Porphyry stone 6" x 6"x24" set 12" in the ground, chiseled X-2-D-4103. A Juniper tree 3' in diam. scribed X-BT-2-D-4103 brs. S. 3°40'E. 25.0'. A Juniper tree 16" in diam. scribed X-BT-2-D-4103 brs. N. 57°10'W. 13.4 ft. Loc. cor. a mound of stones 3 x 3 ft.</p>
	<p>Thence N. 20°30'E. Va. 14°E.</p>
1023.2	<p>To cor. No. 3 <sup>tical</sup>iden. with the loc<sup>ation,</sup> and with cor. No. 2. Secundus lode of this survey a Porphyry stone 8"x8"x24" set 12" in the ground, chiseled X-3-D-2-S, 4103. No bearings available. Loc. cor. a mound of stones 3x3'.</p>



Feet

Thence S. 44°09'E. Va. 14° E.

331.0 To the N. C. E. iden<sup>tical</sup> with the loc<sup>ation</sup> and with the S. C. E. Secundus lode of this survey a mound of stones 3x3 ft.

611.0 Cross wash 10' wide, course S. 28° W.

662.0 To cor. No. 4 iden<sup>tical</sup> with the loc<sup>ation</sup> and with cor. No. 1. Secundus lode of this survey a Porphyry stone 8"x12"x24" set 12" in the ground, chiseled X-4-D-1-S-4103. No bearings available. Loc. cor. a mound of stones 3x3'.

Thence S. 20°30'W. Va. 14°E.

350.0 Cross wash 10' wide, Course S. 5°W.

856.02 Intersect line 4-3 Hearthstone lode of this survey at S. 52°E. 54.11' from cor. No. 3.

926.0 Cross wash 10' wide, course S. 50°E.

1023.2 To cor. No. 1 the place of beginning.

SECUNDUS LODGE

Beginning at Cor. No. 1 iden<sup>tical</sup> with the loc<sup>ation</sup> and with cor. No. 4 Domicile lode of this survey hereinbefore described. The I. P. M. M. T. C. M. D. brs. S. 45°13'20" E. 7079.64 ft.

Thence N. 44°09'W. Va. 14°E.

51.0 Cross wash 10' wide, course S. 28°W.

331.0 To the S. C. E. iden<sup>tical</sup> with the loc<sup>ation</sup> and with the N. C. E. Domicile lode of this survey, hereinbefore described.

662.0 To cor. No. 2 iden<sup>tical</sup> with the loc<sup>ation</sup> and with cor. No. 3 Domicile lode of this survey hereinbefore described.

Thence N. 20°30'E. Va. 14°E.

1500.00 To cor. No. 3 iden<sup>tical</sup> with the loc<sup>ation</sup> a Diorite rock 6"x12"x24" set 12" in the ground, chiseled X-3-S-4103. No bearings available. Loc. cor. a mound of stones 3 x 3 ft.

Thence S. 44°09'E. Va. 14°E.



(4)

Feet	
50.0	Cross wash 10' wide, course S. 30°W.
331.0	To the N. C. E. <sup>tical</sup> iden. with the loc. <sup>ation,</sup> a mound of stones 3'x3'.
662.0	To cor. No. 4 <sup>tical</sup> iden. with the loc. <sup>ation,</sup> a Diorite rock 6"x 10"x24" set 12" in the ground, chiseled X-4-S-4103. No bearings available. Loc. cor. a mound of stones 3'x3' ft.
	Thence S. 20°30'W. Va. 14°E.
1500.00	To cor. No. 1 the place of beginning.

## A R E A

Hearthstone lode total area---17.112 acres  
Hearthstone lode in conflict with Goodwin lode lot 37 . . . . . 0.683 acres  
Hearthstone lode in conflict with Domicile lode this survey 0.207 acres  
Domicile lode, total area; . . . . . 14.053 acres  
Secundus lode, " " " " . . . . . 20.601 "

## L O D E L I N E S

As near as can be determined from present development, the veins on these lodes extend from the Discovery as follows:

Hearthstone lode S. 17°57'W. 610ft. and N. 17°57'E. 890ft.  
Domicile lode S. 20°30'W. 210ft. and N. 20°30'E. 813.2ft.  
Secundus lode S. 20°30'W. 267ft. and N. 20°30'E. 1233.0ft.

## A D J O I N I N G C L A I M S

This claim is bounded on the south and west by Goodwin lode Lot 37 and U. S. land on the North and East by U. S. Land.

## E X P E N D I T U R E S O F F I V E H U N D R E D D O L L A R S

I certify that the value of the labor and improvements made upon this claim; by the claimant or his grantors is not less than five hundred dollars for each lode and that said improvements consist of:

Hearthstone Lode:

No. 1 The Dis<sup>covery</sup> shaft which is on the lode line 610 ft. from the S. C. E. 4'x6'x10' Value \$100.00.



(5)

No. 2 a shaft which brs. N. 50°30'E. 310 ft. from  
cor. No. 2, 4'x6'x50'. Value \$500;00.

Total value improvements credited this  
lode, \$600.00

Domicile Lode:

No. 1, the Discovery cut, the face of which is on the lode  
line 210' from the S. C. E. course from mouth to face,  
N. 20°30'E. 4'x15'x10' face, value \$ 50.00

No. 2 a shaft which is on the lode line 560'  
from the S. C. E. 4'x6'x10'. Value, 100.00

No. 3 a shaft which brs. S. 81°45'E. 103'  
from the S. C. E. 4'x6'x135'. Value 15000.00

No. 4 a shaft which brs. S. 37°45'E. 200'  
from cor. No. 3, 4'x6'x50'. Value 500.00

Total value, improvements credited this  
lode, \$15,650.00

Secundus Lode:

No. 1, the discovery shaft which is on the lode line 267'  
from the S. C. E. 4'x6'x140'. Value \$15,000.00

No. 2, a shaft which is on the lode line  
1265' from the S. C. E. 4'x6'x10'. Value 100.00

No. 3, a shaft which brs. S. 67°15'W. 375'  
from cor. No. 4, 4'x6'x10'. Value 100.00

No. 4 a shaft which brs. S. 58°30'W.  
430' from cor. No. 4, 4'x6'x14'. Value 150.00

Total value improvements credited this lode \$15350.00

#### LOCATION

This claim is located in the Turkey Creek Mining District,  
Yavapai County, Arizona, approximately in secs <sup>21 &</sup> 28T12N.  
R. 1 W. unsurveyed, within the Prescott National Forest.



## INSTRUMENT

This survey was made with a Gurley transit, the courses were deflected from the meridian as determined by direct solar observations. The distances were measured with a five hundred foot steel tape.

## REPORT

The lode lines of these claims were run direct upon the ground, and the several corners were established by offsets therefrom. The tie lines were run direct upon the ground. The initial point Mineral Monument is a granite boulder 2'x3'x3' marked XI.P.T.C.M.D.-1877.

The following are the descriptions of the corners of the Goodwin lode lot No. 37:

Cor. No. 1 a malapais stone 6"x8"x8" above ground chiseled X G No. 1.

Cor. No. 2 a Porphyry stone 6"x6"x12" above ground chiseled X G No. 2.

Cor. No. 3 a Granite stone 6"x6"x8" above ground chiseled X G No. 3.

Cor. No. 4 a quartz stone 6"x10"x12" above ground chiseled X G No. 4.

The courses and distances of the lines of the Goodwin lode, lot 37 are as follows:

4-1 N. 44°25'W.

4-3 N. 19°27'30"E. 860.9'.

3-2 N. 44°09'W. 550.4'.

The S. E. cor. of a house 20' x 30' course of long side N. 20°W. brs. N. 83°40'W. 200' from cor. No. 4, Hearthstone lode.

*Richard L. Merritt*  
Richard L. Merritt  
U. S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Edmund R. Terry

known as the Domicile, Hearthstone, and Secundus lodes and showing the respective capacities in which they acted.

W. H. Merritt, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

I, W. H. Merritt

and \_\_\_\_\_, do solemnly swear that I assisted Richard

L. Merritt, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Edmund R. Terry

known as the Domicile, Hearthstone, and Secundus lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix Arizona.

W. H. Merritt, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 10

day of Aug, 1929

J. O. Bauer

Notary Public

11/10/33



**FINAL OATH OF U. S. MINERAL SURVEYOR**

I, Richard L. Merritt....., U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix Arizona....., dated May 28 1929.....,  
I have, in strict conformity to the laws of the United States, the official regula-  
tions and instructions thereunder, and the instructions of said Office Cadastral  
Engineer, faithfully and correctly executed the survey of the Mining Claim of .....  
Edmund R. Terry....., known as the  
Domicile, Hearthstone, and Secundus lodes.....,  
situate in Turkey Creek..... Mining District,  
Yavapai..... County, Arizona....., in Sections  
21 & 28....., Township No. 12 N....., Range No. T W Unsurveyed.....  
and designated as Survey No. 4103....., as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Office Cadastral Engi-  
neer with said instructions, and that all corners of said survey have been established  
and perpetuated in strict accordance with the law, official regulations and instruc-  
tions thereunder; and I do further solemnly swear that the foregoing are the true and  
original field notes of said survey and my report therein, and that the labor expended  
and improvements made upon said mining claim by claimant or his.....  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been in-  
cluded in the estimate of expenditures upon any other claim. ....

Richard L. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt.....  
U. S. Mineral Surveyor, before me J. G. Bauer, Notary Public.....  
..... this 10.....  
day of Aug....., 1929

11/10/33

J. G. Bauer  
Notary Public



OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona.

September 9, 1929

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Edmund R. Terry

known as the DOMICILE, HEARTHSTONE, and SECUNDUS lodes

situate in Turkey Creek

Mining District Yavapai County Arizona, Approx, in

in Section s 21 & 28, Township No. 12 N., Range No. 1 W., Unsur., and

designated as Survey No. 4103, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant Edmund R. Terry or his grantors,

and that said improvements consist of 9 shafts and 1 cut, total value \$31,600.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.



CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

September 9, 1929

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of \_\_\_\_\_

Edmund R. Terry

\_\_\_\_\_, known as the

DOMICILE, HEARTHSTONE, and SECUNDUS lodes

situate in Turkey Creek mining district,

Yavapai County, Arizona, approximately in

in Sections 21 & 28, Township No. 12 N., Range No. 1 W., Unsur.

\_\_\_\_\_, designated as Survey No. 4103

executed by Richard L. Merritt, U. S. Mineral

Surveyor, July 4 - 30, 1929, under my instructions dated

May 28


\_\_\_\_\_, 1929, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

  
Office Cadastral Engineer.