

MINERAL SURVEY No. 4110

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

UNITED VANADIUM CORPORATION, 1225 Washington

Los Angeles, California

KNOWN AS THE

Dragon and Dragon Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,

16, 17, 18, 19, 20, 21 and 22 lodes, San Domingo Mining District,

Maricopa County, Arizona

Section 23, 24, 25 & 26, Township 7 North, Range 4 West

Surveyed under instructions dated July 13, 19 29

by L. H. Foster

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced August 25th, 19 29

Survey completed December 1st, 19 29

Address of claimant 1225 Washington Building
Los Angeles, California

DATES OF AMENDED LOCATIONS.

see back

Claim	Located	Amended
Dragon	April 2 1913	February 19, 1918
Dragon No. 1	June 30, 1916	February 23, 1918
Dragon No. 2	June 30, 1916	March 1, 1918
Dragon No. 3	June 30, 1916	March 2, 1918
Dragon No. 4	June 30, 1916	March 2, 1918
Dragon No. 5	June 30, 1916	February 28, 1918
Dragon No. 6	September 18, 1916	March 1, 1918
Dragon No. 7	August 18, 1916	March 1, 1918
Dragon No. 8	July 23, 1917	February 28, 1918
Dragon No. 9	August 18, 1917	March 3, 1918
Dragon No. 10	February 20, 1918	
Dragon No. 11	February 28, 1918	
Dragon No. 12	March 1, 1917	June 10, 1929
Dragon No. 13	October 27, 1917	June 10, 1929
Dragon No. 14	March 1, 1917	June 10, 1929
Dragon No. 15	January 1, 1909	June 10, 1929
Dragon No. 16	January 1, 1909	June 10, 1929
Dragon No. 17	January 1, 1909	June 10, 1929
Dragon No. 18	January 1, 1909	June 10, 1929
Dragon No. 19	January 1, 1909	June 10, 1929
Dragon No. 20	January 1, 1909	June 10, 1929
Dragon No. 21	January 1, 1909	June 10, 1929
Dragon No. 22	March 10, 1923	June 10, 1929

Mineral Survey No; 4110

	<p>Dragon No. 17 lode</p> <p>Beg. Cor. No. 1.</p> <p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact center, set 18 ins. in the ground, in a mound of earth and stone, marked D-I7-1-4110.</p> <p>The corner of sections 35 and 36, T. 7 N.R. 4 W. G. & S.R. B. & M bears S. 5° 26' W. 9101.40 ft. Thence N. 68° 25' W.</p>	
1490.00	Cross gulch running S. 60° W.	
1500.00	To Cor. No. 2.	
	<p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact center, set 24 ins. in the ground, in a mound of earth and stone, marked D-I7-2-4110.</p> <p>Identical with Cors. No. 1 and 4, Dragon No. 16 and 19, respectively, this survey.</p> <p>Thence N. 21° 35' E.</p>	
300.00	To the westerly end center monument of the location.	
	Identical with the easterly end center	
	Dragon No. 16 lode, this survey.	
600.00	To Cor. No. 3	
	<p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact center, set 24 ins. in the ground, in a mound of earth and stone, marked D-I7-3-4110.</p> <p>Identical with Cors. No. 1, 2 and 4, Dragon No. 13, 14 and 16 lodes, respectively, this survey.</p>	
425.00	Thence S. 68° 25' E.	
	Cross gulch running S. 40° W.	
1500.00	To Cor. No. 4	
	<p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact center, set 24 ins. in the ground, in a mound of earth and stone, marked D-I7-4-4110.</p>	

Mineral Survey No. 4110, cont.,

feet

Dragon No. I7, cont.;

Identical with Cor. No. I, Dragon No. I4 lode, this survey.

Thence S. 21° 35' W.

300.00 To the easterly end center of the location.

600.00 To Cor. No. I, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

* * * * *

Dragon No. I4 lode

Beginning at Cor. No. I.

A 2 in. iron pipe, previously described, marked D-I4-I-4110.

Identical with Cor. No. 4, Dragon No. I7 lode this survey.

The corner of sections 35 and 36, T. 7 N. R.

4 W. G. & S. R. B. & M, bears S. 6° 25' 10" W. 9678.90 ft.

Thence N. 68° 25' W.

1075.00 Cross gulch running S. 40° W.

1500.00 To Cor. No. 2

A 2 in. iron pipe, previously described, marked D-I4-2-4110.

Identical with Cors. No. I, 3 and 4, Dragon No. I3, I7 and I6, ^{lodes} respectively, this survey.

Thence N. 21° 35' E.

300.00 To the westerly end center monument of the location.

Identical with the easterly end center, Dragon No. I3 lode, this survey.

600.00 To Cor. No. 3

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact center, set 20 ins. in the

Mineral Survey No. 4110, cont.,

feet

Dragon No. 14 lode, cont,
ground, in a mound of earth and stone, marked D-I4-3-4110.

Identical with Cor. No. 4, Dragon No. 13 lode,
this survey and on line I-2, Dragon No. 12 lode, this
survey, at ^{S. 68° 25' E.} 424.20 ft. from Cor. No. 2.

Thence S. 68° 25' E.

I075.80 To Cor. No. 1, Dragon No. 12 lode, this survey.

I390.00 West bank Domingo Wash.

I470.00 East bank Domingo Wash.

I500.00 To Cor. No. 4.

A 2 in. iron pipe, 4 ft. long, with an iron cap
punch marked for the exact center, set 24 ins. in the
ground, in a mound of earth and stone, marked D-I4-4-4110.

Thence S. 21° 35' W.

85.00 East bank Domingo Wash.

165.00 West bank Domingo Wash.

300.00 To the easterly end center monument of the
location.

600.00 To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

Dragon No. 12 lode.
Beg. ^{inning at} Cor. No. 1.

A 2 in. iron pipe, 4 ft. long, with an iron
cap punch marked for the exact corner, set 15 ins. in the
ground, in a mound of earth and stone, marked D-I2-I-4110.

The corner of sections 35 and 36, T 7 N. R. 4
W. bears S. 5° 01' 30" W. 10372.30 ft.

On line 3-4, Dragon No. 14 lode, this survey
^{N. 68° 25' W.}
at 424.20 ft. from Cor. No. 4.

Mineral Survey No. 4110, cont.,

	Dragon No. 12 lode, cont.,
feet	Thence N. 68° 25' W.
1075.80	To Cors. No. 3 and 4, Dragon No. 14 and 13 lodes, respectively, this survey.
1500.00	To Cor. No. 2
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-12-2-4110.
	Identical with Cor. No. 3, Dragon No. 1 lode, this survey.
	Thence N. 21° 35' E
300.00	To the westerly end center monument of the location.
	Identical with the easterly end center, Dragon No. 1 lode, this survey.
600.00	To Cor. No. 3
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-12-3-4110.
	Identical with Cors. No. 4 and 2, Dragon No. 6 and No. 1 lodes, respectively, this survey.
	Thence S. 68° 25' E.
1500.00	To Cor. No. 4
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked D-12-4-4110.
	Thence S. 21° 35' W.
300.00	To the easterly end center monument of the location.
600.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° East.

Mineral Survey No. 4110, cont.,

	Dragon No. 2I lode	
feet	Beginning at Cor. No. 1.	
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2I-I-4110.	
	The corner of sections 35 and 36, T. 7 N. R. 4 W. bears S. 6° 32' 40" E. 8552.20 ft.	
1500.00	Thence N. 68° 25' W. To Cor. No. 2	
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2I-2-4110.	
	Identical with Cors. No. 1 and 4, Dragon No. 20 and 22 lodes, respectively, this survey.	
	Thence N. 21° 35' E.	
100.00	Cross gulch running West	
300.00	To the westerly end center monument of the location.	
	Identical with the easterly end center, Dragon No. 20, ^{lode} this survey.	
600.00	To Cor. No. 3	
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2I-3-4110.	
	Identical with Cors. No. 1, 2 and 4, Dragon No. 18, 19 and 20 lodes, respectively, this survey.	
	Thence S. 68° 25' E.	
610.00	Cross gulch running S. 60° W.	
1500.00	To Cor. No. 4	
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2I-4-4110.	

Mineral Survey No. 4110, cont.,

feet

Dragon No. 2I lode, cont.,

Identical with Cor. No. I, Dragon No. I9 lode, this survey.

Thence S. 21° 35' W.

280.00

Cross gulch running N. 70° W.

300.00

To the easterly end center monument of the location.

600.00

To Cor. No. I, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

Dragon No. I9 lode

Beg. ^{inning at} Cor. No. I.

A 2 in. iron pipe, previously described, marked D-I9-I-4110.

Identical with Cor. No. 4, Dragon No. 2I lode, this survey.

The Corner of sections 35 and 36, T. 7 N.R. 4 W. bears S. 4° 45' 40" E. 9085.70 feet.

Thence N. 68° 25' W.

890.00

Cross gulch running S. 60° W.

1500.00

To Cor. No. 2.

A 2 in. iron pipe, previously described, marked D-I9-2-4110.

Identical with Cors. No. I, 3 and 4, Dragon No. I8, 2I and 20 lodes, respectively, this survey.

Thence N. 21° 35' E.

300.00

To the westerly end center monument of the location.

Identical with the easterly end center, Dragon No. I8, ^{lode} this survey.

Mineral Survey No. 4110, cont.,

feet
600.00

Dragon No. 19 lode, cont.,
To Cor. No. 3

A 2-in. iron pipe, 4-ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-19-3-4110.

Identical with Cors. No. 1, 2 and 4, Dragon No. 15, 16 and 18 lodes, respectively, this survey.

Thence S. 68° 25' E.

1500.00

To Cor. No. 4

A 2 in. iron pipe, previously described, marked D-19-4-4110.

Identical with Cors. No. 1 and 2, Dragon No. 16 and 17 lodes, respectively, this survey.

Thence S. 21° 35' W.

10.00

Cross gulch running S. 60° W.

300.00

To the easterly end center monument of the location.

600.00

To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East

Dragon No. 16 lode

Beginning at
Cor. No. 1.

A 2 in. Iron pipe, previously described, marked D-16-1-4110.

Identical with Cor. No. 2 and 4, Dragon No. 17 and 19 lodes, respectively, this survey.

The corner of sections 35 and 36, T. 7 N. R. 4 W. bears S. 3° 10' 30" E. 9627.10 feet.

Thence N. 68° 25' W.

1500.00

To Cor. No. 2

A 2 in. iron pipe, previously described, marked D-16-2-4110.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 16 lode, cont., Identical with Cors. No. 1, 3 and 4, Dragon No. 15, 19 and 18 lodes, respectively, this survey. Thence N. 21° 35' E.
140.00	Cross gulch running west
210	Cross gulch S. 15° E.
300.00	To the westerly end center monument of the location. Identical with the easterly end center, Dragon No. 15 lode.
360.00	Cross gulch running West.
600.00	To Cor. No. 3 A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-I6-3-4110. Identical with Cors. No. 2, 3 and 4, Dragon No. 13, 8 and 15 lodes, respectively, this survey. Thence S. 68° 25' E.
200.00	Cross gulch running South.
455.00	Cross gulch running S. 20° W.
1500.00	To Cor. No. 4 A 2 in. iron pipe, previously described, marked D-I6-4-4110. Identical with Cors. No. 1, 2 and 3, Dragon No. 13, 14 and 17, lodes, respectively, this survey. Thence S. 21° 35' W.
300.00	To the easterly end center monument of the location. Identical with the westerly end center, Dragon No. 17 lode, this survey.
600.00	To Cor. No. 1, the place of beginning. All corners are identical with the location. No bearing objects available. Variation, all corners, 15° East.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 13 lode
 Beginning at Cor. No. 1.
 A 2 in. pipe, previously described, marked
 D-13-1-4110.
 Identical with Cors. No. 2, 3 and 4, Dragon No.
 14, 17 and 16 lodes, respectively, this survey.
 The corner of sections 35 and 36, T. 7 N. R. 4
 W. bears S. 1°45' 40" E. 10175.04 feet.
 Thence N. 68° 25' W.
 1045.00 Cross gulch running S. 20° W.
 1300.00 Cross gulch running South
 1500.00 To Cor. No. 2
 A 2 in. iron pipe, previously described,
 marked D-13-2-4110.
 Identical with Cors. No. 3, 4 and 3, Dragon No.
 16, 15 and 8 lodes, respectively, this survey.
 Thence N. 21° 35' E.
 300.00 To the westerly end center monument of the
 location.
 Identical with the easterly end center, Dragon
 No. 8, lode this survey.
 350.00 Cross gulch running S. 40° E.
 600.00 To Cor. No. 3
 A 2 in iron pipe, 4 ft. long, with an iron cap
 punch marked for the exact corner, set 24 ins. in the
 ground, in a mound of earth and stone, marked D-13-3-4110.
 Identical with Cor. No. 2, Dragon No. 8 lode,
 and on line 3-4, Dragon No. 1 lode at 5.68° 25' E
 at 424.20 ft. from
 Cor. No. 4. Both claims of this survey.
 Thence S. 68° 25' E.
 790.00 Cross gulch running S. 35° W.
 1075.80 To Cor. No. 3 and 2, Dragon No. 1 and 12 lodes,
 respectively, this survey.
 1500.00 To Cor. No. 4

Mineral Survey No. 4110, cont.,

feet	Dragon No. 13 lode, cont.,
	A 2 in. pipe, previously described, marked
	D-I-3-4-4110.
	Identical with Cor. No. 3, Dragon No. 14 lode.
	this survey.
	Thence S. 21°-35' W.
300.00	To the easterly end center monument of the location.
	Identical with the westerly end center, Dragon No. 14 lode, this survey.
600.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° East.

	Dragon No. 1 lode
	Beginning at Cor. No. 1.
	A 2 in. iron pipe, 4 ft. long, with iron cap
	punch marked for the exact corner, set 24 ins. in the
	ground, in a mound of earth and stone, marked D-I-1-4110.
	Identical with Cors. No. 1, 4 and 2, Dragon No. 6 & 2 and Dragon lodes, respectively, this survey.
	U.S.L.M. No. 4110 bears N. 65° 36' 30' W.
	1059.30 feet.
	Thence S. 68° 25' E.
1320.00	Cross gulch running S. 22° W.
1500.00	To Cor. No. 2
	A 2 in. iron pipe, previously described, marked D-I-2-4110.
	Identical with Cors. No. 4 and 13, Dragon No. 6 and 12 lodes, respectively, this survey.
	Thence S. 21° 35' W.
300.00	To the easterly end center monument of the location.

Mineral Survey No. 4110, cont.,

feet	Dragon No. I lode, cont.,
	Identical with the westerly end center, Dragon No. 12 lode, this survey.
600.00	To Cor. No. 3.
	A 2 in. iron pipe, previously described, marked D-I-3-4110.
	Identical with Cor. No. 2, Dragon No. 12 lode, this survey.
	Thence N. 63° 25' W.
285.80	Cross gulch running S. 35° W.
1075.80	To Cors. No. 2 and 3, Dragon No. 8 and 13 lodes respectively, this survey.
1175.80	Cross gulch running S. 21° W.
1500.00	To Cor. No. 4.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-I-4-4110.
	Identical with Cor. No. 3 Dragon lode, and on line I-2 Dragon No. 8 lode at ^{N. 68° 25' W.} 424.20 ft. from Cor. No. 2. Both claims, this survey.
	Thence N. 21° 35' E.
300.00	To the ^{westerly} end center monument of the location.
	Identical with the easterly end center, Dragon lode, this survey.
490.00	Cross gulch running S. 40° E.
600.00	To Cor. No. I, the place of beginning.
	All corners are identical with the location.
	Variation, all corners, 15° East.
	No bearing objects available.
	* * * * *
	Dragon No. 6 lode
	Beginning at Cor. No. I.
	A 2 in. iron pipe, previously described, marked D-6-I-4110.

21
14

Mineral Survey No. 4110, cont.,

feet

Dragon No. 6 lode, cont.,

Identical with Cors. No. 4, 2 and I, Dragon No. 2 Dragon and Dragon No. I lodes, respectively, this survey. U.S.L.M. No. 4110 bears N. 65° 36' 30" W. 1059.30 feet.

Thence N. 21° 35' E:

300.00

To the westerly end center monument of the location.

500.00

Cross gulch running West

600.00

To Cor. No. 2.

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked D-6-2-4110.

Identical with Cor. No. I; Dragon No. 7 lode and on line 3-4 Dragon No. 2 lode at ^{N. 21° 35' E} 600 ft. from Cor. No. 4. Both claims, this survey.

Thence S. 63° 25' E.

1290.00

Cross gulch running S. 22° W.

1500.00

To Cor. No. 3

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked D-6-3-4110.

Identical with Cor. No. 4, Dragon No. 7 lode, this survey..

Thence S. 21° 35' W.

300.00

To the easterly end center monument of the location.

600.00

To Cor. No. 4

A 2 in. iron pipe, previously described, marked D-6-4-4110.

Identical with Cors. No. 2 and 3, Dragon No. I and I2 lodes, respectively, this survey.

Mineral Survey No. 4110, cont.,

feet	
	Dragon No. 6 lode, cont.,
	Thence N. 68° 25' W.
180.00	Cross gulch running S. 22° W.
1500.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° East.
	* * * * *
	Dragon No. 7 lode
	Beginning at
	Cor. No. 1.
	A 2 in. iron pipe, previously described,
	marked D-7-I-4110.
	Identical with Cor. No. 2, Dragon No. 6 lode,
	this survey.
	U.S.L.M. No. 4110 bears S. 84° 11' 30" W.
	1191.60 feet.
	Thence N. 21° 35' E.
200.00	Cross gulch running West.
300.00	To the westerly end center monument of the
	location.
	To Cor. No. 2
600.00	A 2 in. iron pipe, 4 ft. long, with an iron
	cap punch marked for the exact corner, set 24 ins. in the
	ground, in a mound of earth and stone, marked D-7-2-4110.
	Thence S. 68° 25' E.
1260.00	Cross gulch running S. 40° E.
1500.00	To Cor. No. 3
	A 2 in. iron pipe, 4 ft. long, with an iron
	cap punch marked for the exact corner, set 18 ins. in the
	ground, in a mound of earth and stone, marked D-7-3-4110.
	Thence S. 21° 35' W.
300.00	To the easterly end center monument of the
	location.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 7 lode, cont.,
600.00	To Cor. No. 4
	A 2 in. iron pipe, previously described, marked D-7-4-4110.
	Identical with Cor. No. 3, Dragon No. 6 lode, this survey.
	Thence N. 68° 25' W.
210.00	Cross gulch running S. 22° W.
1500.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° East.
	* * * * *
	Dragon No. 22 lode
	Beginning at Cor. No. 1.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-22-1-4110.
	The corner of sections 35 and 36, T. 7 N. R. 4 W. bears S. 16° 58' E. 8876.66 feet.
	Thence N. 68° 25' W.
640.00	Cross gulch running S. 47° W.
970.00	Cross gulch running South.
1500.00	To Cor. No. 2
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-22-2-4110.
	Thence N. 21° 35' E.
300.00	To the westerly end center monument of the location.
600.00	To Cor. No. 3
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked D-22-3-4110.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 22 lode cont.,

Identical with Cor. No. 2, Dragon No. 20 lode, this survey.

Thence S. 68° 25' E.

375.00 Cross gulch running South.

1290.00 Cross gulch running South,

1500.00 To Cor. No. 4

A 2 in. pipe, previously described, marked D-22-4-4110.

Identical with Cors. No. 1 and 2, Dragon No. 20 and 21 lodes, respectively, this survey.

Thence S. 21° 35' W.

300.00 To the easterly end center monument of the location.

600.00 To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

Dragon No. 20 lode

Begin^{inning at} Cor. No. 1.

A 2 in. iron pipe, previously described, marked D-20-1-4110.

Identical with Cors. No. 2 and 4; Dragon No. 21 and 22 lodes, respectively, this survey.

The corners of section 35 and 36, T. 7 N.R. 4 W. bears S. 14° 40' 30" E. 9353.37 feet.

Thence N. 68° 25' W.

210.00 Cross gulch running South.

1125.00 Cross gulch running South.

1500.00 To Cor. No. 2.

A 2 in. iron pipe, previously described, marked D-20-2-4110.

Identical with Cor. No. 3, Dragon No. 22 lode, This survey.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 20 lode, cont.,

Thence N. 21° 35' E.

300.00 To the westerly end center monument of the location.

600.00 To Cor. No. 3.

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-20-3-4110.

Identical with Cor. No. 2, Dragon No. 18 lode, this survey.

Thence S. 68° 25' E.

240.00 Cross gulch running S. 15° East

1120.00 Cross gulch running S. 22° W.

1500.00 To Cor. No. 4.

A 2 in. iron pipe, previously described, marked D-20-4-4110.

Identical with Cors. No. 1, 2 and 3, Dragon No. 18, 19 and 21 lodes, respectively, this survey.

Thence S. 21° 35' W.

300.00 To the easterly end center monument of the location.

Identical with the westerly end center, Dragon No. 21^{lode.} this survey.

600.00 To Cor. No. 1, the place of beginning.

All corners are identical with location.

No bearing objects available.

Variation, all corners, 15° East.

* * * * *

Dragon No. 18 lode

Beginning at Cor. No. 1

A 2 in. iron pipe, previously described, marked D-18-1-4110.

Identical with Cors. No. 2, 3 and 4, Dragon No. 19, 21 and 20 lodes, respectively, this survey.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 18 lode, cont.,

The corner of sections 35 and 36, T. 7 N.R. 4 W. bears S. 12° 36' 30" E. 9843.50 feet.

Thence N. 68° 25' W.

380.00

Cross gulch running S. 22° W.

1260.00

Cross gulch running S. 15° E.

1500.00

To Cor. No. 2

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24ins. in the ground, in a mound of earth and stone, marked D-18-2-4110.

Identical with Cor. No. 3, Dragon No. 20 lode, this survey.

Thence N. 21° 35' E.

300.00

To the westerly end center monument of the location.

600.00

To Cor. No. 3

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D18-3-4110.

Identical with Cor. No. 2, Dragon No. 15 lode, this survey.

Thence S. 68° 25' E.

140.00

Cross gulch running South.

1060.00

Cross gulch running S. 22° W.

1300.00

Cross gulch running S. 22° W.

1500.00

To Cor. No. 4

A 2 in. iron pipe, previously described, marked D-18-4-4110.

Identical with Cors. No. 1, 2 and 3, Dragon No. 15, 16 and 19 lodes, respectively, this survey.

Thence S. 21° 35' W.

300.00

To the easterly end center monument of the location.

Identical with the westerly end center of Dragon No. 19 lode, this survey.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 18 lode, cont.,
600.00	To Cor. No. 1, the place of beginning, All corners are identical with the location. No bearing objects available. Variation, all corners, 15° East. * * * * *
	Dragon No. 15 lode.
	Beginning at Cor. No. 1. A 2 in. iron pipe, previously described, marked D-15-1-4110. Identical with Cors. No. 2, 3 and 4, Dragon No. 16, 19 and 18 lodes, respectively, this survey. The corner of sections 35 and 36, T. 7 N.R.4 W. bears S. 10° 44' 30" E. 10345.40 feet. Thence N. 68° 25' W. 200.00 Cross gulch running S. 22° W. 440.00 Cross gulch running S. 22° W. 1360.00 Cross gulch running South. 1500.00 To Cor. No. 2 A 2 in. iron pipe, previously described, marked D-15-2-4110. Identical with Cor. No. 3, Dragon No. 18 lode, this survey. Thence N. 21° 35' E. 300.00 To the westerly end center monument of the location. 470.00 Cross gulch running S. 45° E. 600.00 To Cor. No. 3. A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-15-3-4110. Identical with Cors No. 2 and 4, Dragon No. 5 and 8 _A lodes, respectively, this survey.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 15 lode, cont.,	
	Thence S. 68° 25' E.	
165.00	Cross gulch S. 45° W.	
960.00	Cross gulch running S. 20° W.	
1500.00	To Cor. No. 4	
	A 2 in. iron pipe, previously described, marked D-15-4-4110.	
	Identical with Cors. No. 3, 2 and 3, Dragon No. 8, 13 and 16 lodes, respectively, this survey.	
	Thence S. 21° 35' W.	
240.00	Cross gulch running West.	
300.00	To the easterly end center monument of the location.	
	Identical with the westerly end center, Dragon No. 16 lode, this survey.	
390.00	Cross gulch running S. 15° E.	
460.00	Cross gulch running West	
600.00	To Cor. No. 1, the place of beginning.	
	All corners are identical with the location. No bearing objects available. Variation, all corners, 15° East.	
	* * * * *	
	Dragon No. 8 lode	
	Beginning at Cor. No. 1.	
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-8-1-4110.	
	Identical with Cor. No. 1, Dragon No. 5 lode, this survey, and on line 3-4 Dragon lode, this survey, at 5.68° 25' E. 424.20 feet from Cor. No. 4.	
	U.S.B.M. No. 4110 bears N. 23° 06' 30" E: 652.10 feet.	

Mineral Survey No. 4110, cont.,

feet	Dragon No. 8 lode, cont.,	
	Thence S. 68° 25' E.	
330.00	Cross gulch running S. 21° W.	
1075.80	To Cors. No. 3 and 4, Dragon and Dragon No. 1 lodes, respectively, this survey.	
1400.00	Cross gulch running S. 21° W.	
1500.00	To Cor. No. 2.	
	A 2 in. iron pipe, previously described, marked D-8-2-4110.	
	Identical with Cor. No. 3, Dragon No. 13 lode, this survey.	
	Thence S. 21° 35' W.	
250.00	Cross gulch running S. 40° E.	
300.00	To the easterly end center monument of the location.	
	Identical with the westerly end center, Dragon No. 13 lode, this survey.	
600.00	To Cor. No. 3.	
	A 2 in. iron pipe, previously described, marked D-8-3-4110.	
	Identical with Cors. No. 2, 3 and 4, Dragon No. 13, 16 and 15 lodes, respectively, this survey.	
	Thence N. 68° 25' W.	
540.00	Cross gulch running S. 20° W.	
1335.00	Cross gulch running S. 45° W.	
1500.00	To Cor. No. 4	
	A 2 in. iron pipe, previously described, marked D-8-4-4110.	
	Identical with Cors. No. 2 and 3, Dragon No. 5 and 15 lode, respectively, this survey.	
	Thence N. 21° 35' E.	
300.00	To the westerly end center monument of the location.	
	Identical with the easterly end center, Dragon No. 5 lode, this survey.	

Mineral Survey No. 4110, cont.,

feet	Dragon No. 8 lode
600.00	<p>To Cor. No. I, the place of beginning.</p> <p>All corners are identical with the location.</p> <p>No bearing objects available.</p> <p>Variation, all corners, 15° East.</p> <p>*****</p>
	Dragon Lode
	<p>Beginning at Cor. No. I.</p>
	<p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-I-4110.</p>
	<p>Identical with Cor. No. I and the southerly end center, Dragon No. 10 and 4 lodes, respectively, this survey.</p>
	<p>U.S.L.M. No. 4110 bears S.75° 06' E. 444.50 feet.</p>
210.00	<p>Thence S. 68° 25' E.</p>
300.00	<p>Cross gulch running S. 5° W. To Cor. No. I, Dragon No. 3 and 4 lodes, this survey.</p>
600.00	<p>To the southerly end center, Dragon No. 3 lode, this survey.</p>
900.00	<p>To Cors. No. 4 and I, Dragon No. 3 and 2 lodes, respectively, this survey.</p>
1200.00	<p>To the southerly end center, Dragon No. 2 lode, this survey.</p>
1435.00	<p>Cross gulch running South.</p>
1500.00	<p>To Cor. No. 2. A 2 in. iron pipe, previously described, marked D-2-4110.</p>
	<p>Identical with Cor. No. I, Dragon No. 6 and I & Cor. No. 4 Dragon No. 2 lode, this survey.</p>
	<p>Thence S. 21° 35' W.</p>
110.00	<p>Cross gulch S. 40° E.</p>
300.00	<p>To the easterly end center monument of the location,</p>

Mineral Survey No. 4110, cont.,

feet

Dragon lode

Identical with the westerly end center, Dragon No. I lode, this survey.

600.00

To Cor. No. 3.

A 2 in. iron pipe, previously described, marked D-3-4110.

Identical with Cor. No. 4, Dragon No. I lode, this survey.

Thence N. 68° 25' W.

745.80

Cross gulch running S. 21° W.

1075.80

To Cors. No. I, Dragon No. 5 and 8 lodes, this survey.

1195.80

Cross gulch running S. 5° W.

1500.00

To Cor. No. 4.

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-4-4110

Identical with Cor. No. 2, Dragon No. 10 lode, this survey.

Thence N. 21° 35' E.

300.00

To the westerly end center monument of the location.

Identical with the easterly end center, Dragon No. 10 lode, this survey.

600.00

To Cor. No. I, the place of beginning.

All corners are identical with the location.

No. bearing objects available.

Variation, all corners, 15° East.

Dragon No. 5 lode

Beginning at
Beg. Cor. No. I.

A 2 in. iron pipe, previously described, marked D-5-I-4110.

Identical with

Mineral Survey No. 4110, cont.,

feet

Dragon No. 5 lode, cont.,

Identical with Cor. No. F, Dragon No. 8 lode, this survey, and on line 3-4, Dragon lode, at $S 68^{\circ} 25' E$, 424.20 ft. from Cor. No. 4.

U.S.L.M. No. 4110 bears N. $23^{\circ} 06' 30'' E$.
652.10 feet.

Thence S. $21^{\circ} 35' W$.

300.00

To the easterly end center monument of the location.

Identical with the westerly end center, Dragon No. 8 lode this survey.

600.00

To Cor. No. 2.

A 2 in. iron pipe, previously described, marked D-5-2-4110.

Identical with Cors. No. 4 and 3, Dragon No. 8 and 15 lodes, respectively, this survey.

Thence N. $68^{\circ} 25' W$.

170.00

Cross gulch running South.

1130.00

Cross gulch running S. $35^{\circ} W$.

1420.00

Cross gulch running S. $22^{\circ} W$.

1500.00

To Cor. No. 3

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-5-3-4110.

Thence N. $21^{\circ} 35' E$.

300.00

To the westerly end center monument of the location.

355.00

Cross gulch running S. $15^{\circ} E$.

600.00

To Cor. No. 4.

A 2 in. iron pipe, 4 ft. long, with an iron cap punchmarked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-5-4-4110.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 5 lode, cont.,

On line 2-3, Dragon No. 10 lode, this survey, at ^{5.68° 25' E.} 424.20 feet from Cor. No. 3.

Thence S. 68° 25' E.

410.80 Cross gulch running S. 15° W.

1075.80 To Cors. No. 4 and 2, Dragon and Dragon No. 10 lodes, respectively; this survey.

1380.00 Cross gulch running S. 5° W.

1500.00 To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners; 15° East.

Dragon No. 10 lode

Beginning at
Cor. No. 1.

A 2 in. iron pipe, previously described, marked D-10-1-4110.

Identical with Cor. No. 1 and the southerly end center, Dragon and Dragon No. 4 lodes, respectively, this survey.

U.S.L.M. No. 4110 bears S. 75° 06' E. 444.50 ft.

Thence S. 21° 35' W.

300.00 To the easterly end center monument of the location.

Identical with the westerly end center, Dragon lode, this survey.

600.00 To Cor. No. 2.

A 2 in. iron pipe, previously described, marked D-10-2-4110.

Identical with Cor. No. 4, Dragon lode, this survey.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 10 lode, cont.,
	Thence N. 68° 25' W.
665.00	Cross gulch running S. 15° W.
1075.80	To Cor. No. 4, Dragon No. 5 lode, this survey.
1130.00	Cross gulch running S. 15° W.
1500.00	To Cor. No. 3.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-10-3-4110.
	Thence N. 21° 35' E.
300.00	To the westerly end center monument of the location.
600.00	To Cor. No. 4.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-10-4-4110.
	Identical with Cor. No. 2, Dragon No. 11 lode, this survey.
	Thence S. 68° 25' E.
240.00	Cross gulch running S. 22° W.
300.00	To the southerly end center, Dragon No. 11 lode, this survey.
560.00	Cross gulch running S. 40° W.
600.00	To Cors. No. 1 and 2, Dragon No. 11 and 9 lodes, respectively, this survey.
900.00	To the southerly end center, Dragon No. 9 lode, this survey.
1020.00	Cross gulch running S. 15° W.
1200.00	To Cors. No. 1 and 2, Dragon No. 9 and 4 lodes, respectively, this survey.
1500.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation, all corners, 15° East.

Mineral Survey No. 4110, cont.,

	Dragon No. 2 lode.
	Beginning at Cor. No. 1.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2-I-4110.
	Identical with Cor. No. 4, ^{Dragon No. 3 lode,} and on line I-2 Dragon lode, both of this survey, at N. 68° 25' W. 600 ft. from Cor. No. 2, this survey.
	U.S.L.M. No. 4110 bears N. 61° 58' W. 461.40 ft.
	Thence N. 21° 35' E.
1500.00	To Cor. No. 2.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 15 ins. in the ground, in a mound of earth and stone, marked D-2-2-4110.
	Identical with Cor. No. 3, Dragon No. 3 lode, this survey.
	Thence S. 68° 25' E.
300.00	To the northerly end center monument of the location.
600.00	To Cor. No. 3.
	A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-2-3-4110.
	Thence S. 21° 35' W.
300.00	To Cor. No. 2, Dragon No. 7 lode, this survey.
600.00	To the westerly end center, Dragon No. 7 lode, ^{this survey.}
700.00	Cross gulch running West.
900.00	To Cors. No. 1 and 2, Dragon No. 7 and 6 lodes, this survey, respectively.
1000.00	Cross gulch running West.
1200.00	To the westerly end center, Dragon No. 6 lode, this survey.
1500.00	To Cor. No. 4.

Mineral Survey No. 4110, cont.,

feet

Dragon No. 2 lode, cont.,

A 2 in. iron pipe, previously described, marked D-2-4-4110.

Identical with Cors. No. 1, 1 and 2, Dragon No. 6 and 1 and Dragon lodes, respectively, this survey.

Thence N. 68° 25' W.

300.00

To the southerly end center monument of the location.

600.00

To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

* * * * *

Dragon No. 3 lode

Beginning at Cor. No. 1

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 18 ins. in the ground, in a mound of earth and stone, marked D-3-1-4110.

Identical with Cor. No. 1, Dragon No. 4 lode, this survey.

U.S.L.M. No. 4110 bears S. 88° 33' E. 150.70 ft.

Thence N. 21° 35' E.

1500.00

To Cor. No. 2.

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-3-2-4110.

Identical with Cor. No. 4, Dragon No. 4 lode this survey.

Thence S. 68° 25' E.

300.00

To the northerly end center monument of the location.

600.00

To Cor. No. 3.

A 2 in. iron pipe, previously described, marked D-3-3-4110.

Identical with Cor. No. 2, Dragon No. 2 lode this survey.

30
898

Mineral Survey No. 4110. Cont.,

feet

Dragon No. 3 lode, cont.,

Thence S. 21° 35' W.

1500.00

To Cor. No. 4.

A 2 in. iron pipe, previously described, marked D-3-4-4110.

Identical with Cor. No. 1, Dragon No. 2 lode, this survey.

Thence N. 68° 25' W.

300.00

To the southerly end center monument of the location.

600.00

To Cor. No. 1, the place of beginning.

All corners are identical with the location.

No bearing objects available.

Variation, all corners, 15° East.

Dragon No. 4 lode

Beginning at
Cor. No. 1.

A 2 in. iron pipe, previously described, marked D-4-1-4110.

Identical with Cor. No. 1, Dragon No. 3 lode, this survey.

U.S.L.M. No. 4110 bears S. 88° 33' E. 150.70 feet.

Thence N. 68° 25' W.

90.00

Cross gulch running S. 5° W.

300.00

To Cors. No. 1, Dragon and Dragon No. 10 lodes, this survey and the southerly end center post of the location.

600.00

To Cor. No. 2.

A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-4-2-4110.

Identical with Cor. No. 1, Dragon No. 9 lode, this survey.

Mineral Survey No. 4110, cont.,

feet	Dragon No. 4 lode, cont.,
	Thence N. 21° 35' E.
1500.00	To Cor. No. 3.
	A 2 in. iron pipe, 4 ft. long, with an iron cap
	punch marked for the exact corner, set 24 ins. in the ground
	ground, in a mound of earth and stone, marked D-4-3-4110.
	Identical with Cor. No. 4, Dragon No. 9 lode,
	this survey.
	Thence S. 68° 25' E.
300.00	To the northerly end center monument of the
	location.
600.00	To Cor. No. 4.
	A 2 in. iron pipe, previously described, marked
	D-4-4-4110.
	Identical with Cor. No. 2, Dragon No. 3 lode,
	this survey.
	Thence S. 21° 35' W.
1500.00	To Cor. No. 1, the place of beginning.
	All corners are identical with the location.
	No bearing objects available.
	Variation all corners, 15° East.

	Dragon No. 9 lode
	Beginning at
	Cor. No. 1.
	A 2 in. iron pipe, previously described,
	marked D-9-1-4110.
	Identical with Cor. No. 2, Dragon No. 4 lode,
	this survey.
	U.S.L.M. No. 4110 bears S. 72° 24' E. 743.30
	feet.
	Thence N. 68° 25' W.
180.00	Cross gulch running S. 15° W.
300.00	To the southerly end center monument of the
	location.
600.00	To Cor. No. 2, a 2 in. iron pipe, 4 ft. long, with
	iron cap punch marked for the exact corner, set 24 ins.
	in the ground, in a mound of earth and stone, marked D-9-
	2-4110. Identical with Cor. No. 1, Dragon No. 11 lode,
	this survey.

Mineral Survey No. 4110. cont.,

feet		
	<p>Dragon No. 9 lode, cont., Thence N. 21° 35' E.</p>	
170.00	Cross gulch running S. 40° W.	
1500.00	To Cor. No. 3.	
	<p>A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-9-3-4110.</p>	
	<p>Identical with Cor. No. 4, Dragon No. II lode, this survey.</p>	
	Thence S. 68° 25' E.	
300.00	To the northerly end center monument of the location.	
600.00	To Cor. No. 4.	
	<p>A 2 in. iron pipe, previously described, marked D-9-4-4110.</p>	
	<p>Identical with Cor. No. 3, Dragon No. 4 lode, this survey.</p>	
	Thence S. 21° 35' W.	
1500.00	To Cor. No. I, the place of beginning.	
	All corners are identical with the location.	
	No bearing objects available.	
	Variation, all corners, 15° East.	
	* * * * *	
	Dragon No. II lode	
	<p>Beginning at Beg, Cor. No. I.</p>	
	<p>A 2 in. iron pipe, previously described, marked DII-I-4110.</p>	
	<p>Identical With Cor. No. 2, Dragon No. 9 lode, this survey.</p>	
	<p>U.S.L.M. No. 4110 bears S. 70° 37' E. 1342.50 feet.</p>	
	Thence N. 68° 25' W.	
40.00	Cross gulch running S. 40° W.	

Mineral Survey No. 4110, cont.,

feet	Dragon No. II, lode, cont.,
300.00	To the southerly end center monument of the location.
360.00	Cross gulch running S. 22° W.
600.00	To Cor. No. 2. A 2 in. iron pipe, previously described, marked D-II-2-4110. Identical with Cor. No. 4, Dragon No. 10 lode, this survey. Thence N. 21° 35' E.
1500.00	To Cor. No. 3. A 2 in. iron pipe, 4 ft. long, with an iron cap punch marked for the exact corner, set 24 ins. in the ground, in a mound of earth and stone, marked D-II-3-4110. Thence S. 68° 25' E.
300.00	To the northerly end center monument of the location.
600.00	To Cor. No. 4. A 2 in. iron pipe, previously described, marked D-II-4-4110. Identical with Cor. No. 3, Dragon No. 9 lode, this survey. Thence S. 21° 35' W.
1330.00	Cross gulch running S. 40° W.
1500.00	To Cor. No. I, the place of beginning. All corners are identical with the location. No bearing objects available. Variation, all corners, 15° East.
	* * * * *

Location

This survey is located in the San Domingo Mining District, Maricopa County, Arizona, in sections 23-24-25 of T. 7 N. R. 4 W. G. & S. R. B. & M.

Mineral Survey No. 4110, cont.,

Lode Lines

As near as can be determined from present development, the lode lines of the various claims of this survey, extend from their respective discoveries as follows;—

Dragon No. 17- S. $68^{\circ} 25'$ E. 1460 ft. and N. $68^{\circ} 25'$ W. 40 ft. ~~(from the discovery shaft.~~

Dragon No. 14- S. $68^{\circ} 25'$ E. 1460 ft. and N. $68^{\circ} 25'$ W. 40 ft. ~~(from the discovery shaft.~~

Dragon No. 12- S. $68^{\circ} 25'$ E. 1475 ft. and N. $68^{\circ} 25'$ W. 25 ft. ~~(from the discovery shaft.~~

Dragon No. 21- S. $68^{\circ} 25'$ E. 1425 ft. and N. $68^{\circ} 25'$ W. 75 ft. ~~(from the discovery shaft.~~

Dragon No. 19- S. $68^{\circ} 25'$ E. 1450 ft. and N. $68^{\circ} 25'$ W. 50 ft. ~~(from the discovery shaft.~~

Dragon No. 16- S. $68^{\circ} 25'$ E. 1440 ft. and N. $68^{\circ} 25'$ W. 60 ft. ~~(from the discovery shaft.~~

Dragon No. 13- S. $68^{\circ} 25'$ E. 1365 ft. and N. $68^{\circ} 25'$ W. 135 ft. ~~(from the discovery shaft.~~

Dragon No. 1 - S. $68^{\circ} 25'$ E. 1000 ft. and N. $68^{\circ} 25'$ W. 500 ft. ~~(from the discovery shaft.~~

Dragon No. 6 - S. $68^{\circ} 25'$ E. 1350 ft. and N. $68^{\circ} 25'$ W. 150 ft. ~~(from the discovery cut.~~

Dragon No. 7 - S. $68^{\circ} 25'$ E. 1310 ft. and N. $68^{\circ} 25'$ W. 190 ft. ~~(from the discovery cut.~~

Dragon No. 22- S. $68^{\circ} 25'$ E. 110 ft. and N. $68^{\circ} 25'$ W. 1390 ft. ~~(from the discovery shaft.~~

Dragon No. 20- S. $68^{\circ} 25'$ E. 300 ft. and N. $68^{\circ} 25'$ W. 1200-ft. ~~(from the discovery cut.~~

Dragon No. 18- S. $68^{\circ} 25'$ E. 85 ft. and N. $68^{\circ} 25'$ W. 1415 ft. ~~(from the discovery shaft.~~

Dragon No. 15- S. $68^{\circ} 25'$ E. 450 ft. and N. $68^{\circ} 25'$ W. 1050 ft. ~~(from the discovery shaft.~~

Mineral Survey No. 4110, cont.,

Lode Lines, cont.,

Dragon No. 3 - S. 68° 25' E. 1220 ft. and N. 68° 25' W. 280 ft. ~~from the discovery shaft.~~

Dragon No. 4 - S. 68° 25' E. 830 ft. and N. 68° 25' W. 670 ft. ~~from the discovery shaft.~~

Dragon No. 5 - S. 68° 25' E. 130 ft. and N. 68° 25' W. 1370 ft. ~~from the discovery shaft.~~

Dragon No. 10 - S. 68° 25' E. 170 ft. and N. 68° 25' W. 1330 ft. ~~from the discovery shaft.~~

Dragon No. 2 - N. 21° 35' E. 917 ft. and S. 21° 35' W. 583 ft. ~~from the discovery shaft.~~

Dragon No. 3 - N. 21° 35' E. 250 ft. and S. 21° 35' W. 1250 ft. ~~from the discovery shaft.~~

Dragon No. 4 - N. 21° 35' E. 190 ft. and S. 21° 35' W. 1310 ft. ~~from the discovery shaft.~~

Dragon No. 9 - N. 21° 35' E. 400 ft. and S. 21° 35' W. 1100 ft. ~~from the discovery shaft.~~

Dragon No. 11 - N. 21° 35' E. 70 ft. and S. 21° 35' W. 1430 ft. ~~from the discovery shaft.~~

* * * * *

Areas

of the 23

The area of each claim included in this survey is 20.661 Acres.

* * * * *

Five Hundred Dollars Expenditure

I hereby certify that the value of the improvements and labor made upon and for the benefit of each lode claim in this survey, by the Claimant Company or its Grantors is not less than Five Hundred Dollars and consists of the following:-

Dragon No. 17 lode:-

No. 1- The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 40 ft. from the west end center.

Value \$40.00

Mineral Survey No. 4110, cont.,

Improvements, cont.

Dragon No. 17 lode, cont.,

No. 2 - A shaft, 4 by 6 ft. by 100 ft. deep, at the 35 ft. level a drift runs S. 60° E. 75 ft. and N. 60° W. 25 ft. At the 100 ft. level a drift runs S. 60° E. 25 ft. and N. 60° W. 25 ft. Value \$8165.00

The center of shaft bears S. 9° 30' W. 159 ft. from Cor. No.

3. I/23 value to this claim \$355.00

No. 3 - A shaft, 4 by 6 ft. by 7 ft. deep, the center bears S. 27° 30' E. 295 ft. from Cor. No. 3

Value ----- \$35.00

No. 4 - A shaft, 5 by 10 ft. by 15 ft. deep, the center bears S. 42° 30' E. 412 ft. from Cor. No. 3

Value ----- \$65.00

No. 5 - A shaft, 4 by 6 ft. by 10 ft. deep, the center bears S. 49° E. 555 ft. from Cor. No. 3.

Value ----- \$50.00

No. 6 - An open cut, 6 ft. wide, 7 ft. deep running N. 85° W. 30 ft. Center of face bears S. 58° 30' E. 615 ft. from Cor. No. 3. Value ----- \$65.00

No. 7 - A shaft, 5 by 9 ft. by 12 ft. deep, the center bears S. 11° 30' E. 220 ft. from Cor. No. 3

Value ----- \$75.00

I/23 interest in Improvements No. 1 and 4, Dragon and Dragon No. 19 lodes ----- \$1745.00

Dragon No. 14 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 40 ft. from the west end center. Value ----- \$40.00

I/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 12 lode.

No. 1 - The discovery shaft

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 12 lode, cont.,

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 25 ft. from the west end center. Value ----- \$40.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value ----- \$2100.00

Dragon No. 21 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 75 ft. from the west end center. Value ----- \$40.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value ----- \$2100.00

Dragon No. 19 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 50 ft. from the west end center. Value ----- \$40.00

No. 2 - Ashaft, 4 by 5 ft. by 7 ft. deep. The center bears N. 40° E. 167 ft. from Cor. No. 2. Value ----- \$25.00

No. 3 - A shaft, 4 by 6 ft. by 11 ft. deep. the center bears N. 60° 30' E. 230 ft. from Cor. No. 2. Value ----- \$55.00

No. 4 - Ashaft, 6 by 8 ft. by 150 ft. deep. At the 35 ft. level, a drift running S. 60° E. 50 ft. and N. 60° W. 50 ft. At 75 ft. level, a drift runs S. 60° E. 60 ft. and N. 60° W. 60 ft. At 150 ft. level a drift runs S. 60° E. 60 ft. and N 60° W. 60 ft. The center of shaft bears N. 80° 10' E. 270 ft. from Cor. No. 2. Value \$12305.00

1/23 interest to this claim \$535.00

1/23 interest in Improvements No. 1 and 2, Dragon and Dragon No. 17 lodes, respectively. --- \$1565.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 16 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep, on the lode line at 60 ft. from the west end center.

Value ----- \$40.00

No. 2 - A shaft, 7 by 8 ft. by 12 ft. deep. The center bears S. 72° 30' E. 320 ft. from Cor. No. 2.

Value ----- \$75.00

1/23 interest in Improvements No. 1, 4 and 2,

Dragon, Dragon No. 19 and 17, respectively. Value \$2100.00

Dragon No. 13 lode.

No. 1.-The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line at 135 ft. from the west end center.

Value ----- \$40.00

No. 2 - A shaft, 7 by 6 ft. by 11 ft. deep. The center bears S. 59° 45' E. 490 ft. from Cor. No. 3

Value ----- \$60.00

No. 3 - A shaft, 8 by 8 ft. by 10 ft. deep. The center bears S. 78° E. 491 ft. from Cor. No. 2.

Value ----- \$60.00

No. 4 - A shaft, 6 by 8 ft. by 9 ft. deep. The center bears N. 65° 15' W. 565 ft. from Cor. No. 1.

Value ----- \$60.00

No. 5 - A cut 9 ft. face, 3 ft. wide, running North 20 ft. Center of face bears N. 83° 30' W. 650 ft. from Cor. No. 4.

Value ----- \$50.00

No. 6 - A shaft, 4 by 5 ft. by 125 ft. deep. The center bears S. 32° 45' W. 465 ft. from Cor. No. 4.

Value ----- \$3000.00

No. 7 - A shaft, 6 by 8 ft. by 10 ft. deep. The center bears S. 68° 05' W. 335 ft. from Cor. No. 4.

Value ----- \$50.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 13 lode, cont.,

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 1 lode

Dragon No. 1 - The discovery shaft, 4 by 6 ft.
by 3 ft. deep. On the lode line at 500 ft. from the west
end center.

Value ----- \$40.00

No. 2 - An open cut, 7 ft. face, 5 ft. wide,
extends S. 35° E. 14 ft. Center of face is on the lode
line at 315 ft. from the east end center.

Value ----- \$30.00

No. 3 - A shaft, 6 by 7 ft. by 11 ft. deep. The
center bears S. 37° E. 265 ft. from Cor. No. 1.

Value ----- \$55.00

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 6 lode.

No. 1 - The discovery cut, 10 ft. face, 4 ft. wide
extending S. 50° W. 15 ft. Center of face is on lode
line at 150 ft. from the west end center.

Value ----- \$40.00

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 7 lode.

No. 1 - The discovery cut, 10 ft. face, 5 ft.
wide, extending S. 45° W. 15 ft. On the lode line at
190 ft. from the West end center.

Value ----- \$40.00

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 22 lode.

No. 1 - The discovery shaft, 4 by 6 ft, by 8 ft.
deep. On the lode line at 110 ft. from the east end
center.

Value ----- \$40.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 22 lode, cont.,

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 20 lode.

No. 1 - The discovery cut, 10 ft. face, 5 ft.
wide, extending N. 68° W. 15 ft. On the lode line at 300 ft.
from the east end center.

Value ----- \$40.00

No. 2 - A shaft, 3 by 6 ft. by 7 ft. deep. The
center bears S. 76° 45' W. 405 ft. from Cor. No. 4.

Value ----- \$30.00

No. 3 - An open cut, 11 ft. face, 7 ft. wide,
extends N. 30° W. 15 ft. Center of face bears N. 37° W.
328 ft. from Cor. No. 1.

Value ----- \$50.00

No. 4 - A shaft, 8 by 10 ft. by 10 ft. deep.
The center bears N. 65° 40' W. 483 ft. from Cor. No. 1.

Value ----- \$60.00

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 18 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8
ft. deep. On the lode line 85 ft. from ~~the east end center~~

Value ----- \$40.00

No. 2 - An open cut, 8 ft. face, 6 ft. wide,
extends East 20 ft. From the face, a tunnel runs West 175
feet. Center of face bears N. 48° 45' W. 520 ft. from
Cor. No. 1.

Value ----- \$1750.00

No. 3 - An open cut, 14 ft. face, 5 ft. wide,
extends N. 75 E. 30 ft. Center of face bears N. 47° 50'
W. 660 ft. from Cor. No. 1.

Value ----- \$100.00

No. 4 - An open cut, 12 ft. face, 10 ft. wide,
extends East 50 ft. Center of face bears N. 48° 50' W.
610 ft. from Cor. No. 1.

Value ----- \$125.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 18 lode, cont.,

No. 5 - A shaft, 5 by 6 ft. by 150 feet deep.

The center bears N. 51° 40' W. 690 ft. from Cor. No. 1.

Value ----- \$4500.00

1/23 interest in Improvements No. 1, 4 and 2,

Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 15 lode.

No. 1 - The discovery shaft, 5 by 6 ft. by 100 ft. deep. On the lode line 450 ft. from the east end center.

Value ----- \$3000.00

No. 2 - A shaft, 6 by 6 ft. by 30 ft. deep. On the lode line at 470 ft. from the east end center.

Value ----- \$600.00

No. 3 - An open cut, 10 ft. face, 5 ft. wide extends N. 68° W. 20 ft. with a tunnel running S. 68° E.

85 ft. Center of face is on the lode line at 490 ft.

from the east end center. Value ----- \$900.00

No. 4 - An open cut, 8 ft. face, 7 ft. wide, extends N. 45° W. 16 ft. Center of face bears N. 48° 30' W. 665 ft. from Cor. No. 1. Value ----- \$50.00

1/23 interest in Improvements No. 1, 4 and 2,

Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 8 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line 280 ft. from the west end center.

Value ----- \$40.00

No. 2 - A shaft, 6 by 7 ft. by 9 ft. deep. The center bears N. 79° W. 548 ft. from Cor. No. 2.

Value ----- \$50.00

No. 3 - A shaft, 8 by 6 ft. by 10 ft. Deep. The center bears S. 84° 45' W. 527 ft. from Cor. No. 2.

Value ----- \$60.00

No. 4 - A shaft, 8 by 10 ft. by 15 ft. deep. The center bears N. 81° 25' W. 465 ft. from Cor. No. 2.

Value ----- \$100.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 8 lode, cont.,

I/23 interest in Improvements No. 1, 4 and 2,
Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon Lode.

No. 1 - The discovery shaft, 5 by 7 ft. 250 ft.
On the lode line 670 ft. from the west end center.
deep, timbered. At the 90 ft. level, a drift runs S. 73°

East 66 ft. to a cross-cut, thence S. 73° E. 25 ft.

Cross cut runs N. 40° E. 54 ft. thence N. 24° E. 65 ft.

From the shaft, a drift runs N. 59° W. 50 ft. thence N.

42° W. 25 ft. to Crosscut running N. 20° E. 30 ft. The

drift continues N. 70° W. 38 ft. thence N. 60° W. 48 ft.

thence N. 70° W. 35 ft. to a 35 ft. winze. From winze a

cross cut runs S. 25° W. 115 ft. and N. 25° E. 35 ft.

From the 250 ft. level a cross-cut runs S. 20° W.
186 ft. and N. 25° E. 74 ft. Value ----- \$27830.00

I/23 interest to this claim ----- \$1210.00

I/23 interest in Improvements No. 4 and 2,
Dragon No. 19 and 17 lodes, respectively. ---- \$ 890.00

No. 2 - An open cut, 12 ft. face, 10 ft. wide
extends West 50 ft. Center of face bears N. 80° E. 525
ft. from Cor. No. 4. Value ----- \$100.00

No. 3 - A shaft, 4 by 6 ft. by 8 ft. deep, The
center bears S. 21° 15' E. 350 ft. from Cor. No. 1.

Value ----- \$40.00

No. 4 - A shaft, 6 by 8 ft. by 35 ft. deep.
The center bears S. 26° E. 370 ft. from Cor. No. 1.

Value ----- \$550.00

No. 5 - A shaft, 6 by 8 ft. by 10 ft. deep.
The center bears S. 57° 05' E. 755 ft. from Cor. No. 1.

Value ----- \$60.00

No. 6 - A shaft, 5 by 6 ft. by 12 ft. deep.
The center bears N. 88° 10' W. 620 ft. from Cor. No. 2

Value ----- \$65.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 5 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line 130 ft. from the east end center. Value ----- \$40.00

No. 2 - An open cut, 7 ft. face, 6 ft. wide, extends West 12 ft. Center of face bears S. 82° 30' W. 387 ft. from Cor. No. 1. Value ----- \$35.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value --- \$2100.00

Dragon No. 10 lode

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line 170 ft. from the east end center. Value ----- \$40.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value ----- \$2100.00

Dragon No. 2 lode.

No. 1 - The discovery shaft, 5 by 8 ft. by 10 ft. deep. On the lode line 583 ft. from the south end center. Value ----- \$60.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value ----- \$2100.00

Dragon No. 3 lode,

No. 1.- The discovery cut, 10 ft. face, 4 ft. wide, extending North 15 ft. Face is on the lode line 250 ft. from the north end center. Value ----- \$40.00

No. 2- A shaft, 5 by 7 ft. by 9 ft. deep. The center bears S. 33° 20' W. 328 ft. from Cor. No. 3. Value ----- \$50.00

No. 3 - A shaft, 7 by 6 ft. by 18 ft. deep. The center bears S. 27° 20' W. 290 ft. from Cor. No. 3. Value ---- \$150.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively. Value ----- \$2100.00

Mineral Survey No. 4110, cont.,

Improvements, cont.,

Dragon No. 4 lode

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line 190 ft. from the north end center. Value ----- \$40.00

No. 2 - An open cut, 7 ft. face, 4 ft. wide, extends N. 70° W. 12 ft. Center of face bears S. 55° 30' W. 450 ft. from Cor. No. 4.

Value ----- \$25.00

No. 3 - A shaft, 6 by 8 ft. by 8 ft. deep. The center bears S. 37° 10' W. 565 ft. from Cor. No. 4.

Value ----- \$50.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ----- \$2100.00

Dragon No. 9 lode.

No. 1 - The discovery shaft, 4 by 7 ft. by 50 ft. deep. On the lode line 400 ft. from the north end center. Value ----- \$1000.00

No. 2 - A shaft, 10 by 10 ft. by 12 ft. deep. The center bears S. 36° 15' W. 425 ft. from Cor. No. 4.

Value ----- \$65.00

No. 3 - An open cut, 7 ft. face, 6 ft. wide, extends N. 65° W. 15 ft. Center of face bears S. 34° 50' W. 490 ft. from Cor. No. 4. Value ---- \$35.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively.

Value --- \$2100.00

Dragon No. 11 lode.

No. 1 - The discovery shaft, 4 by 6 ft. by 8 ft. deep. On the lode line 70 ft. from the north end center. Value ---- \$40.00

1/23 interest in Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively.

Value ---- \$2100.00

Other Improvements

Mineral Survey No. 4110, cont.,

Other Improvements, cont.,

Dragon lode.

A mill building, from the southwest corner, runs East 90 ft. thence N. 15 ft. thence West 30 ft. thence North 25 ft. thence West 60 ft. thence South 40 ft. The southwest corner bears N. 85° 10' E. 575 ft. from Cor. No. 4.

An engine room, from the northwest corner, runs S. 3° W. 30 ft. thence S. 87° E. 60 ft. thence N. 3° East 60 ft. thence N. 87° W. 30 ft. thence S. 3° W. 30 ft. thence N. 87° W. 30 ft. The northwest corner bears S. 49° 30' E. 640 Ft. From Cor. No. I.

Report

U. S. L. M. No. 4110 is a 2 inch Iron Pipe, 4 1/2 ft. long, set 3 ft. in the ground, on top of a white quartz hill, about 400 ft. northerly from the United Vanadium Company Mill and bears N. 11° 55' 30' W. 12706.7 ft. from the corner of sections 35 / 36 T. 7 N. R. 4 W. G. & S. R. B. & M, which is the nearest known corner to this survey. U.S.L.M. No. 4110 has iron cap marked USLM 4110 and a witness monument of white quartz, 5 ft. base and 4 ft. high about 5 ft. southeast of the iron pipe.

Improvements No. 1, 4 and 2, Dragon, Dragon No. 19 and 17 lodes, respectively, are common improvements for this group of lode claims and the Claimant is now developing these shafts so as to explore by cross cut and drifting, the entire group and I therefore divide the value of the three improvements equally between the 23 claims of this survey.

The corner of sections 35 / 36 T. 7 N. R. 4 W. G. & S. R. B. & M, tied to in this survey, is a 3 inch iron pipe, with a brass cap, properly marked. projecting 16 inches above ground.

Mineral Survey No. 4110, cont.

Report, cont.,

Careful search was made for section corners in the interior of this township and surrounding this survey, and nothing that could be identified was found.

Ties for all claims within the two mile limit were made to the above corners and U.S.L.M No. 4110 was established for all other claims.

The side and end lines and all other lines of this survey were ~~made~~ directly on the ground.

Instrument and Meridian

This survey was made with a C.L.Berger & Sons Transit and a 100 and 500 foot steel tape.

Meridian was determined by direct observation on the sun.

Adjoining and conflicting Claims

This survey is surrounded on all sides by Public Domain.

L. H. Foster

L. H. Foster,
U.S. Mineral Surveyor.

Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by L. H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

United Vanadium Corporation

known as the Dragon and Dragon Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
16, 17, 18, 19, 20, 21 and 22 lodes
and showing the respective capacities in which they acted.

....., *Chainman.*

Martin Alger....., *Chainman.*

XXXXXXXXXXXXXXXXXXXX....., *Acman.*

XXXXXXXXXXXXXXXXXXXX....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

We I, Martin Alger

and XXXXXXXXXXXXXXXXXXXX, do solemnly swear that ~~we~~^I assisted

L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of United Vanadium Corporation

known as the Dragon and Dragon Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
16, 17, 18, 19, 20, 21 and 22 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Martin Alger....., *Chainman.*

....., *Chainman.*

XXXXXXXXXXXXXXXXXXXX....., *Acman.*

XXXXXXXXXXXXXXXXXXXX....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 23rd

day of January, 19 20.

Wm. H. Cannon
Notary Public

Four witnesses
Nov 20 - 1921

FINAL OATH OF U. S. MINERAL SURVEYOR

I, L. H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated July 13, 1929, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of United Vanadium Corporation, known as the Dragon and Dragon Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22 lodes situate in San Domingo Mining District, Maricopa County, Arizona, in Section 23, 24, 25 & 26, Township No. 7 North, Range No. 4 West and designated as Survey No. 4110, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster

U. S. Mineral Surveyor, before me Maryle Canow

a Notary Public this 22nd

day of January, 1930

Canow
Nov 20-1931

Maryle Canow
Notary Public

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

February 27, 1930, -191-

I, ~~U. S. Surveyor-General for~~ Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

United Vanadium Corporation

known as the DRAGON, and DRAGON NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, and 22 lodes

situate in San Domingo

Mining District, Maricopa County, Arizona

in Section 23, 24, 25, Township No. 7 North, Range No. 4 West

designated as Survey No. 4110, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 49 shafts, 17 cuts, 2 tunnels, 12 drifts, 6 crosscuts and 1 winze, total value \$66,530.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer, at
~~United States Surveyor-General for~~ Phoenix, Arizona.

4-687

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

February 27, 1930, 192

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

United Vanadium Corporation

_____, known as the
DRAGON, and DRAGON NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,
14, 15, 16, 17, 18, 19, 20, 21 and 22 lodes

situate in _____ San Domingo _____ mining district,

Maricopa County, Arizona

in Sections 23, 24, 25 & 26, Township No. _____ 7 North _____, Range No. 4 West

_____, designated as Survey No. _____ 4110

executed by _____ L. H. Foster _____, U. S. Mineral

Surveyor, _____ August 25 - December 1 _____, 19 29, under my instructions dated

_____ July 13, _____, 19 29, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4110
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Dragon, Dragon No. 1, Dragon No. 2, Dragon No. 3, Dragon No. 4, Dragon No. 5, Dragon No. 6, Dragon No. 7, Dragon No. 8, Dragon No. 9, Dragon No. 10, Dragon No. 11, Dragon No. 12, Dragon No. 13, Dragon No. 14, Dragon No. 15, Dragon No. 16, Dragon No. 17, Dragon No. 18, Dragon No. 19, Dragon No. 20, Dragon No. 21 and Dragon No. 22 lodes, Mineral Survey No. 4110, located in sections 23, 24, 25 and 26, Township 7 North, Range 4 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Dragon, Dragon No. 1, Dragon No. 2, Dragon No. 3, Dragon No. 4, Dragon No. 5, Dragon No. 6, Dragon No. 7, Dragon No. 8, Dragon No. 9, Dragon No. 10, Dragon No. 11, Dragon No. 12, Dragon No. 13, Dragon No. 14, Dragon No. 15, Dragon No. 16, Dragon No. 17, Dragon No. 18, Dragon No. 19, Dragon No. 20, Dragon No. 21 and Dragon No. 22 lodes, M.S. 4110, were canceled April 2, 2002, by memo 9605 (956) M.S. 4110, which is now a part of the original field notes."

April 2, 2002
Date


Chief Cadastral Surveyor of Arizona