

4-683

MINERAL SURVEY No. 4116

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

William Baker

KNOWN AS THE

Colorado lode

Hassayampa Mining District,

Yavapai County, Arizona

Section 26, Township 12 1/2 N, Range 3 W, Unapproved.

Surveyed under instructions dated August 16, 1929

by Richard L. Merritt  
U. S. Mineral Surveyor.

Claim located See location Notice, 1929

Survey commenced Aug. 25, 1929

Survey completed Aug. 27, 1929

Address of claimant R. O. Barrett agent,  
Prescott Arizona.

DATES OF AMENDED LOCATIONS.

See location Notice

Feet

MINERAL SURVEY NO. 4116  
COLORADO LODE

Beginning at cor. No. 1 <sup>tical</sup>iden. with the <sup>location</sup>loc. <sup>corner</sup> a granite stone 6"x6"x24" set 12 ins. in the ground chiseled X-1-C 4116. The Closing Corner of Secs. 2 and 3, T. 12N., R. 3 W., on 3rd Standard Parallel North, brs. S. 4°45'30"W. 7821.38'. The 1/4 cor. bet. secs. 26 & 27 T. 12½ N. R. 3 W. brs. N. 82°21'W. 943.34 ft. No bearings available. Loc. cor. a mound of stones 3 x 3 ft.

Thence N. 32°05'W. Va. 14°E.

140.00 Cross road course S. 44°12'W. & N. 8°30'E.

1480.00 To witness cor. for cor. No. 2 a Porphyry stone 6"x16"x24" set 12" in the ground with mound of stones 3'x3' alongside chiseled X W.C.-C-2-4116. An oak tree 10" diam. scribed X B. T. W. C. C-2-4116, brs. S. 5°18'E. 78.8 ft. An oak tree 12" diam. scribed X B. T. W. C. C-2-4116 brs. S. 54°05'E. 84.1'.

1500.0 To true point for cor. No. 2, in a wash 10' wide course S. 55° E., a mound of stones 3x3 ft., identical with location. Witness corner, heretofore described, brs. S. 32° 05' E. 20 ft. <sup>from true point for Cor No. 2</sup>  
Thence <sup>^</sup>N. 57°55'E. Va. 14° E.

300.0- To the N. C. E. a mound of stones 3'x3' <sup>tical</sup>iden. with the <sup>location</sup>loc.

425.0 Cross wash 10' wide course S. 60°E.

470.0 Cross road course N. 37°25'E. & S. 26°30'W.

600.0 To cor. No. 3 <sup>tical</sup>iden. with <sup>location</sup>loc. <sup>corner</sup> a granite stone 4" x 8"x24" set 12 ins. in the ground, chiseled X 3-C-4116. An oak 14" in diam. scribed X B T-3-C-4116 brs. S. 8° 34'W. 54.0'. An oak tree 18" diam. scribed X B. T. 3-C-4116 brs. S. 85°54'E. 60.5 ft. Loc. cor. a mound of stones 3' x 3'.

Thence S. 32°05'E. Va. 14°E.

1500.00 To cor. No. 4 <sup>tical</sup>iden. with the <sup>location</sup>loc. a granite stone 8"x 12"x24" set 12 ins. in the ground chiseled X-4-C-4116. No bearings available, loc. cor. a mound of stones 3x3'.

Thence S. 57°55'W. Va. 14°E.

110.0 Cross wash 10' wide course S. 32°E.

300.00 To the S. C. E. a mound of stones 3'x3' idem<sup>tical</sup> with the location.

600.00 To cor. No. 1 the place of beginning.

A R E A

Colorado lode - - - - - 20.661 Acres

L O D E L I N E

As near as can be determined from the present development the vein on this lode extends from the Discovery as follows:

S. 32°05'E. 80.0' and N. 32°05'W. 1420.00'.

A D J O I N I N G C L A I M S

This claim is bounded on all sides by U. S. Land.

E X P E N D I T U R E O F F I V E H U N D R E D D O L L A R S

I certify that the value of labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:

No. 1 the dis. shaft, which is on the lode line 80.0' from the S.C.E. 4'x6'x9'. Value - - - - - \$ 70.00

No. 2 a tunnel the mouth of which brs. N. 40°20'E. 190.0' from cor. No. 1. From mouth tunnel brs. N. 45° W.--40.0', then N. 15°W. 13.0' - 4'x6'x53'.

Value - - - - - \$500.00

Total value improvements credited this lode \$570.00.

O T H E R I M P R O V E M E N T S

The following houses bear as follows from cor. No. 3:

S. 4°30'E. 600ft to N.E. cor. 20'x30' course long side S. 65°W.

S. 6°30'E. 630ft to N.E.cor.24'x38' course long side S.65°W.

S. 13°25'E. 765ft to N.W. cor. 12'x18' course long side East.

S. 17°25'E. 766ft to N. W. cor. 12' x 18' course long side

S. 70° E.

L O C A T I O N

This claim is located in the Hassayampa mining district,

Feet

Yavapai County, Arizona, in section 26, T. 12 $\frac{1}{2}$  N. R. 3W.,  
unapproved, within the Prescott National Forest.

## INSTRUMENT

This survey was made with a Gurley transit, the courses were deflected from the meridian as determined by direct solar observations. The distances were measured with a five hundred ft. steel tape.

## REPORT

The lode line of this claim was run direct upon the ground, and the several corners were established by offsets therefrom. The tie line was run direct upon the ground. The 1/4 cor. bet. secs. 26 & 27 T. 12 $\frac{1}{2}$ N. R. 3 W., and the C. C. of Secs. 2 and 3, T. 12 N., R. 3 W., on Third Standard Parallel North, are iron pipes with Brass caps properly marked. As the survey for T. 12 $\frac{1}{2}$ N. R. 3 W. has not been approved, this claim was tied to the C. C. <sup>of Secs. 2 & 3</sup> on the 3rd. Standard Parallel North in addition to the  $\frac{1}{4}$  Cor. between Secs. 26 and 27, T. 12 $\frac{1}{2}$  N., R. 3 W.

*Richard L. Merritt*  
Richard L. Merritt,  
U. S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

William Baker

known as the Colorado lode

and showing the respective capacities in which they acted.

W.H. Merritt, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

I  
We, W.H. Merritt

and \_\_\_\_\_, do solemnly swear that I assisted Richard L.

L. Merritt

, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of William Baker

known as the Colorado lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

\_\_\_\_\_, Chainman.

W.H. Merritt, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 30

day of August, 1929

F. C. Bauer  
Notary Public

11/10/33

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Richard L. Merritt, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix Arizona, dated August 16-1929  
I have, in strict conformity to the laws of the United States, the official regula-  
tions and instructions thereunder, and the instructions of said Office Cadastral  
Engineer, faithfully and correctly executed the survey of the Mining Claim of  
William Baker, known as the  
Colorado lode,  
situate in Hassayampa Mining District,  
Maricopa County, Arizona, in Section  
26, Township No. 12 1/2 N, Range No. 3 W, Unapproved  
and designated as Survey No. 4116, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Office Cadastral Engi-  
neer with said instructions, and that all corners of said survey have been established  
and perpetuated in strict accordance with the law, official regulations and instruc-  
tions thereunder; and I do further solemnly swear that the foregoing are the true and  
orginal field notes of said survey and my report therein, and that the labor expended  
and improvements made upon said mining claim by claimant or his  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been in-  
cluded in the estimate of expenditures upon any other claim.

Richard L. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt  
U. S. Mineral Surveyor, before me J. C. Bauer,  
a Notary Public this 30-  
day of August, 1929

J. C. Bauer  
Notary Public

1/10/33.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

September 20, 1929

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

William Baker

known as the Colorado lode

situate in Hassayampa

Mining District Yavapai County Arizona

in Section 26, Township No. 12 N, Range No. 3 W., Unapp'd., and

designated as Survey No. 4116, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant William Baker or his grantors,

and that said improvements consist of 1 shaft and 1 tunnel, total value

\$570.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at

is correct and in conformity with the foregoing Field Notes.

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

September 20, 1929

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

William Baker

, known as the

COLORADO lode

situate in Hassayampa mining district,

Yavapai County, Arizona

in Section 26, Township No. 12 1/2 N., Range No. 3 W., Unapp'd.

, designated as Survey No. 4116

executed by Richard L. Merritt, U. S. Mineral

Surveyor, August 25 - 27, 1929, under my instructions dated

August 16, 1929, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of John D. Adams, Office Cadastral Engineer.



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4116  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Colorado lode, Mineral Survey No. 4116, located in section 26, Township 12 1/2 North, Range 3 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Colorado lode M.S. 4116, was canceled March 3, 2011, by memo 9605 (956) M.S. 4116, which is now a part of the original field notes."

March 3, 2011  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona