

MINERAL SURVEY No. 4133

ARIZONA *Land District*

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Noscorite Mining Company, Inc.

KNOWN AS THE

JAMON and JABONITA Lodes

Buckeye *Mining District,*

Maricopa *County,* Arizona

Section s 20, 29 and 30 *Township* 1 South *, Range* 3 West *, G&SRB&M.*

Surveyed under instructions dated June 17th. *, 19*30.

By Harry E. Jones,
U. S. Mineral Surveyor.

Claim located See location notices *, 19*.....

Survey commenced July 18th. *, 19*30.

Survey completed July 19th. *, 19*30.

Address of claimant R. G. Langmade, Att'y.
416 Luhrs Bldg. Phoenix, Arizona.

DATES OF AMENDED LOCATIONS

See location notices.

Feet

MINERAL SURVEY NO.4133

Jabon Lode

Beginning at Cor. No. 1, identical with loc. mon. and Cor. 1 Jabonita lode of this survey, a 3ft. 1/2 in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 1-J; 1-JA; set 20ins. in ground and surrounded with a substantial mound of earth and rock.

The corner common to Sections 19, 20, 29 and 30, T. 1 S. R. 3 W. bears N.3°19'30"W. 498.37 ft. No other suitable bearings available.

Thence S. 64° 04' E.

Along line 1-4 Jabonita lode of this survey.

240.00 Cross center of 5 ft. wash, course NWly.

300.00 To Northeast End Center, identical with loc. mon. and Southwest End Center Jabonita lode of this survey, a substantial mound of earth and rock.

520.00 Cross center of road bearing NEly. and SWly.

600.00 To Cor. No. 2, identical with loc. mon. and Cor. 4 Jabonita lode of this survey, a 3ft. 1/2 in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 2-J; 4-JA; set 18 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence S. 25° 56' W.

715.00 Cross center of 5 ft. wash, course Nly.

1500.00 To Cor. No. 3, identical with loc. mon. a 3ft. 1/2 in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 3-J; set 18ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 64° 04' W.

300.00 To Southwest End Center, identical with loc. mon. a substantial mound of earth and rock.

600.00 To Cor. No. 4, identical with loc. mon. a 3ft. 1/2 in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 4-J; set 20ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 25° 56' E.

Feet
1500.00 To Cor. No. 1 the place of beginning.

Jabonita Lode

Beginning at Cor. No. 1, identical with loc. mon. and Cor. 1 Jabon lode of this survey, previously described.

The corner common to Sections 19, 20, 29 and 30, T. 1 S. R. 3' W. bears N.3°19'30"W. 498.37 ft. No other suitable bearings available.

Thence N. 25° 56' E.

182.00 Cross center of 5 ft. wash, course NWly.

1500.00 To Cor. No. 2, identical with loc. mon. a 3ft. $\frac{1}{4}$ in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 2-JA; set 18ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence S. 64° 04' E.

300.00 To Northeast End Center, identical with loc. mon. a substantial mound of earth and rock.

600.00 To Cor. No. 3; identical with loc. mon. a 3ft. $\frac{1}{4}$ in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4133; 3-JA; set 12ins. in rock and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence S. 25° 56' W.

1180.00 Cross center of road bearing Ely. and Wly.

1308.00 Cross center of road bearing NEly. and SWly.

1500.00 To Cor. No. 4, identical with loc. mon. and Cor. 2 Jabon lode of this survey, previously described.

Thence N. 64° 04' W.

Along line 2-1 Jabon lode of this survey.

80.00 Cross center of road bearing NEly. and SWly.

300.00 To Southwest End Center, identical with loc. mon. and Northeast End Center Jabon lode of this survey, previously described.

360.00 Cross center of 5ft. wash, course NWly.

600.00 To Cor. No. 1 the place of beginning.

The mean magnetic variation at all corners is 14°26' E.

Lode Lines

As near as can be determined from the present developments the lode lines of the several locations embraced in this claim extend as follows from their discovery points:

Jabon lode, N.25°56'E. 123 ft. and S.25°56'W. 1377 ft.

Jabonita lode, N.25°56'E. 1370 ft. and S.25°56'W. 130 ft.

Area

Total area Jabon lode, 20.661 acres.

Total area Jabonita lode, 20.661 acres.

Location

This survey is located in Sections 20, 29 and 30, T. 1 S. R. 3 W. Gila and Salt River Base and Meridian, Buckeye Mining District, Maricopa County, Arizona.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of the locations embraced in said mining claim by the claimant or its grantors is not less than Five Hundred Dollars, and that said improvements consist of:

Jabon Lode

No.1 Disc. cut 15x80x18 ft. facing NEly. the mouth center of which bears S.25°56'W. 123 ft. from the NE. end center.

At the 46 ft. point in this cut the NEly. edge of an underhand stope 6x18x28 ft. deep dips SEly.

From the cut head a tunnel 7x7x31 ft. long runs SWly. and from the 9 ft. point in this tunnel an underhand stope 6x22x28 ft. deep dips SEly. From the tunnel head and on a 6 ft. lower level a tunnel 5x10x36 ft. long runs SWly. and from this tunnel face an overhead stope 5x10x15 ft. extends upward NWly. and from the portal end of this tunnel an underhand stope 6x22x15 ft. deep dips SEly.

Value \$ 12275.00

No. 2 shaft with collar 6x7 ft. and bottom 6x15 ft. dips

to SEly 28 ft. deep, and bears S.22°20'W. 123 ft. from NE. end center. Value \$ 962.50

No.3 cut 15x3x7 ft. facing Wly. the head of which bears S.25°56'W. 12 ft. from NE. end center. Value \$ 100.00

No.4 shaft 6x6x6 ft. deep bears S.31°26'W. 230 ft. from NE. end center. Value \$ 100.00

No.5 shaft 7x8x6 ft. deep bears S.19°56'W. 262 ft. from NE. end center. Value \$ 100.00

No.6 cut 7x70x7 ft. the NE. end of which bears S.34°16'W. 258 ft. from NE. end center. Value \$ 895.00

No.7 cut 3x12x2 ft. the NE. end of which bears S.46°30'W. 660 ft. from Cor. 2; Value \$ 35.00

No.8 cut 10x14x3 ft. facing Ely. the mouth of which bears S.25°56'W. 726 ft. from Cor.2; Value \$ 100.00

Jabonita Lode

No.1 Disc. shaft 5x7x15 ft. deep bears N.25°56'E. 130 ft. from SW. end center. Value \$ 200.00

No.2 shaft 6x7x31 ft. deep dips to SEly. and bears N.31°06'E. 90 ft. from SW. end center; this shaft is located in the SW. end of a pit 12x24x8 ft. deep; from shaft a tunnel 5x8x34 ft. long runs NEly. and connects with the bottom of No.1 shaft, from which point a tunnel 5x12x40 ft. long runs NEly. Value \$ 3836.00

No.3 shaft 6x8x3 ft. deep bears N.0°36'E. 23 ft. from SW. end center. Value \$ 60.00

No. 4 shaft 4x12x4 ft. deep bears N.7°58'W. 730 ft. from Cor.4; Value \$ 100.00

There are no "Other Improvements"

Adjoining Claims

This claim is bounded on all sides by public domain.

Instrument

This survey was made with a W. & L. E. Gurley light mountain transit.

The courses were deflected from true meridians as determined

-5-

by direct solar observations.

The distances were measured with 50 ft. and 660 ft. steel tapes.

Report

The public land corner to which this survey is tied is a stone properly set and marked.

Samuel B. Jones
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Harry E. Jones

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Noscorite Mining Company, Inc.

known as the Jabon and Jabonita lodes

and showing the respective capacities in which they acted.

Homer Mitchell, Chainman.

Austin Mitchell, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS

We, Homer Mitchell

and Austin Mitchell, do solemnly swear that we assisted

Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Noscorite Mining Company, Inc.

known as the Jabon and Jabonita lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

Homer Mitchell, Chainman.

Austin Mitchell, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of July, 1930.

Joseph A. Miller

Notary Public.

My commission expires

June 23 1931

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Harry E. Jones, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated June 17th, 1930, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Noscorite Mining Company, Inc., known as the Jabon and Jabonita lodes, situate in Buckeye Mining District, Maricopa County, Arizona, in Sections 20, 29 and 30 Township No. 1 South, Range No. 3 West, G&SRB&M, and designated as Survey No. 4133, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones, U. S. Mineral Surveyor, before me a notary public, in and for the County of Maricopa, State of Arizona, this 22nd day of July, 1930.

Louis A. Phillips
Notary Public.
My commission expires June 23-1931

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona.

October 22, 1930

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Noscorite Mining Company, Inc.

known as the JABON and JABONITA lodes

situate in Bucokeye

Mining District Maricopa County Arizona

in Sections 20, 29, 30 Township No. 1 S., Range No. 3 W., and

designated as Survey No. 4133, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or its grantors,

and that said improvements consist of 5 cuts, 7 shafts, 3 tunnels, 4 stopes and 1 pit, total value \$18,763.50

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

October 22, 1930

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Noscorite Mining Company, Inc.

, known as the

JABON and JABONITA lodes

situate in Buckeye mining district,

Maricopa County, Arizona

in Section s 20, 29, 30, Township No. 1 South, Range No. 3 West

, designated as Survey No. 4133

executed by Harry E. Jones, U. S. Mineral

Surveyor, July 18 - 19, 19 30, under my instructions dated

June 17, 19 30, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Handwritten signature of John P. Adams, Office Cadastral Engineer.