

Mar. 15, 1932  
May 19, 1932

1

4-688

MINERAL SURVEY No. 4146

Arizona Land District

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

N. E. Guyot

KNOWN AS THE

Home Run lode

San Francisco Mining District,

Mohave County, Sec. 24 Arizona T. 19 N. R. 20 W.

Section 24, Township 19 N., Range 20 W.

Surveyed under instructions dated May 28, 1931.

By L. H. Foster  
U. S. Mineral Surveyor.

Claim located April 27, 1931.

Survey commenced Feb. 22, 1932.

Survey completed Feb. 23, 1932.

Address of claimant c/o L. I. Wallace, Atty  
Box 246, Kingman, Arizona

DATES OF AMENDED LOCATIONS

none

## Mineral Survey No. 4146

Mineral Survey No. 4146 was made with a C. L. Berger and Son's Precise Transit No. 17069, with horizontal limb 5.50 ins. diam, having two double opposite verniers and full vertical circle, 5 in. diam., having one double vernier; the verniers read to one minute of arc, the eye-piece is equipped with a combination colored glass and prismatic eye-piece for observation on the sun. The instrument was in good condition at time of survey and all adjustments in good order. An A.M altitude observation for azimuth, ( longitude and latitude were determined from G.L.O. plat and time verified by check on Western Union before and after observation) was made from Cor. No. I of the Home Run lode, the details of which observation are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflected angles and calculated courses.

The lines were measured with a 100 and 500 ft. steel tape, graduated for every foot, with the first and last foot graduated to hundredths.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of  $15^{\circ} 30'$  East.

\* \* \* \* \*

## HOME RUN LODE

Beginning at Cor. No. 1 of the Home Run lode, where

I-

Cut a cross for the exact point in a porphyry boulder, 18 ins. diam. projecting 8 ins. above ground and marked HR-1-4146.

On line 4-1, C.J.D. No. 2 lode, Sur. No. 3271 at N.  $57^{\circ} 53'$  W. 56.60 ft. from Cor. No. I.

Mineral Survey No. 4146, cont.,

feet	Home Run lode, cont.,
	<p>The 1/4 corner between sections 24 and 25, T.19 N. R. 20 W. bears S. 26° 15' E. 932.49 ft. dist.; an iron post, 1 in. diam. set firmly in a mound of stone and properly marked.</p>
	<p>Thence N. 57° 53' W.</p>
1347.00	<p>Cor. No. 2.</p>
	<p>Identical with Cor. No. 4, C.J.D. No.2 lode, Sur. No. 327I.</p>
	<p>A redwood post, 4 ins. square, 24 ins. above ground, in a mound of earth and stone, which I marked HR-2-4146 for Cor. No. 2.</p>
	<p>On line I-2, Aztec Center Southeast lode, Sur. No. 3199, at S. 38° 00' W. 42.38 ft. dist. from Cor. No. I.</p>
	<p>Thence N. 29° 47' E.</p>
30.99	<p>Intersect line I-2 and line 3-4, Blue Bird and Dower No. 1 lodes, Surs. No. 3342 and 4135, respectively, at a point from which Cor. Nos. 1 and 3 bears N. 58° 44' E. 265.81 ft. dist.</p>
41.53	<p>Intersect line 5-I, Aztec Center Southeast lode, Sur. No. 3199, at a point which bears N. 64° 05' W. 6.07 ft. dist. from Cor. No. I.</p>
294.77	<p>Intersect line 4-I and 2-3 and line 3-2 and I-4, Blue Bird and Dower No. 1 lodes and Templar and Dower No. 2 lodes, Surs. No. 3342 and 4135, respectively, at a point from which Cor. Nos. 1 and 3 and 2 and 4, bears S. 46° 56' E. 132.42 ft. dist.</p>
300.00	<p>The north west end center monument of the location.</p>
600.00	<p>Cor. No. 3.</p>
	<p>A cross cut for the exact point in the face of a solid porphyry shelf, 15 ft. high, marked HR-3-4146. A stone monument was raised 3 ft. high at S. 29° 47' W. 3 ft. dist.</p>

Mineral Survey No. 4146, cont.,

feet	Home Run lode, cont.,
1833.81	Cor. Nos. 1 and 3 and 2 and 4, Blue Bird and Dower No. 1 lodes and Templar and Dower No. 2 lodes, Surs, No. 3342 and 4135, respectively, bears S. 8° 15' W. 360.17 ft. dist.
	Thence S. 57° 53' E.
97.94	Intersect line 2-3, Pelican lode, Sur. No. 3342, at a point from which Cor. No. 2 bears S. 31° 13' 30" E. 965.27 ft. dist.
278.63	Intersect line 1-2 and 3-4, Templar and Dower No. 2 lodes, Surs, No. 3342 and 4135, respectively, at a point from which Cor. Nos. 2 and 4 bears S. 54° 31' 30" W. 357.93 ft. dist.
1129.47	Intersect line 4-1, Pelican lode, Sur. No. 3342, at a point from which Cor. No. 1 bears S. 26° 37' E.
1347.00	51.84 ft. dist. Cor. No. 2 said Pelican lode bears S. 59° 48' W. 458.66 ft. from Cor. No. 1 thereof.
	Cor. No. 4.
	Set a 2 in. iron pipe, 4 ft. long, with bottom end bent at right angle, 2 ft. in the ground, in a mound of earth and stone, for Cor. No. 4. An iron cap was punch marked for the exact point and marked HR-4-4146.
	Cor. No. 1, Pelican lode, Sur. No. 3342, bears N. 66° 43' 30" W. 175.37 ft. dist.
	Thence S. 29° 47' W.
300.00	The South East End Center monument of the location.
600.00	Cor. No. 1, the place of beginning.

\* \* \* \* \*

LODE LINE

The presumed course of the vein in the claim embraced in this survey, counted from its point of discovery, is as follows:-

S. 57° 53' E. 193 ft. and N. 57° 53' W. 1154 ft.

\* \* \* \* \*

Mineral Survey No. 4146, cont.,

AREAS

	acres	acres
Total area, Home Run lode -----		18.538
Area in conflict with:		
Sur. No. 3199, Aztec Center Southeast lode -----	0.003	
Sur. No. 3342, Pelican lode -----	5.400	
Sur. No. 4135, Dower No. 2 lode (identical with Sur. No. 3342, Templar lode), -----	1.509	
Sur. No. 4135, Dower No. I lode ( identical with Sur. No. 3342 Blue Bird lode), -----	0.390	
Sur. No. 4135, Dower No. I lode, exclusive of its conflict with Sur. No. 3199, Aztec Center Southeast lode-----	0.389	
Sur. No. 4135, Dower No. 2 lode, exclusive of its conflict with Sur. No. 3342, Pelican lode -----	1.353	

\* \* \* \* \*

LOCATION

This Survey is located in the south west quarter of section 24, T. 19 N. R. 20 W. G. & S. R. B. & M.

The survey of the Home Run lode is identical with the location as marked on the ground.

\* \* \* \* \*

EXPENDITURE OF \$500

I certify that the value of the labor and improvements, made upon or for the benefit of the lode location embraced in said mining claim by the Claimant is not less than \$500 and that said improvements consist of:

No. 1                    The discovery cut of the Home Run lode, the face of which being the discovery point, is on the lode line 193 ft. from the south east end center, 5 ft. wide, 10 ft. face, extending South 16 ft. to its mouth.

Value ----- \$45.00

No. 2                    An open cut, 5 ft. wide, the face of which bears N. 3° 30' E. 295 ft. from Cor. No. I, runs N. 60° W. 18 ft. to a 10 ft. face. Thence N. 60° W. a tunnel, 4 by 7 ft. runs 47 ft. to breast. Value ----- \$500.00

## Mineral Survey No. 4146, cont.,

## Home Run lode, cont.,

## OTHER IMPROVEMENTS

A shaft, 4 by 6 ft. by 8 ft. deep, is on the lode line at 230 ft. from the south east end center.  
Claimant unknown

A cut, 5 ft. wide, the face of which bears S.  $60^{\circ} 30'$  W. 388 ft. from Cor. No. 4, runs N.  $32^{\circ}$  W. 15 ft. to a 9 ft. face. Thence a 4 by 6 ft. tunnel runs N.  $32^{\circ}$  W. 17 ft. to breast. Claimant unknown

A shaft, 4 by 5 by 5 ft. deep, bears S.  $85^{\circ} 30'$  W. 410 ft. dist. from Cor. No. 4. Claimant unknown.

A cut, the face of which bears N.  $87^{\circ}$  W. 435 ft. dist. from Cor. No. 4, runs S.  $32^{\circ}$  E. 10 ft. to a 6 ft. face, 4 ft. wide. Claimant unknown

A cut, 6 ft. wide, the face of which bears N.  $60^{\circ}$  W. 720 ft. from Cor. No. 4, runs N.  $32^{\circ}$  W. 12 ft. to an 8 ft. face. Claimant unknown

A cut, 5 ft. wide, the face of which bears N.  $27^{\circ}$  W. 240 ft. from Cor. No. 1, runs North 13 ft. to an 8 ft. face. Claimant unknown

An incline shaft, dips to north  $70^{\circ}$ , 5 by 6 ft. by 20 ft. deep, bears N.  $37^{\circ}$  W. 270 ft. from Cor. No. 1. Claimant unknown

## OTHER CORNER DESCRIPTIONS

All corners of Sur. No. 3271, C.J.D. No. 2 lode, Sur. No. 3342, Blue Bird, Templar and Pelican lodes and Sur. No. 4135, Dower No. 1 and 2 lodes, tied to in this Survey, are redwood posts, 4 ins. square, with the exception of Cor. No. 4, Dower No. 1 lode, which is a 2 in. pipe. All above corners firmly set and properly marked.

All corners of Sur. No. 3199, Aztec Center Southeast, tied to in this survey, are redwood posts, 4 by 6 inches, firmly set and properly marked.

The difference between this survey and the location certificate is due to error in the latter.

*L. D. Foster*  
115 Mineral Survey

# FINAL OATHS FOR SURVEYS

## LIST OF NAMES

A list of the names of the individuals employed by L. H. Foster

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

N. E. Guyot

known as the Home Run lode

and showing the respective capacities in which they acted.

Glen T. Goodwin, Chainman.

XXXXXXXXXXXXXXXXXXXX, Chainman.

XXXXXXXXXXXXXXXXXXXX, Axman.

XXXXXXXXXXXXXXXXXXXX, Flagman.

## FINAL OATHS OF ASSISTANTS

We, I, Glen T. Goodwin

and XXXXXXXXXXXXXX, do solemnly swear that we assisted

L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of N. E. Guyot

known as the Home Run lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Glen T. Goodwin, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman

Subscribed and sworn to by the above-named persons before me this 1st

day of March, 19 32

Mary E. Carrow  
Notary Public

Sam Effers  
Mar 20 - 1932

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated May 28, 1931, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of N. E. Guyot, known as the Home Run lode, situate in San Francisco Mining District, Mohave County, Arizona, in Section 24, Township No. 19 N., Range No. 20 W., G. & S. R. B. & M., and designated as Survey No. 4146, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor, before me
Notary Public
this 14th day of March, 1932

Mary E. Cannon
Notary Public

GOVERNMENT PRINTING OFFICE

Com. Affairs
Nov 20 - 1935
3



OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

May 31, 1932

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

N. E. Guyot

known as the HOME RUN lode

situate in San Francisco

Mining District Mohave County Arizona

in Section 24, Township No. 19 N, Range No. 20 W, and

designated as Survey No. 4146, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or his grantors,

and that said improvements consist of 2 cuts and 1 tunnel, total value \$545.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

May 31, 1932

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of \_\_\_\_\_

N. E. Guyot

\_\_\_\_\_, known as the

HOME RUN lode

situate in San Francisco mining district,

Mohave County, Arizona

in Section 24, Township No. 19 N., Range No. 20 W.

\_\_\_\_\_, designated as Survey No. 4146

executed by N. E. Guyot, U. S. Mineral

Surveyor, February 22, 23, 1932 under my instructions dated


May 28, 1931, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

  
Office Cadastral Engineer.

9632 (942)  
M.S. 4146  
Group No. 617, Arizona

NOTICE OF CANCELLATION OF MINERAL SURVEY


The Home Run lode claim, Mineral Survey No. 4146 in Section 24, Township 19 North, Range 20 West, Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744,

The Chief, Branch of Lands and Minerals Operations, requested this cancellation by Memorandum dated May 23, 1983, for administrative purposes.

June 1, 1983

Date



Chief Cadastral Surveyor of Arizona