

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4269

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Melvin Oxford

Known As The

LITTLE DAISY Lode

Sunflower Mining District,

Maricopa County, Arizona

Section 4, Township 6 N., Range 9 E.

Surveyed under instructions dated May 6, 1943

by *J. N. Stevens*  
Mineral Surveyor.

Claim located ~~See~~ January 1, 1928

Survey commenced May 28, 1943

Survey completed May 31, 1943

Attorney;  
Address of claimant's Greig Scott, 510 Luhrs Tower, Phoenix, Ariz.

Feet

MINERAL SURVEY NO. 4269  
LITTLE DAISY Lode.

Mineral survey No.4269 was made with a Buff light mountain transit, with horizontal limb 6 ins. diam. having two opposite verniers and full vertical circle, 5 ins. diam. having two opposite verniers; the verniers read to one minute of arc., The instrument is also equipped with an auxilliary telescope for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

An A.M. Altitude observation for azimuth and at noon on the meridian for latitude and time were made on a line of the survey. the details of which observations are shown in the calculation sheets, herewith submitted for examination. thus determined,

All azimuths in this record are referred to the true meridian/by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin Steel tape, 500 feet in length graduated every foot, with the first and last foot graduations to tenths and hundredths. The tape was correct at the time of the survey.

All lines and connections in this survey were run directly upon the ground.

The magnetic variation observed at each corner gave a uniform value of 14°30'E.

Beginning at Cor No.1 of the Little Daisy, <sup>lode</sup> identical with the Loc. Mon. On line 1-2 Sur. No.775 Denver City Mill Site claim, claimant unknown, Where I-

Set an iron post 2 ins Diam. with lead cap on top, 24 ins above ground, ~~set~~ 18 ins in the ground and surrounded with md of stone, Stamped 1 L D - 4269 from which the 1/4 <sup>Sec.</sup> Cor. between Secs. 4 and 33 T. 6 <sup>and</sup> 7 N., R. 9 E. brs. N. 9°57' E., 1790.8 ft. dist. consisting of a steel post 1 in. diam. with brass cap on top, showing about 2 ft. above ground, firmly set and stamped 1/4 S.4, S 33

Cor. No.2, Sur. No. 775 Denver City Mill Site brs. N.89°34'30" W., 88.4 ft. dist. A granite stone 6 x 8 x 10 <sup>ins</sup> above ground, chiseled "DCMS 2"

A walnut tree 5 ins diam. brs. S. 81°30' E., 24.5 ft. dist. Blazed and Scribed, 1-4269. No other bearings are available.

Thence S. 89°34'30" E

251.0 Gulch 5 ft. wide brs. southerly .

300.00 To N. end center, identical with the Loc. Mon. and Cor. No.1 Sur. No.775 Denver City Mill Site .

A granite stone 10 x 6 ins showing 1 ft. above ground firmly set and chiseled DC No.1, N. Cr. L.D with md of stone alongside.

301.1 Cor.No.2, Sur.No.774, Denver City lode, claimant unknown, brs. N.4°23' 30" E. 51.5 ft. dist., a granite stone 6x8 ins., 12 ins. above ground, chiseled DC

318.73 Intersect line 2-6 Sur. No.774 Denver City lode, claimant unknown at S.16°00' E., 53.55 ft. from Cor. No.2 and N.16°00' W., 246.45 ft. from Cor. No.6.

600.00 To Cor. No.2, identical with the Loc. Mon. where I -

Set an iron post 2 ins. diam. with lead cap on top, 24 ins above ground, ~~set~~ 18 ins in the ground and surrounded with md of stone. Stamped 2 L D - 4269 from which U.S. M M No.1 brs. N.65°35'15" E. 1181.91 ft. dist.

A cedar tree 6 ins. diam. brs. N.3°43' W., 19.1 ft. dist. Blazed and scribed 2 - 4269 B T.

Cor. No.6 Sur. No. 774, Denver City lode brs. S. 34°23'15" W., 317.27 ft. dist. A granite stone 6 x 6 ins showing 6 ins above ground chiseled 2 - 4269 B T.

No other bearings are available.

MINERAL SURVEY No. 4269  
LITTLE DAISY Lode, Cont'd.

Thence S. 4°01'30" W.

177.62 Intersect line 5-6 Sur. No. 774 Denver City lode at N.74°00' E.,  
208.95 ft. from Cor. No.6

1990.00 Gulch 25 ft. wide brs. westerly. Loc. Mon.

1500.00 To Cor. No. 3, identical with the Loc. Mon. Where I-  
Set an iron post 2 ins. diam. with lead cap on top, 24 ins. above  
ground ~~set~~ 18 ins in the ground and surrounded with md of stone,  
Stamped 3 L D - 4269 with md of stone alongside.  
No bearings are available.

Thence N.89°34'30" W.

300.00 To S. end center, identical with the Loc. Mon. Where I-  
Set a pine post 4 ins. sq by 4 ft. high, ~~set~~ firmly in the ground  
and surrounded with md of stone, scribed S. Cr. L.D.

600.00 To Cor. No.4, identical with a corner of the location, where I -  
Set an iron post 2 ins. diam. with lead cap on top, 24 ins. above  
ground, ~~set~~ 18 ins in the ground and surrounded with md of stone,  
stamped 4 L D - 4269, from which,  
A juniper tree 12 ins. diam. brs. S.39° E., 45.6 ft. dist., blazed and  
scribed 4-4269. No other bearings are available.

Thence N. 4°01'30" E.

510.0 Gulch 30 ft. wide brs. westerly.

1500.0 To Cor. No.1 and the place of beginning.

LODE LINE.

The presumed course of the vein of the location embraced in this  
survey, counted from the point of discovery, is as follows;

Little Daisy lode S.4°01'30"W., 135 ft. and N.4°01'30"E., 1365.0 ft.

Area.

	Acres.
Total area Little Daisy lode -----	20.620
Area in conflict with-	
Sur. NO774 Denver City lode -----	1.163

LOCATION.

This survey is located in Lots 10 and 11, the NE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>2</sub>, and the  
NW<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub> Sec. 4, T. 6 N., R. 9 E., within the Tonto National Forest.  
The survey of the Little Daisy lode is identical with the amended  
location as marked on the ground.

EXPENDITURE OF \$500.

I certify that the value of the labor and improvements made upon  
or for the benefit of the lode location embraced in said mining  
claim by the claimant or his grantors is not less than \$500 and that  
said improvements consist of :

No.1 The discovery shaft, the center of which being the discovery point, is  
on the center line 135 ft. from the center of line 3-4, 8 x 10 ft.  
8 ft. deep. \$200.  
Value \$200.

MINERAL SURVEY No.4269  
LITTLE DAISY Lode, Cont'd.

Expenditure of \$500.

No.2 A cut, the mouth of which brs. from Cor. No.4 N.61°43'E., 290 ft. dist. 5 ft. wide, 10 ft. face, running east 20 ft. to face; At the face is a tunnel 4 x 6 ft. running east 20 ft. to breast.  
Value Cut and tunnel \$300.

No.3 A cut, the mouth of which is on the center line, 300 ft. from the center of line 3-4, 5 ft. wide 20 ft. face, running S.5°W., 20 ft. to face; At the face is a tunnel 4 x 6 ft. running S. 5° W., 67 ft. to breast  
Value Cut and tunnel \$770.0

OTHER IMPROVEMENTS.

A frame dwelling house, the N.W. Cor. of which brs. from Cor. No.1 S.45°16'E., 220 ft. dist. 10 x 20 ft. course of long sides S. 74° E.  
Claimant herein.

OTHER CORNER DESCRIPTIONS.

U.S.M.M. No.1 consists of a decayed post in md of stone 5 ft. base by 4 ft. high. At the base of monument and about 5 ft. south are the letters U S M M No.1 chiseled on the face of outcropping. I reconstructed this monument by setting a 2 in iron pipe, 8 ft. long to bedrock, in the center of the old monument and stamped same U.S.M.M. No.1-B M D

Sur. No. 774 Denver City lode . Cor's Nos.1,2,3 and 5 consist of stone firmly set in ground and marked with the initials D C and the number of the Cor. Cor. No.6 has been destroyed and its locus was determined by extending line 2-1 for the record distance .

Line 1-2 was found to be N.16°00' W., 150 ft. instead of N.15°59'W.

Line 5-6 is at right angles to line 2-6 and therefore its bearing is S.74°00'W., instead of S.74°01'W. The distance was found to be 1473.96 instead of 1500 ft as approved.

Sur. No.775 Denver City Mill Site. All corners consist of stones firmly set in ground and marked with the initials D.C. M. S. and the number of the corner . Line 1-2 was found to be N.89°34'30"W.388.4 ft. instead of N.85°55'W.,384.8 ft. as approved and same is properly given in these field notes.

ADJOINING CLAIMS.

On the North by Sur. No.774 Denver City lode and Sur. No.775 Denver City Mill Site.

On the East by Sur. No. 774 Denver City lode.

REPORT.

I do not agree with the recorded tie, S. 47° 11' E. 28.37 chs. from the  $\frac{1}{4}$  Sec. Cor. to U.S.M.M.No.1, as I find same to be S. 46° 52' 54" E. 1872.46 ft.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

**FINAL OATHS FOR SURVEYS**

**LIST OF NAMES**

A list of the names of the individuals employed by T.N. Stevens

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Melvin Oxford

known as the LITTLE DAISY Lode

and showing the respective capacities in which they acted.

- Leo Crum, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Axman.
- \_\_\_\_\_, Flagman.

**FINAL OATHS OF ASSISTANTS**

We, I, Leo Crum

~~and~~ \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_

T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Melvin Oxford

known as the Little Daisy lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our <sup>my</sup> knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

- Leo Crum, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Axman.
- \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 1st

day of June, 1943

Lewis H. Smith  
NOTARY PUBLIC

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, T. N. Stevens, Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix, Arizona, dated May 6, 1943,  
I have, in strict conformity to the laws of the United States, the official regulations  
and instructions thereunder, and the instructions of said Office Cadastral Engineer,  
faithfully and correctly executed the survey of the mining claim of Melvin Oxford  
known as the  
LITTLE DAISY Lode,  
situate in Sunflower Mining District,  
Maricopa County, Arizona, in Section  
4, Township No. 6 N., Range No. 9 E.  
and designated as Survey No. 4269, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy of  
the location certificate, which was received by me from the Office Cadastral Engineer  
with said instructions, and that all corners of said survey have been established and  
perpetuated in strict accordance with the law, official regulations and instructions  
thereunder; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and im-  
provements made upon said mining claim by claimant or his  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been included  
in the estimate of expenditures upon any other claim.

T. N. Stevens  
(Mineral Surveyor)

Subscribed and sworn to by the said T. N. Stevens  
Mineral Surveyor, before me Tom K. Richey a Notary  
Public this 4<sup>th</sup>

day of August, 1943.

My Commission Expires  
Jan. 30 - 1946.

Tom K. Richey  
Notary Public

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States  
Department of the Interior  
GENERAL LAND OFFICE  
PUBLIC SURVEY OFFICE

Phoenix, Arizona

November 6, 1943

I, Office Cadastral Engineer at Phoenix, Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey  
of the mining claim of

Melvin Oxford

known as the LITTLE DAISY lode

situate in Sunflower

Mining District Maricopa County Arizona

in Section 4, Township No. 6 N., Range No. 9 E., and

designated as Survey No. 4269, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if  
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein  
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements  
made upon, or for the benefit of, each location embraced in said mining claim by claimant  
or his grantors,

and that said improvements consist of 1 shaft, 2 cuts and 2 tunnels, total  
value \$1270.

and that no portion of said labor or improvements has been included in the estimate of expenditures  
upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix,  
Arizona is correct and in conformity with the foregoing Field Notes.

E. A. Thompson  
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE PUBLIC SURVEY OFFICE

At Phoenix, Arizona

November 6, 19 43

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Melvin Oxford

, known as the

LITTLE DAISY lode

situate in Sunflower mining district,

Maricopa County, Arizona

in Section 4, Township No. 6 N., Range No. 9 E.

, designated as Survey No. 4269

executed by T. N. Stevens, Mineral

Surveyor, May 28 - 31, 19 43 under my instructions dated

May 6, 19 43, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

E. A. Thompson Office Cadastral Engineer.