

12/3/45

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4292 A & B.

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

T.H. Zimmerman

Known As The

HILL BILLY, HILL BILLY EX, HILL BILLY SOUTH EX, HILL BILLY WEST EX #1, HILL BILLY WEST EX #2, HILL BILLY WEST EX #3, HILL BILLY WEST EX #5, HILL BILLY NORTH EX #1 lodes and QUEEN Mill Site Old Hat Mining District,

Pima County, Arizona

Sections 2, 3, 10, 2 and 11, Township 12 S, Range 16 E. Unsur.

Surveyed under instructions dated May 1 & Sept 10 1945

by *[Signature]*
Mineral Surveyor.

Hill Billy, July 2, 1943; Hill Billy Extention, July 3, 1943;
Hill Billy South Extention, July 24, 1944; Hill Billy West Ex. #1, Aug. 24, 1944
Hill Billy N. Ex. #1, Feb. 20, 1945; Hill Billy West Ex. #2, Aug. 24, 1944;
Claims located Hill Billy West Ex. #3, Aug. 31, 1944; 1945.
Hill Billy West Ex. #5, Sept. 22, 1944; Queen Mill Site, April 21, /
Survey commenced June 4, 1945, 19
Survey completed September 27, 1945.

Address of claimant Victor H. Verity, 215 Valley National Bank Bldg. Tucson, Ariz., Attorney for claimant.

DATES OF AMENDED LOCATIONS

August 30, 1945

(For dates of orig. locations see notes filed with check papers)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 43244

Land District

FIELD NOTES

of the Survey of the Mining Claim of

J. H. Zimmerman

Known as the

WILLIAMS, JOHN, MINING CLAIM, BEING ALLY NORTH EX. 17, WILLIAMS NORTH
WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH
WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH
WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH EX. 17, WILLIAMS NORTH

County, Arizona

Sections 11, 12, and 13, Township 18 N., Range 10 E.,

Surveyed under instructions dated May 17, 1905


J. H. Zimmerman
Mineral Surveyor

WILLIAMS, JOHN, July 2, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

WILLIAMS NORTH EX. 17, 1905; WILLIAMS NORTH EX. 17, 1905;

Feet.

MINERAL SURVEY No. 4292 A & B

Mineral Survey No. 4292 A & B was made with a Buff & Buff light mountain transit; with horizontal limb 6 ins. diam. having two opposite verniers and full vertical circle, 5 ins. diam. having two opposite verniers. The verniers read to one minute of arc. The instrument is also equipped with auxiliary telescope.

The instrument was in good condition at the time of the survey and all adjustments were in good order.

A P.M. altitude observation for azimuth and at noon on the meridian for latitude and time were made on a line of the survey. The details of which observations are shown in the calculation sheets, herewith submitted for examination.

All azimuths in this report are referred to the true meridian by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin Steel tape, 500 feet in length, graduated every foot, with the first and last foot graduations to tenths and hundredths. The tape was correct at the time of the survey.

All lines and connections in this survey were run directly upon the ground.

The magnetic variation observed at each corner gave a uniform value of $14^{\circ}45'$ E.

HILL BILLY Lode.

Beginning at Cor. No. 1 of the Hill Billy lode, identical with the Loc. Mon. and Cor. No. 2, Hill Billy West Ex. 1 lode of this Sur., where I:-

Set an iron post 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, Stamped 1 H.B., 2 H.B.W. Ex. 1 - 4292 A; from which the W.C. to 1/4 Cor bet. secs. 3 and 34 T. 11 & 12 S. R. 16 E. brs. N. $7^{\circ}45'30''$ W., 5080.49 ft. dist., consisting of an iron pipe 1 inch diam. showing about 2 ft. above ground, firmly set and stamped 1/4 S. 3, S. 34, near it are two witness trees blazed and scribed 1/4 B.T.

A walnut tree 12 ins. diam. brs. N. $3^{\circ}15'$ E., 22.45 ft. dist., blazed and scribed 1-2- 4292 A B.T.

Thence S. $1^{\circ}48'$ E.

300.0 Intersect the lode line at the W. end center, identical with the Loc. mon. where I:-

Set a pine post 4 ins. diam. set firmly in the ground and surrounded with md of stone, scribed W. Cr. H.B.

600.0 To Cor. No. 2, identical with the Loc. Mon. and Cor. No. 1 Queen Mill Site of this Sur. Where I:-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone Stamped 2 H.B., 4292 A, 1 Q. M.S. - 4292 B.

A pine tree 14 ins diam. brs. S. 68° E., 14.6 ft. dist., blazed and scribed 2 H.B., 1 Q. M.S. - 4292 A & B.

No other bearing objects are available.

Thence. N. $88^{\circ}12'$ E.

725.0 To Cor. No. 4 Queen Mill Site of this Sur., hereinafter described.
875.0 Gulch 10 ft. wide brs. northeasterly.

1500.0 To Cor. No. 3, identical with the Loc. mon. and Cor. No. 2 Hill Billy Ex. lode of this Sur. where I:-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone Stamped 3 H.B., 2 H.B. Ex - 4292 A.

An oak tree 12 ins. diam. brs. N. 10° E., 10.4 ft. dist.

Blazed and scribed 3, 2- 4292 A.

No other bearing objects are available.

-1-

| Feet. | MINERAL SURVEY No. 4292-A & B HILL-BILLY Lode- Cont'd. |
|---------|---|
| | Thence N. 1°48' W. |
| 170.0 | Trail brs northeasterly and northwesterly. |
| 300.0 | Intersect the lode line at the E. end center, identical with the Loc. mon. and W. end center Hill Billy Ex. lode of this Sur. Where I :- Set a pine post 3 ins. diam. set firmly in the ground and surrounded with md of stone, scribed W. Cr. H.B, Ex, E. cr. H.B. |
| 340.0 | Gulch 10 ft. wide brs northeasterly. |
| 600.0 | To Cor. No.4, identical with the Loc. Mon. and Cor. Nos 1,2 and 3, Hill Billy Ex, Hill Billy North Ex ^{#1} and Hill Billy West Ex ^{#1} respectively of this Sur. Where I : Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone. stamped 4 H.B, H.B. Ex, 2 H.B. N. Ex 1,3H.B.W. Ex.1 - 4292 A. A Juniper tree 12 ins. diam. brs. east 10.2 ft. dist., blazed and scribed 1,2,3,4,4292A. No other bearing objects are available. BT. |
| | Thence S. 88° 12' W. |
| 560.0 | Trail brs. southeasterly. |
| 1500.00 | To Cor. No.1 and the place of beginning. Hill Billy Ex. Lode. Beginning at Cor. No.1 of the Hill Billy Ex. lode, identical with the loc. mon. and Cor. Nos. 2,3 and 4, Hill Billy North Ex ^{#1} , Hill Billy West Ex ^{#1} and Hill Billy lodes respectively of this Sur., heretofore described, from which the W.C. to 1/4 Cor. bet. Secs. 3 and 34, T.11 & 12 S. R. 16 E. brs. N. 23°39' 45" W., 5444.58 ft. dist. |
| | Thence S. 1°48' E. |
| 260.0 | Gulch 10 ft. wide brs. northeasterly. |
| 300.0 | Intersect the lode line at the W. end center, identical with the Loc. Mon. and E. end center Hill Billy lode of this Sur., heretofore described. |
| 430.0 | Trail brs northeasterly and northwesterly. |
| 600.0 | To Cor. No.2, identical with the Loc. Mon. and Cor. No.3 Hill Billy lode of this Sur., heretofore described. |
| | Thence N. 88°12' E. |
| 1500.0 | To Cor. No.3, identical with the Loc. Mon. Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone stamped 3 H.B. Ex - 4292 A. An oak tree 8 ins. diam. brs. S. 15°45'E., 15.5 ft. dist. Blazed and scribed 3 - 4292 A. B.T. No other bearing objects are available. |
| | Thence N. 1°48'W. |
| 300.0 | Intersect the lode line at the E. end center, identical with the loc. mon. Where I ; - Set a juniper post 4 ins. diam. set firmly in the ground and surrounded with md of stone, scribed E. Cr. H.B. Ex. |
| 600.0 | To Cor. No.4, identical with the loc. mon. and Cor. No.3 Hill Billy North Ex ^{#1} lode of this Sur. Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 4 H.B.Ex, 3 H.B. N.Ex - 4292 A. |

Feet.

MINERAL SURVEY No. 4292 A & B.
 HILL BILLY EX Lode, Cont'd.

An oak tree 18 ins. diam. brs. N. 1°48' E. 25 ft. dist., blazed and scribed 3,4 - 4292 A. B.T.

No other bearing objects are available.

1230.0
 1370.0
 1500.0

Thence S. 88°12' W.,
 Gulch 10 ft. wide brs. northeasterly.
 Trail brs. northerly.
 To Cor. No.1 and the place of beginning.

HILL BILLY SOUTH Ex. lode.

Beginning at Cor. No.1 of the Hill Billy South Ex. lode, identical with the Loc. mon. where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone stamped 1 H.B. S. Ex - 4292 A. from which the W.C. to the 1/4 Cor. bet. secs. 3 and 34 T. 11 & 12 S. R. 16 E. brs. N. 0° 52' E., 5682.42 ft. dist.

A pine tree 24 ins. diam. brs. S. 54° E., 18 ft. dist. blazed and scribed 1- 4292 A. B.T.

Cor. No.2 Hill Billy West Ex. # 5 lode of this Sur. brs. S.66°42' E., 28.92 ft. dist.

No other bearing objects are available.

170.0
 300.0

Thence S. 47°52' W.
 Intersect line 3-4, Hill Billy West Ex. # 2 lode of this Sur.
 Intersect the lode line at
 the N. end center, identical with the Loc. mon. where I :-

Set a pine post 3 ins. diam., set firmly in the ground and surrounded with md of stone, scribed N. Cr. H.B. S. Ex.

350.0
 600.0

Trail brs. easterly.
 To Cor. No.2, identical with the loc. mon. where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 2, H.B. S. Ex.-4292 A.

An oak tree 7 ins. diam. brs. S. 49°52' W., 15.4 ft. dist. blazed and scribed 2 - 4292 A. B.T.

Thence S. 42° 08' E.

47.41
 1500.00

Intersect line 2-3 Hill Billy West Ex # 5 lode of this Sur.

To Cor. No.3, identical with the Loc. mon. where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone stamped 3 H.B. S. Ex.- 4292 A.

A pine tree 36 ins diam. brs. S. 74° E., 19.1 ft. dist.
 A pine tree 28 ins. diam brs. N. 39°40' W., 6.6 ft. dist. both blazed and scribed 3 - 4292 A. B.T.

Thence N. 47°52' E.

300.00

intersect the lode line at
 the S. end center, identical with the loc. mon. where I :-

set a pine post 4 ins. diam by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed S. Cr. H.B. S. Ex.

| Feet. | <p style="text-align: center;">MINERAL SURVEY No. 4292 A & B. HILL BILLY SOUTH EX Lode, Contd.</p> |
|---------|--|
| 600.0 | <p>To Cor. No.4, identical with the loc. mon. where I :-</p> <p>Set an iron pipe 2 ins. diam with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 4 H.B. S. Ex - 4292 A.</p> <p>An oak tree 4 ins. diam brs. S. 42°57'W., 6.2 ft. dist. Blazed and scribed 4- 4292 A. B.T.</p> <p style="text-align: center;">Thence N.42°08'W.</p> |
| 1128.55 | Intersect line 2-3 Hill Billy W [#] Ex 2 lode of this Sur. |
| 1185.0 | Trail brs. northeasterly. |
| 1473.28 | Intersect line 2-3 Hill Billy W [#] Ex 5 lode of this Sur. |
| 1500.0 | <p>To Cor. No.1 and the place of beginning.</p> <p style="text-align: center;">HILL BILLY WEST EX.1 lode.</p> |
| | <p>Beginning at Cor. No.1 of the Hill Billy West Ex.1 lode, identical with the loc. mon. where I :-</p> <p>Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 1, H.B.W. Ex 1 - 4292 A. from which the W.C. to 1/4 Cor. bet. Secs. 3 and 34 T_s 11 & 12 S. R. 16 E. brs. N. 8°33'15" W., 4484.19 ft. dist.</p> <p>Cor. No.2 Hill Billy West Ex. 2 lode of this Sur. brs. S.35°57'20"E., 222.63 ft. dist.</p> <p style="text-align: center;">No other bearings are available.</p> <p style="text-align: center;">Thence S. 1°48' E</p> |
| 120.32 | Intersect line 1-2 Hill Billy West Ex. #2 lode of this Sur. |
| 275.00 | Trail brs. northeasterly. |
| 300.0 | <p>Intersect the lode line at the W. End center, identical with the loc. mon. where I :-</p> <p>Set a pine post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed W. Cr. H.B. W. Ex 1</p> |
| 428.66 | Intersect line 2-3 Hill Billy West Ex. #2 lode of this Sur. |
| 600.00 | <p>To Cor. No.2, identical with the loc mon and Cor. No.1 Hill Billy lode of this Sur., heretofore described.</p> <p style="text-align: center;">Thence N. 88°12' E.</p> |
| 940.00 | Trail brs. southeasterly. |
| 1500.00 | <p>To Cor. No.3, identical with the loc. mon. and cor. Nos. 4,1 and 2 Hill Billy, Hill Billy Ex. and Hill Billy No. #1 lodes respectively of this Sur. heretofore described.</p> <p style="text-align: center;">Thence N. 1°48'W.</p> |
| 205.00 | Gulch 10 ft. wide brs. easterly. |
| 300.00 | <p>Intersect the lode line at the E. end center, identical with the loc. mon. and W. end center Hill Billy No. #1 lode of this Sur, where I :-</p> <p>Set a juniper post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed E. Cr.H.B. W. Ex1, W.Cr. H.B. N. Ex.1</p> <p style="text-align: center;">-4-</p> |

| Feet. | <p style="text-align: center;">MINERAL SURVEY NO. 4292-A & B. HILL BILLY WEST EX-1 lode, Cont'd.</p> |
|---------|--|
| 600.0 | <p>To Cor. No.4, identical with the loc.mon. and Cor. No.1 Hill Billy North Ex[#]1 lode of this Sur. Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 4 H.B. West Ex 1, 1 H B N. Ex 1 - 4292 A. A Juniper tree 4 ft. diam brs. N.45°w., 18.8 ft. dist. blazed and scribed 4,1 - 4292 A. B.T. Thence S. 88° 12' W. To Cor. No.1 and the place of beginning.</p> |
| | <p style="text-align: center;"># HILL BILLY WEST EX-2 lode.</p> <p>Beginning at Cor. No.1 of the Hill Billy West Ex.2 lode , identical with the loc.mon. Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone , stamped 1 H B W. Ex 2 - 4292 A. from which the W.C. to 1/4 Cor. bet. Secs. 3 and 34 T₃11 & 12 S. R. 16 E. brs. N. 3°21'5" W., 4365.74 ft dist. A pine tree 10 ins. diam. brs. N. 9°43' W., 11.5 ft. dist. blazed and scribed 1 H.B. W. Ex 2 - 4292 A. Thence S. 64°43' E.</p> |
| 300.0 | <p>Intersect the lode line at the N. end center, identical with the loc. mon. Where I :- Set a pine post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed N. Cr. H.B.W. Ex 2</p> |
| 459.61 | <p>Intersect line 1-2 Hill Billy West Ex.1 lode of this Sur.</p> |
| 600.00 | <p>To Cor. No.2, identical with the loc. mon. Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone. stamped 2 H.B. W. Ex 2.- 4292 A. A pine tree 12 ins. diam brs. N.18°17'E., 14.5 ft. A pine tree 12 ins. diam. brs. S.4°17' W., 23 ft. dist, both blazed and scribed 2- 4292 A. B.T. Thence S. 25°17' W.</p> |
| 274.54 | <p>Intersect line 1-2 Hill Billy West Ex.1 lode of this Sur.</p> |
| 1485.68 | <p>Intersect line 4-1 Hill Billy South Ex. lode of this Sur.</p> |
| 1500.00 | <p>To Cor. No.3, identical with the loc. mon., Where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone. Stamped 3 H.B. W. Ex.2 - 4292 A. Cor. No.1, Hill Hilly South Ex lode of this Sur. brs. N.40°07'26"W., 377.18 ft. dist. A pine tree 24 ins. diam. brs. S.45° E., 9.7 ft. No other bearing objects are available. Thence N. 64°43' W.,</p> |
| 70.0 | <p>Trail brs. northeasterly.</p> |
| 300.0 | <p>To S. end center, identical with the loc.mon. Where I :-</p> |

| Feet | MINERAL SURVEY No. 4292 A & B HILL BILLY WEST EX 2 lode, Cont'd. |
|---------|---|
| | Set a pine post 3 ins. diam by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed S. Cr. H.B. W Ex 2 . |
| 373.47 | Intersect line 2-3, Hill Billy West Ex. # 5 lode of this Sur. |
| 408.25 | Intersect line 1-2, Hill Billy South Ex. lode of this Sur. |
| 600.0 | To Cor. No.4, identical with the loc. mon. where I:- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 4 H.B.W. Ex.2 - 4292 A. A spruce tree 30 ins. diam. brs. S. 80°18' E., 15 1/2 ft. dist. blazed and scribed 4- 4292 A. B.T. Cor. No.1 Hill Billy South Ex lode of this Sur. Brs. N.83°52'13"E., 301.17 Ft. dist. Cor. No.2 Hill Billy West Ex # 5 lode of this Sur. brs. N.86°21'48" E., 326.67 ft. dist. Thence N.25°17'E. |
| 265.49 | Intersect line 1-2, Hill Billy West Ex. # 5 lode of this Sur. |
| 1500.00 | To Cor. No.1 and the place of beginning. HILL BILLY WEST EX. # 3 lode. Beginning at Cor. No.1 of the Hill Billy West Ex # 3 lode, identical with the loc.mon., where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone stamped 1 H.B. W. Ex 3 - 4292 A. from which the W.C. to the 1/4 Cor bet. Secs.3 and 34 T. 11 & 12 S. R. 16 E. brs. N. 11°40'15" E. 5291.20 ft. dist. No other bearing objects are available. Thence S. 18°36' E. |
| 300.0 | Intersect the lode line at the E. end center, identical with the loc. mon. where I :- Set a spruce post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed. E. Cr. H.B.W. Ex.3 |
| 522.55 | Intersect line 4-1 Hill Billy West Ex. # 5 lode of this Sur. |
| 600.00 | To Cor. No.2, identical with the loc. mon. where I :- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone. stamped 2 H.B.W. Ex 3 - 4292 A. A pine tree 12 ins. diam. brs. N. 18°40'W., 6.0 ft. Blazed and scribed 3 -4292 A. B.T . Cor. No.1 Hill Billy West Ex. No.5 lode of this Sur. brs. N.39°32'40" E. 632.04 ft. dist. Thence S. 71°24'W. |

| Feet | MINERAL SURVEY NO. 4292 A & B HILL BILLY WEST EX NO. 5 lode, Cont'd. |
|---------|--|
| 25.00 | Trail hrs. easterly. |
| 162.32 | Intersect line 4-1 Hill Billy West Ex. #5 lode of this Sur. |
| 915.00 | Trail hrs. northeasterly. |
| 1500.00 | To Cor. No.3, identical with the loc. mon. where I:- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 3 H.B. W. Ex 3 - 4292 A . A pine tree 16 ins. diam. hrs. N. 55° W., 9.0 ft. dist. blazed and scribed 3 H.B. W., Ex 3 - 4292 A. B.T. No other bearing objects are available. Thence N. 18°36' W |
| 300.0 | Intersect the lode line at the W. end center, identical with the Loc. mon. where I:- Set a spruce post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone, scribed W. Cr. H.B. W. Ex 3 . |
| 600.00 | To Cor. No.4, identical with the Loc. Mon. where I:- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 4 H.B. W. Ex. 3 - 4292 A. . A pine tree 24 ins. diam. hrs. N. 52°45' E., 18 ft. dist. Blazed and scribed 4 -4292 A. B.T. No other bearing objects are available. Thence N. 71°24' E. |
| 1500.00 | To Cor. No.1 and the place of beginning. HILL BILLY WEST EX #5 Lode. Beginning at Cor. No.1 of the Hill Billy West Ex. 5 lode, identical with the loc. mon. where I:- Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone , stamped 1 H.B. W. Ex 5 - 4292 A from which the W.C. to the 1/4 Cor. bet. Secs. 3 and 34, T ₁₁ & 12 S, R. 16 E. hrs. N. 5°10'45" E., 5284.6 ft. dist. A fir tree 12 ins. diam. hrs. S. 65°54' W., 9.3 ft. dist. blazed and scribed 1-4292 A. B.T. No other bearing objects are available. Thence S. 44°06' 30" E. |
| 294.52 | Intersect line 4-1 Hill Billy West Ex. #2 lode of this Sur. |
| 300.00 | Intersect the lode line at the E. end center, identical with the loc. mon. where I:- Set a spruce post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed E. Cr. H.B.W Ex 5. |
| 600.00 | To Cor. No.2, identical with the loc. mon. where I:- Set an iron pipe 2 ins. diam with lead cap on top, 24 ins. above |

Feet.

MINERAL SURVEY NO. 4292 A & B.
HILL BILLY WEST EX 5 Lode, Cont'd.

ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 2 H B W. Ex 5 - 4292 A.

A pine tree 24 ins. diam. brs. N.85°W., 10 ft. dist., blazed and scribed 2 - 4292 A. BT.

~~Cor. No. 1 Hill Billy South Ex lode of this Sur. brs. N.66°42'W., 28.92 ft. dist.~~

~~Cor. No. 4 Hill Billy West Ex. 2 lode of this Sur. brs. S.86°21'48" W., 326.0 ft. dist~~

Thence S.45°53' 30" W.,

12.03 Intersect line 4-1 Hill Billy South Ex lode of this Sur.

168.77 Intersect line 3-4 Hill Billy West Ex 2 lode of this Sur.

280.00 - Trail brs easterly.

612.39 Intersect line 2-3 Hill Billy South Ex lode of this Sur.

1370.00 Approx. center line Tucson-Mt. Lemmon Highway, (under construction), brs. northwesterly.

1500.00 To Cor. No. 3, identical with the loc. mon. where I:-

Set an iron pipe 2 ins. diam with lead cap on top, 24 ins. above ground set on bedrock and surrounded with md of stone 4 ft. base by 2 ft. high stamped 3 H.B. W. Ex. 5 - 4292 A.

A pine tree 24 ins. diam brs. S.43° E., 29 ft. dist. blazed and scribed 3-4292A B T.

No other bearing objects are available.

Thence N.44°06' 30" W.

Intersect the lode line at

300.0 / the S. end center, identical with the loc. mon., where I :-

Set a pine post 4 ins. diam by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed S. Cr. H.B. W. Ex 5

509.4 Witness Corner to Cor. No. 4 where I :-

Set an iron pipe 2 ins diam with lead cap on top, 24 ins above ground set 18 ins in the ground and surrounded with md of stone, stamped 4 H.B. W. Ex 5 - 4292 A - W.C.

A pine tree 8 ins diam brs. S.58° E. 7 1/2 ft. dist.

A pine 30 ins. diam. brs. N. 85° W., 31 1/5 ft. dist. both blazed and scribed 4-4292 A. B.T. WC.

600.0 To Cor. No. 4, identical with the Loc. Mon.

This corner falls in the right of way of the Tucson-Mt. Lemmon Highway where a monument cannot be maintained.

Thence N.45°53' 30" E. from true cor point

35.0 Approx. center line Tucson-Mt. Lemmon Highway.

725.34 Intersect line 2-3 Hill Billy West Ex 3 lode of this Sur.

825.0 Trail brs. easterly.

Feet.

MINERAL SURVEY No. 4292 A & B.
HILL BILLY WEST EX. 5 lode, Cont'd.

905.19 Intersect line 1-2 Hill Billy West Ex. #3 lode of this Sur.

1500.00 To Cor. No.1 and the place of beginning.

HILL BILLY NORTH EX. #1 lode.

Beginning at Cor. No.1 of the Hill Billy North Ex. #1 lode, identical with the loc. mon. and Cor. No.4 Hill Billy West Ex. #1 lode of this Sur., heretofore described, from which the W.C. to the 1/4 Cor. bet. Secs. 3 and 34 T.11 & 12 S., R. 16 E., brs. N. 26°16' 45" W., 4892.9 ft. dist.

Thence S. 1° 48' E.

300.0 Intersect the lode line at the W. end center, identical with the loc mon. and the E. end center Hill Billy West Ex. #1 lode of this Sur., heretofore described.

395.0 Gulch 10 ft. wide brs easterly.

600.0 To Cor. No.2, identical with the loc. mon. and Cor. Nos. 1,4 and 3 Hill Billy Ex., Hill Billy and Hill Billy West Ex. #1 lodes respectively of this Sur. heretofore described.

Thence N. 88°12' E.

130.0 Trail brs. northwesterly.

270.0 Gulch 10 ft. wide brs. northeasterly.

1500.0 To Cor. No.3, identical with the loc. mon. and Cor. No.4 Hill Billy Ex. lode of this Sur., heretofore described.

Thence N. 1°48' W.

25.00 Enters gulch 50 ft. wide, course easterly.

75.0 Leaves gulch.

300.0 Intersect the lode line at the E. end center, identical with the loc. mon., where I:-

Set a spruce post 4 ins diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone, scribed E. Cr. H.B. N. Ex. 1

600.0 To cor. No.4, identical with the loc. mon., where I:-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 4 H.B. N. Ex 1 - 4292 A.

An oak tree 24 ins diam brs. S. 20° W., 20.5 ft. dist. blazed and scribed 4 - 4292 A. B. T.

Thence S. 88°12' W.

1500.0 To Cor. No.1 and the place of beginning.

LODE LINES.

The presumed course of the vein of each of the several lode locations embraced in this survey, counted from the respective points of discovery is as follows:

Hill Billy lode, N. 88°12' E., 5.0 ft. and S. 88°12' W., 1495.0 ft.

Feet

~~MINERAL SURVEY NO. 4292 A & B.~~
~~LODE LONES - Cont'd.~~

Hill Billy Ex lode, S.88°12' W., 91.0 ft. and N.88°12' E., 1409.0 ft.
 Hill Billy South Ex. Lode, S.42°08'E., 363.0ft. and N.42°08'W., 1137.0 ft.
 Hill Billy West Ex.[#]1 lode, N.88°12'E., 84.0 ft. and S.88°12'W., 1416.0 ft.
 Hill Billy West Ex.[#]2 lode, N.25°17' E., 540.0 ft. and S.25°17'W., 960.0 ft.
 Hill Billy West Ex.[#]3 lode, N.71°24'E., 690.0 ft. and S.71°24'W., 810.0 ft.
 Hill Billy West Ex.[#]5 lode, S.45°53'30"W., 20 ft. and N.45°53'30"E., 1480.ft.
 Hill Billy North Ex.[#]1 lode, S.88°12'W., 15 ft. and N.88°12' E., 1485.0 ft.

QUEEN MILL SITE.

Beginning at Cor. No.1 of the Queen Mill Site, identical with the loc. mon. and Cor. No.2 Hill Billy lode of this Sur., heretofore described, from which the W.C. to the 1/4 Cor. bet. Secs. 3 and 34, T.11 & 12 S., R. 16 E. brs. N. 7°07'50" W., 5677.55 ft. dist.

Thence S. 1°48' E.

300.0 To Cor. No.2, identical with the loc. mon., Where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground, and surrounded with md. of stone, stamped 2 Q M S - 4292 B

An oak tree 8 ins. diam brs. S. 85°12'W., 5 ft. dist. Blazed and scribed 2 Q M.S. - 4292 B.

Thence N. 88°12'E.

575.0 Gulch 10 ft. wide brs. northeasterly.

725.0 To Cor. No.3, identical with the loc. mon., Where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground set 18 ins. in the ground and surrounded with md. of stone, stamped 3 Q M.S. - 4292 B.

A spruce tree 16 ins. diam brs. S. 88°15' W., 19.8 ft. dist. blazed and scribed 3 - 4292 B.

A spring in gulch brs. N. 79°15' W., 125.0 ft. dist.

Thence N. 1°48' W.

145.0 Gulch 10 ft. wide brs. northeasterly.

300.0 To Cor. No.4, identical with the loc. mon. On line 2-3-Hill Billy lode of this Sur. Where I :-

Set an iron pipe 2 ins. diam. with lead cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone stamped 4 Q.M.S. - 4292 B.

A spruce tree 24 ins. diam brs. East 24.0 ft. dist.

A. Pine tree 24 ins. diam brs. S. 19° W., 12.5 ft. dist., both blazed and scribed 4 - 4292 B. B.T.

Thence S. 88°12' W.

725.0 To Cor. No.1 and the place of beginning. Containing 4.993 acres.

AREAS

| | Acres |
|---|--------|
| Total area Hill Billy lode, | 20.661 |
| Total area Hill Billy Ex. lode, | 20.661 |
| Total area Hill Billy South Ex. lode, | 20.661 |
| Total area Hill Billy West Ex. #1 lode, | 20.661 |
| Total area Hill Billy West Ex. #2 lode, | 20.661 |
| Area in conflict with; | |
| Hill Billy South Ex. lode of this survey, | .792 |
| Hill Billy West Ex. #1 lode of this survey, | .442 |
| Total area Hill Billy West Ex. #3 lode, | 20.661 |
| Total area Hill Billy West Ex. #5 lode, | 20.661 |
| Area in conflict with; | |
| Hill Billy South Ex. lode of this survey, | .511 |
| Hill Billy West Ex. #2 lode of this survey, | 1.282 |
| Hill Billy West Ex. #2 lode of this survey, exclusive of its conflict with Hill Billy South Ex. lode this survey, | 1.171 |
| Hill Billy West Ex. #3 lode of this survey, | .144 |
| Total area Hill Billy North Ex. #1 lode, | 20.661 |
| Total area Queen Mill Site, | 4.993 |

LOCATION

This survey is located in Secs. 2, 3, 10 & 11, of unsurveyed
T. 12 S., R. 16 E., G. & S.R.M., within the Coronado National Forest.

EXPENDITURE OF \$500.00

I certify that the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors is not less than \$500.0 and that said improvements consist of:

HILL BILLY Lode.

- No. 1 The discovery cut of the Hill Billy lode, the mouth of which is on the center line 5 ft. from the center of line 3-4, 5 ft. wide 8 ft. face running south 20 ft. to face.
Value \$100.0
- No. 2 A cut, the mouth of which brs. from Cor. No. 3 Hill Billy lode, N.41°W., 345 ft. 4 $\frac{1}{2}$ ft. wide, 8 ft. face, running S.70°W., 15 ft. to face.
Value \$100.0
- No. 3 A cut, the mouth of which is on the center line, 255 ft. from the center of line 3-4, 4 ft. wide, 8 ft. face, running south 15 ft. to face.
Value \$100.0
- No. 4 A cut, the mouth of which is on the center line, 285 ft. from the center of line 3-4, 4 ft. wide, 8 ft. face, running south 16 ft. to face.
Value \$100.0
- No. 5 A cut, the mouth of which brs. from cor. No. 4 Hill Billy lode, S. 82° W., 520.0 ft., 4 ft. wide, 8 ft. face, running N.2°W. 15 ft. to face.
Value \$100.0
- No. 6 A cut, the mouth of which brs. from Cor. No. 4, Hill Billy lode, S.80°W., 515 ft. 4 ft. wide, 8 ft. face, running S.2°E., 12 ft. to face.
Value \$100.0

HILL BILLY Ex. lode

- No. 1 The discovery cut of the Hill Billy Ex. lode, the mouth of which being the discovery point, is on the center line 91.0 ft. from the center of line 1-2, 4 $\frac{1}{2}$ ft. wide, 8 ft. face, running S.88°12'W., 15 ft. to face.
Value \$100.0
- No. 2 A cut, the mouth of which brs. from Cor. No. 1 Hill Billy Ex. lode S.38°E., 320. ft. dist. 5 ft. wide, 20 ft. face, running S.38°W., 50 ft. to Sta. A, thence S.49°30'W., 50 ft. to face. At 10 ft. above Sta. A is a cut 5 ft. wide, 10 ft. face, running S.88°W., 40 ft. to face. At face is a tunnel 5x7 ft. running S.88°W., 10 ft. to breast.
Total value of cuts and tunnel \$2500.
- No. 3 A cut, the mouth of which brs. from Cor. No. 1, Hill Billy Ex. lode S.34°E., 250 ft. 4 $\frac{1}{2}$ ft. wide, 8 ft. face, running S.38°W., 10 ft. to face.
Value \$100.0
- No. 4 A cut, the mouth of which brs. from Cor. No. 1, Hill Billy Ex. lode, S.67°30'E., 530 ft. 4 $\frac{1}{2}$ ft. wide, 8 ft. face, running S.69°W., 14 ft. to face.
Value \$100.0
- No. 5 A cut, the mouth of which brs. from Cor. No. 1 Hill Billy Ex. lode, S.65°30' E., 545 ft. 4 $\frac{1}{2}$ ft. wide, 8 ft. face, running S.80°W., 16 ft. to face.
Value \$100.0

MINERAL SURVEY NO. 4292 A & B

EXPENDITURE OF \$500.

HILL BILLY SOUTH Ex. Lode.

- No.1 The discovery shaft of the Hill Billy South Ex lode, the S.E. cor. of which being the discovery point is on the center line, 363 ft. from the center of line 3-4, 4 x 6 ft. 8 ft. deep.
Value \$100.0
- No.2 A cut, the mouth of which brs. from Cor. No.3 Hill Billy South Ex. lode N. 5° W., 460 ft., 4 ft. wide 8 ft. face, running N.45° E., 20 ft. to face.
Value \$100.0
- No.3 A cut, the face of which is on the center line 400 ft. from the center of line 3-4, 4 ft. wide, 8 ft. face, running S. 47° W., 20 ft. to mouth
Value \$100.0
- No.4 A cut, the face of which is on the center line 440 ft. from the center of line 3-4, 4 ft. wide, 8 ft. face, running S.48° W., 20 ft. to mouth.
Value \$100.0
- No.5 A cut, the face of which is on the center line 820 ft. from the center of line 3-4, 4 ft. wide, 8 ft. face running S. 74° W. 20 ft. to mouth.
Value \$100.0

HILL BILLY WEST EX #1 Lode.

- No.1 The discovery cut of the Hill Billy West Ex. #1 lode, the face of which being the discovery point, is on the center line, 84 ft. from the center of line 3-4, 4 1/2 ft. wide, 8 ft. face, running N.88°15'E. 20 ft. to mouth.
Value \$100.0
- No.2 A cut, the mouth of which brs. from Cor. No.3, Hill Billy West Ex.#1 lode, N.15°30'W., 250 ft. 4 ft. wide, 8 ft. face, running west 15 ft. to face.
Value \$100.0
- No.3 A cut, the mouth of which brs. from Cor. No.1, Hill Billy West Ex.#1 lode, S.30° E., 215 ft. 4 ft. wide, 8 ft. face, running N.78° W., 22 ft. to face.
Value \$100.0
- No.4 A cut, the mouth of which brs. from Cor. No.1, Hill Billy West Ex #1 lode, S. 16° E., 285.0 ft. 4 ft. wide, 8 ft. face, running N.86° W., 22 ft. to face.
Value \$100.0
- No.5 A cut, the mouth of which brs. from Cor. No.1, Hill Billy West Ex.#1 lode, S.15°15' E., 300 ft., 4 ft. wide, 8 ft. face, running N.80° W., 22 ft. to face.
Value \$100.0
- No.6 A cut, the mouth of which brs. from Cor. No.4, Hill Billy West Ex.#1 lode, S. 58°15'W., 480 ft., 4 ft. wide, 8 ft. face, running N.81°W., 20 ft. to face.
Value \$100.0

HILL BILLY WEST EX #2 lode.

- No.1 The discovery cut of the Hill Billy West Ex.#2 lode, the face of which being the discovery point is on the center line 540 ft. from the center of line 1-2, 4 1/2 ft. wide, 8 ft. face, running N.25°15'E. 20 ft. to mouth.
Value \$100.0

~~MINERS SURVEY NO. 4292 A & B~~
~~EXPENDITURE OF \$500.0~~
~~HILL BILLY WEST EX. 2 lode, Cont'd.~~

No.2 A cut, the mouth of which brs. from Cor. No.2, Hill Billy West Ex[#] 2 lode S.71° 30' W., 500 ft. 4 ft. wide, 8 ft. face, running S.37°E., 20 ft. to face.

Value \$100.0

No.3 A cut, the mouth of which brs. from Cor. No.2, S. 72°15' W., 480. ft. 4 ft. wide, 8 ft. face, running S.40° E., 20 ft. to face.

Value \$100.0

No.4 A cut, the mouth of which is on the center line 280 ft. from the center of line 1-2, 4 ft. wide, 8 ft. face running S.57°30'E. 20 ft. to face.

Value \$100.0

No.5 A cut, the moutn of which is on the center line 240 ft. from the center of line 1-2, 4 ft. wide, 8 ft. face, running S.61°E. 20 ft. to face.

Value \$100.0

HILL BILLY WEST EX.[#] 3 lode.

No.1 The discovery cut of the Hill Billy West Ex[#] 3 lode the face of which being the discovery point is on the center line, 690 ft. from the center of line 1-2, 4 ft. wide, 8 ft. face, running S.12° E., 20 ft. to mouth.

Value \$100.0

No.2 A cut, the mouth of which is on line 3-4, N.18°36' W., 226 ft. from cor. No.3, 4 ft. wide, 8 ft. face, running N.72° E., 22 ft. to face.

Value \$100.0

No.3 A cut, the mouth of which brs. from Cor. No.2, N.66°30' W., 380. ft. 4 ft. wide, 8 ft. face, running N. 5° 30' W., 20 ft. to face.

Value \$100.0

No.4 A cut, the mouth of which brs. from Cor. No.2, S.88° W., 160.0 ft. 4 ft. wide, 8 ft. face, running north 20 ft. to face.

Value \$100.0

No.5 A cut, the mouth of which brs. from Cor. No.2 S. 88° W., 115.0 ft. 4 ft. wide, 8 ft. face, running north 20 ft. to face.

Value \$100.0

HILL BILLY WEST EX.[#] 5 lode.

No.1 The discovery cut of the Hill Billy West Ex.[#] 5 lode, the mouth of which being the discovery point is on the center line 20 ft. from the center of line 3-4, 4 1/2 ft. wide, 8 ft. face, running N.45°53'E. 18 ft. to face.

Value \$100.0

No.2 A cut, the moutn of which brs. from Cor. No.3, N. 41° W., 240.0 ft. 4 ft. wide, 8 ft. face, running N. 45° E., 20 ft. to face.

Value \$100.0

No.3 A cut, the mouth of which brs. from Cor. No.3 N.33° W., 245 ft. 4 ft. wide, 8 ft. face, running N.45° E., 20 ft. to face.

Value \$100.0

No.4 A cut, the mouth of which brs. from Cor. No.3, N.20°45' E., 720. ft. 4 ft. wide, 8 ft face, running N.45° W., 20 ft. to face.

Value \$100.0

No.5 A cut, the mouth of which brs. from Cor. No.3, N. 21°45' E., 750 ft. 4 ft. wide, 8 ft. face, running N. 45° W., 20 ft. to face,

Value \$100.0

~~MINERAL SURVEY NO. 4242 A & B~~
~~EXPENDITURE OF \$500.0~~
HILL BILLY WEST EX. 5 lode., Cont'd.

No.6 A cut, the mouth of which brs. from Cor. No.1, Hill Billy West Ex. #5 lode, S.32°15' W., 460.0 ft. 4 ft. wide, 8 ft. face, running S.11°30'W., 20 ft. to face.
Value \$100.0

HILL BILLY NORTH EX. #1 lode.

No.1 The discovery cut of the Hill Billy North Ex #1 lode, the face of which being the discovery point is on the center line 15 ft. from the center of line 1-2, 4 ft. wide, 8 ft face, running N.88° E., 20 ft. to mouth.
Value \$100.0

No.2 A cut, the mouth of which brs. from Cor. No.1, S.49°15' E., 600.0 ft 4 ft. wide, 8 ft. face, running N.20° W., 18 ft. to face.
Value \$100.0

No.3 A cut, the face of which is on the center line 415 ft. from the center of line 1-2, 4 ft. wide, 8 ft. face, running S.28° E. 20 ft. to mouth
Value \$100.0

No.4 A cut, the mouth of which brs. from Cor. No. 1, S.71°15' E., 615.0 ft. 4 ft. wide, 8 ft. face, running N.25° W., 20 ft. to face.
Value \$100.0

No.5 A cut, the mouth of which brs. from Cor. No.1 S. 89°45'E., 820.0 ft. 5 ft. wide, 8 ft. face, running S. 79° W., 22 ft. to face.
Value \$100.0

No. 6 A cut, the mouth of which brs. from Cor. No.1, S.74°30'E., 850.0 ft. 4 1/2 ft. wide, 8 ft. face, running N. 5° W., 20 ft. to face.
Value \$100.0

In addition to the above described improvements there has been expended \$400. in improving the trail which traverses each of the eight above mentioned lode claims of the group.

OTHER IMPROVEMENTS.

None.

OTHER CORNER DESCRIPTIONS.

The W.C. $\frac{1}{4}$ Sec. Cor., Secs. 3 and 34, Ts. 11 & 12 S., R. 16 E., to which the claims of this survey are tied, is S. 89° 58' E. 3.54 chs. from the true point for the $\frac{1}{4}$ sec. cor.

ADJOINING CLAIMS.

There are no adjoining or conflicting claims known.

| | | |
|---|---|--|
| | <p>... the south of which are from Cor. 10.1, 11.1, 12.1, 13.1, 14.1, 15.1, 16.1, 17.1, 18.1, 19.1, 20.1, 21.1, 22.1, 23.1, 24.1, 25.1, 26.1, 27.1, 28.1, 29.1, 30.1, 31.1, 32.1, 33.1, 34.1, 35.1, 36.1, 37.1, 38.1, 39.1, 40.1, 41.1, 42.1, 43.1, 44.1, 45.1, 46.1, 47.1, 48.1, 49.1, 50.1, 51.1, 52.1, 53.1, 54.1, 55.1, 56.1, 57.1, 58.1, 59.1, 60.1, 61.1, 62.1, 63.1, 64.1, 65.1, 66.1, 67.1, 68.1, 69.1, 70.1, 71.1, 72.1, 73.1, 74.1, 75.1, 76.1, 77.1, 78.1, 79.1, 80.1, 81.1, 82.1, 83.1, 84.1, 85.1, 86.1, 87.1, 88.1, 89.1, 90.1, 91.1, 92.1, 93.1, 94.1, 95.1, 96.1, 97.1, 98.1, 99.1, 100.1</p> | |
| <p>in addition to the above mentioned improvements there has been</p> | <p>expended \$100,000 in improving the trail which provides access of the right</p> | |
| <p>from the true point for the 1 sec. cor.</p> | <p>which the claims of this survey are tied, in 1882, to the 1/2 sec. cor.</p> | |
| <p>ALLEGED CLAIMS</p> | <p>There are no alleged or conflicting claims known.</p> | |

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by T.N. Stevens

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of T.H. Zimmerman

known as the ~~HILL BILLY, HILL BILLY EX., HILL BILLY SOUTH EX., HILL BILLY WEST EX.#1, HILL BILLY WEST EX.#2, HILL BILLY WEST EX.#3, HILL BILLY WEST EX.#5, HILL BILLY NORTH EX.#1~~ and showing the respective capacities in which they acted. ~~lodes and QUEEN Mill site.~~

- Chas. A. Walsh, Chairman.
-, Chairman.
-, Azman.
-, Flagman.

FINAL OATHS OF ASSISTANTS

We, I Chas. A. Walsh

~~and~~, do solemnly swear that ^I ~~we~~ assisted T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of T.H. Zimmerman

known as the ~~HILL BILLY, HILL BILLY EX., HILL BILLY SOUTH EX., HILL BILLY WEST EX.#1, HILL BILLY WEST EX.#2, HILL BILLY WEST EX.#3, HILL BILLY WEST EX.#5, HILL BILLY NORTH EX.#1~~, ~~lodes and QUEEN Mill site.~~

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

- Charles A. Walsh, Chairman.
-, Chairman.
-, Azman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of Nov., 1945

Osceola H. Davis
Notary Public

My commission expires June 5, 1949

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, T.N. Stevens, Mineral Surveyor,

do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated May 1, 1945 and September 10, 1945

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the mining claim of _____

T.H. Zimmerman, known as the HILL BILLY, HILL BILLY EX., HILL BILLY SOUTH EX., HILL BILLY WEST EX. #1, HILL BILLY WEST EX. #2, HILL BILLY WEST EX. #3, HILL BILLY WEST EX. #5, HILL BILLY NORTH EX. #1 lodes, and QUEEN Mill sites, situate in Old Hat Mining District,

Pima County, Arizona, in Section 2, 3, 10, 11, Township No. 12 S. 4th, Range No. 16 E., 11th, and designated as Survey No. 4292 A & B, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

T.N. Stevens
(Mineral Surveyor)

Subscribed and sworn to by the said T. N. STEVENS

Mineral Surveyor, before me a Notary Public

this 24th

day of Nov, 1945

Essent [Signature]

my commission expires June 5, 1949

CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States
Department of the Interior

37

GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

Phoenix, Arizona

December 27, 1945

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of T. H. Zimmerman

known as the HILL BILLY, HILL BILLY EX., HILL BILLY SOUTH EX., HILL BILLY WEST EX.#1, HILL BILLY WEST EX.#2, HILL BILLY WEST EX.#3, HILL BILLY WEST EX.#5, HILL BILLY NORTH EX.#1 lodes and QUEEN MILL SITE

situate in Old Hat

Mining District Pima County Arizona

in Sections 2, 3, 10, and 11, Township No. 12 S., Range No. 16 E. Unsur., and designated as Survey No. 4292 A & B

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or his grantors,

and that said improvements consist of 44 cuts, 1 shaft, and 1 tunnel, value \$6800.00, together with work to the value of \$400.00 on a trail traversing the claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

E. A. Thompson
Office Cadastral Engineer.

General Land Office

Public Survey

Section 16

Section 17

Section 18

Section 19

Section 20

Section 21

Section 22

Section 23

Section 24

Section 25

Section 26

Section 27

Section 28

Section 29

Section 30

Section 31

Section 32

Section 33

Section 34

Section 35

Section 36

Section 37

Section 38

Section 39

Section 40

Section 41

Section 42

Section 43

Section 44

Section 45

Section 46

Section 47

Section 48

Section 49

Section 50

E. A. Thompson

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

At Phoenix, Arizona

December 27, 1945

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of T. H. Zimmerman

known as the HILL BILLY, HILL BILLY EX., HILL BILLY SOUTH EX.,
HILL BILLY WEST EX.#1, HILL BILLY WEST EX. #2, HILL BILLY WEST EX.#3,
HILL BILLY WEST EX.#5, HILL BILLY NORTH EX.#1 lodes and QUEEN Mill Site

situate in Old Hat mining district,

Pima County Arizona

in Sections 2,3,10 and 11, Township No. 12 S., Range No. 16 E., Unsur.

, designated as Survey No. 4292 A & B

executed by T. N. Stevens, Mineral

Surveyor, June 4 to September 27, 1945, under my instructions dated

May 1 and September 10, 1945 have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

E. A. Thompson
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
WASHINGTON, D.C.

Phoenix, Arizona

December 27, 1915

Phoenix, Arizona

I, the undersigned, being duly qualified, have examined the field notes and survey of the mining claim of T. E. Stevens

known as the WILL BILLY, WILL BILLY EX., WILL BILLY SOUTH EX.,

WILL BILLY WEST EX. A, WILL BILLY WEST EX. B, WILL BILLY WEST EX. C,

WILL BILLY WEST EX. D, WILL BILLY NORTH EX. A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z

located in the Old Hat

Arizona

Section 2, 3, 10 and 11 Township No. 12 S., Range No. 10 E., T. 12 S., R. 10 E., Arizona.

ASPS A & B

by T. E. Stevens

made June 4 to September 27, 1915

May 1 and September 10, 1915

and the same have been found to conform to the requirements of the laws of the United States in all respects.

The original copy of the field notes and survey is on file in the office of the General Land Office at Phoenix, Arizona.

A true and correct copy of the field notes and survey is being furnished to the applicant.

General Land Office