

UNITED STATES
DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
Bureau of Land Management

MINERAL SURVEY NO. 4301

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

George B. Upton et al

Known As The

UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2

Weaver Mining District,

Yavapai County, Arizona

Section 36, Township 10 N., Range 5 W., G. & S.R.M.

Surveyed under instructions dated April 1st, 1946.

by RICHARD L. MERRITT
Mineral Surveyor.

Claim located May 15th, 1927

Survey commenced June 1st, 1946

Survey completed July 10th, 1946

Address of claimant Edward B. Ashurst, Attorney,
Wickenburg, Arizona

DATES OF AMENDED LOCATIONS

January 29th, 1938

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4511

Arizona

FIELD NOTES

George B. Upson et al

UPSON PLACER CLAIM NUMBER 1 and UPSON PLACER CLAIM 2

Weaver

Yavapai County Arizona

Section 36 Township 19 N. Range 2 W. G.S. & R.M.

Surveyed under location date April 1st 1916

RICHARD J. TERRITT

Mineral Surveyor

Claim location July 1916

Survey location June 1st

Survey location July 1916

Edward B. Ashurst, Attorney,
Wickenburg, Arizona

DATES OF MINERAL LOCATIONS

January 29th, 1938

SURVEY NO. 4301

1.

Feet

Mineral Survey No. 4301 was made with a Lietz Transit No. 10256 Model No. 11-E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diameter, having one double vernier; the verniers read to one minute of arc; a prismatic eye-piece with colored glass shade was attached to the eye-piece of the transit for the solar observations. The instrument was in good condition at the time of the survey, and all adjustments were in good order. An a.m. altitude observation on the sun for azimuth and at noon on the meridian for time, and on Polaris for latitude, were made, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of this survey gave a uniform value of $14^{\circ} 00' E.$

UPTON PLACER CLAIM NUMBER #1

Beginning at Cor. No. 1 of the Upton Placer Claim Number #1, the one quarter cor. between secs. 1 and 36, Ts. 9 and 10 N., R. 5 W. A one inch iron pipe with a brass cap 10 in. above the ground marked $\frac{1}{4}$ Secs. 36, and marked 1-UP1 4301 on the Northwest side of brass cap; from which

A rock in place 2x3x3 ft. above ground marked X-BR-1UP1-4301 bears $S.61^{\circ} 15' W.$, 8.7 ft. dist.

No other bearings available.

The location cor. a mound of stones 3 ft. base by 3 ft. high, rebuilt alongside.

Thence $S.89^{\circ} 58' W.$

- 255 Center of road, bears north and south.
 927. Center of road, bears north and south.
 1532 Center of Antelope Creek 60 ft. wide, course $S.4^{\circ} E.$
 1980.77 Cor. No. 2 on south boundary of $SW\frac{1}{4}$ Sec. 36.

Set a malpais stone 8x8x26 ins. 16 ins. in the ground, with a mound of stones 3 ft. base by 3 ft. high rebuilt alongside, for cor. No. 2, mkd. X-2UB1-4301.

No bearings available.

Thence North.

- 530 Center of road, bears $N.15^{\circ} E.$ and $S.15^{\circ} W.$
 1980.5 Cor. No. 3.

Set a schist stone 4x8x27 ins., 16 ins. in the ground, with a mound of stones 3 ft. base by 3 ft. high rebuilt

Survey No. 4301

2.

Feet	
	<p>alongside, for Cor. No. 3, mkd. X-3UP1-4301; from which</p> <p>A point on bedrock outcrop, even with the general surface, bears S.56° 09' W., 26.97 ft. dist., mkd. X-BR-3UP1-4301.</p> <p>No other bearings available.</p> <p style="text-align: center;">Thence N. 56° 39' E.</p>
159.55	<p>Cor. No. 4 which is identical with Cor. No. 6, Midnight Lode, Survey No. 2201.</p> <p>A schist stone 6x14x12 ins. above the ground, mkd. X-M-No.6-2201, and mkd. 4UP1-4301 on the southeast face. Mound of stones 3 ft. base by 3 ft. high rebuilt alongside; from which</p> <p>A rock in place 6x6x3 ft. in size above ground, bears S.85° 26' E., 6.75 ft. dist., mkd. X-BR-M-6-2201 and 4UP1-4301.</p> <p style="text-align: center;">Thence S.85° 26' E.</p>
298.30	<p>South center end Midnight Lode, Survey 2201.</p> <p>A schist stone 4x8x12 ins. above the ground, mkd. X-S-C-E-M-2201.</p>
571.00	<p>Witness Cor. for Cor. No. 5, which is identical with witness cor. No. 5, Midnight Lode Survey 2201.</p> <p>A malpais stone 5x10x6 ins. above the ground, mkd. X-W-C.M-No. 5-2201 and mkd. W-C-5UP1 on the south side, with a mound of stones 3 ft. base by 3 ft. high rebuilt alongside.</p>
572.	<p>West bank Antelope Creek 40 ft. wide, course S.8° W.</p>
598.30	<p>To true point for Cor. No. 5.</p> <p>A granite rock 3x2x1 ft. above the ground in the bed of Antelope Creek, mkd. X-5UP1-4301; from which</p> <p>A bedrock outcrop even with the general surface bears N.34° 57' E., 73.85 ft. dist., mkd. X-5UP1-4301.</p> <p style="text-align: center;">Thence N.4° 28' E.</p>
150	<p>Telephone line, bears S.56° 30' E. and N.56° 30' W.</p>
190	<p>Intersection with east bank of creek, course S.1° 30' E.</p>
340.70	<p>Cor. No. 6, which is identical with Cor. No. 4, Midnight Lode, Survey 2201.</p> <p>A malpais stone 8x8x10 ins. above the ground, on line 3-4, Last Chance Placer, Survey No. 1452, mkd. XM-No.4-2201, and mkd. 6UP1 4301 on the south face with a mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which</p> <p>A granite rock in place 2x3x2 ft. above the ground, bears N.4° 21' E., 14.7 ft. dist., mkd. X-BR-6UP1-4301.</p> <p style="text-align: center;">Thence S.10° 23' E.</p>
141.10	<p>Cor. No. 7, which is identical with Cor. No. 4, Last Chance Placer, Survey No. 1452 and with Cor. No. 4, Deep Diggins Placer, Survey No. 1451.</p>

Survey No. 4301

Feet	
	<p>A white granite stone, 8x8x14 ins. above the ground, mkd. X-4DD-1451-4-LC-1452, and mkd. 7UP1-4301 on the south side. Mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which</p> <p>A malpais rock in place 3x3x1 ft. above the ground, bears S.25° 16' E., 6.0 ft. dist., mkd. X-BR-DD4-1451, and 7UP1-4301.</p> <p>A granite rock in place 3x4x2 ft. above the ground, bears S.5° 09' E., 40.7 ft. dist., mkd. X-BR-DD4-1451 and 7UP1-4301.</p> <p style="text-align: center;">Thence S.8° 52' W.</p>
68	Telephone line bears S.56° 30' E, and N.56° 30' W.
980	Center road, bears N.72°E. and S.72°W.
1030	Intersection with east bank of Creek, course S.2°E.
1320	Intersection with east bank of Creek, course S.22° 30'W.
1431.10	Cor. No. 8, which is identical with Cor. No. 3, Deep Digins Placer, Survey No. 1451.
	<p>A malpais stone 8x12x8 ins. above the ground, mkd. XDD3-1451 and mkd. 8UP1-4301 on the southwest side, with a mound of stones 3 ft. base by 3 ft. high rebuilt alongside; from which</p> <p>A malpais rock in place 1x2x2 ft. above the ground, bears S.23°14'W., 19.6 ft. dist., mkd. X-BR-3DD-1451 and 8UP1-4301.</p> <p>A malpais rock in place ½x2x2 ft. above the ground, bears N.72° 30'E., 25.5 ft. dist., mkd. X-BR-3DD-1451, and 8UP1-4301.</p> <p style="text-align: center;">Thence N.77° 36' E.</p>
476	Center of road, bears N.3°E. and S.3°W.
703.67	Cor. No. 9, which is identical with Cor. No. 2, Deep Digins Placer, Survey No. 1451, and Cor. No. 2, Upton Placer Claim #2 of this survey.
	<p>A malpais stone 8x14x14 ins. above the ground, mkd. X-DD No. 2-1451, 9UP1 and 2UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which</p> <p>A malpais rock in place 2x2x½ ft. above the ground, bears S.80° 15'E., 31.8 ft. dist., mkd. X-BR-DD2-1451, 2UP2-9UP1-4301.</p> <p>A malpais rock in place 2x3x1 ft. above the ground, bears N.72°45'W., 87.5 ft. dist., mkd. X-BR-DD2-1451-2UP2-9UP1-4301.</p> <p style="text-align: center;">Thence S.55° 17' E.</p>
336	Center of road bears N.12°W. and S.12°E.
891.10	Cor. No. 10, which is identical with Cor. No. 1, Upton Placer Claim #2 of this survey.
	<p>Set a granite stone 7x9x26 ins., 16 ins. in the ground, mkd. X-10UP1-1UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which</p> <p>A malpais rock in place 3x2x1 ft. above the ground, bears S.56° 17' W., 27.75 ft. dist., mkd. X-BR-10UP1-1UP2-4301.</p> <p style="text-align: center;">Thence South.</p>

Feet	
449.9	To Cor. No- 1, the place of beginning.
	UPTON PLACER CLAIM #2
	Beginning at Cor. No. 1 of the Upton Placer Claim #2, which is identical with Cor. No. 10, Upton Placer Claim Number #1 of this survey; from which
	The $\frac{1}{4}$ sec. cor. secs. 1 and 36, Ts. 9 and 10 N., R. 5 W., bears South 449.9 ft. dist., previously described.
	Thence N.55° 17' W.
555.10	Center of road, bears N.12°W. and S.12°E.
891.10	Cor. No. 2 which is identical with Cor. No. 2, Deep Diggins Placer, Survey No. 1451, and with Cor. No. 9, Upton Placer Claim Number #1 of this survey.
	Thence N.3° 11' E.
537	Center of road bears N.51°E. and S.51°W.
1000	Telephone line bears S.72°E. and N.72°W.
1153.10	Cor. No. 3, which is identical with Cor. No. 1, Deep Diggins Placer, Survey No. 1451, and with Cor. No. 5, Last Chance Placer, Survey No. 1452.
	A malpais stone 5x12x8 ins., above the ground, mkd. X-DD1-1451- L-C-No.5-1452- 3UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which
	A granite rock in place 2x3x $\frac{1}{2}$ ft. above the ground, bears S.10° 37' W., 63.5 ft. dist., mkd. X-BR-DDN1-1451, 3UP2-4301.
	A granite rock in place 3x4x1 ft. above the ground, bears S.41° 20'W., 71.5 ft. dist., mkd. X-BR-L-C-5-1452- 3UP2-4301.
	Thence N.5° 14' E.
205.7	Cor. No. 4 which is identical with Cor. No. 1, Last Chance Placer, Survey No. 1452.
	A malpais stone 5x18x12 ins. above the ground, mkd. X-L-C-1-1452- 4UP2-4301, with mound of stones 3 ft. base by 3 ft. high rebuilt alongside; from which
	A granite rock in place 2x2x $\frac{1}{2}$ ft. above the ground, bears S.73° 50'E., 71 ft. dist., mkd. X-BR.LC-1-1452, 4UP2-4301.
	A granite rock in place 5x6x4 ft. above the ground, bears N.78° 33'E., 236.1 ft. dist., mkd. X-BR-LC-1-1452, 4UP2-4301.
	Thence N.78°08'W.
295	Center old road bears N.4°E. and S.4°W.
376.26	Cor. No. 5, which is identical with Cor. No. 2, Last Chance Placer, Survey No. 1452.

Survey No. 4301

5.

Feet	
	<p>A malpais stone 10x12x10 ins. above the ground on line 2-3 Lilian Placer, Survey No. 1420, mkd. X-L-C-No.2-1452- 5UP2-4301, with mound of stones 3 ft. base, by 3 ft. high, rebuilt alongside.</p> <p>No bearings available.</p> <p>Thence S.85° 45' E.</p>
85	Center of road bears N.4°E. and S.4°W.
499.90	Cor. No. 6, which is identical with Cor. No. 2, Lilian Placer, Survey No. 1420.
	<p>A malpais rock 10x10x6 ins. above the ground, mkd. X-2-1420- 6UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside.</p> <p>No bearings available.</p> <p>Thence N.5° 51' 30" E.</p>
1163.57	Cor. No. 7, which is identical with Cor. No. 1, Lilian Placer, Survey No. 1420;
	<p>A granite stone 12x12x9 ins. above the ground, mkd. X-1-1420-7UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside.</p> <p>No bearings available.</p> <p>Thence N.84° 43'W.</p>
185	Center of road bears N.1° W. and S.1° E.
735	Center of Antelope Creek 40 ft. wide, course S.20°E.
758.20	Cor. No. 8, which is identical with Cor. No. 4, Lilian Placer, Survey No. 1420.
	<p>A schist bedrock outcrop 8x8x$\frac{1}{2}$ ft. above the ground, mkd. X-N-4-1420- 8UP2-4301 with a mound of stones 3 ft. base by 3 ft. high, rebuilt alongside.</p> <p>No bearings available.</p> <p>Thence S.3° 30' W.</p>
191.60	Cor. No. 9, which is identical with Cor. No. 1, Midnight Lode, Survey No. 2201,
	<p>A malpais stone 10x14x12 ins. above the ground, mkd. X-CN1-M-2201, 9UP2-4301, with mound of stones 3 ft. base by 3 ft. high rebuilt alongside, from which</p> <p>A malpais rock in place 5x5x4 ft. above the ground, mkd. X-BR-1-2201 -9UP2-4301, bears S.25° 30' E., 8.0 ft.</p> <p>No other bearings available.</p> <p>Thence N.85° 31'W.</p>
5.02	Intersect line 3-4 Lilian Placer, Sur. No. 1420 at a point from which Cor. No. 4 bears N.5° 00' E., 191.58 ft. dist.
277.95	Cor. No. 10, which is identical with Cor. No. 9, Midnight Lode, Survey No. 2201. On line 1-2 Blue G. Lode, Sur. No. 1744.

Survey No. 4301

6.

Feet	
	<p>A schist stone 5x12x10 ins. above the ground mkd. X-CN9M-2201-10UP2-4301, with mound of stones 3 ft. base by 3 ft. high, rebuilt alongside; from which</p> <p>A rock in place 3x3x6 ft. bears N.76° 30'E., 10.2 ft. dist., mkd. X-BR-9-2201- 10UP2-4301.</p> <p>No other bearings available.</p> <p style="text-align: center;">Thence N.52° 17'E.</p>
382.00	Center of Antelope Creek, 40 ft. wide, course S.4°E.
1140:	Center of road, bears N.1°W. and S.1°E.
1315	Center of road bears N.2°E. and S.2°W.
1348.55	<p>Cor. No. 11 which is identical with Cor. No. 1, Blue G Lode, Survey No. 1744,</p> <p>A malpais stone 6x8x8 ins. above the ground, mkd. X-1BG-1744-11UP2-4301, with mound of stones 3 ft. base by 3 ft. high rebuilt alongside.</p> <p>No bearings available.</p> <p style="text-align: center;">Thence S.89° 00' E.</p>
95	Power line, bears N.1°E. and S.1°W.
180	Fence, bears N.10°E. and S.10°W.
645	Telephone line bears N.1° 30'E. and S.1° 30'W.
780.00	<p>Cor. No. 12</p> <p>On malpais rock in place, 2½x1½x1 ft. above the ground point for cor. No. 12, mkd. X-12UP2-4301, with mound of stones 3 ft. base by 3 ft. high rebuilt alongside; from which</p> <p>A malpais rock in place 4x3x3 ft. above the ground, bears S.12° 32' W., 28.5 ft., mkd. X-BR-12UP2-4301.</p> <p>A malpais ledge 10x20x10 ft. above the ground bears N.70°E., 58.3 ft. dist., mkd. X-BR-12UP2-4301.</p> <p style="text-align: center;">Thence S.85° 56'E.</p>
465.00	<p>Cor. No. 13</p> <p>Set a granite stone 4x8x26 ins. 18 ins. in the ground, mkd. X-13UP2-4301, built a mound of stones 3 ft. base by 3 ft. high alongside; from which</p> <p>A corner of the location, a mound of stones 3 ft. base by 3 ft. high, bears S.85° 56' E., 300.0 ft. dist.</p> <p>A granite rock in place, 3x6x3 ft. above the ground, bears S.87° 08' E., 12.1 ft. dist., mkd. X-BR-13UP2-4301.</p> <p style="text-align: center;">Thence S.10° 22' E.</p>
946.20	Cor. No. 14

Survey No. 4301

Feet

Set a granite stone 4x8x26 ins., 18 ins. in the ground, mkd. X-14UP2-4301, for Cor. No. 14, rebuilt mound of stones 3 ft. base by 3 ft. high alongside; from which

A granite rock in place 5x3x3 ft. above the ground, bears N.18° 55' E., 4.05 ft. dist., mkd. X-BR-14UP2-4301.

A bedrock cropping even with the general surface, bears S.19° 02' E., 24.15 ft. dist., mkd. X-BR-14UP2-4301.

Thence S.85° 56' E.

300.00 Cor. No. 15

Set a granite stone 4x8x28 ins. in the ground, mkd. X-15UP2-4301, for Cor. No. 15, rebuilt a mound of stones 3 ft. base by 3 ft. high, alongside; from which

A rock ledge 6x18x4 ft. above the ground, bears N.87° 45' E., 21.17 ft. dist., mkd. X-BR-15UP2-4301.

No other bearings available.

Thence South.

300.00 Cor. No. 16

Set a granite stone 12x14x26 ins. 16 ins. in the ground for Cor. No. 16, mkd. X-16UP2-4301, rebuilt mound of stones 3 ft. base by 3 ft. high alongside; from which

A ledge 4x15x3 ft. above the ground, bears N.55° 55' E., 3.65 ft. dist., mkd. X-BR-16UP2-4301.

No other bearings available.

Thence West.

675.59 Cor. No. 17

A granite rock in place 10x10x3 ft. above the ground, with a mound of stones 3 ft. base x 3 ft. high, rebuilt alongside, for Cor. No. 17, mkd. X-17UP2-4301; from which

A rock cropping 4x10x4 ft. above the ground bears N.29° 48' E., 7.1 ft. dist., mkd. X-BR-17UP2-4301.

No other bearings available.

Thence South

2188.22 Cor. No. 18

Set a malpais stone 6x14x26 ins., 16 ins. in the ground, with a mound of stones 3 ft. base by 3 ft. high, rebuilt alongside, for Cor. No. 18, mkd. X-18UP2-4301; from which

A granite rock in place 5x10x2 ft. above the ground, bears N.85° 33' W., 42.9 ft. dist., mkd. X-BR-18UP2-4301.

No other bearings available.

Thence West.

99

Power line bears N.24°W. and S.24°E.

9
8.

Survey No. 4301

Feet

250 Fence, bears north and south.
 310 Center of road, bears N.6° 30'W. and S.6° 30'E.
 488 Telephone line bears N.1° 30' E., and S.1° 30' W.
 510 Center of wash, 30 ft. wide, course south.
 570 Center road bears north and south.
 660 Cor. No. 1. and place of beginning.

AREAS

	Acres
Total area, Upton Placer Claim Number #1	54.943
Area in conflict with Sur. No. 1420, Lilian Placer	0.011
Total area, Upton Placer Claim #2	125.923

LOCATION

This survey is located in Section 36, T: 10 N., R. 5 W.,
G. & S R B & M., Yavapai County, Arizona.

All corners of this survey are identical with the corners
of the location, excepting Cor. No. 13, Upton Placer
Claim #2.

EXPENDITURES OF \$500.

I certify that the value of the labor and improvements
made upon or for the benefit of each placer location em-
braced in said mining claim by the claimants or their
grantors is not less than \$500., and that said improvements
consist of:

UPTON PLACER CLAIM NUMBER #1

No. 1 The discovery cut of the Upton Placer Claim Number #1, the
center of the mouth of which bears N.78° 30'E., 500.00 ft.
from Cor. No. 2 Upton Placer Claim Number #1, 6x15 ft.,
running west to 10 ft. face.

Value, \$50.

No. 2 A shaft, the center of which bears N.23° 00' W., 290.00
ft. from Cor. No. 8, Upton Placer Claim Number #1,
5x5x90 ft. deep.

Value \$900.

No. 3 A shaft the center of which bears N.80°E., 190 ft. from
Cor. No. 8, Upton Placer Claim Number #1, 6x6x80 ft. deep.

Value \$960.

UPTON PLACER CLAIM #2.

No. 1 The discovery cut of the Upton Placer Claim #2, the center
of the mouth of which bears N. 54° E., 400 ft. from Cor.
No. 6, Upton Placer Claim #2, 6x15 ft. running west to 10
ft. face.

Value \$50.

No. 2 A tunnel 4x6 ft. in size, the portal of which bears N.59°
30'E., 390.00 ft. from Cor. No. 6 Upton Placer Claim #2,
running west 50 ft. to face.

Value \$500.

Survey No. 4301

9

No. 3 A tunnel 6x6 ft. in size, the portal of which bears N.48°E., 72.0 ft. from Cor. No. 8, Upton Placer Claim #2, runs S.84°E., 129.0 ft. to face. At face vertical raise 5x5x20 ft.
Value \$1500.

No. 4 A shaft, the center of which bears N.47°W., 18 ft. from Cor. No. 8, Upton Placer Claim #2, 5x5x16 ft. deep.
Value \$150.

OTHER IMPROVEMENTS

A barbed wire fence extends from Cor. No. 5 to Cor. No. 6 Upton Placer Claim #2, thence along line 6-7, a distance of 600.00 ft.

Note: The discrepancies between these field notes and the amended location certificates are due to errors in the latter.

OTHER CORNER DESCRIPTIONS.

Survey No. 1451, Deep Diggins Placer: Line 1-2 was found to be S.3° 11' W., 1153.1 ft., instead of S.3° 05' W., 1152.0 ft. as approved. Line 2-3 was found to be S.77° 36' W., 703.67 ft. instead of S.76° 30' W., 704.0 ft. as approved. Line 3-4 was found to be N.8° 52' E., 1431.1 ft. instead of N.8° 33' E., 1441.3 ft. as approved.

Survey No. 1452, Last Chance Placer: Cor. No. 3 could not be found. Line 1-2 was found to be N.78° 08' W., 376.26 ft. instead of N.79° 30' W., 375.3 ft. as approved. Line 5-1 was found to be N.5° 14' E., 205.7 ft., instead of N.5° 15' E., 206.0 ft. as approved. Line from Cor. No. 2 to Cor. No. 2, Lilian Placer, Survey No. 1420, was found to be S.85° 45' E., 499.9 ft. instead of S.85° 00' E., 501.8 ft. as approved.

Survey No. 1420, Lilian Placer: Cor. No. 3 could not be found. Line 1-2 was found to be S.5° 51' 30" W., 1163.57 ft. instead of S.5° 00' W., 1160.7 ft. as approved. Line 4-1 was found to be S.84° 43' E., 758.2 ft. instead of S.85° 00' E., 750.0 ft. as approved. Line from Cor. No. 4 to Cor. No. 1, Midnight Lode, Survey No. 2201 was found to be S.3° 30' W., 191.6 ft. instead of S.5° 00' W., 190.8 ft. as approved.

Survey No. 1744, Blue G Lode: Cor. No. 2 could not be found. Line from Cor. No. 1 to Cor. No. 9, Survey No. 2201, Midnight Lode was found to be S.52° 17' W., 1348.55 ft. instead of S.52° 37' W., 1345.0 ft. as approved.

Survey No. 2201, Midnight Lode: Line 5-6 was found to be N.85° 26' W., 598.3 ft. instead of N.85° 32' W., 600.0 ft. as approved. Line 4-5 was found to be S.4° 28' W., 340.7 ft. instead of S.4° 28' W., 347.8 ft. as approved. Line from Cor. No. 4 to Cor. No. 4, Survey No. 1452, Last Chance Placer was found to be S.10° 23' E., 141.1 ft., instead of S.10° 21' E., 145.6 ft. as approved.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
Bureau of Land Management

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Richard L. Merritt

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

George B. Upton et al

known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2

and showing the respective capacities in which they acted.

Albert Greene, Chairman.
Francis C. Bauer, Chairman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS

We, Albert Greene and Francis C. Bauer

and _____, do solemnly swear that we assisted Richard L.

Merritt

_____, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of George B. Upton et al

known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Albert Greene, Chairman.
Francis C. Bauer, Chairman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 8th

day of July, 1946

F. C. Bauer
Notary Public

Commission Expires Jan. 10, 1949

UNITED STATES
DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
Bureau of Land Management

FINAL OATH OF MINERAL SURVEYOR

I, Richard L. Merritt, Mineral Surveyor,

do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated April 1st, 1946,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the mining claim of _____

George B. Upton et al, known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2,

situate in Weaver Mining District,

Yavapai County, Arizona, in Section

36, Township No. 10 N., Range No. 5 W.

and designated as Survey No. 4301, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of

the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and

perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original

field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their

grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and

that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim. _____

Richard L. Merritt
(Mineral Surveyor)

Subscribed and sworn to by the said Richard L. Merritt

Mineral Surveyor, before me _____

this 8th

day of July, 1946

J. C. Bauer
Notary Public

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT GENERAL LANDS OFFICE PUBLIC SURVEY OFFICE

At Phoenix, Arizona

August 9, 19 46

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of George B. Upton et al

known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2

situate in Weaver mining district, Yavapai County, Arizona

in Section 36, Township No. 10 N., Range No. 5 W.

G. & S.R.M., designated as Survey No. 4301

executed by Richard L. Merritt, Mineral

Surveyor, June 1st to July 10th, 1946, under my instructions dated

April 1st, 1946, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Frank W. Chapin Office Cadastral Engineer.

4-694.

Title Page to Report under Paragraph ¹⁶⁷~~60~~, Mining Circular, Approved ^{April 11, 1922}~~May 21, 1907~~.

REPORT

Under paragraph ¹⁶⁷~~60~~, General Mining Circular, approved ^{April 11, 1922}~~May 21, 1907~~, upon the Placer Mining Claim known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2

.....

....., claimed by
George B. Upton et al

situate in Weaver Mining District
Yavapai County, Arizona, embracing
180.866 Acres

in Sec. 36, Town. 10 N., Range 5 W.

Examination made June 9, 1946

By Richard L. Merrill
U.S. Mineral Surveyor.

SURVEY NO. 4301

REPORT

A. There is very little soil on this claim, and what soil there is, is mixed with gravel and boulders.

There is no timber on the claim and very little other vegetation-- only a few scattered Cat Claw and Palo Verde.

B. Antelope Creek traverses the Upton Placer Claim Number #1, entering at corner No. 5, flowing in a south direction, crossing the south boundary at a point 448.77 ft. east of Cor. No. 2, the southwest corner; also crosses the northwest corner of Upton Placer Claim #2.

C. The following is a list of the underground workings:

No. 1. The discovery cut of the Upton Placer Claim Number #1, the center of the mouth of which bears N.78° 30' E., 500. ft. from Cor. No. 2, Upton Placer Claim Number #1, 6x15 ft. running west to 10 ft. face.

No. 2. A shaft the center of which bears N.23°00' W., 290.00 ft. from Cor. No. 8, Upton Placer Claim Number #1, 5x5x90 ft. deep.

No. 3. A shaft the center of which bears N.80°E., 190 ft. from Cor. No. 8, Upton Placer Claim Number #1, 6x6x80 ft. deep.

No. 1. The discovery cut of the Upton Placer Claim #2, the center of the mouth of which bears N.54°E., 400 ft. from Cor. No. 6 Upton Placer Claim #2, 6x15 ft. running west to 10 ft. face.

No. 2. A tunnel 4x6 ft. in size, the portal of which bears N.59° 30' E., 390.00 ft. from Cor. No. 6, Upton Placer Claim #2, running west 50 ft. to face.

No. 3. A tunnel 6x6 ft. in size, the portal of which bears N.48°E., 72.0 ft. from Cor. No. 8, Upton Placer Claim #2, runs S.84° E., 129.00 ft. to face. At face vertical raise 5x5x20 ft.

No. 4. A shaft, the center of which bears N.47°W., 18 ft. from Cor. No. 8 Upton Placer Claim #2, 5x5x15 ft. deep.

All above workings have been dug in gravel formation.

D. The closest trading center is Congress Junction, a small town on the Santa Fe Railroad, and U.S. Highway 89. A fair county road eight miles in length connects the property with Congress Junction.

E. Survey No. 1744, Blue G Lode, joins Upton Placer Claim #2 on line 10-11.

Survey No. 2201, Midnight Lode adjoins line 4-5 of Upton Placer Claim Number #1 and extends northerly to line 9-10 of the Upton Placer Claim #2. No extensive mining has been done on these claims.

Extensive mining has been done on the Octave Mine, the main workings of which are located about two miles in a southeast direction.

F. The claim is adaptable to placer mining, as the surface of the claim contains considerable gravel. Water for gravel washing can be obtained from Antelope Creek, which has a drainage area of 14. sq. miles above this claim. Antelope Creek runs considerable water in rainy seasons, but even when the creek bed is dry, as it is now, suffi-

cient water for gravel washing can be obtained from wells located near the bed of the creek.

G. A pump located in the bed of Antelope Creek on Survey No. 2201 Midnight Lode now pumps water through a 2 in. pipe line to the Lilian Placer. This pipe line could be extended to supply water for Upton Placer Claim Number #1 and Upton Placer Claim #2. Pump and pipeline are owned by claimants of Upton Placer Claim Number #1 and Upton Placer Claim #2.

H. No lode mines, salt licks, salt springs or mill sites are located on this claim.

OATH OF ~~UNITED STATES~~ MINERAL SURVEYOR

Under paragraph 167, General Mining Circular, approved ~~March 29, 1909~~ April 11, 1922

I, Richard L. Merritt, ~~U.S.~~ U.S. Mineral Surveyor,
Office Cadastral
do solemnly swear that in pursuance of an order received from the ~~U.S. Surveyor~~
~~Engineer~~ General for Arizona, dated April 1st, 19 46

I have made, under the provisions of paragraph 167, General Mining Circular,
approved ~~March 29, 1909~~ April 11, 1922, a personal and thorough examination, upon the premises,
of the placer mining claim of George B. Upton et al

known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2
situate in Weaver Mining District,
Yavapai County, Arizona, embracing
180.866 Acres

in Township No. 10 N., Range No. 5 W., and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

Richard L. Merritt
U.S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L.
Merritt, U.S. Mineral Surveyor,

before me
this 8th day of July, 19 46

J. J. Gauer
Notary Public

My Commission Expires Jan. 10, 1949



4-696.

167

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED ~~MAY 22, 1927~~ April 11, 1922

State of Arizona }
COUNTY OF Yavapai }

Albert Greene and Francis C. Bauer

being first duly sworn, severally depose and say that he is personally and well acquainted with the placer-mining claim of George B. Upton et al,

, known as the UPTON PLACER CLAIM NUMBER #1 and UPTON PLACER CLAIM #2, situate in

Weaver Mining District,

Yavapai County, Arizona, embracing

180.866 Acres

in Section 36, in Township No. 10 N.

Range No. 5 W.; and also with the character of all the land included

in said claim, and has been so acquainted for one year last

past; that his knowledge of said claim and land is derived from covered the entire

area, examined all the work, while employed on the survey of

the claims and is such as to enable

him to testify understandingly with regard thereto; that he has carefully read the foregoing report

of Richard L. Merritt, ~~XXX~~ Mineral Surveyor, and

that to his own personal knowledge said report is in all respects true and accurate.

Albert Greene
Francis C. Bauer

Subscribed and sworn to by the above-named persons before me

this 11th day of July 1946

F. C. Bauer
Notary Public

3485b2m2-09

My Commission Expires Jan. 10, 1949

