

RECEIVED
BUREAU OF LAND MANAGEMEME

1954 JAN 28 PM 1:46

4-688

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



MINERAL SURVEY NO. 4372

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

B. L. Doane

Known As The

Easy to Get

Hassayampa Mining District,

Yavapai County, Arizona G. & S. R. M.

Section 12, Township 12 N, Range 2 W, Unsurveyed.
in the Prescott National Forest.

Surveyed under order dated Oct. 21, 1953

by R. L. Merritt
Mineral Surveyor.


Claim located Sept. 29th, 1904

Survey commenced Oct. 27th, 1953

Survey completed Nov. 10th, 1953

Address of claimant Edw. S. Lyman Attorney
Prescott, Arizona

DATES OF AMENDED LOCATIONS



(1)

Survey No. 4372

This survey was made with a Berger transit No. 17503, with horizontal limb $5\frac{1}{8}$ ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass was attached to the eyepiece of the transit for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by a P.M. altitude observation on the sun, the details of which observation are shown in the calculation sheets submitted for examination. Details of meridian altitude observation on the sun for latitude, and a meridian observation at noon on the sun for time are submitted for examination.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of this survey gave a uniform value of $14^{\circ}30'E$.

Feet

EASY TO GET LODE

At Cor. No. 1 of the Easy To Get lode.

Set a granite stone, 26 x 12 x 6 ins., 16 ins. in the ground, mkd. X ETG-1-4372; from which

U.S.L.M. No. 1691 bears $N.59^{\circ}53'W.$, 9,193.9 ft. dist.; a porphyry rock in place, marked and witnessed as described in the official record.

Cor. No. 2 Sur. No. 2588 Franklin No. 2 lode bears $N.89^{\circ}17'E.$, 1,892.9 ft. dist.

An oak, 10 ins. diam., bears $N.23^{\circ}42'E.$, 9.0 ft. dist., mkd. XBT ETG-1-4372.

Thence $S.73^{\circ}00'E.$

300.0 Lode line; discovery point bears $S.17^{\circ}00'E.$, 1,000.0 ft. dist.

423.0 Center of road, bears $S.10^{\circ}W.$ and $N.10^{\circ}E.$

514.0 Center of Crook Canyon, 20 ft. wide, course $S.17^{\circ}W.$

600.0 Cor. No. 2.

On granite bluff, 4 ft. high and 10 ft. wide, point for Cor. No. 2, mkd. X ETG-2-4372.

Thence $S.17^{\circ}00'W.$

410.0 Center of Crook Canyon, 20 ft. wide, course $S.75^{\circ}E.$

470.0 Center of road, bears $N.20^{\circ}W.$ and $N.85^{\circ}E.$

Survey No. 4372

Feet	
540.0	Center of mine road, bears N.82°E. and S.82°W.
1,500.0	Cor. No. 3. Set a granite stone, 30 x 12 x 8 ins., 16 ins. in the ground, mkd. X ETG-3-4372. A pine, 10 ins. diam., bears S.40°W., 7.7 ft. dist., mkd. XBT ETG-3-4372. A pine, 10 ins. diam., bears N.35°15'W., 4.45 ft. dist., mkd. XBT ETG-3-4372. Thence N.73°00'W.
300.0	Lode line; discovery point bears N.17°E., 500.0 ft. dist.
600.0	Cor. No. 4. Set a granite stone, 24 x 8 x 6 ins., 16 ins. in the ground, mkd. X ETG-4-4372. An oak, 6 ins. diam., bears N.48°00'W., 5.5 ft. dist., mkd. XBT ETG-4-4372. An oak, 6 ins. diam., bears S.67°W., 3.9 ft. dist., mkd. XBT ETG-4-4372. Thence N.17°00'E.
1,440.0	Center of wash, 5 ft. wide, course S.75°E.
1,500.0	Cor. No. 1, and place of beginning.

Survey No. 4372

AREA

Total area, Easy To Get lode	Acres 20.661
------------------------------	-----------------

LOCATION

This survey is located on unsurveyed land, approximately in sec. 12, T.12N., R.2W., within the Prescott National Forest.

The survey of the Easy To Get lode is identical with the location as marked on the ground. The location monuments, all mounds of stone, 3 ft. base by 3 ft. high, were rebuilt alongside at the four corners of the lode.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:

- No. 1 The discovery point of the Easy To Get lode is on the lode line 500.0 ft. N.17°00'E., from the center of line 3-4.
No Value.

Survey No. 4372

No. 2 A tunnel, 4 x 6 ft. in size, the portal of which bears S.3°00'E., 810.0 ft. from Cor. No. 1 Easy To Get lode, and runs S.16° 41'W., 64.18 ft.; thence S.11°08'W., 67.16 ft.; thence S.29°59'W., 21.65 ft.; thence S.14°32'W., 59.48 ft.; thence S.24°25'W., 40.36 ft.; thence S.18°40'W., 120.7 ft. to face. Value, \$8000.

OTHER IMPROVEMENTS

A house, the most northerly corner of which bears S.37°20'W., 580 ft. from Cor. No. 2 Easy To Get lode, 23.5 x 17 ft. in size; the long sides bear S.66°23'W.
Claimant herein.

A house, the most northerly corner of which bears S.39°30'W., 505 ft. from Cor. No. 2 Easy To Get lode, 11 x 12 ft. in size; the long sides bear S.24°00'E.
Claimant herein.

A garage, the most northerly corner of which bears S.43°00'W., 545 ft. from Cor. No. 2 Easy To Get lode, 26 x 18 ft. in size; the long sides bear S.59°15'W.
Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 2588 Franklin No. 2 lode: Cor. No. 2 is a granite stone, firmly set and properly marked.

FIELD ASSISTANTS

Name	Capacity
P. J. McNulty	Chainman
Dean Harris	Chainman

<p>No. 2</p> <p>Value, \$8000.</p> <p>OTHER INFORMATION</p> <p>the most northerly corner of which bears S. 77° 30' W. 280 ft. from cor. No. 2 east to lat. line, 23.2 x 17 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p>	<p>the most northerly corner of which bears S. 77° 30' W. 280 ft. from cor. No. 2 east to lat. line, 23.2 x 17 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p> <p>the most northerly corner of which bears S. 79° 40' W. 285 ft. from cor. No. 2 east to lat. line, 21 x 15 ft. in size; the lat. line bears S. 62° 31' W. distant herein.</p>
---	---

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

I, R. L. Merritt, Mineral Surveyor,

hereby certify upon honor that in pursuance of an order received from the United States
Department of the Interior Bureau of
Land Management Division of, at Albuquerque New Mexico,
Cadastral Engineering
dated Oct. 21st 1952, I have faithfully and correctly executed the survey

of the mining claim of B. L. Doane

known as the Easy to Get lode

(lode, placer, or millsite)
situate in Unsurveyed Land, in the

Prescott National Forest, Section 12 T. 12 N., R. 2 W.,

G. & S. R. Meridian, Arizona, and designated
(State)

as Survey No. 4372, which is represented in the fore-

going field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made upon or for the benefit of the Easy to Get lode
(lode or placer)
location— embraced in the said mining claim by claimant— or his grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Prescott Arizona
(Place)

R. L. Merritt
(Mineral Surveyor)

Nov. 10th 1953
(Date)

**CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
~~PUBLIC SURVEY OFFICE~~
Division of Cadastral Engineering

At Albuquerque, New Mexico
January 15, 1954

I, Office Cadastral Engineer at Albuquerque, New Mexico

do hereby certify that the forgoing and hereto attached Field Notes and return of the Survey of the
Mining Claim of B. L. Doane

Easy to Get lode claim, known as the

situate in Hassayampa mining district,
Yavapai County, Arizona

approximately
in/Section 12, Township No. 12 North, Range No. 2 West (unsurveyed)

G&SRM Arizona, designated as Survey No. 4372

executed by R. L. Merritt, Mineral

Surveyer, October 27 to November 10, 1953, under my instructions dated

October 21, 1953, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

included and made a part of these field notes.

Geo. H. Well
Geo. H. Well, Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C.

Approved by Special Agent in Charge

I, _____, District Engineer, do hereby certify that the above named claimant has filed with me a copy of the field notes and survey of the mining claim described as follows:

Witness my hand and seal at _____, Colorado, this _____ day of _____, 19____.

Special Agent in Charge

Approved by _____, District Engineer