

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4400

ARIZONA Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of
ARIZONA MANGANESE CORPORATION

KNOWN AS THE:

Priceless Extension, Priceless Extension Nos. 1, 1A, 2, 3, 4, 5, 6, Priceless
Annex, Priceless No. 1 Annex, Priceless, Priceless Nos. 1, 2, 3, 4, 5,
~~Known As The~~
Protection, Protection Nos. 1, 2, 3, 4, 5, 6, Price Nos. 10, 11, 14, 15, 16, 45, 46

OWENS Mining District,

Mohave County, Arizona

Sections 1, 11, 12, 13, 14, Township 11 North, Range 13 West

Surveyed under order dated Nov. 1 and Dec. 7, 1955
April 19, 1956

by J. WILLIAM WAARA
Mineral Surveyor.

Claim located see inside cover, 19

Survey commenced Nov. 5, 1955

Survey completed Oct. 10, 1956

Address of claimant Arizona Manganese Corporation
c/o Fred J. Elliott, Attorney
Security Bldg., Phoenix, Arizona

DATES OF AMENDED LOCATIONS

See inside cover

<u>Name of Location</u>	<u>Date of Location</u>	<u>Amended Location</u>	<u>Relocation</u>
Priceless Extension	8-1-42		11-22-55
Priceless Extension No. 1	4-16-41	6-7-42	11-22-55
Priceless Extension No. 1A	4-16-41	8-1-42	11-29-55
Priceless Extension No. 2	6-17-41	6-6-42	11-29-55
Priceless Extension No. 3	6-17-41	6-6-42	11-26-55
Priceless Extension No. 4	6-17-41	6-6-42	11-26-55
Priceless Extension No. 5	4-3-56		
Priceless Extension No. 6	6-17-41	6-7-42	11-22-55
Price No. 10	2-5-30	6-8-42	11-27-55
Price No. 11	2-5-30	11-29-55	
Price No. 14	2-4-30	6-6-42	11-23-55
Price No. 15	2-4-30	6-8-42	11-22-55
Price No. 16	2-4-30	6-8-42	11-22-55
Price No. 45	2-7-30	6-6-42	11-28-55
Price No. 46	2-7-30	8-1-42	11-29-55
Protection	11-29-55		
Protection No. 1	11-29-55		
Protection No. 2	11-29-55		
Protection No. 3	4-3-56		
Protection No. 4	6-12-42		11-28-55
Protection No. 5	4-3-56		
Protection No. 6	4-3-56		
Priceless	2-5-38	6-6-42	
Priceless No. 1	2-6-38	6-6-42	
Priceless No. 2	2-6-38	6-6-42	11-26-55
Priceless No. 3	2-6-38	6-6-42	11-22-55
Priceless No. 4	2-6-38	6-6-42	11-29-55
Priceless No. 5	3-15-56		
Priceless No. 1 Annex	3-15-56		
Priceless Annex	3-15-56		

This survey was made with Lietz light mountain transit No. 5403 with horizontal limb 5 ins. in diam., having two double opposite verniers, and full vertical circle 5 ins. in diam., having two double opposite verniers; the horizontal limb verniers read to thirty seconds of arc, and the vertical circle verniers read to one minute of arc; the eyepiece is fitted to receive a clear and colored prismatic eyepiece suitable for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observations:

March 14, 1956 on the south line of and near Cor. No. 3 of the Price No. 10 lode in latitude $34^{\circ}18.2'$ N., and longitude $113^{\circ}34.5'$ W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 600 ft. westward, counterclockwise to the sun.

Mean time of observation, 105th meridian standard time = 9^h40^m a.m.
 Declination of the sun at mean time of observation = $2^{\circ}20'49''$ S.
 Mean observed vertical angle to sun's center = $34^{\circ}45'55''$
 Mean horizontal angle from reference point to sun's center = $147^{\circ}50'24''$
 True bearing to reference point = $N.89^{\circ}55' W.$

The lines were measured with a 500 foot steel tape, graduated every foot. This tape was compared with a 100 foot steel standard tape at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}30'$ E.

Feet PRICE NO. 11 LODE

At Cor. No. 1 of the Price No. 11 lode, identical with Cor. No. 2 of the Price No. 46 lode of this survey.

Set an iron pipe, 30 ins. long, $1/2$ in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 11-1, P 46-2-4400; from which

The $1/4$ sec. cor. of secs. 11 and 14, T. 11 N., R. 13 W., bears $S. 12^{\circ}56' E., 1604.7$ ft. dist., an iron post, 1 in. diam., firmly set in the ground, with brass cap marked as described in the official record.

No bearing objects or trees available.

Thence $N. 63^{\circ}54' W.$

306.9 A mound of stone on lode line; discovery point bears $N. 13^{\circ}38' E., 430$ ft. dist.

614.1 Cor. No. 2.

Stations Feet	
204.0	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 11-2-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence N. 13°40' E.</p>
815.0	<p>Road bears WNW and ESE.</p>
1499.5	<p>Gulch, course ESE.</p> <p>Cor. No. 3</p>
306.2	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 5 ins. into the ground to bed rock and surrounded by a mound of stone, mkd. P 11-3-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 63°54' E.</p>
613.0	<p>A mound of stone on lode line; discovery point bears S. 13°38' W., 1070 ft. dist.</p> <p>Cor. No. 4, identical with Cor. No. 3 Price No. 46 lode of this survey.</p>
670.0	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 6 ins. into the ground to bedrock and surrounded by a mound of stone, mkd. P 11-4, P 46-3-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 13°38' W.</p>
1265.0	<p>Gulch, course ESE.</p> <p>Road, bears WNW and ESE.</p>
1500.0	<p>Cor. No. 1 and place of beginning.</p>
<p>PRICE NO. 46 LODE</p>	
306.8	<p>Beginning at Cor. No. 1 of the Price No. 46 lode, identical with Cor. No. 2 of the Priceless Extension No. 1A lode of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 46-1, P E 1A-2-4400; from which</p> <p>The 1/4 sec. cor. of secs. 11 and 14, bears S. 8°27' W., 1307.0 ft. dist., heretofore described.</p> <p>No bearing objects or trees available.</p> <p>Thence N. 63°54' W.</p>
306.8	<p>A mound of stone on lode line; discovery point bears N. 13°38' E., 575 ft. dist.</p>

SURVEY NO. 4400

614.0	Cor. No. 2, identical with Cor. No. 1 of the Price No. 11 lode of this survey. Thence N. 13°38' E.
235.0	Road, bears WNW and ESE.
830.0	Gulch, course ESE.
1500.0	Cor. No. 3, identical with Cor. No. 4 of the Price No. 11 lode of this survey. Thence S. 63°54' E.
307.2	A mound of stone on lode line; discovery point bears S. 13°38' W., 925.0 ft. dist.
613.8	Cor. No. 4, identical with Cor. No. 3 of the Priceless Extension No. 1A lode of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 46-4, P E 1A-3-4400. No bearing objects or trees available. Thence S. 13°38' W.
665.0	Gulch, course SE.
1300.0	Road, bears WNW and ESE.
1500.0	Cor. No. 1 and place of beginning.
PRICELESS EXTENSION NO. 1A LODE	
Beginning at Cor. No. 1 of the Priceless Extension No. 1A lode, identical with Cor. No. 3 of the Priceless Extension lode of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 1A-1, P E-3-4400; from which The 1/4 sec. cor. of secs. 11 and 14, bears S. 35°59' W., 1265.3 ft. dist., heretofore described. No bearing objects or trees available. Thence N. 63°54' W.	
307.0	A mound of stone on lode line; discovery point bears N. 13°38' E., 660.0 ft. dist.
614.0	Cor. No. 2, identical with Cor. No. 1 of the Price No. 46 lode of this survey. Thence N. 13°38' E.
200.0	Road, bears WNW and ESE.
835.0	Gulch, course SE.

SURVEY NO. 4400

CHAINS Feet		Feet
1500.0	Cor. No. 3, identical with Cor. No. 4 of the Price No. 46 lode of this survey. Thence S. 63°54' E.	
307.2	A mound of stone on lode line; discovery point bears S. 13°38' W., 840.0 ft. dist.	
614.2	Cor. No. 4, identical with Cor. No. 4 of the Priceless Extension lode of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 12 ins. into the ground to bedrock and surrounded by a mound of stone, mkd. P E 1A-4, P E-4-4400. No bearing objects or trees available. Thence S. 13°38' W.	
850.0	Gulch, course southeasterly.	
1063.27	Intersect line 2-3 Protection lode of this survey.	
1076.75	Intersect line 1-2 Protection lode of this survey.	
1400.0	Road, bears NW and SE.	
1500.0	Cor. No. 1 and place of beginning.	
PRICELESS EXTENSION LODE		
Beginning at Cor. No. 1 of the Priceless Extension lode of this survey.		
Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P E-1-4400; from which The 1/4 sec. cor. of secs. 11 and 12, T. 11 N., R. 13 W., bears N. 66°29' E., 1087.8 ft. dist., an iron post, 1 in. diam., set, marked, and witnessed as described in the official record. No bearing objects or trees available. Thence S. 13°35' W.		
169.30	Intersect line 4-1 Priceless Extension No. 6 lode, identical with line 2-3 Priceless Extension No. 1 lode, both of this survey.	
786.3	Intersect line 2-3 Priceless Extension No. 6 lode, partially identical with line 3-4 Protection No. 1 lode, both of this survey.	
870.26	Intersect line 2-3 Protection No. 1 lode, identical with line 4-3 Protection lode, both of this survey.	
875.0	Gulch, course southeasterly.	
1500.5	Cor. No. 2. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor	

<p>90.0</p>	<p>flange and copper plate, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P E-2-4400. No bearing objects or trees available.</p>
<p>306.9</p>	<p>Road, bears NW. and SE. A mound of stone on lode line; discovery point bears N. 13° 38' E., 815.0 ft. dist.</p>
<p>503.76</p>	<p>Intersect line 1-2 Protection lode of this survey.</p>
<p>614.1</p>	<p>Cor. No. 3, identical with Cor. No. 1 Priceless Extension No. 1A lode of this survey.</p>
<p>100.0</p>	<p>Road, bears NW. and SE.</p>
<p>423.25</p>	<p>Intersect line 1-2 Protection lode of this survey.</p>
<p>436.73</p>	<p>Intersect line 2-3 Protection lode of this survey.</p>
<p>650.0</p>	<p>Gulch, course southeasterly.</p>
<p>1500.0</p>	<p>Cor. No. 4, identical with Cor. No. 4 Priceless Extension No. 1A lode of this survey.</p>
<p>53.2</p>	<p>Intersect line 3-4 Priceless Extension No. 1 lode of this survey.</p>
<p>307.2</p>	<p>A mound of stone on lode line; discovery point bears S. 13° 38' W., 685.0 ft. dist.</p>
<p>613.0</p>	<p>Cor. No. 1 and place of beginning.</p>
<p>PROTECTION LODGE</p>	
<p>Beginning at Cor. No. 1 of the Protection lode of this survey.</p>	
<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P-1-4400; from which</p>	
<p>The 1/4 sec. cor. of secs. 11 and 14, bears N. 86° 29' W., 842.6 ft. dist., heretofore described.</p>	
<p>No bearing objects or trees available.</p>	
<p>Thence N. 0° 05' E.</p>	
<p>1027.02</p>	<p>Intersect line 2-3 Priceless Extension lode of this survey.</p>
<p>1120.0</p>	<p>Road, bears NW. and SE.</p>
<p>1486.89</p>	<p>Intersect line 1-4 Priceless Extension No. 1A lode, identical with line 3-4 Priceless Extension lode, both of this survey.</p>
<p>1500.0</p>	<p>Cor. No. 2.</p>

SURVEY NO. 4400

CHAINS
Feet

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P-2-4400.

No bearing objects or trees available.

Thence S. 89°55' E. 90.0

316.8 Intersect line 1-4 Priceless Extension No. 1A lode, identical with line 3-4 Priceless Extension lode, both of this survey.

300.0 Intersect Cor. No. 3 Priceless Extension No. 6 lode of this survey, on the lode line; discovery point bears S. 0°05' W., 680 ft. dist.

500.0 Gulch, course southeasterly.

600.0 Cor. No. 3, identical with Cor. No. 3 Protection No. 1 lode of this survey and located on line 2-3 Priceless Extension No. 6 lode of this survey.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P-3, P 1-3-4400.

No bearing objects or trees available.

Thence S. 0°05' W. 1500.0

81.64 Intersect line 1-2 Priceless Extension lode of this survey.

86.0 Gulch, course southeasterly.

805.0 Road, bears NW. and SE.

1500.0 Cor. No. 4, identical with Cor. No. 2 Protection No. 1 lode of this survey.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P-4, P 1-2-4400.

No bearing objects or trees available.

Thence N. 89°55' W.

300.0 A mound of stone on lode line; discovery point bears N. 0°05' E., 820 ft. dist.

600.0 Cor. No. 1 and place of beginning.

PROTECTION NO. 1 LODE

Beginning at Cor. No. 1 of the Protection No. 1 lode, identical with Cor. No. 2 of the Protection No. 2 lode of this survey.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 1-1, P 2-2-4400; from which

The cor. of secs. 11, 12, 13 and 14, T. 11 N., R. 13 W., bears N. 84°05' E., 608.1 ft. dist., an iron post, 2 ins.

0	diam., set, marked and witnessed as described in the official record.
19.0	No bearing objects or trees available. Thence N. 89°55' W.
198.0	Road, bears MNW and SSE.
288.0	Road, bears N. of E. and WSW.
300.0	A mound of stone on lode line; the discovery point bears N. 0°05' E., 1150.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Protection lode of this survey. Thence N. 0°05' E.
695.0	Road, bears NW. and SE.
1414.0	Gulch, course southeasterly.
1418.36	Intersect line 1-2 Priceless Extension lode of this survey.
1500.0	Cor. No. 3, identical with Cor. No. 3 Protection lode and located on line 2-3 Priceless Extension No. 6 lode of this survey. Thence S. 89°55' E.
19.6	Intersect line 1-2 Priceless Extension lode of this survey.
300.0	A mound of stone on lode line; the discovery point bears S. 0°05' W., 350.0 ft. dist.
470.0	Gulch, course southerly.
600.0	Cor. No. 4, identical with Cor. No. 3 Protection No. 2 lode and located on line 2-3 Priceless Extension No. 6 lode of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 1-4, P 2-3-4400. No bearing objects or trees available. Thence S. 0°05' W.
530.0	Gulch, course SSE.
1320.0	Road, bears ESE. and WNW.
1450.0	Road, bears E. and W.
1500.0	Cor. No. 1 and place of beginning.

PROTECTION NO. 2 LODE

Beginning at Cor. No. 1 of the Protection No. 2 lode, identical with Cor. No. 1 Protection No. 3 lode of this survey; from which

The cor. of secs. 11, 12, 13, and 14 bears N. 4°24' E., 63.8 ft. dist., previously described.

Chains Feet	
	This corner falls on a well traveled road where a permanent corner monument cannot be established; from this corner point I established a witness corner N. 89°55' W., 71.9 ft. dist., also I established a witness corner S. 89°55' E., 152.8 ft. dist.
	Thence N. 89°55' W. (from true corner point)
71.9	Witness corner for Cor. No. 1.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 2-1-4400 -W.C.
109.0	Gulch, course southeasterly.
300.0	A mound of stone on lode line; discovery point bears N. 0°05' E., 1450.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 1 Protection No. 1 lode of this survey.
	Thence N. 0°05' E.
50.0	Road, bears E. and W.
180.0	Road, bears ESE. and WSW.
970.0	Gulch, course SSE.
1500.0	Cor. No. 3, identical with Cor. No. 4 Protection No. 1 lode of this survey, located on line 2-3 Priceless Extension No. 6 lode of this survey.
	Thence S. 89°55' E.
300.0	A mound of stone on lode line; the discovery point bears S. 0°05' W., 50 ft. dist.
419.0	Road, bears NNE and SSW.
600.0	Cor. No. 4, identical with Cor. No. 2 Priceless Extension No. 6 lode, Cor. No. 4 Priceless Extension No. 10 lode, Cor. No. 2 Protection No. 3 lode, all of this survey.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 2-4, P E 6-2, P 10-4, and PRO 3-2-4400.
	No bearing objects or trees available.
	Thence S. 0°05' W.
1500.0	Cor. No. 1 and place of beginning.

PROTECTION NO. 3 LODGE

Beginning at Cor. No. 1 of the Protection No. 3 lode, identical with Cor. No. 1 of the Protection No. 2 lode of this survey.

Thence N. 0°05' E. (from true corner point)

1500.0	Cor. No. 2, identical with Cor. No. 4 Protection No. 2 lode, Cor. No. 2 Priceless Extension No. 6 lode, and Cor. No. 4 Price No. 10 lode, all of this survey. Thence S. 89°55' E.
300.0	A mound of stone on lode line; the discovery point bears S. 0°05' W., 200.0 ft. dist.
600.0	Cor. No. 3, identical with Cor. No. 2 Protection No. 5 lode, of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 3-3, PRO 5-2-4400. No bearing objects or trees available. Thence S. 0°05' W.
1500.0	Cor. No. 4, identical with Cor. No. 1 Protection No. 5 lode, of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 3-4, PRO 5-1-4400. No bearing objects or trees available. Thence N. 89°55' W.
300.0	A mound of stone on lode line; the discovery point bears N. 0°05' E., 1300.0 ft. dist.
447.2	Witness corner for Cor. No. 1. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 3-1-4400-W C.
600.0	Cor. No. 1 and place of beginning.
PROTECTION NO. 5 LODE	
Beginning at Cor. No. 1 of the Protection No. 5 lode, identical with Cor. No. 4 Protection No. 3 lode of this survey; from which The cor. of secs. 11, 12, 13, and 14, bears N. 83°49' W., 598.6 ft. dist., previously described. Thence N. 0°05' E.	
1500.0	Cor. No. 2, identical with Cor. No. 3 Protection No. 3 lode, and located on line 3-4 Price No. 10 lode, all of this survey. Thence S. 89°55' E.
300.0	A mound of stone on lode line; the discovery point bears S. 0°05' W., 350 ft. dist.
600.0	Cor. No. 3, identical with Cor. No. 3 Protection No. 6 lode, and located on line 3-4 Price No. 10 lode, all of this survey.

Chains Feet	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 5-3, PRO 6-3-4400.
	No bearing objects or trees available.
	Thence S. 0°05' W.
1500.0	Cor. No. 4, identical with Cor. No. 2 Protection No. 6 lode of this survey.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 5-4, PRO 6-2-4400.
	No bearing objects or trees available.
	Thence N. 89°55' W.
300.0	A mound of stone on lode line; the discovery point bears N. 0°05' E., 1150.0 ft. dist.
600.0	Cor. No. 1 and place of beginning.
PROTECTION NO. 6 LODE	
	Beginning at Cor. No. 1 of the Protection No. 6 lode.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 6-1-4400; from which
	The 1/4 sec. cor. of secs. 12 and 13, T. 11 N., R. 13 W., bears N. 85°24' E., 844.3 ft. dist., an iron post, 1 in. diam., set, marked and witnessed as described in the official record.
	Thence N. 89°55' W.
300.0	A mound of stone on lode line; the discovery point bears N. 0°05' E., 766.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Protection No. 5 lode of this survey.
	Thence N. 0°05' E.
1500.0	Cor. No. 3, identical with Cor. No. 3 Protection No. 5 lode, located on line 3-4 Price No. 10 lode, all of this survey.
	Thence S. 89°55' E.
286.2	Cor. No. 3 of the Price No. 10 lode, identical with Cor. No. 2 Price No. 16 lode, and Cor. No. 3 Protection No. 4 lode, all of this survey.
288.0	Gulch, course southeasterly.
300.0	A mound of stone on lode line; the discovery point bears S. 0°05' W., 734.0 ft. dist.

SURVEY NO. 4400

SURVEY NO. 4400

Chains Feet		Feet
600.0	Cor. No. 4, located on line 1-2 Price No. 16 lode, identical with line 3-4 Protection No. 4 lode, both of this survey.	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 6-4-4400.	
	No bearing objects or trees available.	
265.	Gulch, course southeasterly.	
600.0	Intersect line 1-2 Protection No. 4 lode of this survey.	
1500.0	Cor. No. 1 and place of beginning.	
PROTECTION NO. 4 LODE		
	Beginning at Cor. No. 1 Protection No. 4 lode.	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 4-1-4400; from which	
	The 1/4 sec. cor. of secs. 12 and 13, bears S. 22°37' W., 899.7 ft. dist., previously described.	
	No bearing objects or trees available.	
	Thence N. 89°55' W.	
320.0	Road, bears NW. and SE.	
955.0	Gulch, course southeasterly.	
1186.2	Intersect line 4-1 Protection No. 6 lode of this survey.	
1500.0	Cor. No. 2.	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 4-2-4400.	
	No bearing objects or trees available.	
	Thence N. 0°05' E.	
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 400.0 ft. dist.	
600.0	Cor. No. 3, identical with Cor. No. 3 Price No. 10 lode, Cor. No. 2 Price No. 16 lode, located on line 3-4 Protection No. 6 lode, all of this survey.	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 4-3, P 16-2, P 10-3-4400.	
	No bearing objects or trees available.	

1471

SURVEY NO. 4400

Chains Feet	Thence S. 89°55' E.	Feet
2.0	Gulch, course southeasterly.	0.000
313.8	Cor. No. 4 of the Protection No. 6 lode, located on line 1-2 Price No. 16 lode, both of this survey.	1-2 Price
505.0	Road, bears NW. and SE.	
810.0	Gulch, course southerly.	
1500.0	Cor. No. 4, identical with Cor. No. 1 Price No. 16 lode of this survey. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PRO 4-4, P 16-1-4400. No bearing objects or trees available.	1500.0
Thence S. 0°05' W.		
290.0	Gulch, course easterly.	
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W. 1100.0 ft. dist.	
600.0	Cor. No. 1 and place of beginning.	
PRICE NO. 16 LODE		
Beginning at Cor. No. 1 of the Price No. 16 lode, identical with Cor. No. 4 Protection No. 4 lode of this survey, from which		
The 1/4 sec. cor. of secs. 12 and 13, bears S. 13°38' W., 1472.0 ft. dist., previously described.		
Thence N. 89°55' W.		
690.0	Gulch, course southerly.	
995.0	Road, bears NW. and SE.	
1186.2	Cor. No. 4 of the Protection No. 6 lode of this survey.	
1498.0	Gulch, course southeasterly.	
1500.0	Cor. No. 2, identical with Cor. No. 3 Protection No. 4 lode, Cor. No. 3 Price No. 10 lode, located on line 3-4 Protection No. 6 lode, all of this survey.	
Thence N. 0°05' E.		
6.0	Gulch, course southeasterly.	
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E. 810.0 ft. dist.	
456.0	Road, bears NW. and SE.	

SURVEY NO. 4400

600.0	<p>Cor. No. 3, identical with Cor. No. 2 Price No. 10 lode, Cor. No. 3 Price No. 14 lode, and Cor. No. 4 Price No. 15 lode, all of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 16-3, P 10-2, P 14-3, and P 15-4-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 89°55' E.</p>
260.0	Gulch, course southeasterly.
1500.0	<p>Cor. No. 4, identical with Cor. No. 3 Price No. 15 lode of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 16-4, P 15-3-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 0°05' W.</p>
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 690.0 feet dist.
600.0	Cor. No. 1 and place of beginning.
	PRICE NO. 15 LODE
	<p>Beginning at Cor. No. 1 Price No. 15 lode, identical with Cor. No. 2 Price No. 14 lode, Cor. No. 4 Price No. 45 lode, and Cor. No. 1 Priceless No. 5 lode, all of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 15-1, P 14-2, P 45-4, PL 5-1-4400; from which</p> <p>The 1/4 sec. cor. of secs. 11 and 12, T. 11 N., R. 13 W., bears N. 89°55' W., 1486.2 ft. dist., heretofore described.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 89°55' E.</p>
1500.0	<p>Cor. No. 2, identical with Cor. No. 4 Priceless No. 5 lode of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 5 ins. into the ground to bedrock and surrounded by a mound of stone, with copper plate mkd. P 15-2, PL 5-4-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 0°05' W.</p>
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 1445.0 ft. dist.

Chains Feet		
600.0	Cor. No. 3, identical with Cor. No. 4 Price No. 16 lode of this survey.	0.000
1240.0	Thence N. 89°55' W. Gulch, course southeasterly.	
1500.0	Cor. No. 4, identical with Cor. No. 3 Price No. 15 lode, Cor. No. 2 Price No. 10 lode, Cor. No. 3 Price No. 14 lode, all of this survey.	
290.0	Thence N. 0°05' E. Gulch, course southeasterly.	0.000
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 55.0 ft. dist.	
600.0	Cor. No. 1 and place of beginning.	
PRICELESS NO. 5 LODE		
	Beginning at Cor. No. 1 of the Priceless No. 5 lode, identical with Cor. No. 1 Price No. 15 lode, Cor. No. 2 Price No. 14 lode and Cor. No. 4 Price No. 45 lode, all of this survey.	0.000
	Thence N. 0°05' E.	
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 30.0 ft. dist.	
600.0	Cor. No. 2, identical with Cor. No. 3 Price No. 45 lode, Cor. No. 4 Priceless lode and Cor. No. 3 Priceless Annex lode, all of this survey.	
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 5-2, P 45-3, PL-4, PL A-3-4400.	
	No bearing objects or trees available.	
	Thence S. 89°55' E.	
1410.0	Gulch, course SSE.	
1500.0	Cor. No. 3, identical with Cor. No. 2 Priceless Annex lode of this survey.	0.000
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 5-3, PL A-2-4400.	
	No bearing objects or trees available.	
	Thence S. 0°05' W.	
185.0	Gulch, course SSE.	
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 1470.0 ft. dist.	

SURVEY NO. 14400

Chains Feet	
600.0	Cor. No. 4, identical with Cor. No. 2 Price No. 15 lode of this survey.
1500.0	Thence N. 89°55' W. Cor. No. 1 and place of beginning:
PRICELESS ANNEX LODGE	
Beginning at Cor. No. 1 of the Priceless Annex lode, identical with Cor. No. 2 of the Priceless No. 1 Annex lode of this survey.	
Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL A-1, PL 1 A-2-14400; from which	
The 1/4 sec. cor. of secs. 1 and 12, T. 11 N.; R. 13 W., bears N. 13°33' W., 1483.1 ft. dist., an iron post, 1 in. diam., set, marked, and witnessed as described in the official record.	
No bearing objects or trees available.	
Thence S. 0°05' W.	
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W. 1450.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 3 Priceless No. 5 lode of this survey.
Thence N. 89°55' W.	
90.0	Gulch, course SSE.
1500.0	Cor. No. 3, identical with Cor. No. 2 Priceless No. 5 lode, Cor. No. 3 Price No. 45 lode and Cor. No. 4 Priceless lode, all of this survey.
Thence N. 0°05' E.	
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 50 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 Priceless lode, Cor. No. 3 Priceless No. 1 lode and Cor. No. 3 Priceless No. 1 Annex lode, all of this survey.
Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL A-4, PL-3, PL 1-3, PL 1A-3-14400.	
No bearing objects or trees available.	
Thence S. 89°55' E.	
1500.0	Cor. No. 1 and place of beginning.

Chains
Feet

PRICELESS NO. 1 ANNEX LODGE

Beginning at Cor. No. 1 of the Priceless No. 1 Annex lode.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 1 A-1-4400; from which

The 1/4 sec. cor. of secs. 1 and 12, bears N. 22°30' W., 910.1 ft. dist., heretofore described.

No other bearing objects or trees available.

Thence S. 0°05' W.

300.0 A mound of stone on lode line; the discovery point bears N. 89°55' W., 146.0 ft. dist.

600.0 Cor. No. 2, identical with Cor. No. 1 Priceless Annex lode of this survey.

Thence N. 89°55' W.

1500.0 Cor. No. 3, identical with Cor. No. 4 Priceless Annex lode, Cor. No. 3 Priceless lode, Cor. No. 3 Priceless No. 1 lode, all of this survey.

Thence N. 0°05' E.

300.0 A mound of stone on lode line; the discovery point bears S. 89°55' E., 35.0 ft. dist.

600.0 Cor. No. 4, identical with Cor. No. 2 Priceless No. 1 lode, Cor. No. 3 Priceless No. 2 lode, all of this survey.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P L 1 A-4, PL 1-2, PL 2-3-4400.

No bearing objects or trees available.

Thence S. 89°55' E.

1500.0 Cor. No. 1 and place of beginning.

PRICELESS EXTENSION NO. 5 LODGE

Beginning at Cor. No. 1 of the Priceless Extension No. 5 lode, identical with Cor. No. 2 Priceless Extension No. 4 lode, and located on line 1-4 Priceless Extension No. 3 lode, all of this survey.

Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 5-1, PE 4-2-4400; from which

The cor. of secs. 1, 2, 11, and 12, T. 11 N., R. 13 W., bears N. 0°05' E., 239.7 ft. dist., an iron post, 2 ins. diam., set, marked and witnessed as described in the official record.

No bearing objects or trees available.

SURVEY NO. 4400

81

Chains Feet	
239.7	<p>Thence N. 0°05' E.</p> <p>Cor. No. 1 Priceless Extension No. 4 lode of this survey, identical with cor. of secs. 1, 2, 11, 12.</p>
300.0	<p>A mound of stone on lode line; the discovery point bears S. 89°55' E., 126.2 ft. dist.</p>
600.0	<p>Cor. No. 2</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 5-2-4400.</p>
40.0	<p>No bearing objects or trees available.</p> <p>Thence S. 89°55' E.</p>
40.0	<p>Gulch, course southerly.</p>
1492.4	<p>Cor. No. 3</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 5 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 5-3-4400.</p>
300.0	<p>No bearing objects or trees available.</p> <p>Thence S. 0°05' E.</p>
300.0	<p>A mound of stone on lode line; the discovery point bears N. 89°55' W., 1366.2 ft. dist.</p>
600.0	<p>Cor. No. 4, identical with Cor. No. 2 Priceless No. 2 lode of this survey.</p>
600.0	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 7 ins. into the ground to bedrock and surrounded by a mound of stone, with copper plate mkd. PE 5-4, PL 2-2-4400.</p>
1366.2	<p>No bearing objects or trees available.</p> <p>Thence N. 89°55' W.</p>
1486.2	<p>Gulch, course southerly.</p>
1486.2	<p>Cor. No. 1 Priceless No. 2 lode, identical with Cor. No. 1 Priceless Extension No. 3 lode.</p>
1492.4	<p>Cor. No. 1 and place of beginning.</p>
<p>PRICELESS NO. 2 LODE</p>	
<p>Beginning at Cor. No. 1 Priceless No. 2 lode, identical with Cor. No. 1 Priceless Extension No. 3 lode, located on line 1-4 Priceless Extension No. 5 lode, all of this survey.</p>	
<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 2-1, PE 3-1-4400; from which</p>	
<p>The cor. of secs. 1, 2, 11 and 12, bears N. 1°24' W., 239.8 ft. dist., heretofore described.</p>	

<p>Feet</p>	<p>No bearing objects or trees available.</p>
<p>120.0</p>	<p>Thence S. 89°55' E.</p>
<p>1486.2</p>	<p>Gulch, course southerly.</p>
<p>300.0</p>	<p>Cor. No. 2, identical with Cor. No. 4 Priceless Extension No. 5 lode of this survey.</p>
<p>600.0</p>	<p>Thence S. 0°05' W.</p>
<p>1106.2</p>	<p>A mound of stone on lode line; the discovery point bears N. 89°55' W. 1081.2 ft. dist.</p>
<p>1486.2</p>	<p>Cor. No. 3, identical with Cor. No. 4 Priceless No. 1 Annex lode and Cor. No. 2 Priceless No. 1 lode, all of this survey.</p>
<p>1106.2</p>	<p>Thence N. 89°55' W.</p>
<p>1486.2</p>	<p>Gulch, course southerly.</p>
<p>300.0</p>	<p>Cor. No. 4, identical with Cor. No. 1 Priceless No. 1 lode, Cor. No. 1 Priceless Extension No. 2 lode, Cor. No. 2 Priceless Extension No. 3 lode, all of this survey.</p>
<p>600.0</p>	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 2-4, PL 1-1, PE 2-1, PE 3-2-4400.</p>
<p>300.0</p>	<p>No bearing objects or trees available.</p>
<p>600.0</p>	<p>Thence N. 0°05' E.</p>
<p>300.0</p>	<p>A mound of stone on lode line; the discovery point bears S. 89°55' E., 405.0 ft. dist.</p>
<p>600.0</p>	<p>Cor. No. 1 and place of beginning.</p>
<p>PRICELESS NO. 1 LODE</p>	
<p>Beginning at Cor. No. 1 of the Priceless No. 1 lode, identical with Cor. No. 1 Priceless Extension No. 2 lode, Cor. No. 2 Priceless Extension No. 3 lode, and Cor. No. 4 Priceless No. 2 lode, all of this survey; from which</p>	
<p>The cor. of secs. 1, 2, 11 and 12, bears N. 0°20' W., 839.7 ft. dist., previously described.</p>	
<p>Thence S. 89°55' E.</p>	
<p>380.0</p>	<p>Gulch, course southerly.</p>
<p>1486.2</p>	<p>Cor. No. 2, identical with Cor. No. 3 Priceless No. 2 lode, Cor. No. 4 Priceless No. 1 Annex lode, all of this survey.</p>
<p>300.0</p>	<p>Thence S. 0°05' W.</p>
<p>300.0</p>	<p>A mound of stone on lode line; the discovery point bears N. 89°55' W., 1126.2 ft. dist.</p>

SURVEY NO. 4400

600.0	Cor. No. 3, identical with Cor. No. 3 Priceless No. 1 Annex lode, Cor. No. 4 Priceless Annex lode and Cor. No. 3 Priceless lode, all of this survey.
	Thence N. 89°55' W.
812.2	Gulch, course southeasterly.
912.2	Road, bears NNW and SSE.
1486.2	Cor. No. 4, identical with Cor. No. 2 Priceless lode, Cor. No. 4 Priceless No. 4 lode and Cor. No. 2 Priceless Extension No. 2 lode, all of this survey.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 1-4, PL-2, PL 4-4, PE 2-2-4400.
	No bearing objects or trees available.
	Thence N. 0°05' E.
300.0	A mound of stone on lode line; the discovery point bears S. 89° 55' E., 360.0 ft. dist.
600.0	Cor. No. 1 and place of beginning.
PRICELESS LODGE	
	Beginning at Cor. No. 1 of the Priceless lode, identical with Cor. No. 2 Price No. 45 lode, Cor. No. 4 Priceless No. 3 lode and Cor. No. 1 Priceless No. 4 lode, all of this survey.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL-1, P 45-2, PL 3-4, PL 4-1-4400; from which
	The 1/4 sec. cor. of secs. 11 and 12, T. 11 N., R. 13 W., bears S. 0°05' W., 600 ft. dist., hereinafter described.
	No bearing objects or trees available.
	Thence N. 0°05' E.
150.0	Gulch, course southeasterly.
300.0	A mound of stone on lode line; the discovery point bears S. 89° 55' E., 1356.2 ft. dist.
325.0	Road, bears WNW and S. of E.
600.0	Cor. No. 2, identical with Cor. No. 4 Priceless No. 4 lode, Cor. No. 2 Priceless Extension No. 2 lode, and Cor. No. 4 Priceless No. 1 lode, all of this survey.
	Thence S. 89°55' E.
574.0	Road, bears NNW. and SSE.
674.0	Gulch, course southeasterly.

1486.2	Cor. No. 3, identical with Cor. No. 3 Priceless No. 1 lode, Cor. No. 4 Priceless Annex lode and Cor. No. 3 Priceless No. 1 Annex lode, all of this survey.
	Thence S. 0°05' W.
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 130.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 Priceless Annex lode, Cor. No. 2 Priceless No. 5 lode and Cor. No. 3 Priceless No. 45 lode, all of this survey.
	Thence N. 89°55' W.
320.0	Road, bears NNW and SSE.
340.0	Gulch, course SSE.
670.0	Road, bears N. and S.
1206.2	Gulch, course ESE.
1486.2	Cor. No. 1 and place of beginning.

PRICE NO. 45 LODE

	Beginning at the $\frac{1}{4}$ sec. cor. of secs. 11 and 12, designated as Cor. No. 1 of the Price No. 45 lode, identical with Cor. No. 1 Price No. 14 lode, Cor. No. 1 Priceless Extension No. 1 lode and Cor. No. 1 Priceless No. 3 lode, all of this survey, an iron post, 1 in. diam., set, marked and witnessed as described in the official record.
	For additional identification, set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 8 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 45-1, P 14-1, PE 1-1, PL 3-1-4400, alongside the $\frac{1}{4}$ sec. cor.
	No bearing objects or trees available.
	Thence N. 0°05' E.
81.0	Road, bears NE. and SW.
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E. 1361.2 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Priceless No. 3 lode, Cor. No. 1 Priceless No. 4 lode and Cor. No. 1 Priceless lode, all of this survey.
	Thence S. 89°55' E.
280.0	Gulch, course ESE.
816.2	Road, bears N. and S.
1146.2	Gulch, course SSE.
1166.2	Road, bears NNW. and SSE.

SURVEY NO. 4400

11486.2	Cor. No. 3, identical with Cor. No. 4 Priceless lode, Cor. No. 3 Priceless Annex lode and Cor. No. 2 Priceless No. 5 lode, all of this survey.
	Thence S. 0°05' W.
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 125.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 1 Priceless No. 5 lode, Cor. No. 1 Price No. 15 lode, and Cor. No. 2 Price No. 14 lode, all of this survey.
	Thence N. 89°55' W.
165.0	Gulch, course southerly.
836.2	Road, bears N. and S.
946.2	Gulch, course southerly.
11486.2	Cor. No. 1 and place of beginning.
PRICE NO. 14 LODE	
	Beginning at Cor. No. 1 of the Price No. 14 lode, identical with Cor. No. 1 Priceless Extension No. 1 lode, Cor. No. 1 Priceless No. 3 lode, and Cor. No. 1 Price No. 45 lode, all of this survey, and the 1/4 sec. cor. of secs. 11 and 12, heretofore described.
	Thence S. 89°55' E.
540.0	Gulch, course southerly.
650.0	Road, bears N. and S.
1321.2	Gulch, course southerly.
11486.2	Cor. No. 2, identical with Cor. No. 4 Price No. 45 lode, Cor. No. 1 Priceless No. 5 lode, and Cor. No. 1 Price No. 15 lode, all of this survey.
	Thence S. 0°05' W.
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 160.0 ft. dist.
310.0	Gulch, course southeasterly.
600.0	Cor. No. 3, identical with Cor. No. 4 Price No. 15 lode, Cor. No. 3 Price No. 16 lode, and Cor. No. 2 Price No. 10 lode, all of this survey.
	Thence N. 89°55' W.
365.0	Road, bears NW. and SE.
712.0	Gulch, course southeasterly.
11486.2	Cor. No. 4, identical with Cor. No. 1 Price No. 10 lode, Cor. No. 1 Priceless Extension No. 6 lode, and Cor. No. 2 Priceless Extension No. 1 lode, all of this survey.

24

18

SURVEY NO. 1400

22

<p>0 300.0 600.0</p>	<p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P 14-4, P 10-1, PE 6-1, PE 1-2-1400. No bearing objects or trees available. Thence N. 0°05' E. A mound of stone on lode line; the discovery point bears S. 89°55' E., 1326.2 ft. dist. Cor. No. 1 and place of beginning.</p>
<p>PRICE NO. 10 LODGE</p>	
<p>774.2 1121.2 1486.2 144.0 300.0 594.0 600.0 286.2 886.2 1486.2 300.0 600.0</p>	<p>Beginning at Cor. No. 1 of the Price No. 10 lode, identical with Cor. No. 1 Priceless Extension No. 6 lode, Cor. No. 2 Priceless Extension No. 1 lode, and Cor. No. 4 Price No. 14 lode, all of this survey; from which The 1/4 sec. cor. of secs. 11 and 12, bears N. 0°05' E., 600.0 ft. dist., heretofore described. Thence S. 89°55' E. Gulch, course southeasterly. Road, bears NW. and SE. Cor. No. 2, identical with Cor. No. 3 Price No. 14 lode, Cor. No. 4 Price No. 15 lode, and Cor. No. 3 Price No. 16 lode, all of this survey. Thence S. 0°05' W. Road, bears NW. and SE. A mound of stone on lode line; the discovery point bears N. 89°55' W., 460.0 ft. dist. Gulch, course southeasterly. Cor. No. 3, identical with Cor. No. 2 Price No. 16 lode, Cor. No. 3 Protection No. 4 lode, and located on line 3-4 Protection No. 6 lode, all of this survey. Thence N. 89°55' W. Cor. No. 3 Protection No. 6 lode, identical with Cor. No. 3 Protection No. 5 lode, both of this survey. Cor. No. 2 Protection No. 5 lode, identical with Cor. No. 3 Protection No. 3 lode, both of this survey. Cor. No. 4, identical with Cor. No. 2 Protection No. 3 lode, Cor. No. 4 Protection No. 2 lode, and Cor. No. 2 Priceless Extension No. 6 lode, all of this survey. Thence N. 0°05' E. A mound of stone on lode line; the discovery point bears S. 89°55' E., 1026.2 ft. dist. Cor. No. 1 and place of beginning.</p>

Chain Feet	PRICELESS EXTENSION NO. 6 LODE
	Beginning at Cor. No. 1 of the Priceless Extension No. 6 lode, identical with Cor. No. 2 Priceless Extension No. 1 lode, Cor. No. 4 Price No. 14 lode, and Cor. No. 1 Price No. 10 lode, all of this survey; from which The $\frac{1}{4}$ sec. cor. of secs. 11 and 12, bears N. $0^{\circ}05'$ E., 600.0 ft. dist., heretofore described. Thence S. $0^{\circ}05'$ W.
300.0	A mound of stone on lode line; the discovery point bears N. $89^{\circ}55'$ W., 885.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Price No. 10 lode, Cor. No. 2 Protection No. 3 lode, and Cor. No. 4 Protection No. 2 lode, all of this survey. Thence N. $89^{\circ}55'$ W.
181.0	Road bears NNE and SSW.
600.0	Cor. No. 3 Protection No. 2 lode, identical with Cor. No. 4 Protection No. 1 lode, both of this survey.
730.0	Gulch, course southerly.
1180.4	Intersect line 1-2 Priceless Extension lode of this survey.
1200.0	Cor. No. 3 Protection No. 1 lode, identical with Cor. No. 3 Protection lode, both of this survey.
1300.0	Gulch, course southeasterly.
1500.0	Cor. No. 3, located on line 2-3 Protection lode of this survey. Set an iron pipe, 30 ins. long, $\frac{1}{2}$ in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 6-3-4400. No bearing objects or trees available. Thence N. $0^{\circ}05'$ E.
25.0	Gulch, course S. of E.
300.0	A mound of stone on lode line; the discovery point bears S. $89^{\circ}55'$ E., 615.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 Priceless Extension No. 1 lode of this survey. Set an iron pipe, 30 ins. long, $\frac{1}{2}$ in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 6-4, PE 1-3-4400. No bearing objects or trees available. Thence S. $89^{\circ}55'$ E.
463.6	Intersect line 1-2 Priceless Extension lode of this survey.
625.0	Gulch, course southerly.
1290.0	Road, bears N. and S,
1500.0	Cor. No. 1 and place of beginning.

Chains- Feet	PRICELESS EXTENSION NO. 1 LODE
	Beginning at Cor. No. 1 of the Priceless Extension No. 1 lode, identical with Cor. No. 1 Priceless No. 3 lode, Cor. No. 1 Price No. 45 lode and Cor. No. 1 Price No. 14 lode, all of this survey, and the $\frac{1}{4}$ sec. cor. of secs. 11 and 12, heretofore described.
	Thence S. $0^{\circ}05'$ W.
300.0	A mound of stone on lode line; the discovery point bears N. $89^{\circ}55'$ W., 1010.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Price No. 14 lode, Cor. No. 1 Price No. 10 lode, and Cor. No. 1 Priceless Extension No. 6 lode, all of this survey.
	Thence N. $89^{\circ}55'$ W.
210.0	Road, bears N. and S.
875.0	Gulch, course southerly.
1036.4	Intersect line 1-2 Priceless Extension lode of this survey.
1500.0	Cor. No. 3, identical with Cor. No. 4 Priceless Extension No. 6 lode of this survey.
	Thence N. $0^{\circ}05'$ E.
300.0	A mound of stone on lode line; the discovery point bears S. $89^{\circ}55'$ E., 490.0 ft. dist.
410.2	Intersect line 4-1 Priceless Extension lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 2 Priceless No. 3 lode of this survey.
	Set an iron pipe, 30 ins. long, $\frac{1}{2}$ in. diam., fitted with a floor flange, 12 ins. into the ground to bedrock, and surrounded by a mound of stone, with copper plate mkd. PE 1-4, PL 3-2-4400.
	No bearing objects or trees available.
	Thence S. $89^{\circ}55'$ E.
315.0	Road, bears NW. and SE.
475.0	Gulch, course SSE.
1395.0	Road, bears NE. and SW.
1500.0	Cor. No. 1 and place of beginning.
	PRICELESS NO. 3 LODE
	Beginning at Cor. No. 1 of the Priceless No. 3 lode, identical with Cor. No. 1 Price No. 45 lode, Cor. No. 1 Price No. 14 lode, and Cor. No. 1 Priceless Extension No. 1 lode, all of this survey, and the $\frac{1}{4}$ sec. cor. of secs. 11 and 12, heretofore described.
	Thence N. $89^{\circ}55'$ W.

SURVEY NO. 4400

Chains Feet		Chains Feet
105.0	Road, bears NE. and SW.	0.000
1025.0	Gulch, course SSE.	
1185.0	Road, bears NW. and SE.	
1500.0	Cor. No. 2, identical with Cor. No. 4 Priceless Extension No. 1 lode of this survey.	
	Thence N. 0°05' E.	
153.0	Road, bears WNW. and ESE.	0.200
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 290.0 ft. dist.	0.000
600.0	Cor. No. 3, identical with Cor. No. 2 Priceless No. 4 lode of this survey.	0.000
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 3-3, PL 4-2-4400.	
	No bearing objects or trees available.	0.250
	Thence S. 89°55' E.	0.000
190.0	Gulch, course southeasterly.	0.000
1500.0	Cor. No. 4, identical with Cor. No. 1 Priceless No. 4 lode, Cor. No. 1 Priceless lode, and Cor. No. 2 Price No. 45 lode, all of this survey.	0.000
	Thence S. 0°05' W.	
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W., 1210.0 ft. dist.	0.000
519.0	Road, bears NE. and SW.	
600.0	Cor. No. 1 and place of beginning.	
	Thence S. 0°05' W.	
	PRICELESS NO. 4 LODE	0.000
	Beginning at Cor. No. 1 of the Priceless No. 4 lode, identical with Cor. No. 1 Priceless lode, Cor. No. 2 Price No. 45 lode, and Cor. No. 4 Priceless No. 3 lode, all of this survey.	
	Thence N. 89°55' W.	
1310.0	Gulch, course southeasterly.	0.210
1500.0	Cor. No. 2, identical with Cor. No. 3 Priceless No. 3 lode of this survey.	0.250
	Thence N. 0°05' E.	0.000
205.0	Gulch, course southeasterly.	0.000
300.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 1300.0 ft. dist.	

Chains Feet		Feet
600.0	<p>Cor. No. 3, identical with Cor. No. 3 Priceless Extension No. 2 lode of this survey.</p> <p>Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PL 4-3, PE 2-3-4400.</p> <p>No bearing objects or trees available.</p> <p>Thence S. 89°55' E.</p>	105.0
905.0	Road, bears NW. and ESE.	153.0
1240.0	Gulch, course southeasterly.	300.0
1385.0	Gulch, course southerly.	600.0
1500.0	<p>Cor. No. 4, identical with Cor. No. 2 Priceless Extension No. 2, Cor. No. 4 Priceless No. 1. and Cor. No. 2 Priceless lodes, all of this survey.</p> <p>Thence S. 0°05' W.</p>	
275.0	Road, bears WNW. and S. of E.	
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W. 200.0 ft. dist.	190.0
450.0	Gulch, flows southeasterly.	150.0
600.0	Cor. No. 1 and place of beginning.	
PRICELESS EXTENSION NO. 2 LODGE		
<p>Beginning at Cor. No. 1 Priceless Extension No. 2 lode, identical with Cor. No. 2 Priceless Extension No. 3 lode, Cor. No. 4 Priceless No. 2 lode, and Cor. No. 1 Priceless No. 1 lode, all of this survey.</p> <p>Thence S. 0°05' W.</p>		
300.0	A mound of stone on lode line; the discovery point bears N. 89°55' W. 240.0 ft. dist.	
600.0	<p>Cor. No. 2, identical with Cor. No. 4 Priceless No. 1 lode, Cor. No. 2 Priceless lode, and Cor. No. 4 Priceless No. 4 lode, all of this survey.</p> <p>Thence N. 89°55' W.</p>	
115.0	Gulch, course southerly.	131.0
260.0	Gulch, course southeasterly.	150.0
595.0	Road, bears NW. and ESE.	
1500.0	<p>Cor. No. 3, identical with Cor. No. 3 Priceless No. 4 lode of this survey.</p> <p>Thence N. 0°05' E.</p>	300.0

SURVEY NO. 4400

Chains Feet	
300.00	A mound of stone on lode line; the discovery point bears S. 89° 55' E., 1260.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 3 Priceless Extension No. 3 lode, of this survey.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. P E 2-4, P E 3-3-4400. No bearing objects or trees available. Thence S. 89° 55' E.
75.0	Road, bears NW. and SE.
420.0	Gulch, course southeasterly.
1100.0	Gulch, course southeasterly.
1500.0	Cor. No. 1 and place of beginning.
PRICELESS EXTENSION NO. 3 LODE.	
	Beginning at Cor. No. 1 of the Priceless Extension No. 3 lode, identical with Cor. No. 1 Priceless No. 2 lode and on line 1-4 of the Priceless Extension No. 5 lode, all of this survey.
	Thence S. 0° 05' W.
300.0	A mound of stone on the lode line; the discovery point bears N. 89° 55' W., 105.0 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 Priceless No. 2 lode, Cor. No. 1 Priceless No. 1 lode and Cor. No. 1 Priceless Extension No. 2 lode, all of this survey.
	Thence N. 89° 55' W.
400.0	Gulch, course southeasterly.
1080.0	Gulch, course southeasterly.
1425.0	Road, bears NW. and SE.
1500.0	Cor. No. 3, identical with Cor. No. 4 Priceless Extension No. 2 lode of this survey.
	Thence N. 0° 05' E.
76.0	Road, bears NW. and SE.
300.0	A mound of stone on lode line; the discovery point bears S. 89° 55' E., 1395.0 ft. dist.
473.5	Witness corner to Cor. No. 4 of this lode. Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. WC-PE 3-4-4400. No bearing objects or trees available.

Chains Feet 538.0	Gulch, course southeasterly.
600.0	Cor. No. 4, identical with Cor. No. 3 Priceless Extension No. 4 lode of this survey. This corner falls on a very steep bedrock slope where it is impracticable to set a monument.
1493.8	Thence S. 89°55' E. Cor. No. 2, Priceless Extension No. 4 lode, identical with Cor. No. 1 Priceless Extension No. 5 lode, both of this survey.
1500.0	Cor. No. 1 and place of beginning.
PRICELESS EXTENSION NO. 4 LODE	
	Beginning at cor. of secs. 1, 2, 11 and 12, T. 11 N., R. 13 W., designated as Cor. No. 1 of the Priceless Extension No. 4 lode, on line 1-2 Priceless Extension No. 5 lode, of this survey, an iron post, 2 ins. diam., set, marked and witnessed as described in the official record.
	For additional identification, set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 4-1-4400, alongside the sec. cor.
	No bearing objects or trees available.
	Thence S. 0°05' W.
111.7	A mound of stone on lode line; the discovery point bears N. 89°55' W., 80.0 ft. dist.
239.7	Cor. No. 2, identical with Cor. No. 1 Priceless Extension No. 5 lode of this survey, located on line 1-4 Priceless Extension No. 3 lode of this survey.
	Thence N. 89°55' W.
1493.8	Cor. No. 3, identical with Cor. No. 4 Priceless Extension No. 3 lode of this survey. (Not monumented).
	Thence N. 0°05' E.
48.9	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, for witness Cor. No. 3, with copper plate mkd. WC PE 4-3-4400.
	No bearing objects or trees available.
128.0	A mound of stone on lode line; the discovery point bears S. 89°55' E., 1413.8 ft. dist.
236.5	Cor. No. 4, located on line between Secs. 2. and 11, T. 11 N., R. 13 W.
	Set an iron pipe, 30 ins. long, 1/2 in. diam., fitted with a floor flange, 18 ins. into the ground and surrounded by a mound of stone, with copper plate mkd. PE 4-4-4400.
	No bearing objects or trees available.
	Thence N. 89°57' E.
1493.8	Cor. No. 1 and place of beginning.

Chains		(1)
	MINERAL SURVEY NO. 4400 3 rd. AMENDED	
	PRICELESS EXTENSION LODE At Cor. No. 1 Priceless Extension lode, from which The East 1/4 corner Sec. 11 T. 11 N.R.13 W. of the Gila and Salt River Meridian bears N.66°-29'E. 1087.8 ft. Thence S.13°-35'W. 912.3 Intersect the north line of the SE 1/4 of SE 1/4 Sec. 11, N.89°-48'E. 110.3 feet from the N.W. Corner of said subdivision. 1381.8 Intersect the west line of the SE 1/4 of SE 1/4 Sec. 11, S.0°-01'E. 455.6 feet from the N.W. Corner of said sub- division. 1500.5 Cor. No. 2 Thence N.63°-54'W. 614.1 Cor.No.3 Thence N.13°-38'E. 1500.0 Cor. No.4 Thence S.63°-54'E. 613.0 Cor. No.1 and place of beginning.	
	PROTECTION NO. 3 LODE At Cor. No.1 Protection No.3, from which The corner to Sections 11-12-13-14 T. 11 N.R.13 W. bears N.4°-24'E. 63.8 feet. Thence N.0°-05'E. 1500.0 Cor. No. 2 Thence S.89°-55'E. 600.0 Cor. No. 3, identical with Cor. No. 2 Protection No.5 lode of this survey. Thence S.0°-05'W. 1435.16 Intersect the section line between sections 12 and 13, N.89°-58'E. 595.20 feet from the Cor to sections 11-12- 13-14 1500.0 Cor. No. 4 Thence N.89°-55'W. 595.09 Intersect the west line of Sec. 13, S.0°-01'E. 63.62 feet from the Cor. to Sections 11-12-13-14. 600.0 To Cor. No.1 and place of beginning.	

Chains

PROTECTION NO. 5 LODE

(2)

At Cor. No.1 Protection No. 5 lode, from which
The corner to Sections 11-12-13-14, T. 11 N.R.13 W.
bears N.83°-49'W. 598.6 feet.

Thence N.0°-05'E.

64.84 Intersect the section line between Sections 12 and 13,
N.89°-58'E. 595.20 feet from the Cor. to sections 11-12-
13-14.

1500.0 Cor. No.2

Thence S.89°-55'E.

600.0 Cor. No.3

Thence S.0°-05'W.

1433.94 Intersect the section line between sections 12 and 13,
N.89°-58'E. 1195.20 feet from the Cor. to sections 11-12-
13-14.

1500.0 Cor. No. 4

Thence N.89°-55'W.

600.0 Cor. No.1, and the place of beginning.

SURVEY NO. 4400 3rd. AMENDED

AREAS

Acres

Total area Priceless Extension lode 20.631

Total area Protection No.3 lode 20.661

Total area Protection No.5 lode 20.661

Total area Protection lode 20.661

Area Priceless Extension lode in conflict
with-

Priceless Extension No.1 lode 3.245

Priceless Extension No.6 lode 5.394

Area Protection lode in conflict with

Priceless Extension lode of this survey 7.377

Priceless Extension No.1A lode of this survey 0.000+

Area Protection No.1 lode in conflict with

Priceless Extension lode 0.018

Area Priceless Extension lode in conflict
with

Southeast quarter of Southeast quarter Sec.11 0.577

Area Protection No.3 lode in conflict with

Northwest quarter of Northwest quarter Sec.13 0.878

Area Protection No.5 lode in conflict with

Northwest quarter of Northwest quarter Sec.13 0.902

Sept.28,1961

William Waasa
Mineral Surveyor

Chain Feet	AREAS	Acres
100.00	Total area, Priceless lode	20.471
100.00	Total area, Priceless Annex lode	20.661
100.00	Total area, Priceless No. 1 lode	20.471
	Total area, Priceless No. 1 Annex lode	20.661
	Total area, Priceless No. 2 lode	20.471
	Total area, Priceless No. 3 lode	20.661
	Total area, Priceless No. 4 lode	20.661
	Total area, Priceless No. 5 lode	20.661
	Total area, Priceless Extension lode	20.631
	Area in conflict with: Priceless Extension No. 1 lode	3.245
	Priceless Extension No. 6 lode	5.394
	Total area, Priceless Extension No. 1 lode	20.661
	Total area, Priceless Extension No. 1A lode	20.648
	Total area, Priceless Extension No. 2 lode	20.661
	Total area, Priceless Extension No. 3 lode	20.661
	Total area, Priceless Extension No. 4 lode	8.165
	Total area, Priceless Extension No. 5 lode	20.556
	Total area, Priceless Extension No. 6 lode	20.661
	Total area, Price No. 10 lode	20.471
	Total area, Price No. 11 lode	20.628
	Total area, Price No. 14 lode	20.471
	Total area, Price No. 15 lode	20.661
	Total area, Price No. 16 lode	20.661
	Total area, Price No. 45 lode	20.471
	Total area, Price No. 46 lode	20.642
	Total area, Protection lode	20.661
	Area in conflict with: Priceless Extension lode of this survey	7.377
	Priceless Extension No. 1A lode of this survey	.000
	Total area Protection No. 1 lode	20.661
	Area in conflict with: Priceless Extension lode	.018
	Total area, Protection No. 2 lode	20.661
	Total area, Protection No. 3 lode	20.661
	Total area, Protection No. 4 lode	20.661

Claims	AREAS	Acres
	Total area, Protection No. 5 lode	20.661
	Total area, Protection No. 6 lode	20.661
	Area in conflict with: Protection No. 4 lode of this survey	4.322
	LOCATION	
	This survey is located in the S $\frac{1}{2}$ of SW $\frac{1}{4}$ Sec. 1; SE $\frac{1}{4}$ of NW $\frac{1}{4}$; NE $\frac{1}{4}$ of SW $\frac{1}{4}$ and E $\frac{1}{2}$ Sec. 11; W $\frac{1}{2}$ and W $\frac{1}{2}$ of E $\frac{1}{2}$ Sec. 12; N $\frac{1}{2}$ of NW $\frac{1}{4}$ Sec. 13; N $\frac{1}{2}$ of NE $\frac{1}{4}$ Sec. 14, T. 11 N., R. 13 W., of the Gila and Salt River Meridian, Owens Mining District, Mohave County, State of Arizona.	
	The lodes of this survey are identical with their respective locations as marked on the ground.	
	EXPENDITURES	
	The improvements and the value of the labor and improvements made upon or for the benefit of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:	
No. 1	The discovery shaft of the Price No. 11 lode, the center of which being the discovery point is on the lode line 430.0 feet from its intersection with line 1-2, shaft 4.8x6x8 feet deep. Value, \$125.00	
No. 2	A cut, the face of which bears S. 3°30' E., 665 feet from Cor. No. 3, Price No. 11 lode, cut 4x12x8 ft. face, bears northerly. Value, \$100.00	
No. 3	A cut, the face of which bears S. 36°15' E., 410 feet from Cor. No. 3, Price No. 11 lode, cut 5x7x12 foot face, tunnel 4x6x4 feet. Value, cut \$100.00 tunnel \$40.00	
No. 4	A shaft, the center of which bears S. 38° W., 60 feet from Cor. No. 4, Price No. 11 lode, shaft 12x11x6 to 12 feet deep. Value. \$200.00	
No. 1	The discovery shaft of the Price No. 46 lode, the center of which being the discovery point, is on the lode line 575 feet from its intersection with line 1-2, shaft 4x6x8 feet deep. Value, \$125.00	
No. 2	A shaft, the center of which bears N. 43°15' E., 601 feet from Cor. No. 2 Price No. 46 lode, shaft 4x6x6 feet deep. Value, \$60.00	
No. 1	The discovery cut of the Priceless Extension No. 1A lode, the face of cut being the discovery point, is on the lode line 660 feet from its intersection with line 1-2, cut 4x10x5.5 feet containing shaft 4x4.5x4.5 feet deep, bears southwesterly. Value, \$125.00	
No. 2	A cut, the face of which bears N. 38°45' E., 682 feet from Cor. No. 2 Priceless Extension No. 1A lode, cut 4x11x8 foot face, bears southwesterly. Value, \$100.00	

SURVEY NO. 4400

No. 1	The discovery shaft of the Priceless Extension lode, the center of which being the discovery point, is on the lode line 815 feet from its intersection with line 2-3, shaft 4x6x8 feet deep. Value, \$125.00
No. 2	A shaft, the center of which, is on the lode line of the Priceless Extension lode, 825 ft. from its intersection with line 2-3, shaft 4x6x6.5 feet deep. Value, \$100.00
No. 3	A cut, the face of which bears S. 52°30' W., 555 feet from Cor. No. 1 Priceless Extension lode, cut 4x6x6 foot face bears north-easterly. Value, \$60.00
No. 1	The discovery shaft of the Protection lode, the center of which being the discovery point, is on the lode line 820 feet from its intersection with line 1-4, shaft 4x6x8 feet deep. Value, \$125.00
No. 1	The discovery cut and shaft of the Protection No. 1 lode, the face of cut being the discovery point, is on the lode line 350 feet from its intersection with line 3-4, cut 4.3x5x7.2 foot face, containing shaft 4.3x5x3.3 feet deep, bears southerly. Value, \$125.00
No. 1	The discovery shaft of the Protection No. 2 lode, the center of which being the discovery point, is on the lode line 50 feet from its intersection with line 3-4, shaft 4x6x8 feet deep. Value, \$125.00
No. 2	A shaft, the center of which bears S. 89° W., 275 feet from Cor. No. 4 of the Protection No. 2 lode, shaft 4x6x5.5 feet deep. Value, \$75.00
No. 1	The discovery cut and shaft of the Protection No. 3 lode, the face of cut being the discovery point, is on the lode line 200 feet from its intersection with line 2-3, cut 4x12x9 foot face, shaft 4x6x2 feet deep, bears northeasterly. Value, \$125.00
No. 2	A shaft, the center of which bears S. 50° W., 348 feet from Cor. No. 3 of the Protection No. 3 lode, shaft 4.5x6x8 feet deep. Value, \$125.00
No. 1	The discovery cut and shaft of the Protection No. 5 lode, the face of cut being the discovery point, is on the lode line 350.0 feet from its intersection with line 2-3, cut 4x12x7.8 foot face, shaft 4.2x5.3x2.2 feet deep, bears westerly. Value, \$125.00
No. 2	A cut, the face of which bears S. 27° E., 495 feet from Cor. No. 2 of the Protection No. 5 lode, cut 3.5x13x8.3 foot face, bears southerly. Value, \$100.00
No. 1	The discovery shaft of the Protection No. 6 lode, the center of which being the discovery point, is on the lode line 734 feet from its intersection with line 3-4, shaft 4x6x8 feet deep. Value, \$125.00

CHAINS	
No. 1	The discovery cut and shaft of the Protection No. 4 lode, the face of cut being the discovery point, is on the lode line 400 feet from its intersection with line 2-3, cut 4x13x8.5 foot face, containing shaft 4x5x1.5 feet deep, bears easterly. Value, \$125.00
No. 2	A shaft, the center of which bears S. 63°15' E., 350.0 feet from Cor. No. 3 of the Protection No. 4 lode, shaft 4.5x4.5x5 feet deep. Value, \$75.00
No. 1	The discovery cut and shaft of the Price No. 16 lode, the face of cut being the discovery point, is on the lode line 690.0 feet from its intersection with line 1-4, cut 4x12x7 foot face, containing shaft 4x6x4 feet deep, bears easterly. Value, \$125.00
No. 2	A cut, the face of which bears N. 89°30' E., 720 feet from the intersection of the lode line with line 2-3 of the Price No. 16 lode, cut 4x12x8 foot face. Value, \$100.00
No. 1	The discovery cut of the Price No. 15 lode, the face of cut being the discovery point, is on the lode line 55.0 feet from its intersection with line 1-4, cut 4x12x10 foot face, bears easterly. Value, \$125.00
No. 2	A cut, the face of which bears S. 15° E., 290 feet from Cor. No. 1 of the Price No. 15 lode, cut 4x8x8.5 foot face, bears easterly. Value, \$70.00
No. 3	A shaft, the center of which bears N. 79° W., 505 feet from Cor. No. 3, of the Price No. 15 lode, shaft 4.5x6x6 feet deep. Value, \$75.00
No. 1	The discovery cut of the Priceless No. 5 lode, the face of which is the discovery point, is on the lode line 30 feet from its intersection with line 1-2, cut 4x11x10 foot face, bears easterly. Value, \$125.00
No. 1	The discovery cut of the Priceless Annex lode, the face of which being the discovery point, is on the lode line 50 feet from its intersection with line 3-4, cut 4x13x10 foot face, bears easterly. Value, \$125.00
No. 1	The discovery shaft of the Priceless No. 1 Annex lode, the center of which being the discovery point, is on the lode line 35 feet from its intersection with line 3-4, shaft 4x6x8 feet deep. Value, \$125.00
No. 1	The discovery cut and shaft of the Priceless Extension No. 5 lode, the face of cut being the discovery point, is on the lode line 126.2 feet from its intersection with line 1-2, cut 4.2x13x9 foot face, containing shaft 4.5x5x1.0 foot deep, bears easterly. Value, \$125.00
No. 2	A cut, the face of which bears S. 17° E., 287 feet from Cor. No. 2 of the Priceless Extension No. 5 lode, cut 4x13x7 foot face, bears easterly. Value, \$100.00
No. 3	A tunnel, the mouth of which bears S. 49°30' E., 265 feet from Cor. No. 2 of the Priceless Extension No. 5 lode, tunnel 4x6x50 feet long, bears easterly. Value, \$500.00

No. 1	<p>The discovery cut and shaft of the Priceless No. 2 lode, the face of cut being the discovery point, is on the lode line 405 feet from its intersection with line 1-4, cut 4x13x9.7 foot face, containing shaft, 4x5x2.3 feet deep, cut bears easterly. Value, \$125.00</p>
No. 2	<p>A cut, the face of which bears S. 26°30' W., 535 feet from Cor. No. 2 of the Priceless No. 2 lode, cut 4x12x6 foot face bears south-easterly. Value, \$80.00</p>
	<p>A portion of a Common Improvement is located in the southwest corner of the Priceless No. 2 lode, as reported in the Priceless No. 1 lode expenditures.</p>
No. 1	<p>The discovery shaft of the Priceless No. 1 lode, the center of which being the discovery point, is on the lode line 360 feet from its intersection with line 1-4, shaft 4x6x8 feet deep. (now obliterated). Value, \$125.00</p>
No. 2	<p>Open pit, conspicuous point of which bears S. 58° E., 280 feet from Cor. No. 1 of the Priceless No. 1 lode, a common improvement described in detail hereafter under heading "Common Improvements".</p>
No. 1	<p>The discovery shaft of the Priceless lode, the center of which being the discovery point, is on the lode line 130 feet from its intersection with line 3-4, shaft 4x6x8 feet deep. Value, \$125.00</p>
No. 2	<p>Open pit, a conspicuous point of which bears S. 76° W., 450 feet from Cor. No. 3 of the Priceless lode, a common improvement described in detail hereafter under heading "Common Improvements".</p>
No. 1	<p>The discovery cut and shaft of the Price No. 45 lode, the face of cut being the discovery point, is on the lode line 125 feet from its intersection with line 3-4, cut 4x11x7 foot face, containing shaft 4x4.5x3 feet deep, cut bears northerly. Value, \$125.00</p>
No. 2	<p>A cut, the face of which bears S. 68° E., 650 feet from Cor. No. 2 of the Price No. 45 lode, cut 6x12x9 foot face bears easterly. Value, \$100.00</p>
No. 3	<p>A diamond drill hole, which bears N. 48° W., 462 feet from Cor. No. 4 of the Price No. 45 lode, 200 feet deep. Value, \$1200.00</p>
No. 4	<p>A diamond drill hole, which bears N. 44°30' E., 460 feet from Cor. No. 1 of the Price No. 45 lode, 200 feet deep. Value, \$1200.00</p>
No. 1	<p>The discovery cut and shaft of the Price No. 14 lode, the face of cut being the discovery point is on the lode line 160 feet from its intersection with line 2-3, cut 4x13x9 foot face, containing shaft 4x6x1 foot deep, cut bears westerly. Value, \$125.00</p>
No. 2	<p>A cut, the face of which bears N. 89°30' W., 48 feet from Cor. No. 3 of the Price No. 14 lode, cut 7x20x7 foot face, bears southerly. Value, \$150.00</p>
No. 3	<p>A cut, the face of which bears N. 88°30' E., 665 feet from Cor. No. 4 of the Price No. 14 lode, cut 4.5x11.5x7.5 foot face, bears westerly. Value, \$125.00</p>

CHANGES	
No. 4	A diamond drill hole, which bears S. 77° W., 650 feet from Cor. No. 2 of the Price No. 14 lode, 200 feet deep. Value, \$1200.00
No. 1	The discovery cut and shaft of the Price No. 10 lode, the face of cut being the discovery point, is on the lode line 460 feet from its intersection with line 2-3, cut 4x11x6.5 foot face containing shaft, 4x6x4 feet deep, cut bears westerly. Value, \$125.00
No. 2	A cut, the face of which bears S. 88° E., 692 feet from Cor. No. 1 of the Price No. 10 lode, cut 4.5x15x8 foot face, bears westerly. Value, \$100.00
No. 3	A cut, the face of which bears N. 6°30' E., 315 feet from Cor. No. 4 of the Price No. 10 lode, cut 7x11x6 to 9 foot face, bears easterly. Value, \$100.00
No. 1	The discovery shaft of the Priceless Extension No. 6 lode, the center of which being the discovery point, is on the lode line 615 feet from its intersection with line 3-4, shaft 4x6x8 feet deep. Value, \$125.00
No. 2	A shaft, the center of which bears N. 76°45' E., 672 feet from Cor. No. 3 of the Priceless Extension No. 6 lode, shaft 4x5x3 feet deep. Value, \$25.00
No. 3	A shaft, the center of which bears N. 80°45' E., 663 feet from Cor. No. 3 of the Priceless Extension No. 6 lode, shaft 5x6x4 feet deep. Value, \$30.00
No. 4	A cut, the face of which bears N. 87°30' E., 612 feet from Cor. No. 3 of the Priceless Extension No. 6 lode, cut 4x5x5.5 foot face, bears northerly. Value, \$25.00
No. 1	The discovery cut and shaft of the Priceless Extension No. 1 lode, the face of cut being the discovery point is on the lode line, 490 feet from its intersection with line 3-4, cut 5.5x13x8.5 foot face containing shaft 5x5x1.5 feet deep, cut bears westerly. Value, \$125.00
No. 2	A cut, the face of which bears N. 62°15' E., 575 feet from Cor. No. 3 of the Priceless Extension No. 1 lode, cut 6x10x10 foot face bears westerly. Value, \$125.00
No. 3	A diamond drill hole, which bears S. 25° W., 221 feet from Cor. No. 1 of the Priceless Extension No. 1 lode, 200 feet deep. Value, \$1200.00
No. 1	Discovery cut and shaft of the Priceless No. 3 lode, the face of cut being the discovery point, is on the lode line 290 feet from its intersection with line 2-3, cut 4x11x7.5 foot face, containing shaft 4x6x2.5 feet deep. Value, \$125.00

CHARTS	
No. 2	A cut, the face of which bears N. 38° W., 380 feet from Cor. No. 1 of the Priceless No. 3 lode, cut 6x12x7 foot face bears southerly. Value, \$100.00
No. 3	A cut, the face of which bears S. 34° W., 320 feet from Cor. No. 4 of the Priceless No. 3 lode, cut 4x9x6 foot face, bears northerly. Value, \$60.00
No. 1	The discovery shaft of the Priceless No. 4 lode, the center of which is the discovery point, is on the lode line 200 feet from its intersection with line 4-1; shaft 5x5x8 feet deep. Value, \$125.00
No. 2	A cut, the face of which bears N. 20°45' W., 352 feet from Cor. No. 1 of the Priceless No. 4 lode, cut 6x12.5x8.5 foot face, bears westerly. Value, \$100.00
No. 1	The discovery cut and shaft of the Priceless Extension No. 2 lode, the face of cut being the discovery point, is on the lode line, 240 feet from its intersection with line 1-2, cut 4x15x6.9 foot face, containing shaft 4x5x3.5 feet deep; cut bears westerly. Value, \$125.00
No. 2	A cut, the face of which bears N. 36° W., 405 feet from Cor. No. 2 of the Priceless Extension No. 2 lode, cut 4x6x6 foot face bears southerly. Value, \$50.00
	A portion of a Common Improvement is located in the northeast corner of the Priceless Extension No. 2 lode, as reported in the Priceless No. 1 lode expenditures.
No. 1	The discovery shaft of the Priceless Extension No. 3 lode, the center of which is the discovery point, is on the lode line 105 feet from its intersection with line 1-2, shaft 4x6x8 feet deep. Value, \$125.00
No. 2	A cut, the face of which bears S. 5° W., 182 feet from Cor. No. 1 of the Priceless Extension No. 3 lode, cut 3x8x6 foot face, bears westerly. Value, \$50.00
	A portion of a Common Improvement is located in the southeast corner of the Priceless Extension No. 3 lode, as reported in the Priceless No. 1 lode expenditures.
No. 3	A cut, the face of which bears N. 56° E., 350 feet from Cor. No. 3 of the Priceless Extension No. 3 lode, cut 4x6x9 foot face, bears easterly. Value, \$100.00
No. 1	The discovery cut and shaft of the Priceless Extension No. 4 lode, the face of cut being the discovery point, is on the lode line 80.00 feet from its intersection with line 1-2, cut 4x12x8.4 foot face, containing shaft 4x6x1.6 feet deep, cut bears easterly. Value, \$125.00
No. 2	A cut, the face of which bears S. 80° W., 45.0 feet from Cor. No. 1 of the Priceless Extension No. 4 lode, cut 3x14x10 foot face bears westerly. Value, \$100.00

CHANGES

COMMON IMPROVEMENTS

An interest in a common improvement described as follows:

Improvement No. 2, Priceless No. 1 lode "Open Pit A"

Beginning at a point on rim of pit from which Cor. No. 1 Priceless No. 1 lode bears N. 58° W., 280 feet; thence substantially following rim of pit, N. 53° E., 90 feet; thence S. 64° E., 65 feet; thence S. 29° E., 190 feet; thence S. 44° E., 80 feet; thence S. 17° E., 120 feet; thence S. 69° W., 335 feet; thence N. 38° W., 85 feet; thence N. 21° W., 120 feet; thence N. 38° W., 220 feet; thence N. 51° 30' W., 185 feet; thence N. 12° W., 130 feet; thence N. 44° E., 285 feet; thence S. 31° E., 450 feet to the place of beginning.

Water Diversion "Dyke A"

Beginning at a point on the west edge of the dyke from which Cor. No. 1 Priceless Extension No. 2 lode, bears N. 67° E., 260 feet; thence substantially following the westerly edge of the dyke forty or more feet in width; S. 52° E., 195 feet; thence S. 40° E., 135 feet; thence S. 32° E., 85 feet; thence S. 5° E., 45 feet; thence S. 25° W., 35 feet; thence S. 50° W., 115 feet; thence S. 17° W., 80 feet to end of spillway.

Water Diversion "Dyke B"

Beginning at a point on the north edge of the dyke from which Cor. No. 1 Priceless Extension No. 2 lode bears S. 12° E., 308 feet; thence substantially following the northerly edge of the dyke forty or more feet in width; N. 70° E., 90 feet; thence N. 52° E., 105 feet; thence N. 47° E., 175 feet; thence N. 41° E., 110 feet; thence N. 35° E., 75 feet to end of dyke.

Improvement No. 2 Priceless lode "Open Pit B"

Beginning at a point on rim of pit from which Cor. No. 3 Priceless lode bears N. 76° E., 450 feet; thence substantially following the rim of pit S. 41° 15' E., 240 feet; thence N. 61° 30' E., 165 feet; thence S. 82° 15' E., 105 feet; thence South 111 feet; thence S. 75° 15' W., 259 feet; thence N. 41° 15' W., 60 feet; thence S. 51° W., 105 feet; thence N. 49° 30' W., 275 feet; thence N. 45° 45' E., 175 feet; thence N. 75° E., 50 feet to the place of beginning.

The manganese ore body of "Open Pit A" occurs on both sides and underneath a narrow deep gulch and water course which drains an extensive watershed. The extraction of ore from this ore body involved the problem of water control to avoid flooding of the operations area. Water diversion Dykes A and B were designed and installed for this purpose and consequently an enormous amount of material was used in the construction and maintenance thereof. These dykes are essential to the operation of the pit and I am crediting their value jointly with the open pit interests.

The stripping, blasting, excavation, and shipments of ore is progressively changing the circumscribed areas in breadth, depth, and volume of materials moved while this survey is under execution. It is impossible to set forth the maze of surface workings and pit excavations, consequently I have resorted to a mass estimate of tonnage excavated, moved, and shipped, basing my common improvement values thereon.

Volume of materials moved, 300,000 tons.

Value, \$300,000.00

Value of one forty second (1/42) interest \$7,142.86

Claims

One forty second (1/42) interest is credited to each of the thirty following lodes of this survey and twelve unsurveyed lode claims as follows:

Price Extension No. 1
 Price Extension No. 2
 Price Extension No. 3
 Price Extension No. 4
 Price Extension No. 5
 Price Extension No. 6
 Price Extension No. 7
 Price No. 6
 Price No. 7
 Price No. 8
 Price No. 9
 Price No. 17

These improvements are in the course of construction for the development of the thirty lodes of this survey and the twelve unsurveyed lodes joining this survey on its westerly boundary. All lodes are contiguous lode claims owned in common within the range of benefit of said improvement.

The surface rises gradually from the southerly boundary. The topography is barren rolling hills formed by heavy overburden and deep erosion over low level mineralized bedding planes and channel deposits. Due to the peculiar nature of the district's manganese ore deposits, normally in bedding planes, their development requires the progressive stripping of the overburden, adit and pit openings to determine their position, nature, extent, mineral character, and content. Such is the nature of the work resulting in the two open pits "A" and "B".

The progress of stripping of the surface and pit excavation, following the bedding planes and channel deposits, leads to development of ore bodies on the respective lode claims and eventually determine mining methods necessary and locus of operation for additional open pit mining which is the only economical mining method now developed for manganese ore deposits such as found in this mining district and on this property.

Five hundred dollars or over have been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one forty second (1/42) interest in its value is hereby credited to each of said lodes and a like interest apportioned to each of the other unsurveyed and stated lodes of said common group.

Except as above stated, no portion of or interest in these improvements has been credited heretofore as patent expenditures to any other lode claim.

OTHER IMPROVEMENTS

None.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Section corners found in the execution of this survey are standard pipe corners with brass caps properly marked as reported in the official records.

Claims

Corners of this survey are 1/2 inch galvanized iron pipe, 30 inches long, threaded on one end. To the threaded end, a galvanized iron floor flange, 3 1/2 inches in diameter, was attached. A 3 1/2 inch copper plate was attached to the floor flange by the use of bolts. The designation of the corners of the lodes were stamped on the copper plate. The corner assembly thus described was set into the ground 18 inches or as conditions of the formation permitted.

All discrepancies existing between the calls of the location certificates and the lodes as surveyed are due to errors in the location certificates.

FIELD ASSISTANT'S

Raymond W. White

Chainman

Henry Zuker

Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

43

CERTIFICATE OF SURVEYOR

Oct. 15, 1956

I, J. William Waara

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____

Office Cadastral Engineer at Phoenix Arizona

Nov. 1, 1955

dated Dec. 7, 1955, I have faithfully and correctly executed the survey of

the mining claim of Arizona Manganese Corporation

known as the Priceless and 29 Other lode claims as shown on attached list.

(Lode, placer, or mill site)
situate in sections 1, 11, 12, 13 and 14

T. 11 N., R. 13 W., G & S.R. B. & M. Meridian, Arizona, and

(State)
designated as Survey No. 4400, which is represented in the foregoing field notes as having been

executed by me and under my direction, and that said survey has been made in strict conformity with said order,

the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner

described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the lodes location(s) embraced in the said mining claim by

(Lode or placer)
claimant(s) or its grantors are fully stated in my report therein, and that the character,

extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no

portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate

of expenditures upon any other claim.

Prescott Arizona

(Place)

J. William Waara
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Survey Office

(Office)

Phoenix, Arizona March 28, 1958

(Place)

(Date)

The foregoing field notes of mineral survey No. 4400, in Secs. 1, 11, 12, 13 and 14

, T. 11 N., R. 13 W., G. & S. R. Meridian,

Arizona, executed by J. William Waara, Mineral Surveyor,

(State)

under order dated Nov. 1 & Dec. 7, '55, & Apr. 19, 1956 having been critically examined and the necessary

corrections made prior to their certification by the surveyor, the field notes and the survey therein described

are hereby approved.

Everett H. Kimmell

Everett H. Kimmell
Office Cadastral Engineer

(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

MINERAL SURVEY NO. 4400

LODE CLAIMS

Priceless
Priceless No.1
Priceless No.2
Priceless No.3
Priceless No.4
Priceless Extension
Priceless Extension No.1
Priceless Extension No.1A
Priceless Extension No.2
Priceless Extension No.3
Priceless Extension No.4
Priceless Extension No.6
Price No.10
Price No.14
Price No.15
Price No.16
Price No.45
Price No.46
Protection No.4
Protection No.3
Protection No.5
Protection No.6
Priceless Extension No.5
Priceless No.1 Annex
Priceless Annex
Priceless No.5
Price No.11
Protection
Protection No.1
Protection No.2

TO be attached to Certificate of Surveyor

William Wassa
Mineral Surveyor

MINERAL SURVEY NO. 4400

LODE CLAIMS

- Priceless
- Priceless No. 1
- Priceless No. 2
- Priceless No. 3
- Priceless No. 4
- Priceless Extension
- Priceless Extension No. 1
- Priceless Extension No. 1A
- Priceless Extension No. 2
- Priceless Extension No. 3
- Priceless Extension No. 4
- Priceless Extension No. 5
- Price No. 10
- Price No. 11
- Price No. 12
- Price No. 13
- Price No. 14
- Price No. 15
- Protection No. 1
- Protection No. 2
- Protection No. 3
- Protection No. 4
- Priceless Extension No. 5
- Priceless No. 1 Annex
- Priceless Annex
- Priceless No. 2
- Price No. 11
- Protection
- Protection No. 1
- Protection No. 2

To be attached to Certificate of Surveyor

Mineral Surveyor