

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4483

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Alvis F. Denison

Known As The

B. V. D. #1, BVD #2 and Hillcrest #22 lodes

Mogollon Rim Mining District,

Coconino County, Arizona

Section 19, Township 11 North, Range 15 East, G&SR Mer.

Surveyed under order dated April 10, 1959

by Richard L. Merritt  
Mineral Surveyor.

Claim located B.V.D. #1 and BVD #2--November 12, 1951  
Hillcrest #22 August 1, 1951

Survey commenced April 25, 1959

Survey completed May 4, 1959

Address of claimant c/o Joseph H. Morgan, Attorney  
322 Luhrs Building  
Phoenix, Arizona

DATES OF AMENDED LOCATIONS

## Survey No. 4483

## Chains

This survey was made with a Burger transit No. 17503, with horizontal limb 5-1/8 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass was attached to the eyepiece of the transit for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

April 25, 1959, at cor. No. 4 of the BVD #2 lode, in latitude  $34^{\circ}19'10''$  N., and longitude  $110^{\circ}47'$  W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from cor. No. 1 of the BVD #2 lode to left to the sun.

Mean time of observation, 105th meridian standard time	9h16m30s .
Declination of sun at mean time of observation	$13^{\circ}05'30''$ N.
Mean observed vertical angle to sun's center	$43^{\circ}35'30''$ .
Mean observed horizontal angle from cor No. 2, BVD #2 lode	$43^{\circ}56'30''$ .
True bearing to cor. No. 2, BVD #2 lode	$S.30^{\circ}20'15''$ E.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated every foot, the first and last foot being graduated to tenths and hundredths. The tape was compared to a Lufkin standard at the time of beginning of the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $15^{\circ}$  E.

## B. V. D. #1 LODE

At cor. No. 1 of the B. V. D. #1 lode, identical with cor. No. 4 of the BVD #2 lode of this survey.

Set a sandstone, 28x11x8 ins., 14 ins. in the ground, mkd. X - BVD 1-1, BVD 2-4 - 4483; from which

The east quarter cor. of sec. 19, T.11N., R.15E., Gila and Salt Mer., bears  $S. 79^{\circ}05'40''$  E., 661.33 ft. dist.; an iron post, 3/4 ins. diam., 12 ins. above the ground, marked and witnessed as described in the official record.

A pine, 24 ins. diam., bears  $S. 34^{\circ}22'$  W., 45.19 ft. dist., mkd. X - BVD 1-1, BVD 2-4 - 4483 BT.

## Survey No. 4483

Chains Feet	
	Thence S. 59°40' W.
1500.0	Cor. No. 2, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 18 lode, cor. No. 4, Survey No. 4361, Hillcrest No. 17 lode, and cor. No. 3, BVD #2 lode of this survey, a sandstone, 8x4 ins., 8 ins. above the ground, mkd. X - H18-3, H17-4 - 4361. I mkd. stone BVD 1-2, BVD 2-3 - 4483; from which
	A pine, 18 ins. diam., bears N. 6°50' W., 14.45 ft. dist., mkd. X - BVD 1-2, BVD 2-3 - 4483 BT.
	Thence N. 30°20' W.
300.0	Lode line; discovery point bears N. 59°40' E., 600.0 ft. dist.
600.0	Cor. No. 3, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 17 lode.
	On line 2-3, Survey No. 4361, Hillcrest No. 19 lode.
	A sandstone, 10x8 ins., 12 ins. above the ground, mkd. X - H17-3 - 4361. I mkd. stone BVD 1-3 - 4483; from which
	A pine, 24 ins. diam., bears N. 66°12' E., 98.74 ft. dist., mkd. X - BVD 1-3 - 4483 BT.
	Thence N. 59°40' E.
300.0'	Cor. No. 2, Survey No. 4361, Hillcrest No. 19 lode, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 15 lode.
900.0	Cor. No. 2, Survey No. 4361, Hillcrest No. 15 lode, identical with cor. No. 4, Survey No. 4361, Hillcrest No. 16 lode.
1500.0	Cor. No. 4, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 16 lode, cor. No. 2, Survey No. 4463, Hillcrest #23 lode.
	A sandstone, 8x6 ins., 10 ins. above the ground; mkd. X - H16-3 - 4361, H23-2 - 4463. I mkd. stone BVD 1-4 - 4483; from which
	A pine, 18 ins. diam., bears N. 20°08' E., 17.3 ft. dist., mkd. X - BVD 1-4 - 4483 BT.
	Thence S. 30°20' E.
300.0	Lode line; discovery point bears S. 59°40' W.; 900. ft. dist.
600.0	Cor. No. 1, and place of beginning.
	BVD #2 LODE
	At cor. No. 1 of the BVD #2 lode.
	Set a sandstone, 30x12x4 ins., 16 ins. in the ground, mkd. X - BVD 2-1 - 4483; from which
	The east quarter cor. sec. 19, T.11N., R.15E., Gila and Salt River Mer., bears N. 71°24'35" E., 523.67 ft. dist.
	A pine, 24 ins. diam., bears S. 49°01' W., 24.53 ft. dist., mkd. X - BVD 2-1 - 4483 BT.

Survey No. 4483

4

CHAINS Feet	
	Thence S. 59°40' W.
1485.0	Cor. No. 3, Hillcrest #22 lode of this survey.
1500.0	Cor. No. 2, identical with cor. No. 4, Survey No. 4361, Hillcrest No. 18 lode.
	A sandstone, 12x8 ins., 12 ins. above the ground, mkd. X - H18-4 - 4361. I mkd. stone BVD 2-2 - 4483; from which
	A pine, 20 ins. diam., bears S. 8°57' W., 29.6 ft. dist., mkd. X - BVD 2-2 - 4483 BT.
	Thence N. 30°20' W.
300.0	Lode line; discovery point bears N. 59°40' E., 1200 ft. dist.
600.0	Cor. No. 3, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 18 lode, cor. No. 4, Survey No. 4361, Hillcrest No. 17 lode, and cor. No. 2, B. V. D. #1 lode of this survey.
	Thence N. 59°40' E.
1500.0	Cor. No. 4, identical with cor. No. 1, B. V. D. #1 lode of this survey.
	Thence S. 30°20' E.
300.0	Lode line; discovery point bears S. 59°40' W., 300 ft. dist.
600.0	Cor. No. 1, and place of beginning.
	HILLCREST #22 LODE
	At cor. No. 1 of Hillcrest #22 lode.
	Set a sandstone, 30x14x6 ins., 16 ins. in the ground, mkd. X - H22-1 - 4483; from which
	The south one-quarter cor. sec. 19, T.11N., R.15E., Gila and Salt River Mer., bears S. 3°34' W., 217.35 ft. dist., an iron post, 3/4 ins. diam., 14 ins. above the ground, marked and witnessed as described in the official record.
	Thence N. 30°20' W.
300.0	Lode line; discovery point bears N. 59°40' E., 175 ft. dist.
600.0	Cor. No. 2.
	On line 4-1, Survey No. 4361, Hillcrest No. 18 lode.
	Set a sandstone, 28x12x6 ins., 15 ins. in the ground, mkd. X - H22-2 - 4483; from which
	Cor. No. 1, Survey No. 4361, Hillcrest No. 18 lode, bears S. 59°40' W., 15 ft. dist.
	A pine, 16 ins. diam., bears S. 81°02' W., 46.97 ft. dist., mkd. X - H22-2 - 4483 BT.

Chains-- Feet	
	Thence N. 59°40' E.
1485.0	Cor. No. 4, Survey No. 4361, Hillcrest No. 18 lode, identical with cor. No. 2, BVD #2 lode of this survey.
1500.0	Cor. No. 3. On line 1-2, BVD #2 lode of this survey. Set a sandstone, 24x12x4 ins., 13 ins. in the ground, mkd. X - H22-3 - 4483; from which A pine, 20 ins. diam., bears S. 25°29' W., 40.8 ft. dist., mkd. X - H22-3 - 4483 BT.
	Thence S. 30°20' E.
300.0	Lode line; discovery point bears S. 59°40' W., 1325 ft. dist.
600.0	Cor. No. 4. Set a sandstone, 24x10x5 ins., 13 ins. in the ground, mkd. X - H22-4 - 4483.
	Thence S. 59°40' W.
1500.0	Cor. No. 1, and place of beginning.

## AREAS

	Acres
Total area, B. V. D. #1 lode	20.661
Total area, BVD #2 lode	20.661
Total area, Hillcrest #22 lode	20.661

## LOCATION

This survey is located in NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , SW $\frac{1}{4}$  sec. 19, T.11N., R.15E., Gila and Salt River Mer., within the Sitgreaves National Forest.

The survey of all lodes of this claim are identical with the location notices as marked on the ground. The location monuments, all mounds of stones, 3 ft. base by 3 ft. high, were rebuilt alongside at the four corners of each lode.

## EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:

- No. 1. The discovery point of the B. V. D. #1 lode is on the lode line, N. 59°40' E. 600 ft. from the center of line 2-3.  
No Value.
- No. 2. A trench, the west end of which bears N. 36°30' E., 633 ft. from cor. No. 2 of the B. V. D. #1 lode, 12 ft. wide, 1.5 ft. deep, running N. 72° E., 100 ft.  
Value, \$170.

## Survey No. 4483

Chains Feet	
No. 3.	A trench, the west end of which bears N. 44° E., 584 ft. from cor. No. 2 of the B. V. D. #1 lode, 12 ft. wide, 2 ft. deep, running East 95 ft. Value, \$225.
No. 4.	A trench, the northeast end of which bears S. 33°30' W., 723 ft. from cor. No. 4 of the B. V. D. #1 lode, 12 ft. wide, 6 ft. deep, running S. 45° W., 12 ft. Value, \$80.
No. 5.	A shaft, the center of which bears S. 29°30' W., 688 ft. from cor. No. 4, B. V. D. #1 lode, 9x8 ft., 4 ft. deep. Value, \$25.
No. 6.	A trench, the east end of which bears S. 57°15' W., 458 ft. from cor. No. 4 of the B. V. D. #1 lode; 10 ft. wide, 6 ft. deep, running S. 77° W., 28 ft. Value, \$150.
No. 7.	A trench, the east end of which bears S. 56°30' W., 410 ft. from cor. No. 4 of the B. V. D. #1 lode; 12 ft. wide, 6 ft. deep, running S. 65° W., 18 ft. Value, \$125.
No. 1.	The discovery point of the BVD #2 lode is on the lode line, S. 59° 40' W., 300 ft. from the center of line 4-1. No Value.
No. 2.	A trench, the west end of which bears N. 27°30' E., 720 ft. from cor. No. 2 of the BVD #2 lode, 10 ft. wide, 2 ft. deep, running N. 72° E., 50 ft. Value, \$100.
No. 3.	A trench, the south end of which bears N. 35°30' E., 665 ft. from cor. No. 2 of the BVD #2 lode, 6 ft. wide, 5 ft. deep, running North 21 ft. Value, \$60.
No. 4.	A trench, the south end of which bears N. 25°45' E., 715 ft. from cor. No. 2 of the BVD #2 lode, 10 ft. wide, 3 ft. deep, running North 10 ft. Value, \$35.
No. 5.	A trench, the southwest end of which bears N. 78°45' E., 583 ft. from cor. No. 3 of the BVD #2 lode, 10 ft. wide, 3 ft. deep, running N. 45° E., 60 ft. Value, \$170.
No. 6.	A trench, the north end of which bears S. 47°30' W., 905 ft. from cor. No. 4 of the BVD #2 lode, 6 ft. wide, 4 ft. deep, running S. 15° E., 16 ft. Value, \$50.
No. 7.	A trench, the west end of which bears N. 65° E., 557 ft. from cor. No. 3 of the BVD #2 lode, 10 ft. wide, 2 ft. deep, running S. 54° E., 20 ft. Value, \$50.
No. 8.	A trench, the west end of which bears N. 62°30' E., 572 ft. from cor. No. 3 of the BVD #2 lode, 6 ft. wide, 5 ft. deep, running East 18 ft. Value, \$50.

## Survey No. 4483

Chains  
Feet

- No. 1. The discovery of the Hillcrest #22 lode, a point on the center line of a trench, is on the lode line, N. 59°40' E., 175 ft. from the center of line 1-2. Trench is 15 ft. wide, 2 ft. deep and runs N. 10° W., 55 ft. and S. 10° E., 15 ft. from discovery point.  
Value, \$190.00
- No. 2. A trench, the south end of which bears N. 14° E., 716 ft. from cor. No. 1 of the Hillcrest #22 lode, 15 ft. wide, 1 ft. deep, running N. 10° E., 30 ft.  
Value, \$50.
- No. 3. A trench, the west end of which bears N. 5°50' E., 648 ft. from cor. No. 1 of the Hillcrest #22 lode, 20 ft. wide, 2.5 ft. deep, running N. 75° E., 30 ft.  
Value, \$150.
- No. 4. A trench, the south end of which bears N. 10°45' E., 455 ft. from cor. No. 1 of the Hillcrest #22 lode, 15 ft. wide, 3 ft. deep, running N. 40° E., 40 ft.  
Value, \$170.
- No. 5. A trench, the south end of which bears N. 65° E., 205 ft. from cor. No. 2, Hillcrest #22 lode, 6 ft. wide, 2 ft. deep, running N. 30° W., 12 ft.  
Value, \$25.
- No. 6. A trench, the south end of which bears N. 19°30' W., 188 ft. from cor. No. 1 of the Hillcrest #22 lode, 25 ft. wide, 3 ft. deep, running N. 10° E., 60 ft.  
Value, \$400.
- No. 7. A trench, the south end of which bears N. 17° E., 398 ft. from the center of line 1-2, Hillcrest #22 lode, 5 ft. wide, 3 ft. deep, running North 10 ft.  
Value, \$25.
- No. 8. A trench, the south end of which bears N. 80°50' E., 228 ft. from cor. No. 2 of the Hillcrest #22 lode, 10 ft. wide, 1 ft. deep, running N. 15° W., 60 ft.  
Value, \$50.

## OTHER IMPROVEMENTS

None.

## OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Cor. No. 1, Survey No. 4361, Hillcrest No. 18 lode, is a sandstone, firmly set and properly marked.

Cor. No. 2, Survey No. 4361, Hillcrest No. 19 lode, identical with cor. No. 3, Survey No. 4361, Hillcrest No. 15 lode, is a sandstone, firmly set and properly marked.

Cor. No. 2, Survey No. 4361, Hillcrest No. 15 lode, identical with cor. No. 4, Survey No. 4361, Hillcrest No. 16 lode, is a sandstone, firmly set and properly marked.

Survey No. 4483

8

Chairman

FIELD ASSISTANTS

and

Name

Capacity

J. B. Sarvis  
Keith Bunn

Chairman  
Chairman



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

May 14th, 1959

I, Richard L. Merritt,  
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the Office of  
Cadastral Engineer, at Phoenix, Arizona  
 dated April 10th, 1959, I have faithfully and correctly executed the survey of  
 the mining claim of Alvis F. Denison,  
 known as the B.V.D. #1, B.V.D. #2 and Hillcrest #22 lodes  
(Lode, placer, or mill site)  
 situate in Section 19,  
 T. 11 N., R. 15 E., Gila and Salt River Meridian, Arizona, and  
(State)  
 designated as Survey No. 4483, which is represented in the foregoing field notes as having been  
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,  
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner  
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made  
 upon or for the benefit of the lodes location(s) embraced in the said mining claim by  
(Lode or placer)  
 claimant(s) or his grantors are fully stated in my report therein, and that the character,  
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no  
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate  
 of expenditures upon any other claim.

Prescott, Arizona  
(Place)

Richard L. Merritt  
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management--Survey Office  
(Office)

Phoenix, Arizona September 4, 1959  
(Place) (Date)

The foregoing field notes of mineral survey No. 4483, in Mogollon Rim Mining District  
Section 19, T. 11 North, R. 15 E., Gila & Salt River Meridian,  
Arizona, executed by Richard L. Merritt, Mineral Surveyor,  
(State)  
 under order dated April 10, 1959, having been critically examined and the necessary  
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described  
 are hereby approved.

Lester S. Mann

Lester S. Mann

Office Cadastral Engineer  
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. \_\_\_\_\_  
is a true copy of the original field notes.

State of Arizona, }  
County of Coconino. } ss.

I, Edna Mae Thornton, Recorder in and for the County and State aforesaid, and custodian of the records of said office, hereby certify that the attached copy is a full, true, correct and complete copy of the original. NOTICE OF MINING LOCATION - LODE CLAIM - B.V.D.#1

ARTHUR BOULTINGHOUSE, S. P. VICKERS AND ALVIS F. DENISON, LOCATORS

and of the whole thereof, filed for record in my said office on the 8<sup>TH</sup> day of  
AUGUST A. D. 19 52, at 9:00 o'clock  
A. M., in Book 35 OFFICIAL RECORDS, at page 142

WITNESS my hand and seal of office this 7<sup>TH</sup> day of APRIL, 19 59



*Edna Mae Thornton*  
Recorder of Coconino County, Arizona.

# Notice of Mining Location

LODE CLAIM

11

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the B.V.D.# 1

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

Arthur Boultinghouse, S.P. Vickers, and Alvis F. Denison  
citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 12 day of November, 1921

The length of this claim is 1500 feet,  
we 600

and claim 600 feet,  
in a southwesterly direction, and

900 feet in a northeasterly direction, from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each side

of the center of said claim. The general course of the lode deposit and premises is from the

N59°40'E to the S59°40'W

The claim is situated and located in the Mogollon Mining District, in  
Coconino County, in the State of Arizona, about 2500'

in a northeasterly direction from sec  
from the southwest corner of this claim, the south  $\frac{1}{4}$  corner  
section 19 T11N R15E bears appx S19°W, appx 2120'

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a mound of stones

at a point in a S59°40W direction feet from  
the discovery shaft (at which this notice is posted), being in the center of the West

end line of said claim; thence N30° 20'W 300 feet to a MS  
MS northwest  
MS, being the MS corner of said claim; thence

N59°40E 1500' feet to a MS, being at the  
MS northeast corner of said claim; thence S30°20'E 300' feet

to a MS at the center of the East end of said claim;  
thence S30°20'E 300' feet to a MS being at the

southeast corner of said claim; thence S59°40'W 1500' feet  
MS southwest

to a MS at the MS corner of said claim;  
thence N30°20'W 300' feet to the place of beginning.

Dated and posted on the grounds the 12 day of November, 1921

Arthur Boultinghouse  
S.P. Vickers  
Alvis F. Denison  
*by Mrs. A. F. Denison*

State of Arizona, }  
County of Coconino. } ss.

I, Edna Mae Thornton, Recorder in and for the County and State aforesaid, and custodian of the records of said office, hereby certify that the attached copy is a full, true, correct and complete copy of the original NOTICE OF MINING LOCATION - LODE CLAIM - BVD #2 -  
ARTHUR BOULTINGHOUSE, S. P. VICKERS AND ALVIS F. DENISON, LOCATORS  
and of the whole thereof, filed for record in my said office on the 8TH day of  
AUGUST A. D. 1952, at 9:00 o'clock  
A. M., in Book 35 OFFICIAL RECORDS, at page 143

WITNESS my hand and seal of office this 7TH day of APRIL, 1959



*Edna Mae Thornton*  
Recorder of Coconino County, Arizona.

Records of Coconino County, Ariz. *Edna L. Peck* County Recorder Deputy

# Notice of Mining Location

LODE CLAIM

13

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the BVD #2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Arthur Boultinghouse, S.P. Vickers, Alvis F. Denison, citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.") the undersigned, on the 12 day of November, 1951.

The length of this claim is 1500 feet, and we claim 1200 feet, in a southwesterly direction, and 300 feet in a northeasterly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated and located in the Mogollon Mining District, in Coconino County, in the State of Arizona, about 2000 feet in a northeasterly direction from the south quarter corner of Section 19 T11N R-15E and is parallel and contiguous with BVD claim #1

The surface boundaries of the claim are marked upon the ground as follows: Beginning at 7th Street monument

at a point in a S-59°40W direction 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence N 30°20'W 300 feet to a monument, being the Northwest corner of said claim; thence N 59°40' East feet to a MS, being at the northeast corner of said claim; thence S30°20E 300 feet to a MS at the center of the east end of said claim; thence S30°20E 300 feet to a MS being at the southeast corner of said claim; thence S 59°40'W 1500 feet to a MS at the southwest corner of said claim; thence N30°20'W 300 feet to the place of beginning.

Dated and posted on the grounds this 12 day of November, 1951  
Arthur Boultinghouse  
S. P. Vickers  
Alvis F. Denison  
*by Mrs. Alvis F. Denison*

State of Arizona, }  
County of Coconino. } ss.

I, Edna Mae Thornton, Recorder in and for the County and State aforesaid, and custodian of the records of said office, hereby certify that the attached copy is a full, true, correct and complete copy of the original. NOTICE OF MINING LOCATION - LODE CLAIM -  
HILLCREST #22- ALVIS F. DENISON LOCATOR

and of the whole thereof, filed for record in my said office on the 15TH day of  
AUGUST A. D. 19 51, at 4:00 o'clock  
P. M., in Book 27 OFFICIAL RECORDS, at page 475

WITNESS my hand and seal of office this 7TH day of APRIL, 19 59



*Edna Mae Thornton*  
Recorder of Coconino County, Arizona.

# Notice of Mining Location

LODE CLAIM

15

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Hillcrest #22 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alvis F. Denison

citizen of the United States  
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 1st day of August, 1951

The length of this claim is 1500 feet,  
and 1 claim 175 feet,  
in a westerly direction, and 225 feet in a n. easterly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west

The claim is situated and located in the Mogollen Mining District, in Coconino County, in the State of Arizona, about 1 mile in a southerly direction from cattle guard on the Heber-Young Highway that separates the Long Tom and Gentry allotments in the St. Sitgreaves National Forest

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument

at a point in a westerly direction 175 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north 300 feet to a monument, being the Northwest corner of said claim; thence east 1500 feet to a monument, being at the northeast corner of said claim; thence south 300 feet to a monument at the center of the east end of said claim; thence South 300 feet to a monument being at the southeast corner of said claim; thence west 1500 feet to a monument at the Southwest corner of said claim; thence north 300 feet to the place of beginning.

Dated and posted on the grounds this first day of August, 1951

Alvis F. Denison

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The B.V.D. #1, B.V.D. #2 and HILLCREST # 22 lodes, Mineral Survey No. 4483, located in section 19, Township 11 North, Range 15 East, Gila and Salt River Meridian, Arizona, are hereby cancelled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769 (43 U.S.C. 1744).


This cancellation was necessitated to clear the record.

The Mineral Survey Plat shall be noted as follows:

“The B.V.D. #1, B.V.D. #2 and HILLCREST # 22 lodes, Mineral Survey No. 4483, were cancelled April 4, 2019, by memo 9605 (921), which is now a part of the original field notes.”

\_\_\_\_\_  
April 4, 2019

Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona