

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4512

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Johnie G. Patrick and Zelda C. Patrick

Known As The

Glory Hole No. 2, Mesa Verde No. 4, and Rainbow No. 12 lodes

Mogollon Rim Mining District,

Coconino County, Arizona

Sections 20 and 21, Township 11 North, Range 15 East,

Gila and Salt River Meridian

Surveyed under order dated 19 October, 19 59

by Richard L. Merritt

Mineral Surveyor.

Glory Hole No. 2 - 4/1/55

Mesa Verde No. 4 - 3/7/53

Claim located Rainbow No. 12 - 7/25/47, 19

Survey commenced 24 October, 19 59

Survey completed 5 December, 19 59

Address of claimant J. H. Morgan, Atty., Phoenix, Arizona

DATES OF AMENDED LOCATIONS

Mesa Verde No. 4 - 9/1/59

Rainbow No. 12 - 9/1/59

Chain
Feet

This survey was made with a Berger transit No. 17503, with horizontal limb 5 1/8 ins. diam., having two double opposite verniers and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass was attached to the eyepiece of the transit for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in the record were determined by the method of deflection angles referred to the meridian, determined by direct observation on the sun:

Oct. 24, 1959, at cor. No. 1 of the Mesa Verde No. 4 lode, in latitude 34°19'30" N., and longitude, 110°47'35" W., turning from cor. No. 4 of the Mesa Verde No. 4 lode to the sun.

True course of line 1 - 4 Mesa Verde No. 4 lode = S. 12°14' E.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated every foot, the first and last foot being graduated to tenths and hundredths; the tape was compared with a Lufkin standard tape at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods. The magnetic declination observed at each corner of the survey gave a uniform value of 15° E.

Survey No. 4512

RAINBOW NO. 12 LODE

At cor. No. 1 of the Rainbow No. 12 lode, identical with cor. No. 1 of the Mesa Verde No. 4 lode of this survey.

On line 2 - 3 Sur. No. 4442 Glory Hole No. 3 lode.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. R 12-1, M V 4-1-4512; from which

The north 1/4 cor. sec. 20, T. 11 N., R. 15 E., bears N. 14° 10' 20" E. 1025.8 ft. dist.

An iron pipe, 3/4 ins. diam., 12 ins. above the ground, mkd. and witnessed as described in the official record.

Thence S. 12°14' E.

300.0 Lode line; Mesa Verde No. 4 lode of this survey.

600.0 Cor. No. 4 Mesa Verde No. 4 lode of this survey.

1500.0 Cor. No. 2.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. R 12-2-4512; from which

A pine, 18 ins. diam., bears S. 24°16' W., 24.03 ft. dist., mkd.

X-R-12-4512 BT.
Cor. No. 2, Sur. 4464, Percy Rufus #1 lode, an iron post, 3/4 in. diam., 8 ins. above ground, properly mkd., bears N. 39°28' E., 70.7 ft. dist.

300.0 Lode line; discovery point bears N. 12°14' W., 400 ft. dist.

600.0 Cor. No. 3.

Chains Feet	
1500.0	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. R-12-3-4512; from which dist. A pine, 40 ins. diam., bears N.12°05' W., 11.51 ft., mkd. X-R-12-3-4512 BT. Thence N. 12°14' W.
300.0	Cor. No. 4.
600.0	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. R-12-4-4512. Thence N. 77°46' E.
300.0	Lode line, identical with cor. No. 3, Sur. No. 4442 Glory Hole No. 3 lode, discovery point bears S. 12°14' E., 1100. ft. dist.
600.0	Cor. No. 1, and place of beginning.
MESA VERDE NO. 4 LODE	
Beginning at cor. No. 1 of the Mesa Verde No. 4 lode, identical with cor. No. 1 Rainbow No. 12 lode of this survey.	
Thence N. 77°46' E.	
300.0	Cor. No. 2 Sur. No. 4442 Glory Hole No. 3 lode.
1500.0	Cor. No. 2, identical with cor. No. 4 Glory Hole No. 2 lode of this survey.
Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. M V 4-2, G H 2-4-4512.	
Thence S. 12°14' E.	
300.0	Lode line; discovery point bears S. 77°46' W., 200 ft. dist.
600.0	Cor. No. 3, identical with cor. No. 3 Glory Hole No. 2 lode of this survey.
Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. M V 4-3, G H 2-3-4512.	
Thence S. 77°46' W.	
1500.0	Cor. No. 4.
On line 1 - 2 Rainbow No. 12 lode of this survey.	
Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. M V 4-4-4512.	
Thence N. 12°14' W.	
300.0	Lode line; discovery point bears N. 77°46' E., 1300 ft. dist.
600.0	Cor. No. 1, and place of beginning.
GLORY HOLE NO. 2 LODE	
At cor. No. 1 of the Glory Hole No. 2 lode.	

Chain
Feet

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. G H 2-1-4512; from which

The northeast cor. sec. 20, T. 11 N., R. 15 E., Gila and Salt River Meridian, bears N. 5°55'20" W., 369.33 ft. dist.

An iron pipe, 2 ins. diam., 12 ins. above the ground, marked and witnessed as described in the official record.

A pine, 18 ins. diam., bears N. 36°16' E., 40.28 ft. dist., mkd. X-G H 2-1-4512 BT.

Thence S. 12°14' E.

300.0 Lode line; discovery point bears S. 77°46' W., 1480 ft. dist.

600.0 Cor. No. 2.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. G H 2-2-4512; from which

A pine, 18 ins. diam., bears S. 47°40' E., 9.78 ft. dist., mkd. X-G H 2-2-4512 BT.

Thence S. 77°46' W.

1500.0 Cor. No. 3, identical with cor. No. 3 Mesa Verde No. 4 lode of this survey.

Thence N. 12°14' W.

300.0 Lode line; discovery point bears N. 77°46' E., 20ft. dist.

600.0 Cor. No. 4, identical with cor. No. 2 Mesa Verde No. 4 lode of this survey.

Thence N. 77°46' E.

1500.0 Cor. No. 1, and place of beginning.

Survey No. 4512

AREAS

Acres

Total area, Rainbow No. 12 lode 20.661

Total area, Mesa Verde No. 4 lode 20.661

Total area, Glory Hole No. 2 lode 20.661

LOCATION

This survey is located in the northeast and northwest quarters of section 20, NW 1/4 sec. 21, T. 11 N., R. 15 E., Gila and Salt River Meridian, within the Sitgreaves National Forest, Coconino County, Arizona.

The survey of all lodes of this claim is identical with the respective location or amended location as marked on the ground. The location monuments were rebuilt alongside at the four corners of each lode.

5

Survey No. 4512

EXHIBITS
Feet.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or their grantors are as follows:

- No. 1 The discovery point of the Rainbow No. 12 lode is on the lode line N. 12°14' W., 400 ft. from the center of line 2 - 3.
No value.
- No. 2 A trench, the north end of which bears S. 12°41' W., 264. ft. from cor. No. 1 of the Rainbow No. 12 lode, 42 ft. wide, 2.5 ft. deep, running S. 38° E., 67 ft.
Value, \$600.
- No. 3 A trench, the north end of which bears S. 18°45' W., 241 ft. from cor. No. 1 of the Rainbow No. 12 lode, 20 ft. wide, 2 ft. deep, running S. 35° E., 24 ft.
Value, \$100.
- No. 4 A trench, the north end of which bears S. 53°28' E., 169 ft. from the center of line 4 - 1 Rainbow No. 12 lode, 14 ft. wide, 4 ft. deep, running S. 49° E., 70 ft.
Value, \$400.
- No. 5 A trench, the east end of which bears S. 24°10' W., 243 ft. from cor. No. 1 of the Rainbow No. 12 lode, 13 ft. wide, 3.5 ft. deep, running S. 62° W., 60 ft.
Value, \$300.
- No. 6 A trench, the north end of which bears S. 57°52' E., 296 ft. from cor. No. 4 of the Rainbow No. 12 lode, 11 ft. wide, 3 ft. deep, running S. 18° E., 80 ft.
Value, \$300.
- No. 7 A trench, the west end of which bears S. 26°30' E., 340 ft. from cor. No. 4 of the Rainbow No. 12 lode, 12 ft. wide, 2 ft. deep, running N. 69° E., 200 ft.
Value, \$500.
- No. 8 A trench, the north end of which bears S. 21°58' E., 261 ft. from cor. No. 4 of the Rainbow No. 12 lode, 12 ft. wide, 2 ft. deep, running S. 31° E., 71 ft.
Value, \$200.
- No. 9 A trench, the west end of which bears S. 34°12' E., 372 ft. from cor. No. 4 of the Rainbow No. 12 lode, 12 ft. wide, 4 ft. deep, running S. 76° E., 26 ft.
Value, \$100.
- No. 10 A trench, the north end of which bears S. 2°35' E., 326 ft. from the center of line 4 - 1 Rainbow No. 12 lode, 16 ft. wide, 3 ft. deep, running S. 40° E., 42.0 ft.
Value, \$200.
- No. 11 A trench, the south end of which bears S. 77°46' W., 286 ft. from cor. No. 2 of the Rainbow No. 12 lode, 36 ft. wide, 18 ft. deep, running N. 28° E., 123 ft.
Value, \$6,000.
- No. 12 A trench, the east end of which bears N. 21°02' E., 300 ft., from cor. No. 3 of the Rainbow No. 12 lode, 17 ft. wide, 5 ft. deep, running N. 77° W., 110 ft.
Value, \$1,000.

Corners Feet	
No. 1	The discovery point of the Mesa Verde No. 4 lode is on the lode line S. 77°46' W., 200 ft. from the center of line 2 - 3. No. value.
No. 2	A trench, the west end of which bears S. 21°35' E., 267 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 13 ft. wide, 3 ft. deep, running N. 67° E., 43 ft. Value, \$180.
No. 3	A trench, the west end of which bears S. 28°40' E., 210 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 7 ft. wide, 3 ft. deep, running S. 80° E., 25 ft. Value, \$60.
No. 4	A trench, the east end of which bears S. 41°45' E., 347 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 13 ft. wide, 3 ft. deep, running S. 64° W., 65 ft. Value, \$250.
No. 5	A trench, the east end of which bears S. 50°31' E., 385 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 10 ft. wide, 3 ft. deep, running S. 69° W., 26 ft. Value, \$80.
No. 6	A trench, the east end of which bears S. 54°32' E., 231 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 10 ft. wide, 2 ft. deep, running S. 55° W., 26 ft. Value, \$60.
No. 7	A trench, the north end of which bears S. 76°47' E., 192 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 8 ft. wide, 3.5 ft. deep, running S. 3° E., 25 ft. Value, \$75.
No. 8	A trench, the west end of which bears N. 84°49' E., 840 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 10 ft. wide, 2 ft. deep, running N. 78° E., 100 ft. Value, \$200.
No. 9	A trench, the west end of which bears S. 73°30' E., 880 ft. from cor. No. 1 of the Mesa Verde No. 4 lode, 60 ft. wide, 2 ft. deep, running N. 68° E., 72 ft. Value, \$900.
No. 1	The discovery point of the Glory Hole No. 2 lode is on the lode line N. 77°46' E., 20 ft. from the center of line 3 - 4. No Value
No. 2	A trench, the south end of which bears S. 25°58' E., 246 ft. from the center of line 3 - 4 Glory Hole No. 2 lode, 20 ft. wide, 5 ft. deep, running N. 25° E., 83 ft. Value, \$750.
No. 3	A trench, the south end of which bears N. 12°14' W., 243 ft. from cor. No. 3 of the Glory Hole No. 2 lode, 14 ft. wide, 1 ft. deep, running N. 53° E., 26 ft. Value, \$75.
No. 4	A trench, the east end of which bears S. 80°04' W., 625 ft. from cor. No. 2 of the Glory Hole No. 2 lode, 50 ft. wide, 14 ft. deep, running S. 77°46' W., 240. ft. Value, \$6,000.

Chains
Feet

Feet

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 4442 Glory Hole No. 3 lode, corners No. 2 and 3 are sandstones, firmly set and properly marked. Line 2-3 was found to be S. 77°46' W., 600 ft., instead of S. 77°52' W., 600 ft. as approved

FIELD ASSISTANTS

Name

Capacity

J. B. Sarvis
Joe Matle
Richard Good

Chairman
Chairman
Axeman

Form 4-688
(November 1959)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

8
Land Office

Serial Number

Date

CERTIFICATE OF EXPENDITURES, IMPROVEMENTS,
AND MINERAL SURVEY

Name of Claimant

Johnie G. Patrick and Zelda C. Patrick

Mineral Survey Number

4512

I HEREBY CERTIFY That the record of the above-described mineral survey furnishes such an accurate description of all claims embraced within the survey that it will, if incorporated into a patent, serve fully to identify the premises and that references are made in the survey to natural objects or permanent monuments so that the location of the claims will be perpetuated and fixed.

I FURTHER CERTIFY That the record reveals not less than \$500 worth of labor has been expended for improvements upon or for the benefit of each of the lode claims embraced within the survey and that the improvements were made by the claimant or his grantors.

Date

December 1, 1960

Signature of Office Cadastral Engineer

Lester L. Mann

INSTRUCTIONS

1. Title 43 Code of Federal Regulations, Part 185, Section 42 requires that this Certificate be filed with the Manager of the Land Office by an applicant for patent at the time of filing the application or at any time within the 60 days of publication.
2. If the record shows that the expenditures for improvements equal or exceed \$500 at the time of survey then this form should be attached by the Cadastral Engineer to the claimant's copy of the field notes.
3. If the record shows that the expenditures for improvements do not equal or exceed \$500 at the time of survey then it is the responsibility of the applicant to have this form executed by the Office Cadastral Engineer and filed with the Manager of the Land Office during the 60-day publication period.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

17

CERTIFICATE OF SURVEYOR

5 December, 19 59

I, Richard L. Merritt
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the office of
Cadastral Engineer, at Phoenix, Arizona
 dated 19 October, 1959, I have faithfully and correctly executed the survey of
 the mining claim of Johnie G. Patrick and Zelda C. Parrick
 known as the Glory Hole No. 2, Mesa Verde No. 4, and Rainbow No. 12 lodes
(Lode, placer, or mill site)
 situate in secs. 20 and 21
 T. 11 North, R. 15 East, Gila and Salt River Meridian, Arizona, and
(State)
 designated as Survey No. 4512, which is represented in the foregoing field notes as having been
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made
 upon or for the benefit of the lode location(s) embraced in the said mining claim by
(Lode or placer)
 claimant(s) or their grantors are fully stated in my report therein, and that the character,
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
 of expenditures upon any other claim.

Prescott, Arizona
(Place)

Richard L. Merritt
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management--Survey Office
(Office)
Phoenix, Arizona December 1, 1960
(Place) (Date)

The foregoing field notes of mineral survey No. 4512, in Mogollon Rim Mining District,
Sections 20 and 21, T. 11 North, R. 15 East, Gila & Salt River Meridian,
Arizona, executed by Richard L. Merritt, Mineral Surveyor,
(State)
 under order dated October 19, 1959, having been critically examined and the necessary
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described
 are hereby approved.

Lester S. Mann
Lester S. Mann

Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
is a true copy of the original field notes.

(Title)

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Glowy Hole No. 2
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration
and purchase by Johnie G. Patrick & Belle C. Patrick

Citizens of U.S.A.

(Locator must insert either "a citizen of the United States" or "who has declared his intention of becoming a citizen of the United States.")

the undersigned, on the 1st day of April, 1955

The length of this claim is 1500 feet,

and Wes claim 1500 feet,

in a Easterly direction and W

feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, to-

gether with 300 feet in width of the surface grounds, on each side of

the center of said claim. The general course of the lode deposit and premises is from the

S. E

to the

N. W

The claim is situated and located in the Mogollon Mining District in

Cocconino County, in the State of Arizona, about 1/2 mile

in a N. E direction from Rancho

Mining Camp

Claim is located in Sec. 20-
T11-N-R-15E

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Lower Corner monument and
an E and W Center 2nd

at a point in a Westerly direction no feet feet from
the discovery shaft (at which this notice is posted), being in the center of the W

end line of said claim; thence 300 feet to a monument

, being the S, W corner of said claim; thence

1500

feet to a monument, being at the

S. E

corner of said claim; thence 300 feet

to a monument at the center of the E end of said claim;

thence 300 feet to a monument being at the

N. E

corner of said claim; thence 1500 feet

to a monument at the N. W. corner of said claim;

thence 300 feet to the place of beginning.

Dated and posted on the grounds this 1st day of April, 1955

Witness, Refu. to
Norman Manico
Helen, Arizona

Johnie G. Patrick
Belle C. Patrick
Oceguera, Arizona

AMENDED

12

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

MESA VERDE NO. 4

This Mining Claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by **JOHNIE G. PATRICK, original locator named below, on the 7th day of March, 1953, and amended by JOHNIE G. PATRICK and ZELDA C. PATRICK, citizens of the United States,**

(Locator must insert either "a citizen of the United States" or "who has declared his intention of becoming a citizen of the United States.")

the undersigned, on the 1st day of September, 19 59.

The length of this claim is 1500 feet,

and 200 claim 200 feet,

in a Easterly direction and 1300

feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, to-

gether with 300 feet in width of the surface grounds, on each side of

the center of said claim. The general course of the lode deposit and premises is from the

East to the West

The claim is situated and located in the Mogollon Rim Mining District, in

Cocconino County, in the State of Arizona, about one-quarter mile Northeast

in a Northeasterly direction from old Rainbow Mines Cabin.

In Section 20, T. 11 N., R. 15 E.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Easterly direction 200 feet from

the discovery shaft (at which this notice is posted), being in the center of the East

end line of said claim; thence Northerly 300 feet to a Monument

, being the Northeast corner of said claim; thence

Westerly 1500 feet to a Monument, being at the

Northwest corner of said claim; thence Southerly 300 feet

to a Monument at the center of the West end of said claim;

thence Southerly 300 feet to a Monument being at the

Southwest corner of said claim; thence Easterly 1500 feet

to a Monument at the Southeast corner of said claim;

thence Northerly 300 feet to the place of beginning.

All done under the provisions of the laws of the United States, and the State of Arizona.

This is an amended Location Notice of the MESA VERDE NO. 4

Mining Claim, located by JOHNIE G. PATRICK (ZELDA C. PATRICK, his wife, entitled to a one-half interest) on the 7th day of

March, 1953, and recorded in Book 42 of Record of Mines, at

page 166, in the office of the County Recorder of the aforesaid County of Cocconino

to which reference is hereby made, and this amended Location Notice is made and posted to

correct errors in the description in the said original Location Notice

Dated and posted on the grounds this 1st day of September, 19 59

No. 7396

RECORDED AT REQUEST OF Joseph H. Morgan

September 24th A. D. 1959 At 8:30 o'clock A.M.

In Book 145 Pages 517

of "Official Records" of Cocconino County, Ariz.

Johnie G. Patrick
Zelda C. Patrick

BOOK 145 PAGE 517

AMENDED

13

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

RAINBOW NO. 12

This Mining Claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by **JOHNIE G. PATRICK, original locator named below, on the 25th day of July, 1947, and amended by JOHNIE G. PATRICK and ZELDA C. PATRICK, citizens of the United States,**

(Locator must insert either "a citizen of the United States" or "who has declared his intention of becoming a citizen of the United States.")

the undersigned, on the 1st day of September, 1959
The length of this claim is 1500 feet,
and no claim 400 feet,
in a Southerly direction and 1100 feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the Mogollon Rm Mining District, in Coconino County, in the State of Arizona, about 600 feet in a Easterly direction from Old Rainbow Mines Cabin.
In Section 20, T. 11 N., R. 15 E.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a Southerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a Monument, being the Southeast corner of said claim; thence Northerly 1500 feet to a Monument, being at the Northeast corner of said claim; thence Westerly 300 feet to a Monument at the center of the North end of said claim; thence Westerly 300 feet to a Monument being at the Northwest corner of said claim; thence Southerly 1500 feet to a Monument at the Southwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of the laws of the United States, and the State of Arizona.

RAINBOW NO. 12

This is an amended Location Notice of the Mining Claim, located by **JOHNIE G. PATRICK, (ZELDA C. PATRICK, his wife, entitled to a one-half interest)** on the 25th day of July, 1947, and recorded in Book 14 of Record of Mines, at page 513, in the office of the County Recorder of the aforesaid County of Coconino to which reference is hereby made, and this amended Location Notice is made and posted to correct error in the description in the said original Location Notice

Date 1st and posted on the grounds this 1st day of September, 1959.

RECORDED AT REQUEST OF Joseph H. Morgan
September 24th A. D. 1959 At 8:30 o'clock A.M.
In Book 145 Pages 518
of "Official Records" of Coconino County, Ariz.

Johnie G. Patrick
Zelda C. Patrick

Edna Mae Thornton

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The GLORY HOLE NO. 2, MESA VERDE NO. 4 and RAINBOW NO. 12 lodes, Mineral Survey No. 4512, located in sections 20 and 21, Township 11 North, Range 15 East, Gila and Salt River Meridian, Arizona, are hereby cancelled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769 (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat shall be noted as follows:

“The GLORY HOLE NO. 2, MESA VERDE NO. 4 and RAINBOW NO. 12 lodes, Mineral Survey No. 4512, were cancelled April 4, 2019, by memo 9605 (921), which is now a part of the original field notes.”

April 4, 2019

Date



Chief Cadastral Surveyor of Arizona