

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4532

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Alma Pritchett

Known As The

Good Hope placer

Walker

Mining District,

Yavapai

County,

Arizona

Section Unsurveyed 12 1/2 North 1 West
Section 33, Township 13 North, Range 1 West

Surveyed under order dated July 5, 19 60

by Richard L. Merritt
Mineral Surveyor.

Claim located May 11, 19 60

Survey commenced November 20, 19 60

Survey completed November 30, 19 60

Address of claimant John Larry McLaws, Attorney
601 First National Bank Building
Phoenix, Arizona

DATES OF AMENDED LOCATIONS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PLATONIC SURVEY

Section 1

PLATONIC SURVEY

Section 2

Section 3

Section 4

Section 5

Section 6

Section 7

Section 8

Section 9

Section 10

Chains
Feet

This survey was made with a Gurley transit No. 50962, with horizontal limb 6.25 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; the eyepiece is equipped with a colored glass set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observations:

20 November 1960, at cor. No. 4 of the Good Hope placer, in latitude $34^{\circ}27'20''$ N.; and longitude $112^{\circ}22'40''$ W. I made a series of eight altitude observations upon the sun for azimuth at approximately equal time intervals, four each with the telescope in direct and reversed positions observing the opposite limbs of the sun, and reading the horizontal angle from cor. No. 1 of the Good Hope placer to the sun.

True bearing of line 4 - 1 Good Hope placer = N $59^{\circ}18'$ W.

The lines were measured with a Lufkin steel tape 300 ft. in length, graduated every foot, the first and last foot being graduated to tenths and hundredths. The tape was compared with a Lufkin standard tape at the time of beginning of the survey and found correct.

All lines and connections of this survey were run by direct methods. The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}30'$ E.

GOOD HOPE PLACER

Beginning at cor. No. 1 of the Good Hope placer, identical with cor. No. 1, Sur. No. 4408, Good Hope placer.

An iron pipe, $1\frac{1}{2}$ ins. diam., 6 ins. above the ground with brass cap mkd. X G.H. 1, 4408; I marked cap G.H. 1 - 4532; from which

The south east corner Sec. 32, T.13 N., R.1 W., Gila and Salt River meridian bears N. $38^{\circ}17'40''$ E., 596.77 ft. dist.; an iron post, 2 ins. diam., 6 ins. above ground, firmly set, marked and witnessed as described in the official record.

Cor. No. 1, Sur. No. 4108 Guard lode bears N. $53^{\circ}24'$ E., 53.35 ft. dist.

Cor. No. 4, Sur. No. 1641 Goliath lode bears N. $70^{\circ}27'55''$ E., 481.22 ft. dist.

A pine, 16 ins. diam., bears N. $29^{\circ}46'$ W., 28 ft. dist., mkd. X-BT-GH 1 - 4408 and GH 1 - 4532 BT.

Thence N. $52^{\circ}41'50''$ E.

37.86 Intersect line 4 - 1 Sur. No. 4108 Guard lode at a point from which cor. No. 1 bears N. $55^{\circ}07'$ E., 15.5 ft. dist.

125.00 Power line bears N. 70° E., and S. 70° W.

346.14 Intersect line 4 - 1 Sur. No. 1641 Goliath lode at a point from which cor. No. 4 bears S. $74^{\circ}40'$ E., 184.77 ft. dist.

Chains Feet	
1481.85	Cor. No. 2, identical with cor. No. 2 Sur. No. 4408 Good Hope placer. An iron pipe, $1\frac{1}{2}$ ins. diam., 6 ins. above the ground, with a brass cap mkd., X-GH-2-4408. I mkd. cap GH 2 - 4532. Thence S. $59^{\circ}18'$ E.
215.00	Power line, bears N. $3^{\circ}05'$ W., and S. $3^{\circ}05'$ E.
230.00	Center of Lynx Creek; 70 ft. wide, course N. $9^{\circ}45'$ E.
290.00	Center of road, bears N. 24° E., and S. 24° W.
418.24	Intersect line 1 - 2 Sur. No. 1314 Champion lode at a point from which cor. No. 2 bears N. $42^{\circ}54'$ E., 190.64 ft. dist.
603.58	Cor. No. 3, identical with cor. No. 3 Sur. No. 4408 Good Hope placer. An iron pipe, $1\frac{1}{2}$ ins. diam., 6 ins. above the ground with a brass cap mkd., X-GH-3-4408. I mkd. cap GH 3 - 4532; from which Cor. No. 2 Sur. No. 1314 Champion lode bears N. $7^{\circ}12'$ W., 236.14 ft. dist. Thence S. $52^{\circ}54'$ W.
995.00	Center of road, bears N. 28° W., and S. 28° E.
1043.25	Intersect line 1 - 2 Sur. No. 1314 Champion lode at a point from which cor. No. 2 bears N. $42^{\circ}54'$ E., 1178.87 ft. dist.
1265.86	Intersect line 4 - 1 Sur. No. 1474 Golden Belt lode at a point from which cor. No. 4 bears S. $69^{\circ}48'$ W., 608.24 ft. dist.
1484.00	Cor. No. 4, identical with Cor. No. 4, Sur. No. 4408, Good Hope Placer. An iron pipe, $1\frac{1}{2}$ ins. diam., 6 ins. above the ground with a brass cap mkd., X-GH-4-4408. I mkd. cap GH-4 - 4532; from which A pine, 16 ins. diam.; bears S. $52^{\circ}41'$ W., 4.85 ft. dist., mkd. X-BT-GH-4-4408, and GH-4-4532 BT. Thence N. $59^{\circ}18'$ W.
81.71	Intersect line 4 - 1 Sur. No. 1474 Golden Belt lode at a point from which cor. No. 4 Sur. No. 1474 Golden Belt lode bears S. $69^{\circ}48'$ W., 347.99 ft. dist.
150.00	Center of road, bears S. 80° W., and N. 80° E.
240.00	Center of Lynx Creek, 80 ft. wide, course N. 47° E.
428.51	Intersect line 3 - 4 Sur. No. 1641 Goliath lode at a point from which cor. No. 4 bears N. $51^{\circ}13'$ E., 394.95 ft. dist.
489.25	Intersect line 1 - 2 Sur. No. 4108 Guard lode at a point from which cor. No. 1 bears N. $30^{\circ}06'$ W., 100.88 ft. dist.
597.90	Cor. No. 1, and place of beginning.

Chains

AREAS

Acres

Total area Good Hope placer.18.949
Area in conflict with -	
Sur. No. 1314 Champion lode	2.055
Sur. No. 1474 Golden Belt lode	0.189
Sur. No. 1641 Goliah lode	1.303
Sur. No. 4108 Guard lode	0.062
Sur. No. 4108, Guard lode, exclusive of its conflict with Goliah lode, Sur. No. 1641.	0.000

LOCATION

This survey is located in the S.W. $\frac{1}{4}$ Sec. 33, T.13 N., R.1 W., and fractional T. 12 $\frac{1}{2}$ N., R. 1 W unsurveyed.

The survey of the Good Hope placer is identical with the location or amended location as marked upon the ground. The location monuments, all mounds of stone 3 ft. base by 3 ft. high were rebuilt alongside.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of the placer location embraced in said mining claim by the claimant or her grantors are as follows:

- No. 1 A trench, the north end of which bears S. 31°30' W., 810.0 ft. from cor. No. 2 of the Good Hope placer, 12 ft. wide, 2 $\frac{1}{2}$ ft. deep, running S. 45° E., 12 ft.
Value, \$25.
- No. 2 A trench, the north end of which bears S. 30°45' W., 777 ft. from cor. No. 2 of the Good Hope placer, 12 ft. wide, 2 ft. deep, running S. 45° E., 12 ft.
Value, \$25.
- No. 3 A shaft, the center of which bears S. 25°50' W., 596.0 ft. from cor. No. 2 Good Hope placer, 2 ft. diam., by 4 ft. deep.
Value, \$25.
- No. 4 A trench, the north end of which bears S. 35° E., 230.0 ft. from cor. No. 2 of the Good Hope placer, 5 ft. wide, 8 ft. deep, running S. 59° E., 35 ft.
Value, \$100.
- No. 5 A well, the center of which bears N. 27° E., 345.0 ft. from cor. No. 4 of the Good Hope placer 4 x 4 ft., 45 ft. deep.
Value, \$500.
- No. 6 A trench, the west end of which bears N. 22°40' E., 430.0 ft. from cor. No. 4 of the Good Hope placer, 12 ft. wide, 2 ft. deep, running N. 50° E., 20 ft.
Value, \$50.
- No. 7 A trench, the west end of which bears N. 12° W., 295.0 ft. from cor. No. 4 of the Good Hope placer, 5 ft. wide, 2 ft. deep, running N. 58° E., 24 ft.
Value, \$50.
- No. 8 A trench, the west end of which bears N. 77°15' E., 695.0 ft. from cor. No. 1 of the Good Hope placer, 10 ft. wide, 1 $\frac{1}{2}$ ft. deep, running N. 62°30' E., 30 ft.
Value, \$50.

Chains	
No. 9	A trench, the north end of which bears N. 75°30' E., 760.0 ft. from cor. No. 1 of the Good Hope placer, 4 ft. wide, 2 ft. deep, running S. 45° E., 8 ft. Value, \$25.
No. 10	A shaft, the center of which bears N. 73°15' E., 756.0 ft. from cor. No. 1 of the Good Hope placer, 4 x 4 ft., 25 ft. deep. Value, \$250.
No. 11	A hole, the center of which bears S. 60°45' W., 910.0 ft. from cor. No. 3 of the Good Hope placer, 3 ft. in diam., 15 ft. deep. Value, \$50.
No. 12	A trench, the west end of which bears N. 68°30' E., 462.0 ft. from cor. No. 1 of the Good Hope placer, 10 ft. wide, 2 ft. deep, running N. 70° E., 20 ft. Value, \$50.
No. 13	A trench, the south end of which bears N. 84°45' E., 578.0 ft. from cor. No. 1 of the Good Hope placer, 10 ft. wide, 4 ft. deep, running N. 50° W., 20 ft. Value, \$75.
No. 14	A trench, the south end of which bears S. 81°20' E., 539.0 ft. from cor. No. 1 of the Good Hope placer, 4 ft. wide, 2 ft. deep, running N. 10° W., 25 ft. Value, \$50.
No. 15	A trench, the south end of which bears N. 34°57' E., 287.0 ft. from cor. No. 4 of the Good Hope placer, 12 ft. wide, 3 ft. deep, running N. 20° W., 30 ft. Value, \$100.
No. 16	A trench, the east end of which bears S. 71°15' W., 861.0 ft. from cor. No. 3 of the Good Hope placer, 10 ft. wide, 2 ft. deep, running S. 65° W., 15 ft. Value, \$25.
No. 17	A trench, the north end of which bears S. 71°15' W., 861.0 ft. from cor. No. 3 of the Good Hope placer, 12 ft. wide, 3 ft. deep, running S. 40° E., 20 ft. Value, \$75.
No. 18	A cut, the south end of which bears S. 67°02' W., 890.0 ft. from cor. No. 3 of the Good Hope placer, 6 ft. wide, 8 ft. face, runs N. 30° W. 10 ft. to face. Value, \$25.
No. 19	A trench, the south end of which bears S. 64°01' W., 821.0 ft. from cor. No. 3 of the Good Hope placer, 16 ft. wide, 3 ft. deep, running N. 50° W., 24 ft. Value, \$125.
No. 20	A trench, the north end of which bears S. 73°20' W., 492.0 ft. from cor. No. 3 of the Good Hope placer, 6 ft. wide, 2 ft. deep, running S. 40° W., 35 ft. Value, \$50.

OTHER IMPROVEMENTS

A house, the southwest cor. of which bears N. 46°50' E., 345.0 ft. from cor. No. 4 of the Good Hope placer, 18 x 36 ft. in size; the long sides bear N. 41°45' W.

A house, the southwest cor. of which bears N. 0°30' W., 153.0 ft.

Chains

from cor. No. 4 of the Good Hope placer, 18 x 20 ft. in size, course long sides N. $82^{\circ}30'$ E.

A shed, the southwest cor. of which bears N. $72^{\circ}30'$ E., 510.0 ft. from cor. No. 1 of the Good Hope placer, 12 x 20 ft. in size; the long sides bear N. 37° E.

A house, the northeast cor. of which bears S. $48^{\circ}45'$ W., 775.0 ft. from cor. No. 2 of the Good Hope placer, 18 x 46 ft. in size; the long sides bear N. 39° W.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 1314 Champion lode: Cor. No. 2 is a granite stone properly marked; Cor. No. 1 has been destroyed. Line 1 - 2 shown as approved.

Sur. No. 1474 Golden Belt lode: Cors. No. 4 and No. 1 are granite stones properly marked. Line 4 - 1 was found to be N. $69^{\circ}48'$ E., 699.0 ft. instead of N. $69^{\circ}17'$ E., 699.0 ft., as approved. Cor. No. 1 a small stone loosely set was replaced with an iron pipe $1\frac{1}{2}$ ins. diam., 24 ins. long, set 18 ins in the ground with a brass cap mkd. X-GB-1-1474.

Sur. No. 4108 Guard lode: Cors. No. 1 and 4 are granite stones firmly set and properly marked. Cor. No. 2 is a granite rock in place properly marked. Line 4 - 1 was found correct as approved. Line 1 - 2 was found approximately correct as approved.

Sur. No. 1641 Goliath lode: Cors. No. 1, 4 and 3 could not be found. Line 3 - 4 shown as approved on Sur. No. 4108 Guard lode. Course line 4 - 1 shown as approved.

FIELD ASSISTANTS

Name	Capacity
P. J. McNulty	Chainman

Chains	Chains
<p>From cor. No. 1 of the Good Hope placer, 12 x 30 ft. in size, course long side N. 30° E. 110.0 ft.</p> <p>A third, the southeast cor. of which bears N. 70° 30' E., 110.0 ft. from cor. No. 1 of the Good Hope placer, 12 x 30 ft. in size; one long side bears N. 30° E.</p> <p>A fourth, the northeast cor. of which bears S. 70° 30' E., 110.0 ft. from cor. No. 2 of the Good Hope placer, 12 x 30 ft. in size; the long side bears N. 30° W.</p> <p>(THESE CHAINS DESCRIBED IN THE PREVIOUS REPORT)</p> <p>Cor. No. 114 (Canton Junction Cor. No. 2) is a granite stone properly marked; cor. No. 1 has been destroyed. Line 1 - 2 shown as approved.</p> <p>Cor. No. 115 (Canton Junction Cor. No. 4) is a granite stone properly marked. Line 4 - 1 was found to be N. 30° E., 110.0 ft. (99.0 ft. instead of N. 30° E., 100.0 ft.), as approved. Cor. No. 1 a small stone loosely set was replaced with a iron pipe 1/2 in. diam. 4 ft. long, set in the ground with a brass cap and a brass nut. Cor. No. 116 (Canton Junction Cor. No. 1) is a granite stone firmly set and properly marked. Cor. No. 2 is a granite stone in place properly marked. Line 4 - 1 was found correct as approved. Line 1 - 2 was found approximately correct as approved.</p> <p>Cor. No. 117 (Canton Junction Cor. No. 1) is a granite stone line 2 - 4 shown as approved on plan. Cor. No. 118 (Canton Junction Cor. No. 1) is a granite stone</p>	<p>From cor. No. 1 of the Good Hope placer, 12 x 30 ft. in size, course long side N. 30° E. 110.0 ft.</p> <p>A third, the southeast cor. of which bears N. 70° 30' E., 110.0 ft. from cor. No. 1 of the Good Hope placer, 12 x 30 ft. in size; one long side bears N. 30° E.</p> <p>A fourth, the northeast cor. of which bears S. 70° 30' E., 110.0 ft. from cor. No. 2 of the Good Hope placer, 12 x 30 ft. in size; the long side bears N. 30° W.</p> <p>(THESE CHAINS DESCRIBED IN THE PREVIOUS REPORT)</p> <p>Cor. No. 114 (Canton Junction Cor. No. 2) is a granite stone properly marked; cor. No. 1 has been destroyed. Line 1 - 2 shown as approved.</p> <p>Cor. No. 115 (Canton Junction Cor. No. 4) is a granite stone properly marked. Line 4 - 1 was found to be N. 30° E., 110.0 ft. (99.0 ft. instead of N. 30° E., 100.0 ft.), as approved. Cor. No. 1 a small stone loosely set was replaced with a iron pipe 1/2 in. diam. 4 ft. long, set in the ground with a brass cap and a brass nut. Cor. No. 116 (Canton Junction Cor. No. 1) is a granite stone firmly set and properly marked. Cor. No. 2 is a granite stone in place properly marked. Line 4 - 1 was found correct as approved. Line 1 - 2 was found approximately correct as approved.</p> <p>Cor. No. 117 (Canton Junction Cor. No. 1) is a granite stone line 2 - 4 shown as approved on plan. Cor. No. 118 (Canton Junction Cor. No. 1) is a granite stone</p>
<p>Chains</p>	<p>Chains</p>

CHAINS

Chains

Chains

SURVEY NO. 4532

INDEX

DESCRIPTIVE REPORT ON GOOD HOPE PLACER SURVEY NO. 4532

The soil of the Good Hope placer is mostly decomposed granite, with large deposits of gravel on the bed and banks of Lynx Creek. Vegetation consists of a few second growth pine trees. The streams consist of Lynx Creek and small tributaries. The area drained is a mineralized area of four square miles.

The character, extent and position of all surface and underground workings for mining purposes, and their cost is as follows:

- No. 1 A trench, the north end of which bears S.31°30'W., 810.0 ft. from Cor. No. 2 of the Good Hope placer; 12 ft. wide, 2½ ft. deep, running S.45°E., 12 ft.
Value, \$25.
- No. 2 A trench, the north end of which bears S.30°45'W., 777.0 ft. from Cor. No. 2 of the Good Hope placer; 12 ft. wide, 2 ft. deep, running S.45°E., 12 ft.
Value, \$25.
- No. 3 A shaft, the center of which bears S.25°50'W., 596.0 ft. from Cor. No. 2, Good Hope placer; 2 ft. diam., by 4 ft. deep.
Value, \$25.
- No. 4 A trench, the north end of which bears S.35°E., 230.0 ft. from Cor. No. 2 of the Good Hope placer; 5 ft. wide, 8 ft. deep, running S.59°E., 35 ft.
Value, \$100.
- No. 5 A well, the center of which bears N.27°E., 345.0 ft. from Cor. No. 4 of the Good Hope placer, 4 x 4 ft., 45.0 ft. deep.
Value, \$500.
- No. 6 A trench, the west end of which bears N.22°40'E., 430.0 ft. from Cor. No. 4 of the Good Hope placer, 12 ft. wide, 2 ft. deep, running N.50°E., 20.0 ft.
Value, \$50.
- No. 7 A trench, the west end of which bears N.12°W., 295.0 ft. from Cor. No. 4 of the Good Hope placer; 5 ft. wide, 3 ft. deep, running N.58°E., 24.0 ft.
Value, \$50.
- No. 8 A trench, the west end of which bears N.77°15'E., 695.0 ft. from Cor. No. 1 of the Good Hope placer; 10 ft. wide, 1½ ft. deep, running N.62°30'E., 30 ft.
Value, \$50.
- No. 9 A trench, the north end of which bears N.75°30'E., 760.0 ft. from Cor. No. 1 of the Good Hope placer; 4 ft. wide, 2 ft. deep, running S.45°E., 8 ft.
Value, \$25.
- No. 10 A shaft, the center of which bears N.73°15'E., 756.0 ft. from Cor. No. 1 of the Good Hope placer; 4 x 4 ft., 25 ft. deep.
Value, \$250.
- No. 11 A hole, the center of which bears S.60°45'W., 910.0 ft. from Cor. No. 3 of the Good Hope placer; 3 ft. in diam., 15 ft. deep.
Value, \$50.
- No. 12 A trench, the west end of which bears N.68°30'E., 462.0 ft. from Cor. No. 1 of the Good Hope placer; 10 ft. wide, 2 ft. deep, running N.70°E., 20 ft.
Value, \$50.
- No. 13 A trench, the south end of which bears N.84°45'E., 578.0 ft. from Cor. No. 1 of the Good Hope placer; 10 ft. wide, 4 ft. deep, running N.50°W., 20 ft.
Value, \$75.
- No. 14 A trench, the south end of which bears S.81°20'E., 539.0 ft. from Cor. No. 1 of the Good Hope placer; 4 ft. wide, 2 ft. deep, running N.10°W., 25 ft.
Value, \$50.
- No. 15 A trench, the south end of which bears N.34°57'E., 287.0 ft. from Cor. No. 4 of the Good Hope placer; 12 ft. wide, 3 ft. deep, running N.20°W., 30 ft.
Value, \$100.

Survey No. 4532

SANTA FE COUNTY

- | Chains | |
|--------|---|
| No. 16 | A trench, the east end of which bears S.71°15'W., 861.0 ft. from Cor. No. 3 of the Good Hope placer; 10 ft. wide, 2 ft. deep, running S.65°W., 15 ft.
Value, \$25. |
| No. 17 | A trench, the north end of which bears S.71°15'W., 861.0 ft. from Cor. No. 3 of the Good Hope placer; 12 ft. wide, 3 ft. deep, running S.40°E., 20 ft..
Value, \$75. |
| No. 18 | A cut, the south end of which bears S.67°02'W., 890.0 ft. from Cor. No. 3 of the Good Hope placer; 6 ft. wide, 8 ft. face, runs N.30°W. 10 ft. to face.
Value, \$25. |
| No. 19 | A trench, the south end of which bears S.64°01'W., 821.0 ft. from Cor. No. 3 of the Good Hope placer; 16 ft. wide, 3 ft. deep, running N.50°W., 24 ft.
Value, \$125. |
| No. 20 | A trench, the north end of which bears S.73°20'W., 492.0 ft. from Cor. No. 3 of the Good Hope placer; 6 ft. wide, 2 ft. deep, running S.40°W., 35 ft.
Value, \$50. |

The nearest center of trade is Prescott, Arizona, the County Seat of Yavapai County, 11 miles distant by road--7 miles by county road known as the Walker Road, and 4 miles on State Highway No. 69, known as the Black Canyon Highway.

The Good Hope placer conflicts with the following lodes:

Champion, Sur. No. 1314
Golden Belt, Sur. No. 1474
Guard, Sur. No. 4108
Goliah, Sur. No. 1641

A great number of patented claims lie to the south and west of the Good Hope placer, and others to the north and east.

The Good Hope placer is adaptable to placer mining. Lynx Creek is a running stream for three or four months of each year, and the well and a shaft on the claim produce sufficient quantity of water for practical operations when Lynx Creek does not flow.

No salt licks or salt springs or mill sites are known to exist on the Good Hope placer, or in the immediate vicinity.

Richard L. Merritt
Richard L. Merritt
Mineral Surveyor

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

November 30th, 1960

I, Richard L. Merritt

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____

Office Cadastral Engineer, at Phoenix, Arizona

dated July 5, 1960, I have faithfully and correctly executed the survey of

the mining claim of Alma Pritchett

known as the Good Hope placer
(Lode, placer, or mill site)

situate in Walker Mining District, Yavapai County, Arizona, in approximately Sec. 33

unsurveyed 12 1/2 North, 1 West

T. 13 North, R. 1 West, Gila & Salt River Meridian, Arizona, and
(State)

designated as Survey No. 4532, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the placer location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or their grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Prescott, Arizona
(Place)

Richard L. Merritt
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management - Survey Office
(Office)

Phoenix, Arizona Feb. 23, 1961
(Place) (Date)

The foregoing field notes of mineral survey No. 4532, in Walker Mining District

unsurveyed 12 1/2 North 1 West

33, T. 13 North, R. 1 West, Gila & Salt River Meridian,

Arizona, executed by Richard L. Merritt, Mineral Surveyor,
(State)

under order dated July 5, 1960, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Lester S. Mann
Lester S. Mann

Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

(Title)

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)
BUREAU OF LAND MANAGEMENT M.S. 4532
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Good Hope placer, Mineral Survey No. 4532, located in Townships 12 1/2 and 13 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled. As of this date, this notice of cancellation will become part of the field notes for Mineral Survey No. 4532, page 12.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Good Hope placer, M.S. 4532 was canceled January 23, 1995, by memo 9605 (942) M.S. 4532, which is now a part of the original field notes."

January 23, 1995
Date


Acting Chief Cadastral Surveyor of Arizona

