

4549

Arizona

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of (Name & address of Claimant)

Lennie Menges
35 E. Indianola
Phoenix, Arizona

Known as the (Name of group, if any)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Daisy Rock Placer	7/1/54 2nd	1/15/61 5/ 5/61

Mining District Green Valley	County Gila	Section 9 & 16
---------------------------------	----------------	-------------------

Township 10 N.	Range 10 E.	Meridian G. & S. R. B. & M.	Surveyed under order dated Jan. 3, 1961 Feb. 28, 1961 Oct. 4, 1961
Survey commenced Jan. 3, 1961	Survey completed Apr. 7, 1962	Name of Mineral Surveyor Harvey W. Smith	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Special Survey District

SECTION
TOWNSHIP
RANGE

Donnie Morgan
75 S. 10th St.
Phoenix, Arizona

James Rock Tice

1715
2nd St

1910

1910

U.S. G.E.O.

1910

Harvey W. Brown

1910

1910
1910
1910

SURVEY NO. 4549

1

~~Foot~~
Feet

This survey was made with a K. & E. transit, No. 51591, with horizontal limb 5.5 ins. diam., having two double opposite verniers, and full vertical circle 4.5 ins. diam., having one double vernier, the verniers read to one minute of arc; the instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 01:48 P. M. on Jan. 18, 1961 at Cor. No. 2 of the Daisy Rock placer, latitude $34^{\circ}13'21''$ North, longitude $111^{\circ}18'58''$ West, turning from a reference pt. about 300 ft. northwest clockwise to the sun in a southwest direction.

True bearing of reference pt.
N. $20^{\circ}42'45''$ W.

The lines were measured with a Lufkin steel tape, 300 ft. in length graduated every ft. for 299 ft., and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard at the beginning of the survey and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $15^{\circ}23'$ East.

SURVEY NO. 4549

DAISY ROCK PLACER

At Cor. No. 1 of the Daisy Rock Placer

Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4549 DR 1 X; from which

The $1/4$ Cor. of Secs. 9 and 10, T. 10N., R. 10E., G.&S.R.B.&M. bears N. $42^{\circ}55'40''$ E., 2309.50 ft. dist.; an iron post, $1/2$ in. diam. set flush with the ground.

A wooden post, 5 ins. diam., 4 ft. above ground set adjacent to the iron post.

Thence S. $18^{\circ}15'15''$ E.

600.0 Cor. No. 2

Set a galvanized iron post $3/4$ in. diam., 30 ins. long in a 15 pound concrete and rock base 18 ins. in the ground with a brass cap 2 ins. diam., firmly fastened within the iron post mkd. MS 4549 DR 2 X; from which

A wooden post, 5 ins. diam., 4 ft. above ground set adjacent to the iron post.

Thence S. $60^{\circ}25'45''$ W.

XCHS106X

Feet.

147.0 Improved dirt road bears S. 20° E. and N. 20° W.

675.0 Center line paved highway, Phoenix to Payson, bears S. 4° E. and N. 4° W.

1480.50 Cor. No. 3

Set a galvanized iron post 3/4 in. diam., 30 ins. long, in a 15 pound concrete and rock base 18 ins. in the ground, with a brass cap 2 ins. diam. firmly fastened within the iron post mkd. MS 4549 DR 3 X; from which

A wooden post, 5 ins. diam., 4 ft. above ground set adjacent to the iron post.

A corner of the location bears S. 60° 25' 45" W., 19.5 ft. dist.

Thence N. 18° 15' 15" W.

600.0

Cor. No. 4

Set a galvanized iron post, 3/4 in. diam., 30 ins. long in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened within the iron post, mkd. MS 4549 DR 4 X; from which

A wooden post, 5 ins. diam., 4 ft. above ground set adjacent to the iron post.

A corner of the location bears S. 60° 25' 45" W., 19.5 ft. dist.

Thence N. 60° 25' 45" E.

995.0

Center line paved highway, Phoenix to Payson, bears S. 4° E. and N. 4° W.

1208.0

Improved dirt road bears S. 35° E. and N. 40° W.

1480.50

Cor. No. 1 and place of beginning.

SURVEY NO. 4549

AREAS

Total area Daisy Rock placer

Acres
19.996

LOCATION

This survey is located in the SE 1/4 and SW 1/4 of Sec. 9 and the NE 1/4 and NW 1/4 of Sec. 16, T. 10 N., R. 10 E., G. & S. R. B. & M., Arizona

Cors. Nos. 1 and 2 are identical with the corners of the location; Cors. Nos. 3 and 4 differ to the extent previously shown.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or her grantors are as follows:

xChains
Feet
No. 1

An open cut, the NE Cor. of which bears S. 7° W., 360 ft. dist. from Cor. No. 1 of the Daisy Rock placer; an irregular shaped cut averaging 30 ft. wide, 30 ft. long and 4 ft. deep. Value apportioned to claimant, \$500.00

No. 2

A pit, the SW Cor. of which bears N. 44° E., 385 ft. dist. from Cor. No. 3 of the Daisy Rock placer, an irregular shaped pit averaging 30 ft. wide, 50 ft. long and 3½ ft. deep. The elongated sides bear N. 60° E. Value, \$1500.

OTHER IMPROVEMENTS

A pit, the NE Cor. of which bears S. 29° W., 405 ft. dist. from Cor. No. 1 of the Daisy Rock placer; an irregular shaped pit averaging 20 ft. wide, 45 ft. long and 1½ ft. deep. The elongated sides bear N. 21° W. Claimant unknown.

A pit, the NE Cor. of which bears S. 74° 30' W., 330 ft. dist. from Cor. No. 2 of the Daisy Rock placer; an irregular shaped pit averaging 35 ft. wide, 80 ft. long and 4½ ft. deep. The elongated sides bear N. 10° E. Claimant unknown.

A frame house, the NW Cor. of which bears S. 60° W., 420 ft. dist. from Cor. No. 1 of the Daisy Rock placer, 22 x 20 ft., the long sides bear N. 30° E. Claimant herein.

A frame shed, the NE Cor. of which bears S. 60° W., 395 ft. dist. from Cor. No. 1 of the Daisy Rock placer; 12 x 10 ft., the long sides bear S. 40° W. Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

A search for the ¼ Cor. of Secs. 9 & 16 was made but it was not found.

The original dimensions of this claim were 600 x 1500 ft. as described in the location notice. However, to bring the claim within the 20 acre limitation for placer claims it was necessary to shorten the side lines by 19.5 ft.; therefore, the west end line was moved 19.5 ft. eastward.

FIELD ASSISTANTS

Name	Capacity
Bill Donahue	Chainman-Axeman

Chains
Feet

XXXXXX
3001
1.00

DESCRIPTIVE REPORT

In accordance with Revised Statutes, Sec. 2331 (30 U.S.C., Sec. 55), the following descriptive report on the Daisy Rock Placer is made.

This location is at an elevation of about 5,000 ft. A thin mantle of soil covers the stone producing considerable cedar and some pine trees. There is some scrub oak brush.

There are no streams or other bodies of water on the claim.

A description of all the workings may be found under "Expenditures" in the regular field notes.

Payson, Arizona, a small town is located immediately adjacent to the claim. The Phoenix to Payson highway, a paved road crosses the claim, thus providing easy access.

There are some lode deposits in this mining district but none immediately adjacent to this claim.

Building stone is readily quarried from this claim and is continuing process.

Little development work is necessary except for clearing the thin mantle of soil and some trees from a quarry area.

There are no mines, salt licks, salt springs or mill sites on the claim.

Harvey M. Smith
HARVEY M. SMITH, E. M.
U. S. MINERAL SURVEYOR

FIELD ASSISTANT

Bill Donahue


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

April 7, 1962

I, Harvey W. Smith
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____
Cadastral Engineer, at Phoenix, Arizona
 dated Jan. 3, 1961 Feb. 28, 1961 Oct. 4, 1961, I have faithfully and correctly executed the survey of
 the mining claim of Lennie Menges
 known as the Daisy Rock Placer
(Lode, placer, or mill site)
 situate in Green Valley Mining District, Secs. 9 & 16, Gila County
 T. 10 N., R. 10 E., G. & S. R. B. & Meridian, Arizona, and
(State)
 designated as Survey No. 4549, which is represented in the foregoing field notes as having been
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made
 upon or for the benefit of the placer location(s) embraced in the said mining claim by
(Lode or placer)
 claimant(s) or her grantors are fully stated in my report therein, and that the character,
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate
 of expenditures upon any other claim.


Scottsdale, Arizona
(Place)


 Harvey W. Smith
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office
(Office)
Phoenix, Arizona April 18, 1962
(Place) (Date)

The foregoing field notes of mineral survey No. 4549, in Green Valley Mining District
Secs. 9 & 16, T. 10 N., R. 10 E., G. & S. R. Meridian,
Arizona, executed by Harvey W. Smith, Mineral Surveyor,
(State) Jan. 9, 1961; Feb. 28, 1961;
Oct. 4, 1961, having been critically examined and the necessary
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described
 are hereby approved.


 Fred J. Weiler
 State Director
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____
 is a true copy of the original field notes.

(Title)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEY

Harvey M. Smith

Phoenix, Arizona

Industrial District

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Survey No. 1001

Area: 1.0000 Acres

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Whereas the above described land is being surveyed for the purpose of...
and the survey is being conducted in accordance with the provisions of the Act of March 3, 1879...

It is the duty of the Surveyor to see that the survey is conducted in accordance with the provisions of the Act of March 3, 1879...

Phoenix, Arizona

Harvey M. Smith

CERTIFICATE OF APPROVAL

I, the Surveyor, do hereby certify that the above described land is being surveyed in accordance with the provisions of the Act of March 3, 1879...

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Whereas the above described land is being surveyed for the purpose of...
and the survey is being conducted in accordance with the provisions of the Act of March 3, 1879...

It is the duty of the Surveyor to see that the survey is conducted in accordance with the provisions of the Act of March 3, 1879...

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

CERTIFICATE OF TRANSPORT

I hereby certify that the foregoing transcript of field notes of the above described industrial survey No. 1001 is a true and correct copy of the original field notes.

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona

Section 10, T. 13 N., R. 12 E., S. 22 R. 10 E., Coconino County, Arizona



United States Department of the Interior

Green Valley 106
IN REPLY REFER TO
9183.1 (942)
M.S. #4549

BUREAU OF LAND MANAGEMENT
Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

INDEX CARD ✓
MS Plat ✓
Status Plat 4-22-74 JS

April 17, 1974

Memorandum

To : Chief, Branch of Records & Data Management (952)
From : State Director, Arizona
Subject: Mineral Survey No. 4549

This memorandum cancels the survey of the Daisy Rock placer claim, Mineral Survey No. 4549.

The following notation should be made on the plat of Mineral Survey No. 4549:

"Survey of the Daisy Rock placer claim canceled by State Director's memorandum dated April 17, 1974."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes.

Adverse proceedings were initiated against the Daisy Rock placer claim on January 28, 1964, under Contest Number 10609. By Hearing Examiner's Decision dated December 14, 1965, the Daisy Rock placer claim was declared null and void. No appeal from the Hearing Examiner's Decision was filed during the time allowed, and the contest was closed March 1, 1966.

Mineral Survey No. 4549 does not appear on any subsisting plats. Application A 7977 has been filed by the Payson Community of Yavapai-Apache Indians for a portion of the lands formerly embraced by the Daisy Rock placer claim, Mineral Survey No. 4549.

J. T. Fallini

cc: Director (420)



United States Department of the Interior

LAND MANAGEMENT
WASHINGTON, D.C. 20240

1982 (42)
100-1000

100-1000
100-1000

April 1, 1982

Memorandum

To : Chief, Bureau of Land Management (42)

From : Bruce K. ...

Subject: ...

The following information is being provided to you for your information.

The following information is being provided to you for your information.

The following information is being provided to you for your information.

The following information is being provided to you for your information.

The following information is being provided to you for your information.

The following information is being provided to you for your information.

[Handwritten Signature]

Very truly yours,