

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4606

ARIZONA

Land District.

FIELD NOTES

Mill Sites
Of The Survey Of The Mining Claim Of

INSPIRATION CONSOLIDATED COPPER CO.

Known As The

INSPIRATION MILL SITE NOS. 1 THROUGH 68

GLOBE

Mining District,

GILA

County,

ARIZONA

Sections 14, 15, 22 & 23 Township 1 N., Range 14 E.

Surveyed under orders dated Jan. 23 and Mar. 7, 1963

by OSCAR T. SMITH
Mineral Surveyor.

Mill Site
~~Claim~~ located See other side, 19
Survey commenced Jan. 28, 19 63
Survey completed March 15, 19 63
Address of claimant Inspiration, Arizona

DATES OF AMENDED LOCATIONS

Name of LocationLocated

Inspiration Mill Site

Nos. 1, 2, 3, 4, 5, 6,

7, 8, 9, 10, 11, 12,

13, 14, 15, 16, 17, 20,

21, 22, 23, 24, 25, 26,

27, 35, 36, 37, 42, 47,

and 51

12/12/62

Inspiration Mill Site

Nos. 18, 19, 28, 29,

30, 31, 32, 33, 34, 38

39, 40, 41, 43, 44, 45,

46, 48, 49, 50, 52, 53,

54, 55, 56, 57, 58, 59,

60, 61, 62, 63, 64,

and 65

12/13/62

Inspiration Mill Site

Nos. 66, 67 and 68

2/22/63

SURVEY NO. 4606

1.

© 1963

This survey was made with a Wm. Ainsworth & Sons Transit No. 2099, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; the eyepiece is equipped with a colored shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

January 29, 1963, at cor. No. 2 of the Inspiration Mill Site No. 15, in latitude $33^{\circ} 25' N.$, and longitude $110^{\circ} 54' W.$, I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point 330 ft. westward counterclockwise to the sun.

Mean time of observation, 105th meridian standard time $3^h 08^m 30^s$ P.M.

Declination of sun at mean time of observation $= 17^{\circ} 55' 59''$

Mean observed vertical angle to sun's center $= 27^{\circ} 16' 10''$

Mean horizontal angle from reference point to sun's center $= 49^{\circ} 31' 10''$ S-W.

True bearing to reference point $= N. 89^{\circ} 28' 10'' W.$

The lines were measured with a Keuffel & Esser Co. steel tape, 500 ft. in length, graduated every foot for 500 ft., with the first foot and the last foot of each 100 ft. graduated in tenths and hundredths; the tape was compared with a standard 100 ft. invar tape at the time of beginning the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ} 50' E.$

SURVEY NO. 4606

Feet

INSPIRATION MILL SITE NO. 63

At cor. No. 1 of Inspiration Mill Site No. 63, identical with cor. No. 1 Inspiration Mill Site No. 59 of this survey.

Set a copper coated steel pin 18 ins. long, $5/8$ in. diam., 16 ins. in the ground with brass cap mkd. IMS 63-1-4606; from which

The cor. of Secs. 15, 16, 21 and 22, T. 1 N., R. 14 E., G. & S. R. M., bears $S. 67^{\circ} 02' 10'' W.$, 4974.91 ft. dist.; an iron post 1 in. diam., 12 ins. above ground, with brass cap, firmly set, mkd. and witnessed as described in the official record.

Chains
Feet

No local bearing objects or bearing trees available.

Thence North

330.00

Cor. No. 2.

Set copper coated steel pin 18 ins. long, 5/8 in. diam., 5 ins. in the crack of a granite boulder 2 ft. x 3 ft. 2-1/2 ft. above ground, with brass cap mkd. IMS 63-2-4606.

No local bearing objects or bearing trees available.

Thence S. 89° 28' E.

660.00

Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 64 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 63-3-IMS 64-2-4606.

No local bearing objects or bearing trees available.

Thence South

330.00

Cor. No. 4, identical with cor. No. 1, 1 and 2, Inspiration Mill Site Nos. 64, 60 and 59 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 63-4-IMS 64-1-IMS 60-1-IMS 59-2-4606.

No local bearing objects or bearing trees available.

Thence N. 89° 28' W.

660.00

Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 64

Beginning at cor. No. 1 of the Inspiration Mill Site No. 64, identical with cor. Nos. 1, 2 and 4, Inspiration Mill Site Nos. 60, 59 and 63 of this survey; from which

The cor. of Secs. 15, 16, 21 and 22, bears S. 69° 44' 10" W., 5586.39 ft. dist.; previously described.

Thence North

330.00

Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 63 of this survey.

Thence S. 89° 28' E.

660.00

Cor. No. 13.

SURVEY NO. 4606

Chains
Feet

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd: IMS 64-3-4606.

No local bearing objects or bearing trees available.

Thence South

330.00

Cor. No. 4, identical with cor. Nos. 2, and 2, Inspiration Mill Site Nos. 61 and 60 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd: IMS 64-4-IMS 61-2-IMS 60-2-4606.

No local bearing objects or bearing trees available.

Thence N. 89° 28' W.

660.00

Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 65

Beginning at cor. No. 1 of the Inspiration Mill Site No. 65, identical with cor. Nos. 2, and 3 Inspiration Mill Site Nos. 62 and 61 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 65-1-IMS 62-2-IMS 61-3-4606; from which

The cor. of secs. 15, 16, 21 and 22 bears S. 73° 40' W., 6836.50 ft. dist; previously described.

No local bearing objects or bearing trees available.

Thence North

330.00

Cor. No. 2.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 65-2-4606.

No local bearing objects or bearing trees available.

Thence S. 89° 28' E.

330.00

Center/creek, course S. 16° E.

660.00

Cor. No. 3.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 65-3-4606.

No local bearing objects or bearing trees available.

Thence South.

Feet	
330.00	<p>Cor. No. 4; identical with cor. No. 3 Inspiration Mill Site No. 62 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 65-4-IMS 62-3-4606.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89° 28' W.</p>
315.00	<p>of Center/creek, course S. 11° W.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>
INSPIRATION MILL SITE NO. 62	
<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 62, identical with cor. Nos. 2, 2 and 4 Inspiration Mill Site Nos. 58, 57 and 61 of this survey.</p>	
<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 62-1-IMS 58-2-IMS 57-2-IMS 61-4-4606; from which</p>	
<p>The cor. of secs. 15, 16, 21 and 22 bears S. 76° 21' 20" W., 6751.12 ft. dist.; previously described.</p>	
<p>No local bearing objects or bearing trees available.</p>	
Thence North	
330.00	<p>Cor. No. 2, identical with cor. Nos. 3 and 1 Inspiration Mill Site Nos. 61 and 65 of this survey.</p>
Thence S. 89° 28' E.	
345.00	<p>of Center/creek, course S. 11° W.</p>
660.00	<p>Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 65 of this survey.</p>
Thence South	
330.00	<p>Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 58 of this survey.</p>
<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 62-4-IMS 58-3-4606.</p>	
<p>No local bearing objects or bearing trees available.</p>	
Thence N. 89° 28' W.	
490.00	<p>of Center/creek, course S. 59° W.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>

Chains Feet	INSPIRATION MILL SITE NO. 61
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 61, identical with cor. Nos. 1, 3 and 3 Inspiration Mill Site Nos. 57, 56 and 60 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 61-1-IMS 57-1-IMS 56-3-IMS 60-3-4606; from which The cor. of secs. 15, 16, 21 and 22 bears S. 74° 50' 30" W., 6113.31 ft. dist., previously described. No local bearing objects or bearing trees available. Thence North.
330.00	Cor. No. 2, identical with cor. Nos. 2 and 4 Inspiration Mill Site Nos. 60 and 64 of this survey. Thence S. 89° 28' E.
660.00	Cor. No. 3, identical with cor. Nos. 1 and 2 Inspiration Mill Site Nos. 65 and 62 of this survey. Thence South
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 2, Inspiration Mill Site Nos. 62, 58 and 57 of this survey. Thence N. 89° 28' W.
660.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. 60
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 60, identical with cor. Nos. 2, 4 and 1, Inspiration Mill Site Nos. 59, 63 and 64 of this survey. Thence S. 89° 28' E.
660.00	Cor. No. 2, identical with cor. Nos. 4 and 2, Inspiration Mill Site Nos. 64 and 61 of this survey. Thence South
330.00	Cor. No. 3, identical with cor. Nos. 1, 1 and 3, Inspiration Mill Site Nos. 61, 57 and 56 of this survey. Thence N. 89° 28' W.
210.00	of Center/creek, course S. 40° E.
660.00	Cor. No. 4, identical with Cor. Nos. 2, 3, and 3, Inspiration Mill Site Nos. 56, 55 and 59 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 60-4-IMS 56-2-IMS 55-3-IMS 59-3-4606. No local bearing objects or bearing trees available.

Feet	Description
105.00	Thence North of Center/creek, course N. 70° E.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 59	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 59, identical with cor. No. 1 Inspiration Mill Site No. 63 of this survey.
660.00	Thence S. 89° 28' E. Cor. No. 2, identical with cor. Nos. 4, 1, and 1 Inspiration Mill Site Nos. 63, 64 and 60 of this survey.
225.00	Thence South of Center/creek, course N. 70° E.
330.00	Cor. No. 3, identical with cor. Nos. 4, 2, and 3 Inspiration Mill Site Nos. 60, 56 and 55 of this survey.
85.00	Thence N. 89° 28' W. of Center/creek, course N. 24° E.
660.00	Cor. No. 4, identical with cor. No. 2 Inspiration Mill Site No. 55 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in diam., 16 ins. in the ground, with brass cap mkd. IMS 59-4-IMS 55-2-4606.	
No local bearing objects or bearing trees available.	
330.00	Thence North. Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 55	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 55.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 55-1-4606; from which	
The cor. of secs. 15, 16, 21 and 22 bears S. 74° 22' 30" W., 4756.42 ft. dist.; previously described.	
No local bearing objects or bearing trees available.	
330.00	Thence North. Cor. No. 2, identical with cor. No. 4 Inspiration Mill Site No. 59 of this survey.

SURVEY NO. 4606

7.

		Thence S. 89° 28' E.
575.00	of Center/creek, course N. 24° E.	
660.00	Cor. No. 3, identical with cor. Nos. 3, 4 and 2 Inspiration Mill Site Nos. 59, 60 and 56 of this survey.	
		Thence South
330.00	Cor. No. 4, identical with cor. Nos. 1 and 1 Inspiration Mill Site Nos. 56 and 52 of this survey.	
		Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS55-4-IMS56-1-IMS52-1-4606.
		No local bearing objects or bearing trees available.
		Thence N. 89° 28' W.
315.00	of Center/creek, course N. 38° E.	
660.00	Cor. No. 1, and place of beginning.	
INSPIRATION MILL SITE NO. 56		
		Beginning at cor. No. 1 of the Inspiration Mill Site No. 56, identical with cor. Nos. 1 and 4 Inspiration Mill Site Nos. 52 and 55 of this survey; from which
		The cor. of secs. 15, 16, 21 and 22 bears S. 76° 19' 40" W.; 5393.46 ft. dist.; previously described.
		Thence North
330.00	Cor. No. 2, identical with cor. Nos. 3, 3 and 4 Inspiration Mill Site Nos. 55, 59 and 60 of this survey.	
		Thence S. 89° 28' E.
450.00	of Center/creek, course S. 40° E.	
660.00	Cor. No. 3, identical with cor. Nos. 3, 1 and 1, Inspiration Mill Site Nos. 60, 61 and 57 of this survey.	
		Thence South
115.00	of Center/creek, course N. 82° E.	
330.00	Cor. No. 4, identical with cor. Nos. 4, 2 and 2 Inspiration Mill Site Nos. 57, 53 and 52 of this survey.	
		Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS56-4-IMS57-4-IMS53-2-IMS52-2-4606.
		No local bearing objects or bearing trees available.
		Thence N. 89° 28' W.
660.00	Cor. No. 1, and place of beginning.	

Chain Feet	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. 57</p> <p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 57, identical with cor. Nos. 3, 3 and 1 Inspiration Mill Site Nos. 56, 60 and 61 of this survey.</p> <p style="text-align: center;">Thence S. 89° 28' E.</p>
660.00	<p>Cor. No. 2, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 61, 62 and 58 of this survey.</p> <p style="text-align: center;">Thence South</p>
150.00	<p>of Center/creek, course S. 68° W.</p>
330.00	<p>Cor. No. 3, identical with cor. Nos. 1, 2 and 3, Inspiration Mill Site Nos. 58, 54 and 53 of this survey.</p> <p>Cor. falls on a dacite boulder 3 ft. x 4 ft., 3 ft. above ground, drilled hole 5 ins. deep at exact point and set in concrete a copper coated steel pin 7 ins. long, 5/8 in. diam., with brass cap mkd. IMS57-3-IMS58-1-IMS54-2-IMS53-3-4606.</p> <p style="text-align: center;">No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 89° 28' W.</p>
245.00	<p>of Center/creek, course S. 23° W.</p>
355.00	<p>of Center/creek, course S. 14° E.</p>
660.00	<p>Cor. No. 4, identical with cor. Nos. 2, 2 and 4, Inspiration Mill Site Nos. 53, 52 and 56 of this survey.</p> <p style="text-align: center;">Thence North</p>
215.00	<p>of Center/creek, course N. 82° E.</p>
330.00	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. 58</p> <p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 58, identical with cor. Nos. 2, 3 and 3 Inspiration Mill Site Nos. 54, 53 and 57 of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 15, 16, 21 and 22 bears S. 79° 06' 30" W., 6680.93 ft. dist.; previously described.</p> <p style="text-align: center;">Thence North</p>
180.00	<p>of Center/creek, course S. 68° W.</p>
330.00	<p>Cor. No. 2, identical with cor. Nos. 2, 4 and 1, Inspiration Mill Site Nos. 57, 61 and 62 of this survey.</p> <p style="text-align: center;">Thence S. 89° 28' E.</p>
170.00	<p>of Center/creek, course S. 59° W.</p>
660.00	<p>Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 62 of this survey.</p>

SURVEY NO. 4606

<p>Feet</p> <p>65.00</p> <p>330.00</p>	<p>Thence South</p> <p>of</p> <p>Center/creek, course S. 83° W.</p> <p>Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 54 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 58-4-IMS 54-3-4606.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89° 28' W.</p> <p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE No. 54</p>	
<p>330.00</p>	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 54, identical with cor. Nos. 2, 2 and 4 Inspiration Mill Site Nos. 50, 49 and 53 of this survey;</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 54-1-IMS 50-2-IMS 49-2-IMS 53-4-4606; from which</p> <p>The cor. of secs. 15, 16, 21 and 22 bears S. 81° 54' 40" W., 6626.52 ft. dist.; previously described.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p> <p>Cor. No. 2, identical with con. Nos. 3, 3 and 1 Inspiration Mill Site Nos. 53, 57 and 58 of this survey.</p>
<p>660.00</p> <p>100.00</p> <p>330.00</p>	<p>Thence S. 89° 28' E.</p> <p>Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 58 of this survey.</p> <p>Thence South</p> <p>of</p> <p>Center/creek, course S. 74° W.</p> <p>Cor. No. 4, identical with cor. Nos. 2 and 3 Inspiration Mill Site Nos. 51 and 50 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 54-4-IMS 51-2-IMS 50-3-4606.</p> <p>No local bearing objects or bearing trees available.</p>
<p>300.00</p> <p>660.00</p>	<p>Thence N. 89° 28' W.</p> <p>of</p> <p>Center/creek, course S. 28° W.</p> <p>Cor. No. 1, and place of beginning.</p>

Chains
Feet

INSPIRATION MILL SITE NO. 53

Beginning at cor. No. 1 of the Inspiration Mill Site No. 53, identical with cor. Nos. 1, 3 and 3 Inspiration Mill Site Nos. 49, 48 and 52 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 53-1-IMS 49-1-IMS 48-3-IMS 52-3-4606; from which

The cor. of secs. 15, 16, 21 and 22 bears S. 80° 57' 40" W., 5974.81 ft. dist., previously described.

No local bearing objects or bearing trees available.

Thence North.

330.00 Cor. No. 2, identical with cor. Nos. 2, 4 and 4 Inspiration Mill Site Nos. 52, 56 and 57 of this survey.

Thence S. 89° 28' E.

305.00 Center/creek, course S. 14° E.

of

415.00 Center/creek, course S. 23° W.

660.00 Cor. No. 3, identical with cor. Nos. 3, 1 and 2 Inspiration Mill Site Nos. 57, 58 and 54 of this survey.

Thence South

330.00 Cor. No. 4, identical with cor. Nos. 1, 2 and 2 Inspiration Mill Site Nos. 54, 50 and 49 of this survey.

Thence N. 89° 28' W.

195.00 of
Center/creek, course S. 33° E.

660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE No. 52

Beginning at cor. No. 1 of the Inspiration Mill Site No. 52, identical with cor. Nos. 4 and 1 Inspiration Mill Site Nos. 55 and 56 of this survey.

Thence S. 89° 28' E.

660.00 Cor. No. 2, identical with cor. Nos. 4, 4 and 2 Inspiration Mill Site Nos. 56, 57 and 53 of this survey.

Thence South

330.00 Cor. No. 3, identical with cor. Nos. 1, 1 and 3 Inspiration Mill Site Nos. 53, 49 and 48 of this survey.

Thence N. 89° 28' W.

660.00 Cor. No. 4, identical with cor. No. 2 Inspiration Mill Site No. 48 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS 52-4-IMS 48-2-4606.

<p>Chains Feet:</p> <p>330.00</p>	<p>No local bearing objects or bearing trees available</p> <p>Thence North</p> <p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE No. 48</p>	
<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 48, identical with cor. Nos. 1 and 3 Inspiration Mill Site Nos. 44 and 43 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 48-1-IMS 44-1-IMS 43-3-4606; from which</p>	
<p>The cor. of secs. 15, 16, 21 and 22 bears S. 83° 18' 30" W., 5276.58 ft. dist.; previously described.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p>	
<p>330.00</p>	<p>Cor. No. 2, identical with cor. No. 4 Inspiration Mill Site No. 52 of this survey.</p>
<p>660.00</p>	<p>Thence S. 89° 28' E.</p> <p>Cor. No. 3, identical with cor. Nos. 3, 1 and 1 Inspiration Mill Site Nos. 52, 53 and 49 of this survey.</p>
<p>330.00</p>	<p>Thence South</p> <p>Cor. No. 4, identical with cor. Nos. 4, 2 and 2 Inspiration Mill Site Nos. 49, 45 and 44 of this survey.</p>
<p>Thence N. 89° 28' W.</p>	
<p>660.00</p>	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE No. 49</p>	
<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 49, identical with cor. Nos. 3, 3 and 1 Inspiration Mill Site Nos. 48, 52 and 53 of this survey.</p>	
<p>Thence S. 89° 28' E.</p>	
<p>465.00</p>	<p>Center/creek, course S. 33° E.</p>
<p>660.00</p>	<p>Cor. No. 2, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 53, 54 and 50 of this survey.</p>
<p>Thence South</p>	
<p>310.00</p>	<p>of Center/creek, course S. 81° E.</p>
<p>330.00</p>	<p>Cor. No. 3, identical with cor. Nos. 1, 1 and 3 Inspiration Mill Site Nos. 50, 46 and 45 of this survey.</p>

Chains Feet	
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd IMS 49-3-IMS 50-1- IMS 46-1- IMS 45-3-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
660.00	Cor. No. 4, identical with cor. Nos. 2, 2 and 4 Inspiration Mill Site Nos. 45, 44 and 48 of this survey.
	Thence North
330.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE No. 50
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 50, identical with cor. Nos. 1, 3 and 3 Inspiration Mill Site Nos. 46, 45 and 49 of this survey; from which
	The cor. of secs. 15, 16, 21 and 22 bears S. 84° 45' 10" W., 6588.20 ft. dist.; previously described.
	Thence North
20.00	Center/creek, course S. 81° E.
330.00	Cor. No. 2, identical with cor. Nos. 2, 4 and 1 Inspiration Mill Site Nos. 49, 53 and 54 of this survey.
	Thence S. 89° 28' E.
	of
360.00	Center/creek, course S. 28° W.
660.00	Cor. No. 3, identical with cor. Nos. 4 and 2 Inspiration Mill Site Nos. 54 and 51 of this survey.
	Thence South
330.00	Cor. No. 4, identical with cor. Nos. 1, 1 and 2 Inspiration Mill Site Nos. 51, 47 and 46 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS 50-4-IMS 51-1- IMS 47-1- IMS 46-2-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
	of
530.00	Center/creek, course S. 37° W.
620.00	Center/creek, course S. 36° E.
660.00	Cor. No. 1, and place of beginning.

Chains Feet	
	<p align="center">INSPIRATION MILL SITE No. 51</p> <p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 51, identical with cor. Nos. 1, 2 and 4 Inspiration Mill Site Nos. 47, 46 and 0 of this survey; from which</p>
	<p>The cor. of secs. 15, 16, 21 and 22 bears S. 85° 16' 40" W., 7245.16 ft. dist; previously described.</p>
	<p align="center">Thence North</p>
330.00	<p>Cor. No. 2, identical with cor. Nos. 3 and 4 Inspiration Mill Site Nos. 50 and 54 of this survey.</p>
	<p align="center">Thence S. 89° 28' E.</p>
660.00	<p>Cor. No. 3.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS51-3-4606.</p>
	<p align="center">No local bearing objects or bearing trees available.</p>
	<p align="center">Thence South</p>
330.00	<p>Cor. No. 4, identical with cor. No. 2 Inspiration Mill Site No. 47 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS51-4-IMS47-2-4606.</p>
	<p align="center">No local bearing objects or bearing trees available.</p>
	<p align="center">Thence N. 89° 28' W.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>
	<p align="center">INSPIRATION MILL SITE NO. 47</p>
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 47, identical with cor. Nos. 2, 4 and 1 Inspiration Mill Site Nos. 46, 50 and 51 of this survey.</p>
	<p align="center">Thence S. 89° 28' E.</p>
660.00	<p>Cor. No. 2, identical with cor. No. 4 Inspiration Mill Site No. 51 of this survey.</p>
	<p align="center">Thence South</p>
330.00	<p>Cor. No. 3, identical with cor. No. 3 Inspiration Mill Site No. 42 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS47-3-IMS42-3-4606.</p>
	<p align="center">No local bearing objects or bearing trees available.</p>
	<p align="center">Thence N. 89° 28' W.</p>

Feet	
660.00	Cor. No. 4, identical with cor. Nos. 2, 3 and 3 Inspiration Mill Site Nos. 42, 41 and 46 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS47-4-IMS42-2-IMS41-3-IMS46-3-4606.
	No local bearing objects or bearing trees available.
	Thence North
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE No. 46	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 46, identical with cor. Nos. 3, 3 and 1 Inspiration Mill Site Nos. 45, 49 and 50 of this survey.
	Thence S. 89° 28' E.
	of
40.00	Center/creek, course S. 36° E.
	of
130.00	Center/creek, course S. 37° W.
660.00	Cor. No. 2, identical with cor. Nos. 4, 1 and 1 Inspiration Mill Site Nos. 50, 51 and 47 of this survey.
	Thence South
330.00	Cor. No. 3; identical with cor. Nos. 4, 2 and 3 Inspiration Mill Site Nos. 47, 42 and 41 of this survey.
	Thence N. 89° 28' W.
	of
475.00	Center/creek, course S. 7° W.
660.00	Cor. No. 4, identical with cor. Nos. 2, 2 and 4 Inspiration Mill Site Nos. 41, 40 and 45 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS46-4-IMS41-2-IMS40-2-IMS45-4-4606.
	No local bearing objects or bearing trees available.
	Thence North.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE No. 45	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 45, identical with cor. Nos. 1, 3 and 3 Inspiration Mill Site Nos. 40, 39 and 44 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS45-1-IMS40-1-IMS 39-3-IMS 44-3-4606; from which
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.

SURVEY NO. 4606

Feet The cor. of secs. 15, 16, 21 and 22 bears S. 87° 17' 40" W., 5907.19 ft. dist.; previously described.
No local bearing objects or bearing trees available.
Thence North

330.00 Cor. No. 2, identical with cor. Nos. 2, 4 and 4 Inspiration Mill Site Nos. 44, 48 and 49 of this survey.
Thence S. 89° 28' E.

660.00 Cor. No. 3, identical with cor. Nos. 3, 1 and 1 Inspiration Mill Site Nos. 49, 50 and 46 of this survey.
Thence South

330.00 Cor. No. 4, identical with cor. Nos. 4, 2 and 2 Inspiration Mill Site Nos. 46, 41 and 40 of this survey.
Thence N. 89° 28' W.

660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 44

Beginning at cor. No. 1 Inspiration Mill Site No. 44, identical with cor. Nos. 3 and 1 Inspiration Mill Site Nos. 43 and 48 of this survey.
Thence S. 89° 28' E.

660.00 Cor. No. 2, identical with cor. Nos. 4, 4 and 2 Inspiration Mill Site Nos. 48, 49 and 45 of this survey.
Thence South

330.00 Cor. No. 3, identical with cor. Nos. 1, 1 and 3 Inspiration Mill Site Nos. 45, 40 and 39 of this survey.
Thence N. 89° 28' W.

360.00 Center/creek, course S. 38° E.

570.00 Center/creek, course N. 51° E.

660.00 Cor. No. 4, identical with cor. Nos. 2, 3 and 4, Inspiration Mill Site Nos. 39, 38 and 43 of this survey.
Set a copper coated steel pin-18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS44-4-IMS39-2-IMS38-3-IMS43-4-4606.
No local bearing objects or bearing trees available.
Thence North

330.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 43

Beginning at cor. No. 1 of the Inspiration Mill Site No. 43, identical with cor. No. 2 Inspiration Mill Site No. 38 of this survey.

Feet	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS43-1-IMS38-2-4606, from which</p> <p>The cor. of secs. 15, 16, 21 and 22 bears S. 86° 22' W., 4589.88 ft. dist; previously described.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence North</p>
195.00	<p>Center/creek, course S. 79° E.</p>
330.00	<p>Cor. No. 2.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS43-2-4606.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence S. 89° 28' E.</p>
660.00	<p>Cor. No. 3, identical with cor. Nos. 1 and 1 Inspiration Mill Site Nos. 48 and 44 of this survey.</p>
	<p>Thence South</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 4, 2 and 3 Inspiration Mill Site Nos. 44, 39 and 38 of this survey.</p>
	<p>Thence N. 89° 28' W.</p>
	<p>of</p>
430.00	<p>Center/creek, course S. 45° E.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. 38</p>	
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 38, identical with cor. No. 1 Inspiration Mill Site No. 29 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS38-1-IMS29-1-4606; from which</p>
	<p>The cor. of secs. 15, 16, 21 and 22 bears N. 89° 30' 40" W., 4580.82 ft. dist.; previously described.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence North</p>
330.00	<p>Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 43 of this survey.</p>
	<p>Thence S. 89° 28' E.</p>

SURVEY NO. 4606

Feet
230.00

of
Center/creek, course S. 45° E.

660.00

Cor. No. 3, identical with cor. Nos. 4, 4 and 2 Inspira-
tion Mill Site Nos. 43, 44 and 39 of this survey.

Thence South

50.00

of
Center/creek, course N. 63° E.

330.00

Cor. No. 4, identical with cor. Nos. 1, 1 and 2 Inspira-
tion Mill Site Nos. 39, 30 and 29 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam.,
16 ins. in the ground, with brass cap mkd. IMS38-4-
IMS39-1-IMS30-1-IMS29-2-4606.

No local bearing objects or
bearing trees available

Thence N. 89° 28' W.

660.00

Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 39

Beginning at cor. No. 1 of the Inspiration Mill Site No.
39, identical with cor. Nos. 1, 2 and 4 Inspiration
Mill Site Nos. 30, 29 and 38 of this survey; from which

The cor. of secs. 15, 16, 21 and 22 bears N. 89°
30' 20" W., 5240.83 ft. dist.; previously de-
scribed.

No local bearing objects or
bearing trees available

Thence North

280.00

of
Center/creek, course N. 63° E.

330.00

Cor. No. 2, identical with cor. Nos. 3, 4 and 4 Inspira-
tion Mill Site Nos. 38, 43 and 44 of this survey.

Thence S. 89° 28' E.

90.00

of
Center/creek, course N. 51° E.

300.00

of
Center/creek, course S. 38° E.

660.00

Cor. No. 3, identical with cor. Nos. 3, 1 and 1 Inspira-
tion Mill Site Nos. 44, 45 and 40 of this survey.

Thence South

75.00

of
Center/creek, course East.

330.00

Cor. No. 4, identical with cor. Nos. 4, 1 and 2 Inspira-
tion Mill Site Nos. 40, 32 and 31 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam.,
16 ins. in the ground, with brass cap mkd. IMS39-4-
IMS40-4-IMS32-1-IMS31-2-4606.

Chains Feet	No local bearing objects or bearing trees available
	Thence N. 89° 28' W.
330.00	Intersect cor Nos. 1 and 2 Inspiration Mill Site Nos. 31 and 30 of this survey.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 40	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 40, identical with cor. Nos. 3, 3 and 1 Inspiration Mill Site Nos. 39, 44 and 45 of this survey.
	Thence S. 89° 28' E.
660.00	Cor. No. 2, identical with cor. Nos. 4, 4 and 2 Inspiration Mill Site Nos. 45, 46 and 41 of this survey.
	Thence South of
270.00	Center/creek, course S. 53° E.
330.00	Cor. No. 3, identical with cor. Nos. 1, 1 and 2 Inspiration Mill Site Nos. 41, 34 and 33 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd, IMS40-3-IMS41-1-IMS34-1-IMS33-2-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
330.00	Intersect cor. Nos. 1 and 2 Inspiration Mill Site Nos. 33 and 32 of this survey.
660.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 4 Inspiration Mill Site Nos. 32, 31 and 39 of this survey.
	Thence North of
255.00	Center/creek, course East.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 41	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 41, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 34, 33 and 40 of this survey; from which
	The cor. of sets 15, 16, 21 and 22 bears N. 89° 29' 50" W., 6560.84 ft. dist.; previously described.
	No local bearing objects or bearing trees available.
	Thence North

<p>60.00 330.00</p>	<p>Center/creek, course S. 53° E. Cor. No. 2, identical with cor. Nos. 2, 4 and 4 Inspira- tion Mill Site Nos. 40, 45 and 46 of this survey. Thence S. 89° 28' E.</p>	<p>330.00 660.00</p>
<p>185.00 660.00 330.00</p>	<p>Center/creek, course S. 7° W. Cor. No. 3, identical with cor. Nos. 3, 4 and 2 Inspira- tion Mill Site Nos. 46, 47 and 42 of this survey. Thence South Cor. No. 14, identical with cor. Nos. 1, 1 and 2 Inspira- tion Mill Site Nos. 42, 36 and 35 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS41-4- IMS42-1-IMS36-1-IMS35-2-4606. No local bearing objects or bearing trees available. Thence N. 89° 28' W.</p>	<p>660.00 330.00</p>
<p>330.00 600.00 660.00</p>	<p>Intersect cor. Nos. 1 and 2 Inspiration Mill Site Nos. 35 and 34 of this survey. Center/creek, course S. 31° E. Cor. No. 1, and place of beginning.</p>	<p>660.00</p>
<p>INSPIRATION MILL SITE NO. 42</p>		
<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 42, identical with cor. Nos. 1, 2 and 4 Inspiration Mill Site Nos. 36, 35 and 41 of this survey; from which The cor. of sect. 15, 16, 21 and 22 bears N. 89° 29' 40" W., 7220.85 ft. dist; previously described. Thence N. 89° 28' W.</p>	<p>Thence North</p>	<p>330.00</p>
<p>330.00</p>	<p>Cor. No. 2, identical with cor. Nos. 3, 3, and 4, Inspiration Mill Site Nos. 41, 46 and 47 of this survey. Thence S. 89° 28' E.</p>	<p>330.00</p>
<p>660.00</p>	<p>Cor. No. 3, identical with cor. No. 3 Inspiration Mill Site No. 47 of this survey. Thence South</p>	<p>660.00</p>
<p>330.00</p>	<p>Cor. No. 4, identical with cor. No. 2 Inspiration Mill Site No. 37 of this survey.</p>	<p>330.00</p>
<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS42-4-IMS37-2-4606. No local bearing objects or bearing trees available.</p>		

Elevations Feet	
330.00	<p>Thence N. 89° 28' W.</p> <p>Intersect cor. Nos. 1 and 2 Inspiration Mill Site Nos. 37 and 36 of this survey.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. 37</p>	
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 37, identical with cor. No. 2 Inspiration Mill Site No. 36, and on line 4-1 Inspiration Mill Site No. 42 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS37-1-IMS-36-2-4606; from which</p>
	<p>The cor. of sects. 15, 16, 21 and 22 bears N. 89° 29' 40" W., 7550.85 ft. dist.; previously described.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence S. 89° 28' E.</p>
330.00	<p>Cor. No. 2, identical with cor. No. 4 Inspiration Mill Site No. 42 of this survey.</p>
	<p>Thence South</p>
660.00	<p>Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 26 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS37-3-IMS26-2-4606.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence N. 89° 28' W.</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 26, 25 and 36 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS37-4-IMS26-1-IMS25-2-IMS36-3-4606.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence North</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>

CHAINS =
Feet. INSPIRATION MILL SITE NO. 36
 Beginning at cor. No. 1 Inspiration Mill Site No. 36, identical with cor. Nos. 2, 4 and 1 Inspiration Mill Site Nos. 35, 41 and 42 of this survey.
 Thence S. 89° 28' E.
 330.00 Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 37 of this survey.

Thence South
 660.00 Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 37, 26 and 25 of this survey.
 Thence N. 89° 28' W.
 330.00 Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 25, 24 and 35 of this survey.
 Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS36-4-IMS25-1-IMS24-2-IMS35-3-4606.
 No local bearing objects or bearing trees available.
 Thence North
 660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 35
 Beginning at cor. No. 1 of the Inspiration Mill Site No. 35, identical with cor. No. 2 Inspiration Mill Site No. 34 and on line 4-1 Inspiration Mill Site No. 41 of this survey.
 Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS35-1-IMS34-2-4606; from which
 The cor. of secs. 15, 16, 21 and 22 bears N. 89° 29' 50" W, 6890.84 ft. dist.; previously described.
 No local bearing objects or bearing trees available.

Thence S. 89° 28' E.
 330.00 Cor. No. 2, identical with cor. Nos. 4, 1 and 1 Inspiration Mill Site Nos. 41, 42 and 36 of this survey.
 Thence South
 660.00 Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 36, 25 and 24 of this survey.
 Thence N. 89° 28' W.
 330.00 Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 24, 23 and 34 of this survey.

<p>Chain Feet</p> <p>660.00</p>	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS35-4-IMS24-1-IMS23-2-IMS34-3-4606.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p> <p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. 34</p>	
<p>60.00</p> <p>330.00</p> <p>660.00</p>	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 34, identical with cor. Nos. 2, 3 and 1 Inspiration Mill Site Nos. 33, 40 and 41 of this survey.</p> <p>Thence S. 89° 28' E.</p> <p>Center/creek, course S. 31° E.</p> <p>Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 35 and on line 4-1 Inspiration Mill Site No. 41 of this survey.</p> <p>Thence South</p> <p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 35, 24 and 23 of this survey.</p> <p>Thence N. 89° 28' W.</p>
<p>180.00</p> <p>330.00</p> <p>660.00</p>	<p>Center/creek, course S. 11° E.</p> <p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 23, 22 and 33 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS34-4-IMS23-1-IMS22-2-IMS33-3-4606.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p> <p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. 33</p>	
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 33, identical with cor. No. 2 Inspiration Mill Site No. 32, and on line 3-4 Inspiration Mill Site No. 40 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS33-1-IMS32-2-4606; from which</p> <p>The cor. of secs. 15, 16, 21 and 22 bears N. 89° 26' 30" W., 6230.83 ft. dist.; previously described.</p> <p>No local bearing objects or bearing trees available.</p>

Chains
Feet

330.00 Cor. No. 2, identical with cor. Nos. 3, 1 and 1 Inspiration Mill Site Nos. 40, 41 and 34 of this survey.
Thence South

660.00 Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 34, 23 and 22 of this survey.
Thence N. 89° 28' W.

330.00 Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 22, 21 and 32 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS33-4-IMS22-1-IMS21-2-IMS32-3-4606.

No local bearing objects or bearing trees available.
Thence North

660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 32

Beginning at cor. No. 1 of the Inspiration Mill Site No. 32, identical with cor. Nos. 2, 4 and 4 Inspiration Mill Site Nos. 31, 39 and 40 of this survey; from which
The cor. of secs. 15, 16, 21 and 22 bears N. 89° 30' W., 5900.83 ft. dist.; previously described.
Thence S. 89° 28' E.

330.00 Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 33, and on line 3-4 Inspiration Mill Site No. 40 of this survey.
Thence South

660.00 Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 33, 22 and 21 of this survey.
Thence N. 89° 28' W.

330.00 Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 21, 20, and 31 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS32-4-IMS21-1-IMS20-2-IMS31-3-4606.
No local bearing objects or bearing trees available.

660.00 Cor. No. 1, and place of beginning.
Thence North

Chain Feet	INSPIRATION MILL SITE NO. 31
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 31, identical with cor. No. 2 Inspiration Mill Site No. 30, and on line 4-1 Inspiration Mill Site No. 39 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS31-1-IMS30-2-4606; from which</p> <p>The cor. of secs. 15, 16, 21 and 22 bears N. 89° 30' 10" W., 5570.83 ft. dist.; previously described.</p> <p>No local bearing objects or bearing trees available.</p> <p>-Thence S. 89° 28' E.</p>
330.00	<p>Cor. No. 2, identical with cor. Nos. 4, 4 and 1 Inspiration Mill Site Nos. 39, 40 and 32 of this survey.</p> <p>Thence South</p>
660.00	<p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 32, 21 and 20 of this survey.</p> <p>Thence N. 89° 28' W.</p>
330.00	<p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 20, 19 and 30 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS31-4-IMS20-1-IMS19-2-IMS30-3-4606; from which</p> <p>Cor. No. 4 Sur. No. 3924 Copper No. 8 lode bears S. 13° 46' E., 341.28 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence North</p>
660.00	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>INSPIRATION MILL SITE NO. 30</p> <p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 30, identical with cor. Nos. 2, 4 and 1 Inspiration Mill Site Nos. 29, 38 and 39 of this survey.</p> <p>Thence S. 89° 28' E.</p>
330.00	<p>Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 31, and on line 4-1 Inspiration Mill Site No. 39 of this survey.</p> <p>Thence South</p>
660.00	<p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 31, 20 and 19 of this survey.</p>

Feet	Thence N. 89° 28' W.
275.00	of Center/creek, course S. 67° E.
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 19, 18 and 28 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS30-4-IMS19-1-IMS18-2-IMS28-3-4606.
	No local bearing objects or bearing trees available.
	Thence North
55.00	of Center/creek, course S. 42° E.
330.00	Intersect cor. Nos. 2 and 3 Inspiration Mill Site Nos. 28 and 29 of this survey.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 29	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 29, identical with cor. No. 1 Inspiration Mill Site No. 38 of this survey.
	Thence S. 89° 28' E.
660.00	Cor. No. 2, identical with cor. Nos. 4, 1 and 1 Inspiration Mill Site Nos. 38, 39 and 30 of this survey.
	Thence South
330.00	Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 28 and on line 4-1 Inspiration Mill Site No. 30 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS29-3-IMS28-2-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
235.00	of Center/creek, course S. 35° E.
410.00	of Center/creek, Course N. 50° E.
660.00	Cor. No. 4, identical with cor. No. 1 Inspiration Mill Site No. 28 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS29-4-IMS28-1-4606.
	No local bearing objects or bearing trees available.

28

SURVEY NO. 4606

26.

EARS Feet	Thence North
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 28	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 28, identical with cor. No. 4 Inspiration Mill Site No. 29 of this survey; from which	
The cor. of secs. 15, 16, 21 and 22 bears N. 85° 23' 40" W., 4595.49 ft. dist., previously described.	
Thence S. 89° 28' E.	
250.00	of Center/creek, course N. 50° E.
425.00	of Center/creek, course S. 35° E.
660.00	Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 29 and on line 4-1 Inspiration Mill Site No. 30 of this survey.
Thence South	
275.00	of Center/creek, course S. 42° E.
330.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2, Inspiration Mill Site Nos. 30, 19 and 18 of this survey.
Thence N. 89° 28' W.	
660.00	Cor. No. 4, identical with cor. No. 1 Inspiration Mill Site No. 18 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS28-4-IMS 18-1-4606.	
No local bearing objects or bearing trees available.	
Thence North	
215.00	of Center/creek, course N. 67° E.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 18	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 18, identical with cor. No. 4 Inspiration Mill Site No. 28 of this survey; from which	
The cor. of secs. 15, 16, 21 and 22 bears N. 81° 19' 20" W., 4633.69 ft. dist.; previously described.	
Thence S. 89° 28' E.	

Chains=
Feet

660.00 Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 28, 30 and 19 of this survey.

286.84 Thence South
Intersect line 3-4 Survey No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears S. 83°23' E., 414.00 ft. dist.

330.00 Cor. No. 3, on line 4-1 Inspiration Mill Site No. 19 of this survey.

Set a copper coated Steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS18-3-4606.

No local bearing objects or bearing trees available.

660.00 Thence N. 89°28' W.
Cor. No. 4

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS18-4-4606.

No local bearing objects or bearing trees available.

113.57 Thence North
Intersect line 3-4 Sur. No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears S. 83°23' E., 1078.39 ft. dist.

330.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 19

Beginning at cor. No. 1 of the Inspiration Mill Site No. 19, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 18, 28 and 30 of this survey; from which

The cor. of secs. 15, 16, 21 and 22 bears N. 82°20' 10" W., 5287.86 ft. dist.; previously described.

Thence S. 89°28' E.

55.00 Center of creek, course S. 67° E.

330.00 Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 30, 31 and 20 of this survey.

295.00 Thence South
Center of creek, course S. 48° E.

322.05 Intersect line 3-4 Survey No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears S. 83°23' E., 81.79 ft. dist.

Chains Feet	
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 20, 9 and 68 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS19-3-IMS20-4-IMS9-1-IMS68-2-4606. No local bearing objects or bearing trees available. Thence N. 89°28' W.
147.97	Intersect the W. line of Tracts A and D at a point from which the N.W. cor. of Tract A bears N. 27°55'40" W., 360.03 ft. dist.
330.00	Cor. No. 4, identical with cor. No. 1 Inspiration Mill Site No. 68 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS19-4-IMS68-1-4606. No local bearing objects or bearing trees available. Thence North
330.00	Intersect cor. No. 3 Inspiration Mill Site No. 18 of this survey.
373.16	Intersect line 3-4 Sur. No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears S. 83°23' E., 414.00 ft. dist.
660.00	Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 20

	Beginning at cor. No. 1 of the Inspiration Mill Site No. 20, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Nos. 19, 30 and 31 of this survey; from which The cor. of secs. 15, 16, 21 and 22 bears N. 82° 45'20" W., 5615.45 ft. dist.; previously described. Cor. No. 4 Sur. No. 3924 Copper No. 8 lode bears S. 13°46' E., 341.28 ft. dist. No local bearing objects or bearing trees available. Thence S. 89°28' E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 31, 32 and 21 of this survey. Thence South
490.00	Center of creek, course S. 42° E.
660.00	Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 21 and on line 1-2 Inspiration Mill Site No. 9 of this survey.

<p>Feet</p>	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS20-3-IMS21-4-4606.</p> <p>No local bearing objects or bearing trees available.</p>
	<p>Thence N. 89° 28' W.</p>
<p>285.55</p>	<p>Intersect line 4-1 Sur. No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears N. 6° 23' E., 330.99 ft. dist.</p>
<p>330.00</p>	<p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 9, 68 and 19 of this survey.</p> <p>Thence North</p>
<p>337.95</p>	<p>Intersect line 3-4 Sur. No. 3924 Copper No. 8 lode at a point from which cor. No. 4 bears S. 83° 23' E., 81.79 ft. dist.</p>
<p>365.00</p>	<p>Center/creek, course S. 48° E.</p>
<p>660.00</p>	<p>Cor. No. 1, and place of beginning.</p>
<p style="text-align: center;">INSPIRATION MILL SITE NO. 21</p>	
	<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 21, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 20, 31 and 32 of this survey; from which</p>
	<p>The cor. of secs. 15, 16, 21 and 22 bears N. 83° 07' 30" W., 5943.34 ft. dist.; previously described.</p>
	<p>Thence S. 89° 28' E.</p>
<p>330.00</p>	<p>Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 32, 33 and 22 of this survey.</p>
	<p>Thence South</p>
<p>660.00</p>	<p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 22, 10 and 9 of this survey.</p>
	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS21-3-IMS22-4-IMS10-1-IMS9-2-4606.</p>
	<p>No local bearing objects or bearing trees available.</p>
	<p>Thence N. 89° 28' W.</p>
<p>150.00</p>	<p>Center/creek, course S. 14° E.</p>
<p>330.00</p>	<p>Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 20, and on line 1-2 Inspiration Mill Site No. 9 of this survey.</p>

Chain Feet	
	Thence North
170.00	of Center/creek, course S. 42° E.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 22	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 22, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 21, 32 and 33 of this survey; from which	
The cor. of secs. 15, 16, 21 and 22 bears N. 83° 27' 30" W., 6271.43 ft. dist.; previously described.	
Thence S. 89° 28' E.	
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 33, 34 and 23 of this survey.
Thence South	
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 23, 11 and 10 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS22-3-IMS23-4-IMS11-1-IMS10-2-4606	
No local bearing objects or bearing trees available.	
Thence N. 89° 28' W.	
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 10, 9 and 21 of this survey.
Thence North	
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 23	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 23, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 22, 33 and 34 of this survey; from which	
The cor. of secs. 15, 16, 21 and 22 bears N. 83° 45' 30" W., 6599.71 ft. dist.; previously described.	
Thence S. 89° 28' E.	
150.00	of Center/creek, course S. 11° E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 34, 35 and 24 of this survey.
Thence South	

Chain Feet	of	Chain Feet
390.00	Center/creek, course S. 57° E.	370.00
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 24, 12 and 11 of this survey.	
	This cor. falls inside a 10x12 ft. concrete and frame building and cannot be set.	
9.38	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, for witness cor., with brass cap mkd. WC-IMS23-3-IMS24-4-IMS12-1-IMS11-2-4606.	
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 11, 10 and 22 of this survey.	
	Thence North	
660.00	Cor. No. 1, and place of beginning.	
INSPIRATION MILL SITE NO. 24		
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 24, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 23, 34 and 35 of this survey; from which	
	The cor. of secs. 15, 16, 21 and 22 bears N. 84° 01' 50" W., 6928.15 ft. dist.; previously described.	
	Thence S. 89° 28' E.	
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 35, 36 and 25 of this survey.	
	Thence South	
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 25, 13 and 12 of this survey.	
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS24-3-IMS25-4-IMS13-1-IMS12-2-4606.	
	No local bearing objects or bearing trees available.	
	Thence N. 89° 28' W.	
165.00	Center/creek, course S. 24° E.	
300.00	Road bears N. 7° W. and S. 7° E.	
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 12, 11 and 23 of this survey.	
	Thence North	

Chain Feet		of Center/creek, course S. 57° E.
270.00		

660.00		Cor. No. 1, and place of beginning.
--------	--	-------------------------------------

INSPIRATION MILL SITE NO. 25

Beginning at cor. No. 1 of the Inspiration Mill Site No. 25, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 24, 35 and 36 of this survey; from which

The cor. of secs. 15, 16, 21 and 22 bears N. 84° 16' 30" W., 7256.77 ft. dist.; previously described.

Thence S. 89° 28' E.

330.00		Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 36, 37 and 26 of this survey.
--------	--	--

Thence South

660.00		Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 26, 14 and 13 of this survey.
--------	--	--

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS25-3-IMS26-4-IMS14-1-IMS13-2-4606.

No local bearing objects or bearing trees available.

Thence N. 89° 28' W.

330.00		Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 13, 12 and 24 of this survey.
--------	--	--

Thence North

660.00		Cor. No. 1, and place of beginning.
--------	--	-------------------------------------

INSPIRATION MILL SITE NO. 26

Beginning at cor. No. 1 of the Inspiration Mill Site No. 26, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 25, 36 and 37 of this survey; from which

The cor. of secs. 15, 16, 21 and 22 bears N. 84° 30' 10" W., 7585.45 ft. dist.; previously described.

Thence S. 89° 28' E.

330.00		Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 37 of this survey.
--------	--	--

Thence South

SURVEY NO. 4606

XXXXX
Feet

330.00 Intersect cor. No. 2 Inspiration Mill Site No. 27 of this survey.

660.00 Cor. No. 3, identical with cor. Nos. 1, 1 and 2 Inspiration Mill Site Nos. 27, 15 and 14 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS26-3-IMS27-1-IMS15-1-IMS14-2-4606.

No local bearing objects or bearing trees available.

Thence N. 89° 28' W.

330.00 Cor. No. 4, identical with cor. Nos. 1, 2, and 3 Inspiration Mill Site Nos. 14, 13 and 25 of this survey.

Thence North

660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 27

Beginning at cor. No. 1 of the Inspiration Mill Site No. 27, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 15, 14 and 26 of this survey; from which

The 1/4 sec. cor. of secs. 21 and 22 T. 1 N., R. 14 E., G. & S. R. M. bears S. 81° 00' 50" W., 7978.90 ft. dist.; an iron post 1 in. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Thence North

330.00 Cor. No. 2, on line 2-3 Inspiration Mill Site No. 26 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS27-2-4606.

No local bearing objects or bearing trees available.

Thence S. 89° 28' E.

660.00 Cor. No. 3.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS27-3-4606.

No local bearing objects or bearing trees available.

Thence South

Chain Feet	
330.00	Cor. No. 4, identical with cor. Nos. 1 and 2 Inspiration Mill Site Nos. 17 and 16 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS27-4-IMS17-1-IMS16-2-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
240.00	Center/creek, course South
330.00	Intersect cor. Nos. 1 and 2 Inspiration Mill Site Nos. 16 and 15 of this survey.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 17	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 17, identical with cor. Nos. 2 and 4 Inspiration Mill Site Nos. 16 and 27 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 81° 44' 20" W., 8630.50 ft. dist.; previously described.
	Thence S. 89° 28' E.
330.00	Cor. No. 2.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS17-2-4606.
	No local bearing objects or bearing trees available.
	Thence South
660.00	Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 8 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS17-3-IMS8-2-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 8, 7 and 16 of this survey.
	Set a copper coated steel pin 17 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS 17-4-IMS8-1-IMS7-2-IMS16-3-4606.

SURVEY NO. 4606

<p>Feet</p> <p>660.00</p>	<p>No local bearing objects or bearing trees available.</p> <p>Thence North</p> <p>Cor. No. 1, and place of beginning.</p>	<p>Feet</p> <p>660.00</p>
<p>INSPIRATION MILL SITE NO. 16</p>		
<p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 16, identical with cor. No. 2 Inspiration Mill Site No. 15 and on line 4-1 Inspiration Mill Site No. 27 of this survey.</p>		
<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS16-1-IMS15-2-4606; from which</p>		
<p>The 1/4 sec. cor. of secs. 21 and 22 bears S. 81° 23' 30" W., 8304.51 ft. dist.; previously described.</p>		
<p>No local bearing objects or bearing trees available.</p>		
<p>Thence S. 89° 28' E.</p>		
<p>90.00</p>	<p>Center/creek, course South.</p>	
<p>330.00</p>	<p>Cor. No. 2, identical with cor. Nos. 4 and 1 Inspiration Mill Site Nos. 27 and 17 of this survey.</p>	
<p>Thence South</p>		
<p>660.00</p>	<p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 17, 8 and 7 of this survey.</p>	
<p>Thence N. 89° 28' W.</p>		
<p>215.00</p>	<p>Center/creek, course S. 69° W.</p>	
<p>330.00</p>	<p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 7, 6 and 15 of this survey.</p>	
<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS16-4-IMS7-1-IMS6-2-IMS15-3-4606.</p>		
<p>No local bearing objects or bearing trees available.</p>		
<p>Thence North</p>		
<p>620.00</p>	<p>Center/creek, course S. 75° W.</p>	
<p>660.00</p>	<p>Cor. No. 1, and place of beginning.</p>	
<p>Thence N. 89° 28' W.</p>		

Feet	INSPIRATION MILL SITE NO. 15
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 15, identical with cor. Nos. 2, 3 and 1 Inspiration Mill Site Nos. 14, 26 and 27 of this survey. Thence North
330.00	Thence S. 89° 28' E. Cor. No. 2, identical with cor. No. 1 Inspiration Mill Site No. 16 and on line 4-1 Inspiration Mill Site No. 27 of this survey.
40.00	Thence South of Center/creek, course S. 75° W.
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 16, 7 and 6 of this survey. Thence N. 89° 28' W.
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 6, 5 and 14 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS15-4-IMS6-1-IMS5-2-IMS14-3-4606. No local bearing objects or bearing trees available. Thence North
525.00	of Center/creek, course West.
660.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. 14
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 14, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 13, 25 and 26 of this survey; from which The 1/4 sec. cor. of secs. 21 and 22 bears S. 80° 36' 20" W., 7653.63 ft. dist.; previously described. Thence S. 89° 28' E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 1 and 1 Inspiration Mill Site Nos. 26, 27 and 15 of this survey. Thence South
135.00	of Center/creek, course West.
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 15, 6 and 5 of this survey. Thence N. 89° 28' W.

<p>Feet</p>	<p>Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 26° 34' W., 314.20 ft. dist.</p>
<p>72.53</p>	
<p>330.00</p>	<p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 5, 66 and 13 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS14-4-IMS5-1-IMS66-2-IMS13-3-4606; from which</p>
	<p>Cor. No. 4 Sur. No. 2380 Gold Spring lode bears N. 22° 46' E., 302.17 ft. dist. No local bearing objects or bearing trees available.</p>
<p>100.00</p>	<p>Thence North of Center/creek, course S. 64° W.</p>
<p>211.60</p>	<p>Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 60° 11' E., 134.79 ft. dist.</p>
<p>660.00</p>	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. 13 Beginning at cor. No. 1 of the Inspiration Mill Site No. 13, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 12, 24 and 25 of this survey; from which The 1/4 sec. cor. of secs. 21 and 22 bears S. 80° 09' 40" W., 7328.78 ft. dist.; previously described.</p>
<p>330.00</p>	<p>Thence S. 89° 28' E.</p>
<p>330.00</p>	<p>Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 25, 26 and 14 of this survey. Thence South</p>
<p>448.40</p>	<p>Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 60° 11' E., 134.79 ft. dist.</p>
<p>560.00</p>	<p>Center/creek, course S. 64° W.</p>
<p>660.00</p>	<p>Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 14, 5 and 66 of this survey. Thence N. 89° 28' W.</p>
<p>145.00</p>	<p>Center/creek, course S. 45° W.</p>
<p>330.00</p>	<p>Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 12 and on line 1-2 Inspiration Mill Site No. 66 of this survey.</p>

Feet	
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS13-4-IMS12-3-4606; from which Cor. No. 3 Sur. No. 2380 Gold Spring lode bears S. 72° 48' W., 77.09 ft. dist. No local bearing objects or bearing trees available. Thence North
19.42	Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 60° 11' E., 515.12 ft. dist.
295.00	of Center/creek, course S. 77° E.
400.00	of Center/creek, course S. 57° E.
660.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. 12 Beginning at cor. No. 1 Inspiration Mill Site No. 12, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 11, 23 and 24 of this survey; from which The 1/4 sec. cor. of secs. 21 and 22 bears S. 79° 40' 30" W., 7004.42 ft. dist.; previously described. Thence S. 89° 28' E.
30.00	Road bears N. 5° W. and S. 5° E.
165.00	Center/creek, course S. 24° E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 24, 25 and 13 of this survey. Thence South
260.00	of Center/creek, course S. 57° E.
365.00	of Center/creek, course S. 77° E.
640.58	Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 3 bears S. 60° 11' W., 84.88 ft. dist.
660.00	Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 13 and on line 1-2 Inspiration Mill Site No. 66 of this survey. Thence N. 89° 28' W.
33.34	Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 3 bears S. 60° 11' W., 46.45 ft. dist.
70.00	Road bears S. 26° E. and N. 26° W.

Chains Feet	
85.45	Intersect line 4-1 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 4 bears N. 26° 35' W., 132.81 ft. dist.
328.83	Intersect line 3-4 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 4 bears N. 57° 39' E., 217.73 ft. dist.
330.00	Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 66, 4 and 11 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS12-4-IMS66-1-IMS4-2-IMS11-3-4606; from which Cor. No. 4 Sur. No. 3924 Copper #1 lode bears N. 57° 49' E. 218.72 ft. dist. No local bearing objects or bearing trees available. Thence North of
410.00	Center/creek, course N. 88° E.
660.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. 11
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 11, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 10, 22 and 23 of this survey; from which The 1/4 sec. cor. of secs. 21 and 22 bears S. 79° 08' 30" W., 6680.62 ft. dist.; previously described. Thence S. 89° 28' E.
320.62	Witness cor. for cor. No. 2 of the Inspiration Mill Site No. 11, identical with witness cor. for cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 23, 24 and 12 of this survey.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 23, 24 and 12 of this survey. Thence South of
250.00	Center/creek, course N. 88° E.
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 12, 66 and 4 of this survey. Thence N. 89° 28' W.
330.00	Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 10 and on line 1-2 Inspiration Mill Site No. 4 of this survey.

Feet	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS11-4-IMS10-3-4606.
	No local bearing objects or bearing trees available.
	Thence North
430.00	Center/creek, course S. 52° E.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 10	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 10, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 9, 21 and 22 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 78° 33' 20" W., 6357.42 ft. dist.; previously described.
	Thence S. 89° 28' E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 22, 23 and 11 of this survey.
	Thence South
230.00	Center/creek, course S. 52° E.
660.00	Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 11 and on line 1-2 Inspiration Mill Site No. 4 of this survey.
	Thence N. 89° 28' W.
99.49	Intersect line 4-1 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 4 bears N. 26° 35' W., 357.60 ft. dist.
330.00	Cor. No. 4, identical with cor. Nos. 1 and 3 Inspiration Mill Site Nos. 4 and 67 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS10-4-IMS4-1-IMS67-3-4606; from which
	Cor. No. 4 Sur. No. 3924 Copper #7 lode bears N. 12° 31' E., 325.38 ft. dist.
	No local bearing objects or bearing trees available.
	Thence North
325.60	Intersect line 3-4 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 4 bears S. 83° 34' E., 70.92 ft. dist.

CHAINS	
Feet	
330.00	Intersect cor. Nos. 2 and 3 Inspiration Mill Site Nos. 67 and 9 of this survey.
590.00	Center/creek, course S. 70° E.
660.00	Cor. No. 1, and place of beginning.
<hr/>	
INSPIRATION MILL SITE NO. 9	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 9, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 68, 19 and 20 of this survey; from which	
The 1/4 sec. cor. of secs. 21 and 22 bears S. 77° 10' 50" W., 5713.45 ft. dist.; previously described.	
Thence S. 89° 28' E.	
44.45	Intersect line 4-1 Survey No. 3924 Copper No. 8 lode at a point from which cor. No. 1 bears S. 6° 23' W., 269.01 ft. dist.
330.00	Intersect cor. Nos. 3 and 4 Inspiration Mill Site Nos. 20 & 21 of this survey.
510.00	Center/creek, course S. 14° E.
660.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 21, 22 and 10 of this survey.
Thence South	
70.00	Center/creek, course S. 70° E.
330.00	Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 67 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS9-3-IMS67-2-4606.	
No local bearing objects or bearing trees available.	
Thence N. 89° 28' W.	
42.53	Intersect line 3-4 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 4 bears S. 83° 34' E., 113.72 ft. dist.
660.00	Cor. No. 4, identical with cor. No. 1 Inspiration Mill Site No. 67 and on line 2-3 Inspiration Mill Site No. 68 of this survey.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS9-4-IMS67-1-4606; from which	

Feet	Cor. No. 1 Sur. No. 3924 Copper No. 8 lode bears N. 13° 08' E., 63.92 ft. dist.
	No local bearing objects or bearing trees available.
	Thence North
63.89	Intersect line 3-4 and 1-2 Sur. No. 3924 Copper #7 and Copper No. 8 lodes at a point from which cor. No. 4 bears S. 83° 34' E., 734.99 ft. dist., and cor. No. 1 bears S. 83° 34' E., 14.62 ft. dist.
330.00	Cor. No. 1; and place of beginning.
INSPIRATION MILL SITE NO. 67.	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 67, identical with cor. No. 4 Inspiration Mill Site No. 9 and on line 2-3 Inspiration Mill Site No. 68 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 80° 26' 40" W., 5649.15 ft. dist.; previously described.
	Thence S. 89° 28' E.
617.47	Intersect line 3-4 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 4 bears S. 83° 34' E., 113.72 ft. dist.
660.00	Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 9 and on line 4-1 Inspiration Mill Site No. 10 of this survey.
	Thence South
4.40	Intersect line 3-4 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 4 bears S. 83° 34' E., 70.92 ft. dist.
330.00	Cor. No. 3, identical with cor. Nos. 4 and 1 Inspiration Mill Site Nos. 10 and 4 of this survey.
	Thence N. 89° 28' W.
660.00	Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 68 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground; with brass cap mkd. IMS67-4-IMS68-3-4606.
	No local bearing objects or bearing trees available.
	Thence North
330.00	Cor. No. 1; and place of beginning.

Chains
Feet

INSPIRATION MILL SITE NO. 68

Beginning at cor. No. 1 of the Inspiration Mill Site No. 68, identical with cor. No. 4 Inspiration Mill Site No. 19 of this survey; from which

The 1/4 sec. cor. of secs. 21 and 22 bears S. $76^{\circ} 22' 20''$ W., 5392.88 ft. dist.; previously described.

Thence S. $89^{\circ} 28'$ E.

182.03 Intersect West line Tract A and D at a point from which the Southwest cor. of Tract D bears S. $27^{\circ} 55' 40''$ E., 301.96 ft. dist.

330.00 Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 19, 20 and 9 of this survey.

Thence South

266.11 Intersect line 1-2 and 3-4 Sur. No. 3924 Copper No. 8 and Copper #7 lodes at a point from which cor. No. 1 bears S. $83^{\circ} 34'$ E., 14.62 ft. dist., and cor. No. 4 bears S. $83^{\circ} 34'$ E., 734.99 ft. dist.

330.00 Intersect cor. Nos. 4 and 1 Inspiration Mill Site Nos. 9 and 67 of this survey.

660.00 Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 67 of this survey.

Thence N. $89^{\circ} 28'$ W.

330.00 Cor. No. 4.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground with brass cap mkd. IMS68-4-4606.

No local bearing objects or bearing trees available.

Thence North

428.03 Intersect line 3-4 and 1-2 Sur. No. 3924 Copper #7 and Copper No. 8 lodes at a point from which cor. No. 4 bears S. $83^{\circ} 34'$ E., 1067.07 ft. dist., and cor. No. 1 bears S. $83^{\circ} 34'$ E., 346.69 ft. dist.

660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 4

Beginning at cor. No. 1 of the Inspiration Mill Site No. 4, identical with cor. Nos. 3 and 4 Inspiration Mill Site Nos. 67 and 10 of this survey; from which

The 1/4 sec. cor. of secs. 21 and 22 bears S. $84^{\circ} 29' 10''$ W., 6259.99 ft. dist.; previously described.

Thence S. $89^{\circ} 28'$ E.

Chains- Feet	
230.51	Intersect line 4-1 Sur. No. 3924 Copper #7 lode at a point from which cor. No. 1 bears S. 26°35' E., 356.40 ft. dist. and cor. No. 3 Sur. No. 3924 Copper #1 lode being on same line bears S. 26°35' E., 235.02 ft. dist.
330.00	Intersect cor. Nos. 3 and 4 Inspiration Mill Site Nos. 10 and 11 of this survey.
660.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 11, 12 and 66 of this survey. Thence South
0.77	Intersect line 3-4 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 3 bears S. 57°39' W., 383.88 ft. dist.
330.00	Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 66 of this survey. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS4-3-IMS66-4-4606; from which Cor. No. 3 Sur. No. 3924 Copper #1 lode bears N. 69°06' W., 347.13 ft. dist. No local bearing objects or bearing trees available. Thence N. 89°28' W.
263.56	Intersect line 2-3 and 4-1 Sur. No. 3924 Copper #1 and Copper #6 lodes at a point from which cor. No. 3 bears N. 26°35' W., 135.72 ft. dist., and cor. No. 4 identical with cor. No. 1 Sur. No. 3924 Copper #7 lode bears N. 26°35' W., 14.34 ft. dist.
660.00	Cor. No. 4. Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS4-4-4606; from which Cor. Nos. 1 and 4 Sur. No. 3924 Copper #7 and Copper #6 lodes bears N. 88°39' E., 390.11 ft. dist. No local bearing objects or bearing trees available. Thence North
53.11	Intersect line 3-4 and 1-2 Sur. No. 3924 Copper #6 and Copper #7 lodes at a point from which cor. Nos. 4 and 1 bears S. 83°34' E., 392.47 ft. dist.
330.00	Cor. No. 1, and place of beginning.

Chains Feet	INSPIRATION MILL SITE NO. 66
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 66, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 4, 11 and 12 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 85° 03'40" W., 6916.68 ft. dist.; previously described.
	Thence S. 89°28' E.
1.17	Intersect line 3-4 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 4 bears N. 57°39' E., 217.73 ft. dist.
244.55	Intersect line 4-1 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 4 bears N. 26°35' W., 132.81 ft. dist., and cor. No. 3 Sur. No. 2380 Gold Spring lode being on same line bears S. 26°35' E., 26.37 ft. dist.
260.00	Road bears S. 26° E. and N. 26° W.
296.66	Intersect line 3-4 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 3 bears S. 60°11' W., 46.45 ft. dist.
330.00	Intersect cor. Nos. 3 and 4 Inspiration Mill Site Nos. 12 and 13 of this survey.
515.00	Center of creek, course S. 45° W.
660.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 13, 14 and 5 of this survey.
	Thence South
330.00	Cor. No. 3, on line 4-1 Inspiration Mill Site No. 5 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS66-3-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89°28' W.
160.00	Center of creek, course S. 23° E.
240.00	Road bears N. 26° W. and S. 30° E.
249.54	Intersect line 2-3 Sur. No. 2380 Gold Spring lode and line 4-1 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 3 bears N. 26°35' W., 344.35 ft. dist., and cor. No. 4 bears N. 26°35' W. 503.53 ft. dist.
660.00	Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 4 of this survey.

Chain Feet	
	Thence North
329.23	Intersect line 3-4 Sur. No. 3924 Copper #1 lode at a point from which cor. No. 4 bears N. 57°39' E., 219.12 ft. dist.
330.00	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. 5
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 5, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 66, 13 and 14 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 85° 32'20" W., 7573.93 ft. dist.; previously described.
	Thence S. 89°28' E.
257.47	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 26°34' W., 314.20 ft. dist.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 14, 15 and 6 of this survey.
	Thence South
120.00	Center of creek, course West.
144.37	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 26°34' W., 476.36 ft. dist.
660.00	Cor. No. 3, identical with cor. Nos. 4 and 1 Inspiration Mill Site Nos. 6 and 1 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS5-3-IMS6-4-IMS1-1-4606.
	No local bearing objects or bearing trees available.
	Thence N. 89°28' W.
150.00	Road bears N. 27° W. and S. 27° E.
180.00	Center of creek, course S. 15° W.
330.00	Cor. No. 4.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS5-4-4606.
	No local bearing objects or bearing trees available.
	Thence North

SURVEY NO. 4606

47.

Feet	Description
135.00	Road bears N. 55° W. and S. 55° E.
200.00	of Center/creek, course S. 66° E.
330.00	Intersect cor. No. 3 Inspiration Mill Site No. 66 of this survey.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 6	
	Beginning at cor. No. 1 of the Inspiration Mill Site No. 6, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 5, 14 and 15 of this survey; from which
	The 1/4 sec. cor. of secs. 21 and 22 bears S. 85° 44' 50" W., 7902.74 ft. dist; previously described.
	Thence S. 89° 28' E.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 15, 16 and 7 of this survey.
	Thence South
50.00	of Center/creek, course S. 59° W.
660.00	Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 7, 2 and 1 of this survey.
	Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS6-3-IMS7-4-IMS2-1-IMS1-2-4606; from which
	Cor. No. 4 Sur. No. 3924 Good Claim lode bears S. 20° 52' E., 223.44 ft. dist.
	Cor. No. 1 Sur. No. 2380 Gold Spring lode bears S. 12° 33' E., 260.87 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 89° 28' W.
70.95	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 26° 34' W., 1055.56 ft. dist.
330.00	Cor. No. 4, identical with cor. Nos. 1 and 3 Inspiration Mill Site Nos. 1 and 5 of this survey.
	Thence North
515.63	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 4 bears N. 26° 34' W., 476.36 ft. dist.
	of
540.00	Center/creek, course West.

Chains
Feet
660.00

Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 7

Beginning at cor. No. 1 of the Inspiration Mill Site No. 7, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 6, 15 and 16 of this survey; from which

The 1/4 sec. cor. of secs. 21 and 22 bears S. 85° 56' 20" W., 8231.63 ft. dist.

Thence S. 89° 28' E.

115.00

Center/creek, course S. 69° W.

330.00

Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 16, 17 and 8 of this survey.

Thence South

660.00

Cor. No. 3, identical with cor. Nos. 4, 1 and 2 Inspiration Mill Site Nos. 8, 3 and 2 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS7-3-IMS8-4-IMS3-1-IMS2-2-4606.

No local bearing objects or bearing trees available.

Thence N. 89° 28' W.

330.00

Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 2, 1 and 6 of this survey.

Thence North

610.00

Center/creek, course S. 59° W.

660.00

Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 8

Beginning at cor. No. 1 of the Inspiration Mill Site No. 8, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 7, 16 and 17 of this survey; from which

The 1/4 sec. cor. of secs. 21 and 22 bears S. 86° 06' 50" W., 8560.62 ft. dist.; previously described.

Thence S. 89° 28' E.

330.00

Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 17 of this survey.

Thence South

Chain Feet	
660.00	<p>Cor. No. 3, identical with cor. No. 2 Inspiration Mill Site No. 3 of this survey.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS8-3-IMS3-2-4606.</p>
330.00	<p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89° 28' W.</p> <p>Cor. No. 4, identical with cor. Nos. 1, 2 and 3 Inspiration Mill Site Nos. 3, 2 and 7 of this survey.</p>
660.00	<p>Cor. No. 1, and place of beginning.</p>
330.00	<p>INSPIRATION MILL SITE NO. 3</p> <p>Beginning at cor. No. 1 of the Inspiration Mill Site No. 3, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 2, 7 and 8 of this survey; from which</p> <p>The 1/4 sec. cor. of secs. 21 and 22 bears N. 89° 27' 50" W., 8541.32 ft. dist.; previously described.</p> <p>Thence S. 89° 28' E.</p> <p>Cor. No. 2, identical with cor. No. 3 Inspiration Mill Site No. 3 of this survey.</p>
526.77	<p>Thence South</p> <p>Intersect line 2-3 Sur. No. 2637 Giant lode at a point from which cor. No. 3 bears N. 84° 55' W., 453.73 ft. dist.</p>
660.00	<p>Cor. No. 3.</p> <p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS3-3-4606.</p>
330.00	<p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89° 28' W.</p> <p>Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 2 of this survey.</p>
330.00	<p>Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground, with brass cap mkd. IMS3-4-4606; from which</p> <p>Cor. No. 3 Sur. No. 2637 Giant lode bears N. 35° 36' W., 209.51 ft. dist.</p>
	<p>No local bearing objects or bearing trees available.</p>

Thence North
 159.51 Intersect line 2-3 Sur. No. 2637 Giant lode at a point from which cor. No. 3 bears N. 84° 55' W., 122.44 ft. dist.
 660.00 Cor. No. 1, and place of beginning.

INSPIRATION MILL SITE NO. 2
 Beginning at cor. No. 1 of the Inspiration Mill Site No. 2, identical with cor. Nos. 2, 3 and 4 Inspiration Mill Site Nos. 1, 6 and 7 of this survey; from which
 The 1/4 sec. cor. of secs. 21 and 22 bears N. 89° 27' 50" W., 821.31 ft. dist.; previously described.
 Thence S. 89° 28' E.

330.00 Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 7, 8 and 3 of this survey.

Thence South

500.49 Intersect line 2-3 Sur. No. 2637 Giant lode at a point from which cor. No. 3 bears N. 84° 55' W., 122.44 ft. dist.

660.00 Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 3 of this survey.

Thence N. 89° 28' W.

101.05 Intersect line 4-1 Sur. No. 3924 Good Claim lode at a point from which cor. No. 4 bears N. 18° 14' W., 477.53 ft. dist.

126.05 Intersect line 3-4 Sur. No. 2637 Giant lode at a point from which cor. No. 3 bears N. 1° 23' E., 169.23 ft. dist.

330.00 Cor. No. 4, identical with cor. No. 3 Inspiration Mill Site No. 1 of this survey.

Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 16 ins. in the ground; with brass cap mkd. IMS2-4-IMS1-3-4606.

No local bearing objects or bearing trees available.
 Thence North

372.89 Intersect line 1-2 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 1 bears N. 60° 12' E., 65.32 ft. dist.

400.84 Intersect line 3-4 Sur. No. 3924 Good Claim lode at a point from which cor. No. 4 bears N. 57° 40' E., 94.19 ft. dist.

SURVEY NO. 4606

Feet	
518.78	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 1 bears S. 26° 34' E., 126.80 ft. dist.
660.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. 1	
Beginning at cor. No. 1 of the Inspiration Mill Site No. 1, identical with cor. Nos. 3 and 4 Inspiration Mill Site Nos. 5 and 6 of this survey; from which The 1/4 sec. cor. of sec. 21 and 22 bears N. 89° 27' 50" W., 7881.30 ft. dist.; previously described.	
Thence S. 89° 28' E.	
259.05	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 1 bears S. 26° 34' E., 285.42 ft. dist.
330.00	Cor. No. 2, identical with cor. Nos. 3, 4 and 1 Inspiration Mill Site Nos. 6, 7 and 2 of this survey.
Thence South	
141.22	Intersect line 4-1 Sur. No. 2380 Gold Spring lode at a point from which cor. No. 1 bears S. 26° 34' E., 126.80 ft. dist.
259.16	Intersect line 3-4 Sur. No. 3924 Good Claim lode at a point from which cor. No. 4 bears N. 57° 40' E., 94.19 ft. dist.
287.11	Intersect line 1-2 No. 2380 Gold Spring lode at a point from which cor. No. 1 bears N. 60° 12' E., 65.32 ft. dist.
660.00	Cor. No. 3, identical with cor. No. 4 Inspiration Mill Site No. 2 of this survey.
Thence N. 89° 28' W.	
165.00	Road bears N. 30° W. and S. 30° E.
195.00	Center/creek, course S. 27° E.
330.00	Cor. No. 4.
Set a copper coated steel pin 18 ins. long, 5/8 in. diam., 1/16 ins. in the ground, with brass cap mkd. IMS1-4-14606.	
No local bearing objects or bearing trees available.	
Thence North	
140.00	of Center/creek, course S. 52° E.

Chains Feet	
180.83	Intersect line 1-2 Sur. No. 2380 Gold Spring lode at a point from which Cor. No. 1 bears N. 60° 12' E., 445.59 ft. dist.
188.61	Intersect line 3-4 Sur. No. 3924 Good Claim lode at a point from which cor. No. 4 bears N. 57° 40' E., 484.73 ft. dist.
260.00	Center/creek, course S. 68° W.
440.00	Center/creek, course S. 47° E.
495.00	Road bears N. 57° W. and S. 36° E.
660.00	Cor. No. 1, and place of beginning.

AREAS

	Acres
Total area, Inspiration Mill Site No. 63	5.000
Total area, Inspiration Mill Site No. 64	5.000
Total area, Inspiration Mill Site No. 65	5.000
Total area, Inspiration Mill Site No. 62	5.000
Total area, Inspiration Mill Site No. 61	5.000
Total area, Inspiration Mill Site No. 60	5.000
Total area, Inspiration Mill Site No. 59	5.000
Total area, Inspiration Mill Site No. 55	5.000
Total area, Inspiration Mill Site No. 56	5.000
Total area, Inspiration Mill Site No. 57	5.000
Total area, Inspiration Mill Site No. 58	5.000
Total area, Inspiration Mill Site No. 54	5.000
Total area, Inspiration Mill Site No. 53	5.000
Total area, Inspiration Mill Site No. 52	5.000
Total area, Inspiration Mill Site No. 48	5.000
Total area, Inspiration Mill Site No. 49	5.000
Total area, Inspiration Mill Site No. 50	5.000
Total area, Inspiration Mill Site No. 51	5.000
Total area, Inspiration Mill Site No. 47	5.000
Total area, Inspiration Mill Site No. 46	5.000
Total area, Inspiration Mill Site No. 45	5.000
Total area, Inspiration Mill Site No. 44	5.000
Total area, Inspiration Mill Site No. 43	5.000
Total area, Inspiration Mill Site No. 38	5.000
Total area, Inspiration Mill Site No. 39	5.000
Total area, Inspiration Mill Site No. 40	5.000
Total area, Inspiration Mill Site No. 41	5.000
Total area, Inspiration Mill Site No. 42	5.000
Total area, Inspiration Mill Site No. 37	5.000
Total area, Inspiration Mill Site No. 36	5.000
Total area, Inspiration Mill Site No. 35	5.000
Total area, Inspiration Mill Site No. 34	5.000
Total area, Inspiration Mill Site No. 33	5.000
Total area, Inspiration Mill Site No. 32	5.000
Total area, Inspiration Mill Site No. 31	5.000
Total area, Inspiration Mill Site No. 30	5.000
Total area, Inspiration Mill Site No. 29	5.000
Total area, Inspiration Mill Site No. 28	5.000
Total area, Inspiration Mill Site No. 18	5.000
Area in conflict with- Sur. No. 3924 Copper No. 8 lode	1.187
Total area, Inspiration Mill Site No. 19 Area in conflict with-	5.000

SURVEY NO. 4606

0.00	Tract A hereinafter described	1.922	✓
2.693	Sur. No. 3924 Copper No. 8 lode	2.693	✓
0.772	Sur. No. 3924 Copper No. 8 lode, exclusive of its conflict with Tract A hereinafter described	.772	✓
5.000	Total area, Inspiration Mill Site No. 20	5.000	✓
0.483	Area in conflict with Tract B hereinafter described	.483	✓
0.483	Sur. No. 3924 Copper No. 8 lode	.483	✓
0.000	Sur. No. 3924 Copper No. 8 lode, exclusive of its conflict with Tract B hereinafter described	.000	✓
5.000	Total area, Inspiration Mill Site No. 21	5.000	✓
5.000	Total area, Inspiration Mill Site No. 22	5.000	✓
5.000	Total area, Inspiration Mill Site No. 23	5.000	✓
5.000	Total area, Inspiration Mill Site No. 24	5.000	✓
5.000	Total area, Inspiration Mill Site No. 25	5.000	✓
5.000	Total area, Inspiration Mill Site No. 26	5.000	✓
5.000	Total area, Inspiration Mill Site No. 27	5.000	✓
5.000	Total area, Inspiration Mill Site No. 17	5.000	✓
5.000	Total area, Inspiration Mill Site No. 16	5.000	✓
5.000	Total area, Inspiration Mill Site No. 15	5.000	✓
5.000	Total area, Inspiration Mill Site No. 14	5.000	✓
1.111	Area in conflict with Sur. No. 2380 Gold Spring lode	1.111	✓
5.000	Sur. No. 2380 Gold Spring lode	5.000	✓
0.875	Total area, Inspiration Mill Site No. 13	.875	✓
5.000	Area in conflict with Sur. No. 2380 Gold Spring lode	5.000	✓
0.0074	Sur. No. 2380 Gold Spring lode	.0074	✓
0.330	Sur. No. 3924 Copper #1 lode	.330	✓
5.000	Total area, Inspiration Mill Site No. 11	5.000	✓
5.000	Total area, Inspiration Mill Site No. 10	5.000	✓
1.105	Area in conflict with Sur. No. 3924 Copper #7 lode	1.105	✓
5.000	Sur. No. 3924 Copper #7 lode	5.000	✓
0.181	Total area, Inspiration Mill Site No. 9	.181	✓
0.453	Area in conflict with Tract C hereinafter described	.453	✓
0.181	Sur. No. 3924 Copper #7 lode	.181	✓
0.000	Sur. No. 3924 Copper No. 8 lode, exclusive of its conflict with Tract C hereinafter described	.000	✓
5.000	Sur. No. 3924 Copper No. 8 lode	5.000	✓
4.998	Total area, Inspiration Mill Site No. 67	4.998	✓
5.000	Area in conflict with Tract A hereinafter described	5.000	✓
4.998	Sur. No. 3924 Copper #7 lode	4.998	✓
5.000	Total area, Inspiration Mill Site No. 68	5.000	✓
0.470	Area in conflict with Tract D hereinafter described	.470	✓
3.113	Sur. No. 3924 Copper #7 lode	3.113	✓
1.887	Sur. No. 3924 Copper No. 8 lode	1.887	✓
1.416	Sur. No. 3924 Copper No. 8 lode, exclusive of its conflict with Tract D hereinafter described	1.416	✓
5.000	Sur. No. 3924 Copper No. 8 lode	5.000	✓
2.079	Total area, Inspiration Mill Site No. 64	2.079	✓
0.296	Area in conflict with Sur. No. 3924 Copper #7 lode	.296	✓
1.591	Sur. No. 3924 Copper #6 lode	1.591	✓
5.000	Sur. No. 3924 Copper #1 lode	5.000	✓
2.481	Total area, Inspiration Mill Site No. 66	2.481	✓
2.505	Area in conflict with Sur. No. 3924 Copper #1 lode	2.505	✓
5.000	Sur. No. 2380 Gold Spring lode	5.000	✓
4.880	Total area, Inspiration Mill Site No. 5	4.880	✓
4.880	Area in conflict with Sur. No. 2380 Gold Spring lode	4.880	✓

	Total area, Inspiration Mill Site No. 6	5.000
	Area in conflict with-	
	Sur. No. 2380 Gold Spring lode	1.533
	Total area, Inspiration Mill Site No. 7	5.000
	Total area, Inspiration Mill Site No. 8	5.000
	Total area, Inspiration Mill Site No. 3	5.000
	Area in conflict with-	
	Sur. No. 2637 Giant lode	1.109
	Total area, Inspiration Mill Site No. 2	5.000
	Area in conflict with-	
	Sur. No. 2637 Giant lode	.468
	Sur. No. 2380 Gold Spring lode	.095
	Sur. No. 3924 Good Claim lode	1.554
	Sur. No. 3924 Good Claim lode, exclusive of its conflict with:	
	(1) Sur. No. 2380 Gold Spring lode	1.520
	(2) Sur. No. 2637 Giant lode	1.534
	(3) Surs. Nos. 2380 and 2637 Gold Spring and Giant lodes	1.499
	Total area, Inspiration Mill Site No. 1	5.000
	Area in conflict with-	
	Sur. No. 2380 Gold Spring lode	2.787
	Sur. No. 3924 Good Claim lode	2.232
	Sur. No. 3924 Good Claim lode, exclusive of its conflict with-Sur. No. 2380 Gold Spring lode	2.097
	TRACT A	
	That portion of Sur. No. 3924 Copper No. 8 lode in conflict with Inspiration Mill Site Nos. 19, 20, 9 and 68 of this survey, excluded by said Copper No. 8 lode in favor of a location now abandoned, is bounded and described as follows:	
	Beginning at cor. No. 3 Inspiration Mill Site No. 19- Thence N. 89°28' W., 147.97 ft. to West line Tract A; Thence N. 27°55'40" W., 360.03 ft. to N.W. cor. Tract A; Thence N. 56°00' E., 84.19 ft. to line 3-4 Copper No. 8 lode;	
	Thence S. 83°23' E., 248.39 ft. to line 2-3 Inspiration Mill Site No. 19;	
	Thence S. 337.95 ft. to place of beginning.	
	Tract A contains 1.922 acres.	
	TRACT B	
	Beginning at cor. No. 4 Inspiration Mill Site No. 20- Thence N. 337.95 ft. to line 3-4 Copper No. 8 lode; Thence S. 83°23' E., 81.79 ft. to cor. No. 4 Copper No. 8 lode;	
	Thence S. 6°23' W., 330.99 ft. to line 3-4 Inspiration Mill Site No. 20;	
	Thence N. 89°28' W., 44.45 ft. to place of beginning.	
	Tract B contains .483 acres.	
	TRACT C	
	Beginning at cor. No. 1 of Inspiration Mill Site No. 9- Thence S. 89°28' E., 44.45 ft. to line 4-1 Sur. No. 3924 Copper No. 8 lode;	
	Thence S. 6°23' W., 269.01 ft. to cor. No. 1 Copper No. 8 lode;	

Thence N. 83°34' W., 14.62 ft. to line 4-1 Inspiration Mill Site No. 9;
Thence N. 266.11 ft. to place of beginning.

Tract C contains 1.18 acres.
TRACT D

Beginning at cor. No. 2 Inspiration Mill Site No. 68-
Thence S. 266.11 ft. to line 1-2 Sur. No. 3924 Copper No. 8 lode;

Thence N. 83°34' W., 6.52 ft. to a point on same line;
Thence N. 27°55'40" W., 301.96 ft. to line 1-2 Inspiration Mill Site No. 68;
Thence S. 89°28' E., 147.97 ft. to place of beginning.

Tract D contains .470 acres

LOCATION
This survey is located in the SW 1/4 of sec. 14, and SE 1/4 of sec. 15, and NE 1/4 of sec. 22, and N 1/2 and S 1/2 of sec. 23, T. 1 N., R. 14 E., G. & S. R. M., unsurveyed.

The mill sites are surveyed in rectangular 5 acre sec. subdivision as nearly as practicable in an unsurveyed area.

EXPENDITURE
None.

OTHER IMPROVEMENTS
A concrete and frame building, the NW cor. of which bears N. 83°20' E., 2.00 ft. from the witness cor. for cor. Nos. 1, 2, 3 and 4 Inspiration Mill Site Nos. 12, 11, 23 and 24; 10x12 ft. in size; the long sides bear S. 27° E.
Claimant unknown.

A corrugated iron building, the NE cor. of which bears S. 59° 00' W., 284.00 ft. from cor. Nos. 1, 2, 3 and 4 Inspiration Mill Site Nos. 13, 12, 24 and 25; 13x15 ft. in size; the long sides bear S. 78° W.
Claimant unknown.

A frame and tar paper covered house, the NE cor. of which bears S. 45° 36' W., 260.00 ft. from cor. Nos. 1, 2, 3 and 4 Inspiration Mill Site Nos. 13, 12, 24 and 25; 50 ft. long, the N. 33 ft. is 20 ft. wide, and the S. 17 ft. is 12 ft. wide, the long sides bear S.
Claimant unknown.

A concrete shop, the NW cor. of which bears S. 19° 53' W., 252.00 ft. from cor. Nos. 1, 2, 3 and 4 Inspiration Mill Site Nos. 13, 12, 24 and 25; 13x25 ft. in size; the long sides bear S. 7° W.
Claimant unknown.

A concrete and sheet metal barn, the NW cor. of which bears S. 15° 52' W., 280.00 ft. from cor. Nos. 1, 2, 3

Chain

and 4 Inspiration Mill Site Nos. 13, 12, 24 and 25;
21x36 ft. in size; the long sides bear S. 83° E.

Claimant unknown.

A water well, the center of which bears S. 58° 19' W.,
215.00 ft. from cor. Nos. 1, 2, 3 and 4 Inspiration Mill
Site Nos. 13, 12, 24 and 25; 3x7 ft., 11 ft. to water.
Claimant unknown.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3924 Copper No. 8 lode: Cors. Nos. 1, 3
and 4 are 3/4 in. pipe with brass caps, firmly set and
properly marked. Line 3-4 was found to be S. 83° 23'
E., 1261.00 ft., instead of S. 83° 34' E., 1285.33 ft.,
as approved; line 4-1 was found to be S. 6° 23' W.,
600.00 ft., instead of S. 6° 26' W., 600.00 ft. as ap-
proved.

Sur. No. 3924 Copper #7 lode: Cors. Nos., 1, 2, 3
and 4 are 3/4 in. iron pipe with brass caps, firmly set
and properly marked. Lines 1-2, 2-3, 3-4 and 4-1 are
shown as approved.

Sur. No. 3924 Copper #6 lode: Cors. Nos. 1, 3 and
4 are 3/4 in. iron pipe with brass caps, firmly set and
properly marked. Lines 3-4 and 4-1 are shown as ap-
proved.

Sur. No. 3924 Copper #1 lode: Cor. No. 1 is a 3 in.
iron pipe with iron cap, and cors. Nos. 2, 3 and 4 are
3/4 in. iron pipe with brass caps, all firmly set and
properly marked. Line 1-2 was found to be S. 57° 40'
W., 603.00 ft. instead of S. 57° 39' W., 603.00 ft.
as approved. Lines 2-3, 3-4 and 4-1 are shown as
approved.

Sur. No. 2380 Gold Spring lode: Cors. Nos. 1, 2 3
and 4 are 3 in. iron pipe with iron caps, firmly set
and properly marked. Line 1-2 was found to be S. 60°
42' W., 599.60 ft. instead of S. 60° 04' W., 600.00 ft.
as approved. Line 2-3 was found to be N. 26° 35' W.,
1341.00 ft. instead of N. 26° 41' W., 1340.30 ft. as
approved. Line 3-4 was found to be N. 60° 11' E.,
600.00 ft. instead of N. 60° 04' E., 600.00 ft. as
approved. Line 4-1 was found to be S. 26° 34' E.,
1341.00 ft. instead of S. 26° 41' E., 1340.30 ft. as
approved.

Sur. No. 3924 Good Claim lode: Cors. Nos. 1, 3 and 4
are 3/4 in. iron pipe with brass caps, firmly set and
properly marked. Line 3-4 was found to be N. 57°
40' E., 1245.90 ft. instead of N. 57° 39' E., 1245.70
ft. as approved. Line 4-1 was shown as approved.

Sur. No. 2637 Giant lode: Cors. Nos. 2 and 4 could
not be found. Cor. 3 is a 3/4 in. iron pipe with brass
cap, firmly set and properly marked. Lines 2-3 and
3-4 are shown as approved.

FIELD ASSISTANTS

NAME
W. H. Martin
Robert McDaniel

CAPACITY
Chainman
Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

May 10, 1963

I, OSCAR T. SMITH

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the office of State Director, at Phoenix, Arizona

dated Jan. 23 and Mar. 7, 1963, I have faithfully and correctly executed the survey of Mill Sites the mining claim of Inspiration Consolidated Copper Co.

known as the Inspiration Mill Site Nos. 1 through 68 (Lode, placer, or mill site)

situate in Globe Mining District, Secs. 14, 15, 22 and 23

T. 1 N., R. 14 E., G. & S. R. Meridian, (State) and

designated as Survey No. 4606, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the location(s) embraced in the said mining claim by

claimant(s) or his grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Globe, Arizona (Place)

Oscar T. Smith (Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, State Office (Office)

Phoenix, Arizona September 25, 1963 (Place) (Date)

The foregoing field notes of mineral survey No. 4606, in Globe Mining District

Secs. 14, 15, 22 and 23, T. 1 N., R. 14 E., G. & S. R. Meridian,

Arizona, executed by Oscar T. Smith, Mineral Surveyor, (State)

under order dated Jan. 23, 1963; Amd. Mar. 7, 1963, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Fred J. Weiler

State Director (Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. is a true copy of the original field notes.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

1955

OSCAR T. SMITH

Mineral Surveyor hereby certifies that in pursuance of an order received from the Office of State Director, Phoenix, Arizona

dated Jan. 23 and Mar. 1, 1955, I have faithfully and correctly executed the survey of

Will Sites

Registration (unpublished) Corner 1

known as the Inscription Will Site Nos. 1 through 5

located in Globe Mining District, Secs. 14, 15, 16 and 17

T. 1 N., R. 1 E., S. 1 N., Arizona

and

wherein it is recommended in the foregoing field notes as having been

examined by the Surveyor and that said survey has been made in accordance with said order,

the Manual of Instructions for the Survey of the United States, and in the specific manner

described in the foregoing field notes and I do further certify that the labor expended and improvements made

thereon for the benefit of the

interests of

extent, location and boundaries have been ascertained and fully detailed and that no

portion of or interest therein has been or is to be included in the estimate

of expenditures shown any other claim

of

CERTIFICATE OF APPROVAL

I, the undersigned, State Surveyor, do hereby approve the foregoing field notes and

the same are hereby approved

The foregoing field notes of mineral survey No. 14, 15, 16 and 17

located in Globe Mining District, Secs. 14, 15, 16 and 17

T. 1 N., R. 1 E., S. 1 N., Arizona

and

wherein it is recommended in the foregoing field notes as having been

examined by the Surveyor and that said survey has been made in accordance with said order,

the Manual of Instructions for the Survey of the United States, and in the specific manner

described in the foregoing field notes and I do further certify that the labor expended and improvements made

thereon for the benefit of the

interests of

extent, location and boundaries have been ascertained and fully detailed and that no

portion of or interest therein has been or is to be included in the estimate

of expenditures shown any other claim

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of field notes of the above described mineral survey No.

is a true copy of the original field notes

and is hereby approved

The foregoing field notes of mineral survey No. 14, 15, 16 and 17

located in Globe Mining District, Secs. 14, 15, 16 and 17

T. 1 N., R. 1 E., S. 1 N., Arizona

and