

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Mineral Survey Number

4617

2

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of (Name & address of Claimant)

Glendel Mining Company, Inc.  
1219 South 19th Avenue  
Phoenix, Arizona

Known as the (Name of group, if any)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

| NAME OF LOCATION    | DATE     |         |
|---------------------|----------|---------|
|                     | LOCATED  | AMENDED |
| Jaquays No. 9 lode  | 10/22/57 | 1/14/64 |
| Jaquays No. 10 lode | 10/22/57 | 1/14/64 |
| Jaquays No. 11 lode | 10/22/57 | 1/14/64 |

|                                   |                                   |   |   |
|-----------------------------------|-----------------------------------|---|---|
| Mining District<br>Martinez       |                                   | County<br>Yavapai                           | Section<br>14 & 15                          |
| Township<br>10 N.                 | Range<br>6 W.                     | Meridian<br>G. & S. R. B. & M.              | Surveyed under order dated<br>Feb. 10, 1964 |
| Survey commenced<br>Feb. 10, 1964 | Survey completed<br>Feb. 22, 1964 | Name of Mineral Surveyor<br>Harvey W. Smith |   |

FIELD NOTES

Section 10, T. 10 N., R. 10 E., S. 10 E.,  
T. 10 N., R. 10 E., S. 10 E.,  
T. 10 N., R. 10 E., S. 10 E.,  
T. 10 N., R. 10 E., S. 10 E.,

|               |  |
|---------------|--|
| Map Sheet No. |  |
| Scale         |  |
| Location      |  |
| Section       |  |

| DATE     | LOCALITY   | DESCRIPTION |
|----------|------------|-------------|
| 10/21/53 | Section 10 | ...         |
| 10/22/53 | Section 10 | ...         |
| 10/23/53 | Section 10 | ...         |

|          |     |          |         |
|----------|-----|----------|---------|
| Section  | 10  | Cont. 10 | 7/20/53 |
| Traverse | ... | ...      | ...     |
| ...      | ... | ...      | ...     |

## SURVEY NO. 4617

(1)

CRKKS  
Feet

This survey was made with a Swiss Kern theodolite, model DKM1, No. 77769, having horizontal and vertical circles, 50 mm. in diameter. The circles are graduated in degrees and twenty-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to 10 seconds accuracy and estimating to one second accuracy. The instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 9:50 AM on Feb. 13, 1964 at cor. No. 1 of the Jaquays No. 11 lode, latitude  $34^{\circ} 12' 53''$  North, longitude  $112^{\circ} 49' 36''$  West, turning from a reference pt. about 1800 ft. Northwest clockwise to the sun in a southeast direction.

True bearing of reference pt.

N.  $44^{\circ} 42' 10''$  W.

The lines were measured with a Lufkin "Highway" steel tape, 300 ft. in length graduated every ft. for 299 ft. and the remaining ft. graduated to tenths and hundredths. One additional ft. at the "0" end of the tape is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $14^{\circ} 45'$  East.

## SURVEY NO. 4617

## JAQUAYS NO. 11 LODE

At cor. No. 1 of the Jaquays No. 11 lode.

Set a galvanized iron post,  $3/4$  in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap,  $2\frac{1}{2}$  ins. diam., firmly secured to the iron post, mkd. MS 4617 J11 1 X; from which

The  $\frac{1}{4}$  Cor. of secs. 13 & 14, T.10N., R.6W., G. & S.R.B.&M., bears N.  $83^{\circ} 03'$  E., 3,658.28 ft. dist.; a boulder, 6 x 8 ins. in size, 8 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Cor. No. 4; Sur. No. 4604, Jaquays No. 5 lode, bears N.  $51^{\circ} 22' 40''$  W., 334.53 ft. dist.

A mound of stones constructed adjacent to the iron post.

| Feet   |  |
|--------|--|
|        | Thence S. $43^{\circ} 50' 20''$ W.   |
| 474.87 | Intersect line 2-3, Sur. No. 4604, Jaquays No. 5 lode, at a pt. from which cor. No. 3 bears N. $71^{\circ} 15' 15''$ W., 366.80 ft. dist.  |
| 900.0  | Cor. No. 5, Sur. No. 882, Why Not lode.  |
| 1200.0 | Pt. for cor. No. 4, Sur. No. 882, Why Not lode.  |
| 1500.0 | Cor. No. 2 identical with cor. No. 3, Sur. No. 882, Why Not lode.  |
|        | All evidence of the Why Not corner marker has been obliterated. Therefore I  |
|        | Set an iron post, $3/4$ in. diam., 30 ins. long, in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly secured to the iron post, mkd. MS 882 WN 3 MS 4617 J11 2 X; from which     |
|        | A mound of stones constructed adjacent to the iron post.   |
|        | Thence N. $44^{\circ} 42' 10''$ W.   |
| 55.0   | Left bank of drainage, 15 ft. wide, course, South.   |
| 300.0  | Lode line; discovery cut bears N. $43^{\circ} 50' 20''$ E., 5000 ft. dist.   |
| 485.0  | Unimproved road bears South and N. $15^{\circ}$ E.   |
| 600.0  | Cor. No. 3 identical with cor. No. 2 of the Jaquays No. 10. lode of this survey.   |
|        | Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly secured to the iron post, mkd. MS 4617 J11 3 J10 2 X; from which |
|        | A mound of stones constructed adjacent to the iron post.   |
|        | Thence N. $43^{\circ} 50' 20''$ E.   |
| 140.0  | Unimproved road bears South and N. $5^{\circ}$ W.  |
| 365.0  | Right bank of drainage, 35 ft. wide, course, S. $42^{\circ}$ E.  |
| 1500.0 | Cor. No. 4 identical with cor. No. 1 of the Jaquays No. 10 lode of this survey.  |
|        | Set a galvanized iron post, $3/4$ in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly secured to the iron post, mkd. MS 4617 J11 4 J10 1 X; from which |
|        | The $\frac{1}{4}$ Cor. of secs. 13 & 14, T.10N., R.6W.,  |

## SURVEY NO. 4617

(3)

| ORDINATE<br>Feet    |   |
|---------------------|---|
|                     | <p>G. &amp; S. R. B. &amp; B., bears N. <math>89^{\circ} 46' 15''</math> E.,<br/>4,053.49 ft. dist.; previously described.</p> <p>A mound of stones constructed adjacent to the<br/>iron post.</p> <p>Thence S. <math>44^{\circ} 42' 10''</math> E.</p>   |
| 300.0               | Lode line; discovery cut bears S. $43^{\circ} 50' 20''$ W., 1,000<br>ft. dist.  |
| 345.55              | Intersect line 4-1, Sur. No. 4604, Jaquays No. 5 lode,<br>at a pt. from which cor. No. 4 bears N. $71^{\circ} 15' 15''$ W.,<br>86.99 ft. dist.  |
| 600.0               | Cor. No. 1 and the place of beginning.  |
| JAQUAYS NO. 10 LODE |   |
|                     | <p>Beginning at cor. No. 1 of the Jaquays No. 10 lode, ident-<br/>ical with cor. No. 4 of the Jaquays No. 11 lode of this<br/>survey; previously described.</p> <p>Thence S. <math>43^{\circ} 50' 20''</math> W.</p>  |
| 1100.0              | Left bank of drainage, 35 ft. wide, course, S. $42^{\circ}$ E.  |
| 1360.0              | Unimproved road bears South and N. $5^{\circ}$ W.   |
| 1500.0              | Cor. No. 2 identical with cor. No. 3 of the Jaquays No.<br>11 lode of this survey; previously described.  |
|                     | Thence N. $44^{\circ} 42' 10''$ W.  |
| 300.0               | Lode line; discovery pt. bears N. $43^{\circ} 50' 20''$ E., 345.0<br>ft. dist.  |
| 600.0               | Cor. No. 3 identical with cor. No. 2 of the Jaquays No.<br>9 lode of this survey.   |
|                     | <p>Set a galvanized iron post, <math>3/4</math> in. diam., 30 ins. long,<br/>in a 15 pound concrete and rock base, 18 ins. in the<br/>ground, with a brass cap, <math>2\frac{1}{2}</math> ins. diam., firmly secured<br/>to the iron post, mkd. MS 4617 J10 3 J9 2 X; from which</p> <p>A mound of stones constructed adjacent to the<br/>iron post.</p> <p>Thence N. <math>43^{\circ} 50' 20''</math> E.</p> |
| 640.0               | Unimproved road bears S. $35^{\circ}$ E. and N. $35^{\circ}$ W.   |
| 665.0               | Right bank of drainage, 15 ft. wide, course, S. $45^{\circ}$ E.   |
| 825.0               | Right bank of drainage, 20 ft. wide, course, S. $15^{\circ}$ E.   |
| 1500.0              | Cor. No. 4 identical with cor. No. 1 of the Jaquays No.<br>9 lode of this survey.   |
|                     | Set a galvanized iron post, $3/4$ in. diam., 30 ins. long,  |

~~XXXXXX~~

in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap,  $2\frac{1}{2}$  ins. diam., firmly secured to the iron post, mkd. MS 4617 J10 4 J9 1 X; from which

The  $\frac{1}{4}$  Cor. of secs. 13 & 14, T.10N., R.6W., G. & S. R. B. & M., bears S.  $84^{\circ} 45' 45''$  E., 4,494.30 ft. dist.; previously described.

A mound of stones constructed adjacent to the iron post.

Thence S.  $44^{\circ} 42' 10''$  E.

300.0 Lode line; discovery pt. bears S.  $43^{\circ} 50' 20''$  W., 1,155.0 ft. dist.

600.0 Cor. No. 1 and the place of beginning.

#### JAUQUAYS NO. 9 LODGE

Beginning at cor. No. 1 of the Jaquays No. 9 lode, identical with cor. No. 4 of the Jaquays No. 10 lode of this survey; previously described.

Thence S.  $43^{\circ} 50' 20''$  W.

655.0 Left bank of drainage, 20 ft. wide, course, S.  $15^{\circ}$  E.

820.0 Left bank of drainage, 15 ft. wide, course, S.  $45^{\circ}$  E.

860.0 Unimproved road bears S.  $35^{\circ}$  E. and N.  $35^{\circ}$  W.

1500.0 Cor. No. 2 identical with cor. No. 3 of the Jaquays No. 10 lode of this survey; previously described.

Thence N.  $44^{\circ} 42' 10''$  W.

300.0 Lode line; discovery cut bears N.  $43^{\circ} 50' 20''$  E., 275.0 ft. dist.

600.0 Cor. No. 3

Set a galvanized iron post,  $\frac{3}{4}$  in. diam., 30 ins. long, in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap,  $2\frac{1}{2}$  ins. diam., firmly secured to the iron post, mkd. MS 4617 J9 3 X; from which

A mound of stones constructed adjacent to the iron post.

Thence N.  $43^{\circ} 50' 20''$  E.

1005.0 Right bank of drainage, 10 ft. wide, course, S.  $32^{\circ}$  E.

1475.0 Unimproved road bears S.  $10^{\circ}$  W. and N.  $10^{\circ}$  E.

1500.0 Cor. No. 4

Set a galvanized iron post,  $\frac{3}{4}$  in. diam., 30 ins. long,

SURVEY NO. 4617

(5)

|             |   |
|-------------|---|
| <p>Feet</p> | <p>in a 15 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2½ ins. diam., firmly secured to the iron post, mkd. MS 4617 J9 4 X; from which.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 44° 42' 10" E.</p> <p>265.0 Right bank of drainage, 15 ft. wide, course, S. 38° W.</p> <p>300.0 Lode line; discovery cut bears S. 43° 50' 20" W., 1,225.0 ft. dist.</p> <p>600.0 Cor. No. 1 and the place of beginning.</p> |
|-------------|---|

SURVEY NO. 4617

AREAS

|  | Acres  |
|--|--------|
| Total area Jaquays No. 9 lode                            | 20.655 |
| Total area Jaquays No. 10 lode                           | 20.655 |
| Total area Jaquays No. 11 lode                           | 20.655 |
| Area in conflict with Sur. No. 4604, Jaquays No. 5 lode. | 4.219  |

LOCATION

This survey is located in the NW¼ and SW¼, Sec. 14 and the NE¼ and SE¼, Sec. 15, T.10N., R.6W., G. & S. R. B. & M.

The survey of the Jaquays Nos. 9, 10 and 11 lodes is identical with the respective location or amended location as marked on the ground.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:

- No. 1 The discovery cut of the Jaquays No. 9 lode is on the lode line, 275.0 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2; 4 x 6 ft. in size, 8 ft. deep  
Value, \$125.00
- No. 2 A pit, the NE. cor. of which bears S. 59° W., 560 ft. from cor. No. 1 of the Jaquays No. 9 lode; 6 x 8 ft. in size, 9 ft. deep.  
Value, \$200.0
- No. 3 A pit, the SE. cor. of which bears N. 23° W., 215 ft. from cor. No. 2 of the Jaquays No. 9 lode; 6 x 8 ft. in size, 8 ft. deep.  
Value, \$175.0

| Feet  |   |
|-------|---|
| No. 4 | A pit, the SW. cor. of which bears N. 65° E., 280 ft. from cor. No. 3 of the Jaquays No. 9 lode; 10 x 15 ft. in size, 5 ft. deep.<br>Value, \$200.0                             |
| No. 5 | A pit, the SW. cor. of which bears N. 56° 30' E. 730 ft. from cor. No. 3 of the Jaquays No. 9 lode; 8 x 10 ft. in size, 4 ft. deep.<br>Value, \$175.0                           |
| No. 1 | The discovery pt. of the Jaquays No. 10 lode is on the lode line, 345 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2.<br>Value, None                                     |
| No. 2 | A pit, the SE. cor. of which bears N. 6° E., 445 ft. from cor. No. 2 of the Jaquays No. 10 lode; 4 x 6 ft. in size, 8 ft. deep.<br>Value, \$150.0                               |
| No. 3 | A pit, the NE. cor. of which bears S. 60° 30' W., 605 ft. from cor. No. 1 of the Jaquays No. 10 lode; 6 x 6 ft. in size, with an 8 ft. face on the east side.<br>Value, \$150.0 |
| No. 4 | A pit, the NE. cor. of which bears N. 66° 30' W., 65 ft. from cor. No. 1 of the Jaquays No. 10 lode; 7 x 7 ft. in size, 6 ft. deep.<br>Value, \$150.0                           |
| No. 5 | A pit, the SW. cor. of which bears S. 67° E., 1110 ft. from cor. No. 3 of the Jaquays No. 10 lode; 6 x 7 ft. in size, 8 ft. deep.<br>Value, \$200.0                             |
| No. 1 | The discovery cut of the Jaquays No. 11 lode is on the lode line, 500 ft. from a pt. on line 2-3, 300.0 ft. from cor. No. 2; 4 x 6 ft. in size, 8 ft. deep.<br>Value, \$125.00  |
| No. 2 | A pit, the SE. cor. of which bears N. 17° E., 555 ft. from cor. No. 2 of the Jaquays No. 11 lode; 4 x 6 ft. in size, 7 ft. deep.<br>Value, \$150.0                              |
| No. 3 | A pit, the NW. cor. of which bears S. 18° E., 55 ft. from cor. No. 4 of the Jaquays No. 11 lode; 6 x 6 ft. in size, 7 ft. deep.<br>Value, \$150.0                               |
| No. 6 | A pit, the SE. cor. of which bears N. 14° E., 135 ft. from Cor. No. 2 of the Jaquays No. 10 lode; 5 x 7 ft. in size, 6 ft. deep.<br>Value, \$135.0                              |



~~XXXX~~

Feet

No. 4

An inclined timbered shaft; the SE. cor. of the collar bears N. 31° E., 300.0ft from cor. No. 2 of the Jaquays No. 11 lode; 4 x 7.ft. in size, inclined at 32°, running N. 45 E., 350.0ft. deep with 5 levels extending northwest and southeast.

Total value of shaft and drifts, \$100,000.0  
Value apportioned this claim, \$200.0

OTHER IMPROVEMENTS

A trench, the SW. cor. of which bears N. 71°30'E., 410 ft. from cor. No. 3 of the Jaquays No. 9 lode; 3 ft. wide, 2 ft. average depth, running S. 64° E., 65 ft.

Claimant unknown

A trench, the SW. cor. of which bears East, 50 ft. from cor. No. 3 of the Jaquays No. 9 lode; 3 ft. wide, 2 ft. average depth and running N. 35° E., 150 ft.

Claimant unknown

A pit, the SE. cor. of which bears N. 7° W., 190 ft. from cor. No. 2 of the Jaquays No. 9 lode; 10 x 12 ft. in size, 1½ ft. deep.

Claimant unknown

A pit, the SW. cor. of which bears East, 380 ft. from cor. No. 3 of the Jaquays No. 9 lode; 8 x 12 ft. in size, 2 ft. deep.

Claimant unknown

An untimbered inclined shaft; the SW. cor. of the collar bears N. 83° 30' E., 430 ft. from cor. No. 3 of the Jaquays No. 10 lode; 5 x 5 ft. in size, inclined at 20°, running N. 8° E., depth, 50 plus ft.

Claimant unknown

A pit, the SW. cor. of which bears N. 67° E., 105 ft. from cor. No. 3 of the Jaquays No. 10 lode; 8 x 20 ft. in size, with a 5 ft. face on the NE. end.

Claimant unknown

A pit, the NE. cor. of which bears S. 53° 30' W., 490 ft. from cor. No. 1 of the Jaquays No. 10 lode; 4 x 5 ft. in size, 6 ft. deep.

Claimant unknown

A pit, the NE. cor. of which bears N. 44° W., 75 ft. from cor. No. 2 of the Jaquays No. 10 lode; 5 x 8 ft. in size, 7 ft. deep.

Claimant unknown

~~XXXXX~~  
Feet

A pit, the SW. cor. of which bears N. 59° E., 475 ft. from cor. No. 3 of the Jaquays No. 11 lode; 7 x 15 ft. in size with an 8 ft. face on the NE. end.

Claimant unknown

An inclined untimbered shaft; the SW. cor. of the collar bears N. 69° E., 535 ft. from cor. No. 3 of the Jaquays No. 11 lode; 5 x 6 ft. in size, inclined at 30° and running N. 40° E., 50 plus ft. deep.

Claimant unknown

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 4604, Jaquays No. 5 lode; Cors. Nos. 1, 2, 3 & 4 are iron posts with brass caps properly mkd. as described in the official record. All lines were found to be correct as approved.

Sur, No. 882, Why Not lode; Cor. No. 1 is a granite boulder, firmly set and mkd. as described in the official record. Cors. Nos. 3 & 4 have been obliterated. Cor. No. 5 is a granite boulder, approximately 10 x 12 x 24 ins. in size mkd. WN 3 x. No evidence of the stone marker as described for cor. No. 5 was found. Cor. No. 6 is a granite boulder, firmly set and mkd. as described in the official record. Line 5-6 was found to be S. 44° 42' 10" E., 1,498.90 ft. instead of S. 45° 15' E., 1,500.0 ft. as approved. Line 6-1 was fd. to be S. 43° 50' 20" W., 288.90 ft. instead of S. 44° 45' W., 300.00 ft. as approved. I established line 3-4-5 on a N. 43° 50' 20" E. bearing which makes it parallel to the opposite end line and the distance at 600.0 ft. as approved.

Sur. No. 174, Cumberland lode; As recorded in the notes of Sur. No. 882, Why Not lode, the area encompassed by the Cumberland lode is exactly the same as the Why Not lode. No evidence of the Cumberland lode was found.

U. S. Mineral Monument No. 1 apparently has been obliterated as no evidence of it was found.

FIELD ASSISTANTS

| Name            | Capacity        |
|-----------------|-----------------|
| Lloyd Cleveland | Chainman-Axeman |

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

11

CERTIFICATE OF SURVEYOR

Feb. 22, 1964

I, Harvey W. Smith,  
 Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the \_\_\_\_\_  
 State Director \_\_\_\_\_, at Phoenix, Arizona  
 dated Feb. 10, 1964, I have faithfully and correctly executed the survey of  
 the mining claim of Glendel Mining Company, Inc.  
 known as the Jaquays Nos. 9, 10 and 11 lodes  
(Lode, placer, or mill site)  
 situate in Martinez Mining District, Yavapai County, Secs. 14 & 15  
T. 10 N., R. 6 W., G. & S. R. B. & Meridian, Arizona, and  
(State)  
 designated as Survey No. 4617, which is represented in the foregoing field notes as having been  
 executed by me and under my direction, and that said survey has been made in strict conformity with said order,  
 the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner  
 described in the foregoing field notes, and I do further certify that the labor expended and improvements made  
 upon or for the benefit of the lode location(s) embraced in the said mining claim by  
(Lode or placer)  
 claimant(s) or his grantors are fully stated in my report therein, and that the character,  
 extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no  
 portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate  
 of expenditures upon any other claim.

Scottsdale, Arizona  
(Place)

Harvey W. Smith  
(Mineral Surveyor)  
 Harvey W. Smith

CERTIFICATE OF APPROVAL

Bureau of Land Management, State Office  
(Office)  
Phoenix, Arizona March 30, 1964  
(Place) (Date)

The foregoing field notes of mineral survey No. 4617, in Sections 14 and 15  
T. 10 N., R. 6 W., G. & S.R.M. Meridian,  
Arizona, executed by Harvey M. Smith, Mineral Surveyor,  
(State)  
 under order dated February 10, 1964, having been critically examined and the necessary  
 corrections made prior to their certification by the surveyor, the field notes and the survey therein described  
 are hereby approved.

Raymond C. Cleghorn  
 Raymond C. Cleghorn  
 Acting State Director  
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. \_\_\_\_\_  
 is a true copy of the original field notes.

(Title)



## NOTICE OF CANCELLATION OF MINERAL SURVEY

Jaquays Nos. 9, 10, and 11 lode claims, Mineral Survey No. 4617 in Sections 14 and 15, Township 10 North, Range 6 West, Gila and Salt River Meridian, Arizona, is hereby cancelled.

Jaquays Nos. 9, 10, and 11 lode claims were cancelled per request dated October 28, 1983, from Congress Consolidated Gold Mining Corp., Subsidiary of Magic Circle Energy Corp., 3001 United Founders Blvd., Oklahoma City, Oklahoma 73112 for the following reasons:

1. Jaquays No. 9 lode has been amended and is presently being surveyed under Mineral Survey No. 4847.
2. Jaquays Nos. 10 and 11 lodes have been abandoned. The ground covered by these claims is presently covered by later locations, two of which, Nos. 20 and 21 are included under Mineral Survey No. 4847.

Nov 14, 1983

Date

*Ronald E. Knight*  
Acting Chief Cadastral Surveyor of  
Arizona

