

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4632

State
Arizona

Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Phelps Dodge Corporation
c/o Evans, Kitchel & Jenckes
Attorneys at law
363 N. 1st Avenue
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

Birthday Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Birthday #2	7/20/57	3/19/58
Birthday #4	7/20/57	3/19/58
Birthday #5	7/20/57	3/19/58
Birthday #6	8/12/57	7/7/65
Birthday #7	11/6/57	7/7/65
Birthday #8	11/6/57	7/7/65
Birthday #9	11/6/57	7/7/65
Birthday #10	11/6/57	7/7/65
Birthday #11	11/6/57	7/7/65
Chino #1A	11/15/57	7/7/65
Foothill 33	2/3/58	11/1/65
Foothill 34	2/3/58	7/7/65
Foothill 35	2/3/58	7/7/65
Foothill #37	2/3/58	9/29/65
Foothill 42	2/17/58	9/29/65
Foothill #43	2/17/58	
Foothill #44	2/17/58	
Foothill #45	2/17/58	
Foothill 46	2/22/58	7/7/65
Pasoford 6	7/1/56	7/7/65
Pasoford 7	7/1/56	7/7/65
Pasoford #8	7/1/56	7/7/65
Pasoford #9	7/1/56	7/9/65

Mining district Lone Star		County Graham	
Section 28, 32, 33, 34 and 3	Township 5 & 6 S.	Range 26 E.	Meridian G&SRB&M
Survey commenced Nov. 11, 1965		Survey completed Mar. 1, 1966	Survey under order dated Nov. 11, 1965
		Name of Mineral Surveyor Harvey W. Smith, E.M.	

UNITED STATES

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Form 100-10

Section
Township
Range

FIELD NOTES

Office of the Surveyor General of the State of California

San Francisco, California

1900

Section 10, Township 10N, Range 10E

Survey of 1899

Section 10, Township 10N, Range 10E

Section 10, Township 10N, Range 10E

Section 10, Township 10N, Range 10E

Section 10, Township 10N, Range 10E

Section 10, Township 10N, Range 10E

SURVEY NO. 4632

FEET

This survey was made with a Swiss Kern theodolite, Model DKM1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and twenty minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles, direct to 10 seconds accuracy and estimating to one second accuracy. The instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 09:30 A.M. on November 15, 1965 at Cor. No. 1 of the Foothill 42 Lode, latitude 32°57'30" N., longitude 109°41'04"W., turning from a reference pt. about 1000 ft. eastward, clockwise to the sun in a southeast direction.

True bearing of reference pt. S. 89°49' E.

The lines were measured with a K & E Steel Tape, 500 ft. in length, graduated every foot for 499 ft. and the remaining foot graduated to tenths and hundredths. One additional foot at the zero end of the tape is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° E.

FOOTHILL 42 LODE

Beginning at Cor. No. 1, Foothill 42 Lode identical with the corner of Secs. 28, 29, 32 and 33, T. 5 S., R. 26 E., G&SRB&M.

An iron post 2 ins. diam., properly set and properly marked as described in the official record, to which I add the marks M.S. 4632 F421.

A mound of stones set adjacent to the iron post.

Thence S. 89°49' E.

- 150.00 Lode Line; discovery pt. bears S. 0°13' W., 100.00 ft. dist.
- 150.00 Right bank of dry wash 15 ft. wide, course S. 30° W.
- 299.45 Intersect line 1-2, Chinoe #1A Lode of this survey.

FEET	
300.00	<p>Cor. No. 2</p> <p>On the Sec. line between Secs. 28 and 33, T. 5 S.; R. 26 E.; G&SRB&M.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632 F42 2X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 0°13' W.</p>
319.54	<p>Intersect line 4-1, Chino #1A Lode common with line 1-2 of the Foothill 46 Lode, both of this survey.</p>
710.00	<p>Unimproved dirt road bears S. 40° W. and N. 50° E.</p>
1500.00	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F42 3X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 89°49' W.</p>
150.00	<p>Lode Line; discovery pt. bears N. 0°13' E., 1400.00 ft. dist.</p>
300.00	<p>Cor. No. 4</p> <p>On the Sec. line between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F42 4X; from which</p> <p>A mound of stones with a 4x4 post constructed adjacent to the iron post.</p> <p>Thence N. 0°13' E.</p>
54.21	<p>Intersect line 4-1 of the Foothill 46 Lode of this survey.</p>
570.00	<p>Unimproved dirt road bears S. 30° W. and N. 50° E.</p>
1300.00	<p>Left bank of dry wash, 15 ft. wide, course S. 30° W.</p>
1500.00	<p>Cor. No. 1 and the place of beginning.</p>

FEET	
	FOOTHILL 46 LODE
	Beginning at Cor. No. 1, Foothill 46 Lode identical with Cor. No. 1 of the Chino #1A Lode of this survey.
	Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F46 1C1A1X; from which
	The corner of Secs. 28, 29, 32 and 33, T. 5S., R. 26 E., G&SRB&M, bears N. 37°25' W., 386.53 ft. dist.; previously described.
	A mound of stones constructed adjacent to the iron post.
	Thence S. 78°05' E.
65.34	Intersect line 2-3 of the Foothill 42 Lode of this survey.
300.00	Lode Line; discovery pt. bears S. 11°55' W., 435 ft. dist.
599.25	Cor. No. 2 identical with Cor. No. 4 of the Chino #1A Lode and on line 4-1 of the Birthday #9 Lode, all of this survey.
	Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F46 2C1A4X; from which
	A mound of stones with a 4x4 post constructed adjacent to the iron post.
	Thence S. 11°55' W.
25.00	Unimproved dirt road bears S. 45° W. and N. 45° E.
459.64	Cor. No. 1 of the Birthday #9 Lode identical with Cor. No. 1 of the Birthday #10 Lode, both of this survey.
898.94	Cor. No. 4 of the Birthday #10 Lode identical with Cor. No. 3 of the Birthday #11 Lode, both of this survey.
1460.38	Cor. No. 2 of the Birthday #11 Lode and intersect line 2-3 of the Foothill 33 Lode, both of this survey.
1500.00	Cor. No. 3
	Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F46 3X; from which
	A mound of stones constructed adjacent to the iron post.
	Thence N. 78°05' W.

FEET	
299.25	Lode Line; discovery pt. bears N. 11°55' E., 1065 ft. dist.
529.64	Intersect the Sec. line between Secs. 32 and 33 at a point from which the corner of Secs. 28, 29, 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears N. 0°13' E., 1789.05 ft. dist., previously described.
546.64	Intersect line 3-4 of the Foothill 33 Lode of this survey.
565.27	Witness corner for Cor. No. 4. True point for Cor. No. 4 falls in a wash; consequently it was necessary to place the permanent monument out of the wash. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F46 4WCX; from which A mound of stones constructed adjacent to the iron post.
590.00	Left bank of dry wash 15 ft. wide; course S. 20° E.
599.25	True point for corner No. 4. This point falls in a dry wash and a permanent marker would be obliterated. A witness corner was established on the south end line of Foothill 46 Lode, previously described. Thence N. 11°55' E.
336.13	Intersect the Sec. line between Secs. 32 and 33 at a point from which the corner of Secs. 28, 29, 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears N. 0°13' E., 1445.79 ft. dist., previously described, and intersect line 4-1 of the Foothill 42 Lode of this survey.
930.00	Unimproved dirt road bears S. 40° W. and N. 40° E.
1500.00	Cor. No. 1 and the place of beginning.
<hr/>	
CHINO #1A LODE	
Beginning at Cor. No. 1 of the Chino #1A Lode, identical with the Cor. No. 1 of the Foothill 46 Lode, both of this survey, previously described. Thence N. 11°55' E.	
312.78	Intersect line 1-2 of the Foothill 42 Lode of this survey.
515.00	Left bank of dry wash, 15 ft. wide, course S. 25° W.

FEET		
1500.00	Cor. No. 2	
	<p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, CIA 2X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 78°05' E.</p>	
25.00	Unimproved dirt road bears N. and S. 5° E.	
300.00	Lode Line; discovery pt. bears S. 11°55' W., 660 ft. dist.	
589.02	<p>Witness corner for Cor. No. 3. True point for Cor. No. 3 falls in a wash; consequently it was necessary to place the permanent marker out of the wash.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, CIA 3WCX; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p>	
599.25	<p>True point for Cor. No. 3. This point falls in the right bank of dry wash, 10 ft. wide, course S. 15° W., and a permanent marker would be obliterated. A witness corner was established on the north end line of Chino #1A Lode, previously described.</p> <p>Thence S. 11°55' W.</p>	
160.00	<p>True point for Cor. No. 4 of the Birthday #7 Lode of this survey, falls in a dry wash, Witness Cor. for Cor. No. 4, bears S. 78°05' E., 75.38 ft. dist.</p>	
760.00	<p>Cor. No. 1 of the Birthday #7 Lode identical with Cor. No. 1 of the Birthday #8 Lode, both of this survey.</p>	
1360.00	<p>Cor. No. 4 of the Birthday #8 Lode identical with Cor. No. 4 of the Birthday #9 Lode, both of this survey.</p>	
1450.00	Unimproved dirt road bears E. and W.	
1500.00	<p>Cor. No. 4 identical with Cor. No. 2 of the Foothill 46 Lode, and on line 4-1 of the Birthday #9 Lode, all of this survey, previously described.</p> <p>Thence N. 78°05' W.</p>	
299.25	Lode Line; discovery pt. bears N. 11°55' E., 840 ft. dist.	
533.91	Intersect line 2-3 of the Foothill 42 Lode of this survey.	
599.25	Cor. No. 1 and the place of beginning	

FEET	BIRTHDAY #7 LODE
	<p>Beginning At Cor. No. 1 of the Birthday #7 Lode identical with Cor. No. 1 of the Birthday #8 Lode, and on line 3-4 of the Chino #1A Lode, all of this survey.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B7 1 B8 1X; from which</p> <p>The corner of Secs. 28, 29, 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears S. 73°15'40" W., 1017.86 ft. dist., previously described.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 78°05' E.</p>
990.00	Unimproved dirt road bears S. 11° W. and N. 11° E., and right bank of dry wash, 10 ft. wide, course S. 11° W.
1250.00	Right bank of dry wash, 10 ft. wide, course S. 45° W.
1500.00	<p>Cor. No. 2 identical with Cor. No. 2 of the Birthday #8 Lode of this survey, and on line 1-2 of Survey No. 4579, Birthday #3 Lode.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B7 2 B8 2X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 11°55' E.</p>
160.00	Cor. No. 1 of the Birthday #2 Lode of this survey, identical with Cor. No. 1 of Survey No. 4579, Birthday #3 Lode.
260.00	Left bank of dry wash, 10 ft. wide, course S. 45° W.
300.00	Lode Line; discovery pt. bears N. 78°05' W., 540 ft. dist.
572.52	Intersect line 2-3 of Survey No. 4579, Birthday #1 Lode, at a point from which Cor. No. 3 bears S. 88°34' W., 403.66 ft. dist.
600.00	Cor. No. 3 on line 1-2 of the Birthday #2 Lode of this survey.

FEET	
	<p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B7 3X; from which</p> <p>Cor. No. 3 of Survey No. 4579, Birthday #1 Lode, bears S. 84°50' W., 410.87 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
391.66	Intersect line 3-4 of Survey No. 4579, Birthday #1 Lode, at a point from which Cor. No. 3 bears S. 12°26' W., 120.70 ft. dist.
1424.62	<p>Witness corner for Cor. No. 4. True point for Cor. No. 4 falls in a dry wash.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B74WCX; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p>
1490.00	Left bank of dry wash, 15 ft. wide, course S. 10° W.
1500.00	<p>True point for Cor. No. 4. On line 3-4 of the Chino #1A Lode of this survey. This point falls in the dry wash where a permanent monument would be obliterated. A Witness Corner was established on the north end line of Birthday #7 Lode, previously described.</p> <p>Thence S. 11°55' W.</p>
300.00	Lode Line; discovery pt. bears S. 78°05' E., 960 ft. dist.
600.00	Cor. No. 1 and the place of beginning.
BIRTHDAY #8 LODE	
	<p>Beginning at Cor. No. 1 of the Birthday #8 Lode identical with Cor. No. 1 of the Birthday #7 Lode and on line 3-4 of the Chino #1A Lode, all of this survey, previously described.</p> <p>Thence S. 78°05' E.</p>
990.00	Unimproved dirt road bears S. 11° W. and N. 11° E., and right bank of dry wash 10 ft. wide course S. 11° W.
1250.00	Right bank of dry wash, 10 ft. wide, course S. 45° W.
1500.00	<p>Cor. No. 2 identical with Cor. No. 2 of the Birthday #7 Lode of this survey, and on line 1-2 of the Survey No. 4579, Birthday #3 Lode, previously described.</p> <p>Thence S. 11°55' W.</p>

FEET	
300.00	Lode Line; discovery pt. bears N. 78°05' W., 465 ft. dist.
440.00	Cor. No. 2 of the Birthday #4 Lode of this survey, identical with Cor. No. 2 of Survey No. 4579, Birthday #3 Lode.
600.00	Cor. No. 3 identical with Cor. No. 3 of the Birthday #9 Lode and on line 1-2 of the Birthday #4 Lode, all of this survey. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B8 3 B9 3X; from which A mound of stones with a 4 x 4 post constructed adjacent to the iron post. Thence N. 78°05' W.
620.00	Unimproved dirt road bears N. and S. and the left bank of dry wash 10 ft. wide, course S.
1500.00	Cor. No. 4 identical with Cor. No. 4 of the Birthday #9 Lode and on line 3-4 of the Chino #1A Lode, all of this survey. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B8 4 B9 4X; from which A mound of stones constructed adjacent to the iron post. Thence N. 11°55' E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 1035 ft. dist.
600.00	Cor. No. 1 and the place of beginning.
BIRTHDAY #9 LODE	
Beginning at Cor. No. 1 of the Birthday #9 Lode identical with Cor. No. 1 of the Birthday #10 Lode and on line 2-3 of the Foothill 46 Lode, all of this survey. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B9 1 B10 1X; from which	

FEET	
	<p>The corners of Secs. 28, 29, 32 and 33; T. 5 S., R. 26 E., G&SRB&M, bears N. 39°32'30" W., 1141.94 ft. dist. previously described.</p> <p>Thence S. 78°05' E.</p>
585.00	Unimproved dirt road bears N. 10° W. and S. 10° E.
1000.00	Unimproved dirt road bears N. 5° W. and S. 10° E. and the right bank of dry wash 10 ft. wide, course S. 10° E.
1160.00	Unimproved dirt road bears S. 45° W. and N. 45° E.
1250.00	Unimproved dirt road bears N. and S.
1365.00	Right bank of dry wash, 10 ft. wide, course S. 45° W.
1450.00	Unimproved dirt road bears N. 70° E. and S. 70° W.
1500.00	Cor. No. 2 identical with Cor. No. 2 of the Birthday #10 Lode and on line 1-2 of the Birthday #5 Lode, all of this survey.
	<p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B9 2 B10 2X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 11°55' E.</p>
25.00	Unimproved dirt road bears N. 80° E. and S. 80° W.
80.00	Left bank of dry wash 10 ft. wide, course S. 70° W.
159.84	Cor. No. 1 of the Birthday #4 Lode identical with Cor. No. 1 of the Birthday #5 Lode, both of this survey.
299.84	Lode Line; discovery pt. bears N. 78°05' W., 460 ft. dist.
410.00	Unimproved dirt road bears E. and W.
599.84	Cor. No. 3 identical with Cor. No. 3 of the Birthday #8 Lode and on line 1-2 of the Birthday #4 Lode, all of this survey, previously described.
	Thence N. 78°05' W.
620.00	Unimproved dirt road bears N. and S. and the left bank of dry wash 10 ft. wide, course S.
1500.00	Cor. No. 4 identical with Cor. No. 4 of the Birthday #8 Lode and on line 3-4 of the Chino #1A Lode, all of this survey, previously described.
	Thence S. 11°55' W.

FEET	
90.00	Unimproved dirt road bears E. and W.
140.00	Cor. No. 4 of the Chino #1A Lode and identical with Cor. No. 2 of the Foothill 46 Lode, both of this survey.
165.00	Unimproved dirt road bears S. 45° W. and N. 45° E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 1040 ft. dist.
599.64	Cor. No. 1 and the place of beginning.
BIRTHDAY #10 LODE	
Beginning at Cor. No. 1 of the Birthday #10 Lode identical with Cor. No. 1 of the Birthday #9 Lode, and on line 2-3 of the Foothill 46 Lode, all of this survey, previously described.	
Thence S. 78°05' E.	
585.00	Unimproved dirt road bears N. 10° W. and S. 10° E.
1000.00	Unimproved dirt road bears N. 5° W. and S. 10° E., and the right bank of dry wash 10 ft. wide, course S. 10° E.
1160.00	Unimproved dirt road bears S. 45° W. and N. 45° E.
1250.00	Unimproved dirt road bears N. and S.
1365.00	Right bank of dry wash, 10 ft. wide, course S. 45° W.
1450.00	Unimproved dirt road bears N. 70° E. and S. 70° W.
1500.00	Cor. No. 2 identical with Cor. No. 2 of the Birthday #9 Lode, and on line 1-2 of the Birthday #5 Lode, all of this survey, previously described.
Thence S. 11°55' W.	
220.00	Lode Line; discovery pt. bears N. 78°05' W., 540 ft. dist.
310.00	Unimproved dirt road bears N. 30° E. and S. 30° W. and S. 30° E.
439.66	Cor. No. 3 identical with Cor. No. 2 of the Birthday #5 Lode, Cor. No. 4 of the Birthday #6 Lode and Cor. No. 4 of the Birthday #11 Lode; all of this survey.
Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M. S. 4632, B10 3 B5 2 B6 4 B11 4X; from which	
A mound of stones constructed adjacent to the iron post.	
Thence N. 78°05' W.	

FEET	
60.00	Unimproved dirt road bears N. 30° E. and S. 30° W.
110.00	Unimproved dirt road bears N. and S.
360.00	Left bank of dry wash, 10 ft. wide, course S. 15° W.
440.00	Left bank of dry wash, 10 ft. wide, course S.
1500.00	<p>Cor. No. 4 identical with Cor. No. 3 of the Birthday #11 Lode, and on line 2-3 of the Foothill 46 Lode, all of this survey.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B10 4 B11 3X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 11°55' E.</p>
219.30	Lode Line; discovery pt. bears S. 78°05' E., 960 ft. dist.
439.30	Cor. No. 1 and the place of beginning.
<p>BIRTHDAY #11 LODE</p>	
<p>Beginning at Cor. No. 1 of the Birthday #11 Lode, identical with Cor. No. 1 of the Birthday #6 Lode, and on line 2-3 Foothill 34 lode, all of this survey.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B11 IB6 IX; from which</p> <p>1/4 Cor. between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears S. 76°42'20" W., 2053 ft. dist.</p> <p>An iron post 1 in. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>	
320.00	Unimproved dirt road bears N. 25° E. and S. 25° W.
537.84	Cor. No. 2 of the Foothill 34 lode identical with Cor. No. 2 of the Foothill 33 Lode, both of this survey.
620.00	Left bank of dry wash, 10 ft. wide, course S. 25° W.
1500.00	<p>Cor. No. 2, on line 2-3 of the Foothill 33 lode and on line 2-3 of the Foothill 46 lode, all of this survey.</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam.,</p>

FEET	
	firmly secured to the iron post, mkd. M.S. 4632, B11 2X; from which A mound of stones constructed adjacent to the iron post. Thence N. $11^{\circ}55'$ E.
280.35	Lode Line; discovery pt. bears S. $78^{\circ}05'$ E., .1165 ft. dist.
561.44	Cor. No. 3 identical with Cor. No. 4 of the Birthday #10 Lode, and on line 2-3 of the Foothill 46 Lode, all of this survey, previously described. Thence S. $78^{\circ}05'$ E.
1050.00	Right bank of dry wash, 10 ft. wide, course S.
1130.00	Right bank of dry wash, 10 ft. wide, course S. 15° W.
1390.00	Unimproved dirt road bears N. and S.
1440.00	Unimproved dirt road bears N. 30° E. and S. 30° W.
1500.00	Cor. No. 4 identical with Cor. No. 3 of the Birthday #10 Lode, Cor. No. 2 of the Birthday #5 Lode, and Cor. No. 4 of the Birthday #6 Lode, all of this survey, previously described. Thence S. $11^{\circ}55'$ W.
185.00	Unimproved dirt road bears E. and W.
281.05	Lode Line; discovery pt. bears N. $78^{\circ}05'$ W., 335 ft. dist.
561.52	Cor. No. 1 and the place of beginning.
BIRTHDAY #6 LODE	
	Beginning at Cor. No. 1 of the Birthday #6 Lode identical with Cor. No. 1 of the Birthday #11 Lode and on line 2-3 of the Foothill 34 Lode, all of this survey, previously described. Thence S. $78^{\circ}05'$ E.
962.16	Cor. No. 3 of the Foothill 34 Lode and intersect line 2-3 of the Foothill #37 Lode, both of this survey.
1190.00	Unimproved dirt road bears S. 75° W. and N. 75° E.
1390.00	Cor. No. 2 Set an iron post, $3/4$ ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B6 2X; from which A mound of stones constructed adjacent

FEET	
	to the iron post. Thence N. 11°55' E.
229.49	Cor. No. 2 of the Pasoford #9 Lode of this survey.
280.47	Lode Line; discovery pt. bears N. 78°05' W., 995 ft. dist.
292.87	Intersect line 1-2 of the Foothill #37 Lode of this survey and unimproved dirt road bears N. 75° E. and S. 30° W.
.561.52.	Cor. No. 3 identical with Cor. No. 3 of the Birthday #5 Lode, Cor. No. 3 of the Pasoford #9 Lode, all of this survey, and Cor. No. 4, Survey No. 4579 of the Pasoford #10 Lode. Fd. an iron post, 1½ in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, B6 3 B5 3 P9 3; from which A mound of stones constructed adjacent to the iron post. Thence N. 78°05' W.
.1280.00.	Unimproved dirt road bears N. 30° W. and S. 30° E.
1390.00	Cor. No. 4 identical with Cor. No. 4 of the Birthday #11 Lode, Cor. No. 3 of the Birthday #10 Lode and Cor. No. 2 of the Birthday #5 Lode, all of this survey, previously described. Thence S. 11°55' W.
185.00.	Unimproved dirt road bears E. and W.
281.05	Lode Line; discovery pt. bears S. 78°05' E., 395 ft. dist.
561.52	Cor. No. 1 and the place of beginning.
BIRTHDAY #5 LODE	
	Beginning at Cor. No. 1 of the Birthday #5 Lode identical with Cor. No. 1 of the Birthday #4 Lode and on line 2-3 of the Birthday #9 Lode, all of this survey. Set an iron post, ¾ ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B5 1 B4 1X; from which The ¼ Cor. between Secs. 28 and 33, T. 5 S., R. 26 E., G&SRB&M, bears N. 22°14'50" E., 1108.60 ft. dist.

FEET	
	<p>A 1 in. iron post with a brass cap, 12 ins. above ground, firmly set and properly mkd. as described in the official record.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 11°55' W.</p>
69.84	Right bank of dry wash, 10 ft. wide, course S. 70° W.
134.84	Unimproved dirt road bears N. 80° E. and S. 80° W.
159.84	Cor. No. 2 of the Birthday #9 Lode identical with Cor. No. 2 of the Birthday #10 Lode.
299.50	Lode Line; discovery pt. bears S. 78°05' E., 170 ft. dist.
469.84	Unimproved dirt road bears N. 30° E. and S. 30° W. and S. 30° E.
599.50	<p>Cor. No. 2 identical with Cor. No. 4 of the Birthday #6 Lode, Cor. No. 4 of the Birthday #11 Lode, and Cor. No. 3 of the Birthday #10 Lode, all of this survey, previously described.</p> <p>Thence S. 78°05' E.</p>
1110.00	Unimproved dirt road bears N. 30° W. and S. 30° E.
1390.00	<p>Cor. No. 3 identical with Cor. No. 3 of the Birthday #6 Lode, Cor. No. 3 of the Pasoford #9 Lode, both of this survey, and Cor. No. 4, Survey No. 4579, Pasoford #10 Lode, previously described.</p> <p>Thence N. 11°55' E.</p>
300.00	Lode Line; discovery pt. bears N. 78°05' W., 1220 ft. dist.
510.00	Unimproved road bears N. 15° W. and S. 20° E.
599.75	<p>Cor. No. 4 identical with Cor. No. 4 of the Birthday #4 Lode of this survey, Cor. No. 3, Survey No. 4579, Pasoford #10 Lode, and Cor. No. 3, Survey No. 4579, Dos Pobres #7 Lode.</p> <p>Fd. an iron post, 1½ in. diam. with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, B5 4 B4 4; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
40.00	Unimproved dirt road bears N. 15° W. and S. 15° E.
1240.00	Unimproved dirt road bears N. 10° W. and S. 10° E.
1265.00	Left bank of dry wash, 10 ft. wide, course S. 10° W.

FEET	
1390.00	Cor. No. 1 and the place of beginning.
<hr/> BIRTHDAY #4 LODE	
Beginning at Cor. No. 1 of the Birthday #4 Lode, identical with Cor. No. 1 of the Birthday #5 Lode, and on line 2-3 of the Birthday #9 Lode, all of this survey, previously described.	
Thence N. 11°55' E.	
250.16	Unimproved dirt road bears E. and W.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 490 ft. dist.
440.00	Cor. No. 3 of the Birthday #9 Lode identical with Cor. No. 3 of the Birthday #8 Lode, both of this survey.
600.00	Cor. No. 2 on line 2-3 of the Birthday #8 Lode of this survey, and identical with Cor. No. 2, Survey No. 4579, Birthday #3 Lode.
Fd. an iron post, 1¼ in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632 B4 2; from which	
A mound of stones constructed adjacent to the iron post.	
Thence S. 78°05' E.	
638.00	Right bank of dry wash, 10 ft. wide, course S. 20° W.
863.00	Unimproved dirt road bears N. 35° E. and S. 35° W.
1390.00	Cor. No. 3 identical with Cor. No. 3, Survey No. 4579 of the Birthday #3 Lode, Cor. No. 4 of the Dos Pobres #6 Lode, and Cor. No. 2 of the Dos Pobres #7 Lode, of the same survey.
Fd. an iron post, 1¼ in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, B4 3; from which	
A mound of stones constructed adjacent to the iron post.	
Thence S. 11°55' W.	
300.00	Lode Line; discovery pt. bears N. 78°05' W., 900 ft. dist.
600.00	Cor. No. 4 identical with Cor. No. 4 of the Birthday #5 Lode of this survey, and Cor. No. 3, Survey No. 4579 of the Dos Pobres #7 Lode, and Cor. No. 3 of the Pasoford #10 Lode of the same survey, previously described.
Thence N. 78°05' W.	

FEET	
40.00	Unimproved dirt road bears N. 15° W. and S. 15° E.
1240.00	Unimproved dirt road bears N. 10° W. and S. 10° E.
1265.00	Left bank of dry wash, 10 ft. wide, course S. 10° W.
1390.00	Cor. No. 1 and the place of beginning.
BIRTHDAY #2 LODE	
Beginning at Cor. No. 1 of the Birthday #2 Lode, on line 2-3 of the Birthday #7 Lode of this survey, and identical with Cor. No. 1, Survey No. 4579, Birthday #3 Lode.	
Fd. an iron post, 1¼ in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly marked as described in the official record, to which I add marks M.S. 4632, B2 1; from which	
The 1/4 Cor. between Secs. 28 and 33, T. 5 S., R. 26 E., G.S.R.B.&M, bears S. 49°16' E., 226.90 ft. dist., previously described.	
A mound of stones constructed adjacent to the iron post.	
Thence N. 11°55' E.	
100.00	Left bank of dry wash, 10 ft. wide, course S. 45° W.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 800 ft. dist.
412.52	Intersect line 2-3 of Survey No. 4579, Birthday #1 Lode, at a point from which Cor. No. 2, identical with Cor. No. 3, Survey No. 4579, Dos Pobres #8 Lode, bears N. 88°34' E., 811.94 ft. dist.
440.00	Cor. No. 3 of the Birthday #7 Lode of this survey.
600.00	Cor. No. 2 Set an iron post, 3/4 in. diam., 30 ins. long, in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, B2 2X; from which A mound of stones constructed adjacent to the iron post.
Thence S. 78°05' E.	
265.00	Right bank of dry wash, 10 ft. wide, course S. 45° W.
600.00	Unimproved dirt road bears N. 45° E. and S. 45° W.
790.00	Cor. No. 2 of the Birthday #1 Lode, identical with Cor. No. 3 of the Dos Pobres #8 Lode, both of

FEET	
	Survey No. 4579.
950.00	Unimproved dirt road bears N. 75° E. and S. 75° W.
1390.00	Cor. No. 3 identical with Cor. No. 2 of the Dos Pobres #5 Lode, and on Line 2-3 of the Dos Pobres #8 Lode, both of Survey No. 4579. Fd. an iron post, 1 1/4 in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, B2 3: from which A mound of stones constructed adjacent to the iron post. Thence S. 11°55' W.
122.00	Right bank of dry wash, 10 ft. wide, course N. 75° W., and unimproved dirt road bears S. 65° W. and N. 75° E.
300.00	Lode Line; discovery pt. bears N. 78°05' W., 590 ft. dist.
600.00	Cor. No. 4 identical with Cor. No. 3, Survey No. 4579, Dos Pobres #5 Lode, Cor. No. 3 of the Dos Pobres #6 Lode, and Cor. No. 4 of the Birthday #3 Lode, also of Survey No. 4579. Fd. an iron post, 1 1/4 in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, B2.4; from which A mound of stones constructed adjacent to the iron post. Thence N. 78°05' W.
338.00	Unimproved dirt road bears N. and S.
405.00	Unimproved dirt road bears N. 10° E. and S. 10° W.
530.00	Left bank of dry wash, 10 ft. wide, course S. 20° W.
1390.00	Cor. No. 1 and the place of beginning.
FOOTHILL 33 LODE	
Beginning at Cor. No. 1 of the Foothill 33 Lode, identical with Cor. No. 1 of the Foothill 34 Lode, and on line 1-2 of the Foothill 35 Lode, all of this survey. Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F33 1 F34 1X; from which The 1/4 Cor. between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears S. 88°16'10" W., 1223.47 ft. dist., previously described.	

FEET	
	<p>The N.W. Cor. of Bohemia 9 Lode (unsurveyed) on the west end line of Pickup 1 Lode (unsurveyed) bears N. 73°50'50" E., 170.02 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 24°26' E.</p>
300.00	Lode Line; discovery pt. bears N. 78°05' W., 20 ft. dist. and unimproved dirt road bears N. 30° E. and S. 30° W.
600.00	Cor. No. 2 identical with Cor. No. 2 of the Foothill 34 Lode, and on line 1-2 of the Birthday #11 Lode, all of this survey.
	<p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F33 2 F34 2X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
82.16	Left bank of dry wash, 10 ft. wide, course S. 25° W.
962.16	Cor. No. 2 of the Birthday #11 Lode and intersect line 2-3 of the Foothill 46 Lode, both of this survey.
1500.00	Cor. No. 3 on the section line between Secs. 32 and 33, T. 4 S., R. 26 E., G&SRB&M.
	<p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F33 3X; from which</p> <p>The corner of Secs. 28, 29, 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears N. 0°13' E., 1748.59 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 24°26' W.</p>
40.58	Intersect line 3-4 of the Foothill 46 Lode of this survey.
70.00	Left bank of dry wash, 15 ft. wide, course S. 30° E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 1480 ft. dist.

FEET	
600.00	<p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, and mkd. M.S. 4632, F33 4X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 78°05' E.</p>
251.33	<p>Intersect the Sec. line between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M, and Cor. No. 1 of the Foothill 35 Lode of this survey, from which the 1/4 Cor. between Secs. 32 and 33 bears S. 0°13' W., 294.79 ft. dist., previously described.</p>
526.33	<p>Right bank of dry wash, 15 ft. wide, course S.</p>
1230.00	<p>Right bank of dry wash, 20 ft. wide, course S. 10° W.</p>
1440.00	<p>Unimproved dirt road bears N. 25° E. and S. 20° W.</p>
1500.00	<p>Cor. No. 1 and the place of beginning.</p>
<p>FOOTHILL 35 LODE</p>	
<p>Beginning at Cor. No. 1 of the Foothill 35 Lode, on line 4-1 of the Foothill 33 Lode, and on the section line between Secs. 32 and 33, T. 5 S., R. 26 E. G&SRB&M.</p>	
<p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F35 1X; from which</p>	
<p>The 1/4 Cor. between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M, bears S. 0°13' W., 294.79 ft. dist., previously described.</p>	
<p>A mound of stones constructed adjacent to the iron post.</p>	
<p>Thence S. 78°05' E.</p>	
275.00	<p>Right bank of dry wash, 15 ft. wide, course S.</p>
978.67	<p>Right bank of dry wash; 20 ft. wide, course S. 10° W.</p>
1188.67	<p>Unimproved dirt road bears N. 25° E. and S. 20° W.</p>
1248.67	<p>Cor. No. 1 of the Foothill 33 Lode identical with Cor. No. 1 of the Foothill 34 Lode, both of this survey.</p>

FEET	
1380.35	Intersect the west end line of the Pickup 1 Lode (unsurveyed) common with the west end line of the Bohemia 9 Lode (unsurveyed) at a point from which the N.W. Cor. of the Bohemia 9 Lode (unsurveyed) bears N. $24^{\circ}50'$ E., 82.08 ft. dist. and the S.W. Cor. of the Pickup 1 Lode (unsurveyed) identical with the N.E. Cor. of the Sandwash 2 Lode (unsurveyed) bears S. $24^{\circ}50'$ W. 277.92 ft. dist.
1500.00	<p>Cor. No. 2 on line 4-1 of the Foothill 3/4 Lode of this survey.</p> <p>Set an iron post, $3/4$ in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F35 2X; from which</p> <p>The S.W. Cor. of the Pickup 1 Lode (unsurveyed) identical with the N.E. Cor. of the Sandwash 2 Lode (unsurveyed) bears S. $45^{\circ}46'50''$ W., 326.21 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. $24^{\circ}26'$ W.</p>
300.00	Lode Line; discovery pt. bears N. $78^{\circ}05'$ W., 130 ft. dist.
300.60	Intersect the south side line of the Pickup 1 Lode (unsurveyed) at a point from which the S. W. Cor. of the Pickup 1 Lode, identical with the N. E. Cor. of the Sandwash 2 Lode (unsurveyed) bears N. $67^{\circ}07'30''$ W., 118.79 ft. dist.
600.00	<p>Cor. No. 3</p> <p>Set an iron post, $3/4$ in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M. S. 4632, F35 3X; from which</p> <p>The S. W. Cor. of Bohemia 9 Lode (unsurveyed) identical with the N. W. Cor. of the Bohemia 10 Lode (unsurveyed), bears N. $53^{\circ}36'30''$ W., 116.86 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. $78^{\circ}05'$ W.</p>
1.11	Intersect the south side line of the Bohemia 9 Lode (unsurveyed) common with the north side line of the Bohemia 10 Lode (unsurveyed) at a point from which the S. W. Cor. of the Bohemia 9 Lode (unsurveyed), identical with the N.W. Cor. of the Bohemia 10 Lode (unsurveyed) bears N. $53^{\circ}22'50''$ W., 115.85 ft. dist.

FEET	
.116.28	Intersect the east end line of the Sandwash 2 Lode (unsurveyed) common with the west end line of the Bohemia 9 Lode (unsurveyed) and the Bohemia 10 Lode (unsurveyed) at a point from which the N.E. Cor. of the Sandwash 2 Lode (unsurveyed) identical with the S. W. Cor. of the Pickup 1 Lode (unsurveyed), bears N. 23°30' E., 321.42 ft. dist.; the N.W. Cor. of the Bohemia 10 Lode (unsurveyed) identical with the S. W. Cor. of the Bohemia 9 Lode (unsurveyed), bears N. 23°30' E., 49.42 ft. dist.
260.00	Unimproved dirt road bears S. 10° W. and N. 10° E.
870.00	Left bank of dry wash, 20 ft. wide, course S. 35° W.
970.00	Left bank of dry wash, 20 ft. wide, course S.
1248.66	Intersect the Sec. line between Secs. 32 and 33, T. 5 S., R. 26 E., G&SRB&M, at a point from which the 1/4 Cor. of Secs. 32 and 33 bears N. 0°13' E., 303.38 ft. dist.
1495.01	Intersect the west end line of the Sandwash 2 Lode (unsurveyed) at a point from which the N.W. Cor. bears N. 23°30' E., 298.96 ft. dist.
1500.00	Cor. No. 4 Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F35 4X; from which A mound of stones constructed adjacent to the iron post. Thence N. 24°26' E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 1370 ft. dist. and N.W. Cor. of Sandwash 2 Lode (unsurveyed).
600.00	Cor. No. 1 and the place of beginning.
FOOTHILL 34 LODE	
	Beginning at Cor. No. 1 of the Foothill 34 Lode, identical with Cor. No. 1 of the Foothill 33 Lode, and on line 1-2 of the Foothill 35 Lode, all of this survey, previously described. Thence N. 24°26' E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 635 ft. dist. and unimproved dirt road bears N. 30° E. and S. 30° W.
600.00	Cor. No. 2 identical with Cor. No. 2 of the Foothill 33 Lode and on line 1-2 of the Birthday #11 Lode, all of this survey, previously described. Thence S. 78°05' E.

FEET	
217.84	Unimproved dirt road bears N. 25° E. and S. 25° W.
537.84	Cor. No. 1 of the Birthday #11 Lode identical with Cor. No. 1 of the Birthday #6 Lode, both of this survey.
1500.00	<p>Cor. No. 3 on line 1-2 of the Birthday #6 Lode, and on line 2-3 of the Foothill #37 Lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F34 3X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 24°26' W.</p>
130.00	Unimproved dirt road bears S. 65° W. and N. 65° E.
300.00	Lode Line; discovery pt. bears N. 78°04' W., 865 ft. dist.
469.11	Intersect the north side line of the Pickup 1 Lode (unsurveyed) at a point from which the N.W. Cor. bears N. 66°33' W., 1333.18 ft. dist.
600.00	<p>Cor. No. 4 on line 2-3 of the Foothill #37 Lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F34 4X; from which</p> <p>The N.W. Cor. of the Pickup 1 Lode (unsurveyed) bears N. 60°56' W., 1337.36 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
350.00	Unimproved dirt road bears S. 25° W. and N. 25° E.
1176.05	Intersect the north side line of the Bohemia 9 Lode (unsurveyed) at a point from which the N.W. Cor. bears N. 53°22'50" W., 191.44 ft. dist.
1248.67	Cor. No. 2 of the Foothill 35 Lode of this survey.
1368.32	Intersect the west end line of the Pickup 1 Lode (unsurveyed) common with the west end line of the Bohemia 9 Lode (unsurveyed) at a point from which the N.W. Cor. of the Bohemia 9 Lode bears N. 24°50' E., 82.08 ft. dist.; and the N.W. Cor. of the Pickup 1 Lode bears N. 24°50' E., 404.58 ft. dist.
1500.00	Cor. No. 1 and the place of beginning.

FEET	FOOTHILL #37 LODE
	Beginning at Cor. No. 1 of the Foothill #37 Lode
	Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F37 1X; from which
	The 1/4 Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears S. 74°58'30" E., 1685.84 ft. dist.
	A 1 in. iron post with a brass cap properly mkd. and firmly set and witnessed as described in the official record.
	A mound of stones constructed adjacent to the iron post.
	Thence N. 78°05' W.
251.63	Intersect line 2-3 of the Birthday #6 Lode, common with line 2-3 of the Pasoford #9 Lode, both of this survey, and Unimproved dirt road bears S. 30° W. and N. 75° E.
307.00	Lode Line; discovery pt. bears S. 24°26' W., 490 ft. dist.
614.00	Cor. No. 2
	Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F37 2X; from which
	A mound of stones constructed adjacent to the iron post.
	Thence S. 24°26' W.
300.00	Cor. No. 3 of the Foothill 34 Lode and intersect line 1-2 of the Birthday #6 Lode, both of this survey.
430.00	Unimproved dirt road bears S. 65° W. and N. 65° E.
769.11	Intersect the north side line of the Pickup 1 Lode (unsurveyed) at a point from which the N.E. Cor. bears S. 66°33' E., 156.32 ft. dist.
900.00	Cor. No. 4 of the Foothill 34 Lode of this survey.
980.00	Right bank of dry wash, 12 ft. wide, course S. 80° W.
1401.05	Intersect the north side line of the Bohemia 9 Lode (unsurveyed) at a point from which the N.E. Cor., identical with the S. E. Cor. of the Pickup 1 Lode (unsurveyed) and the N.W. Cor. of the Bohemia 3 Lode (unsurveyed), bears S. 53°22'50" E., 155.15 ft. dist.

FEET	
1438.03	Intersect the south side line of the Pickup 1 Lode (unsurveyed) at a point from which the S.E. Cor., identical with the N.W. Cor. of the Bohemia 3 Lode (unsurveyed), and the N.E. Cor. of the Bohemia 9 Lode (unsurveyed), bears S. $67^{\circ}07'30''$ E., 151.71 ft. dist.
1500.00	<p>Cor. No. 3</p> <p>Set an iron post, $3/4$ in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F37 3X; from which</p> <p>The N.E. Cor. of the Bohemia 9 Lode, identical with the S.E. Cor. of the Pickup 1 Lode and the N.W. Cor. of the Bohemia 3 Lode (all unsurveyed), bears S. $89^{\circ}07'$ E., 165.43 ft. dist.</p> <p>The N.E. Cor. of the Pickup 1 Lode (unsurveyed) bears N. $36^{\circ}27'40''$ E., 750.03 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. $78^{\circ}05'$ E.</p>
155.13	Intersect the east end line of the Bohemia 9 Lode (unsurveyed), common with the west side line of the Bohemia 3 Lode (unsurveyed), at a point from which the N.E. Cor. of the Bohemia 9 Lode identical with the S. E. Cor. of the Pickup 1 Lode and the N.W. Cor. of the Bohemia 3 Lode (all unsurveyed), bears N. $24^{\circ}50'$ E., 32.48 ft. dist.
307.00	Lode Line; discovery pt. bears N. $24^{\circ}26'$ E., 1010 ft. dist.
513.87	Intersect the north end line of the Bohemia 3 Lode (unsurveyed) at a point from which the N.W. Cor. of the Bohemia 3 Lode, identical with the N.E. Cor. of the Bohemia 9 Lode, and the S.E. Cor. of the Pickup 1 Lode (all unsurveyed), bears N. $72^{\circ}56'20''$ W., 352.93 ft. dist.
614.00	<p>Cor. No. 4 on line 2-3 of the Pasoford #8 Lode of this survey.</p> <p>Set an iron post, $3/4$ in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F37 4X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. $24^{\circ}26'$ E.</p>
575.08	Left bank of dry wash, 12 ft. wide, course S. 65° W.
1435.08	Cor. No. 3 of the Pasoford #8 Lode, and intersect line 1-2 of the Pasoford #9 Lode, both of this survey.

FEET	
1500.00	Cor. No. 1 and the place of beginning.
PASOFORD #9 LODE	
Beginning at Cor. No. 1 of the Pasoford #9 Lode.	
Set an iron post, 3/4 in. diam., 30 ins. long In a 25 pound concrete and rock base, 18 ins. In the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P9 1X; from which	
The 1/4 Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears S. 74°23'50" E.; 436.18 ft. dist., previously described.	
A mound of stones constructed adjacent to the iron post.	
Thence N. 78°05' W.	
34.14	Cor. No. 3 of the Pasoford 7 Lode and intersect line 3-4 of the Pasoford 6 Lode, both of this survey.
341.14	Left bank of dry wash, 10 ft. wide, course S. 15° E.
469.14	Unimproved dirt road bears N. 25° W. and S. 25° E.
489.14	Unimproved dirt road bears N. 25° E. and S. 25° W.
599.14	Unimproved dirt road bears N. and S.
648.14	Cor. No. 4 of the Pasoford 7 Lode identical with Cor. No. 4 of the Pasoford #8 Lode, both of this survey.
1262.14	Cor. No. 3 of the Pasoford #8 Lode and intersect line 4-1 of the Foothill #37 Lode, both of this survey.
1500.00	Cor. No. 2 on line 2-3 of the Birthday #6 Lode of this survey. Set an iron post, 3/4 in. diam., 30 ins. long In a 25 pound concrete and rock base, 18 ins. In the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P9 2X; from which A mound of stones constructed adjacent to the iron post. Thence N. 11°55' E.
63.38	Intersect line 1-2 of the Foothill #37 Lode of this survey and unimproved dirt road bears N. 75° E. and S. 30° W.
165.04	Lode Line; discovery pt. bears S. 78°05' E., 1080 ft. dist.

FEET	
332.03	<p>Cor. No. 3 identical with Cor. No. 3 of the Birthday #6 Lode, Cor. No. 3 of the Birthday #5 Lode, all of this survey, and Cor. No. 4 of Survey No. 4579, Pasoford #10 Lode, previously described.</p> <p>Thence S. 78°02' E.</p>
223.00	Unimproved dirt road bears N. 11° E. and S.
883.00	Unimproved dirt road bears S. 5° E. and N. 5° W.
964.00	Right bank of dry wash, 10 ft. wide, course S. 10° W. and unimproved dirt road bears N. 10° E. and S. 10° W.
1500.00	<p>Cor. No. 4 identical with Cor. No. 1, Survey No. 4579, Pasoford #10 Lode, and on line 3-4, Survey No. 4579, Dos Pobres #23 Lode.</p> <p>Fd. an iron post, 1¼ in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M.S. 4632, P9 4; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence S. 11°55' W.</p>
165.03	Lode Line; discovery pt. bears N. 78°05' W., 420 ft. dist.
273.89	Intersect line 4-1 of the Pasoford 6 Lode of this survey, and Cor. No. 4, Survey No. 4579, Dos Pobres #23 Lode.
330.07	Cor. No. 1 and the place of beginning.
PASOFORD #8 LODE	
Beginning at Cor. No. 1 of the Pasoford #8 Lode, identical with Cor. No. 1 of the Pasoford 7 Lode of this survey.	
Set an iron post, ¾ in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, and mkd. M.S. 4632, P8 1 P7 1X; from which	
The ¼ Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears N. 56°21'20" E., 2011.68 ft. dist., previously described.	
The N.E. Cor. of the Bohemia 2 Lode identical with the N.W. Cor. of the Bohemia 1 Lode (both unsurveyed), bears S. 88°10' E., 111 ft. dist.	
Thence N. 78°05' W.	
307.00	Lode Line; discovery pt. bears N. 24°26' E., 875 ft. dist.

FEET	
573.85	Intersect the east side line of the Bohemia 3 Lode, common with the west side line of the Bohemia 2 Lode, (both unsurveyed) at a point from which the N.E. Cor. of Bohemia 3 Lode identical with the N.W. Cor. of the Bohemia 2 Lode, bears N. 20°30' E., 51.91 ft. dist.
614.00	Cor. No. 2 Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P8 2X; from which The N.E. Cor. of the Bohemia 3 Lode identical with the N.W. Cor. of the Bohemia 2 Lode (both unsurveyed) bears N. 54°56' E., 70.20 ft. dist. A mound of stones constructed adjacent to the iron post. Thence N. 24°26' E.
55.87	Intersect the north end line of the Bohemia 3 Lode (unsurveyed) at a point from which the N.E. Cor. of the Bohemia 3 Lode identical with the N.W. Cor. of the Bohemia 2 Lode (both unsurveyed) bears S. 72°56'20" E., 35.92 ft. dist.
64.92	Cor. No. 4 of the Foothill #37 Lode of this survey.
640.00	Left bank of dry wash, 12 ft. wide, course S. 65° W.
1500.00	Cor. No. 3 on line 4-1 of the Foothill #37 Lode and on line 1-2 of the Pasoford #9 Lode, all of this survey. Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, and mkd. M.S. 4632, P8 3X; from which A mound of stones constructed adjacent to the iron post. Thence S. 78°05' E.
307.00	Lode Line; discovery pt. bears S. 24°26' W., 625. ft. dist.
614.00	Cor. No. 4 identical with Cor. No. 4 of the Pasoford 7 Lode and on line 1-2 of the Pasoford #9 Lode, all of this survey. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P8 4 P7 4X; from which A mound of stones constructed adjacent to the iron post. Thence S. 24°26' W.
420.00	Right bank of dry wash, 10 ft. wide, course N. 85° W.

FEET	
1475.07	Intersect the north end line of the Bohemia 2 Lode (unsurveyed) at a point from which the N.W. Cor. of the Bohemia 2 Lode identical with the N.E. Cor. of the Bohemia 3 Lode (both unsurveyed) bears N. 75°22'50" W., 572.14 ft. dist.
1500.00	Cor. No. 1 and the place of beginning.
PASOFORD 7 LODE	
Beginning at Cor. No. 1 of the Pasoford 7 Lode identical with Cor. No. 1 of the Pasoford #8 Lode, both of this survey, previously described.	
Thence S. 78°05' E.	
106.36	Intersect the east side line of the Bohemia 2 Lode common with the west side line of the Bohemia 1 Lode, (both unsurveyed) at a point from which the N.E. Cor. of the Bohemia 2 Lode, identical with the N.W. Cor. of the Bohemia 1 Lode bears N. 20°30' E., 19.65 ft. dist.
307.00	Lode Line; discovery pt. bears N. 24°26' E., 1120 ft. dist.
364.25	Intersect line 2-3 of the Foothill #43 Lode of this survey.
614.00	<p data-bbox="488 1271 1398 1338">Cor. No. 2 on the north end line of the Bohemia 1 Lode (unsurveyed).</p> <p data-bbox="545 1365 1328 1526">Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632 P7 2X; from which</p> <p data-bbox="545 1561 1398 1655">The N.W. Cor. of the Bohemia 1 Lode (unsurveyed) identical with the N.E. Cor. of the Bohemia 2 Lode (unsurveyed) bears N. 75°52'40" W., 505.07 ft. dist.</p> <p data-bbox="602 1688 1214 1755">A mound of stones constructed adjacent to the iron post.</p> <p data-bbox="643 1787 938 1822">Thence N. 24°26' E.</p>
61.88	Cor. No. 3 of the Pasoford 6 Lode and intersect line 1-2 of the Foothill #43 Lode, all of this survey.
840.00	Unimproved dirt road bears N. 80° E. and W.
1341.88	Left bank of dry wash, 10 ft. wide, course S. 85° W.
1451.88	Unimproved dirt road bears S. 78° E. and N. 78° W.
1500.00	<p data-bbox="488 2142 1398 2209">Cor. No. 3 on line 3-4 of the Pasoford 6 Lode and on line 1-2 of the Pasoford #9 Lode, all of this survey.</p> <p data-bbox="545 2241 1284 2303">Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins.</p>

FEET	
	<p>in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P7 3X; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
307.00	Lode Line; discovery pt. bears S. 24°26' W., 380 ft. dist., and left bank of dry wash, 10 ft. wide, course S. 15° E.
435.00	Unimproved dirt road bears S. 25° E. and N. 25° W.
455.00	Unimproved dirt road bears S. 25° W. and N. 25° E.
565.00	Unimproved dirt road bears N. and S.
614.00	Cor. No. 4 identical with Cor. No. 4 of the Pasoford #8 Lode, and on line 1-2 of the Pasoford #9 Lode, all of this survey, previously described.
	Thence S. 24°26' W.
420.00	Right bank of dry wash, 10 ft. wide, course N. 85° W.
1475.07	Intersect the north end line of the Bohemia 2 Lode (unsurveyed) at a point from which the N.E. Cor. of the Bohemia 2 Lode identical with the N.W. Cor. of the Bohemia 1 Lode, (both unsurveyed), bears S. 75°22'50" E., 104.00 ft. dist.
1500.00	Cor. No. 1 and the place of beginning.
PASOFORD 6 LODE.	
	<p>Beginning at Cor. No. 1 of the Pasoford 6 Lode identical with Cor. No. 1 of Survey No. 4579, Pasoford #5 Lode, and on line 4-1, Survey No. 4579, Dos Pobres #23 Lode</p> <p>Fd. an iron post, 1 1/4 in. diam., with an aluminum cap, 2 ins. diam., 12 ins. above ground, firmly set and properly mkd. as described in the official record, to which I add marks M. S. 4632, P6 1; from which</p> <p>The 1/4 Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears S. 21°30' W., 85.4 ft. dist., previously described.</p> <p>Cor. No. 1, Survey No. 4579, Dos Pobres #23 Lode, identical with Cor. No. 1, Survey No. 4579, Dos Pobres #24 Lode, bears S. 78°05' E., 150.00 ft. dist.</p> <p>Thence S. 23°22' W.</p>
45.00	Right bank of dry wash, 10 ft. wide, course S. 40° W.
558.00	Unimproved dirt road bears N. 75° E. and S. 75° W.
1489.96	Cor. No. 2 on line 4-1 of the Foothill #44 Lode of this survey, and on line 1-2 of Survey No. 4579, Pasoford #5 Lode.
	<p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins.</p>

FEET	
	in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P6 2X; from which A mound of stones constructed adjacent to the iron post. Thence N. 78°05' W.
162.05	Cor. No. 4 of the Foothill #44 Lode identical with Cor. No. 1 of the Foothill #43 Lode, both of this survey.
249.53	Lode Line; discovery pt. bears N. 23°54'35" E., 1165 ft. dist.
499.06	Cor. No. 3 on line 2-3 of the Pasoford 7 Lode and on line 1-2 of the Foothill #43 Lode, all of this survey. Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P6 3X; from which A mound of stones constructed adjacent to the iron post. Thence N. 24°26' E.
778.12	Unimproved dirt road bears N. 80° E. and W.
1280.00	Left bank of dry wash, 10 ft. wide, course S. 85° W.
1390.00	Unimproved dirt road bears S. 78° E. and N. 78° W.
1438.12	Cor. No. 3 of the Pasoford 7 Lode and intersect line 1-2 of the Pasoford #9 Lode, both of this survey.
1495.67	Cor. No. 4 Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, P6 4X; from which A mound of stones constructed adjacent to the iron post. Thence S. 78°05' E.
21.67	Intersect line 4-1 of the Pasoford #9 Lode of this survey, and Cor. No. 4, Survey No. 4579, Dos Pobres #23 Lode.
235.58	Lode Line; discovery pt. bears S. 23°54'35" W., 327.71 ft. dist.
434.67	Unimproved dirt road bears N. 75° E. and S. 75° W.
471.17	Cor. No. 1 and the place of beginning.

FEET

FOOTHILL #43 LODE

Beginning at Cor. No. 1 of the Foothill #43 Lode identical with Cor. No. 4 of the Foothill #44 Lode and on line 2-3 of the Pasoford 6 Lode, all of this survey.

Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F43 1 F44 4X; from which

The 1/4 Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears N. 29°47' E., 1445.83 ft. dist., previously described.

The Cor. of Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, on the north boundary line of Sec. 3, T. 6 S., R. 26 E., G&SRB&M; bears S. 27°27'20" E., 1560.96 ft. dist.; an iron post, 2 ins. in diam., 22 ins. above ground, firmly set in a mound of stone, properly mkd. and witnessed as described in the official record.

Cor. No. 3 of Survey No. 4579, Pasoford #5 Lode, identical with Cor. No. 3 of Survey No. 4579, Pasoford #4 Lode; bears S. 77°07'42" E., 600.13 ft. dist.

Cor. No. 2 of Survey No. 4579, Pasoford #5 Lode, bears S. 74°30'40" E., 160.33 ft. dist.

A mound of stones constructed adjacent to the iron post.

Thence N. 78°05' W.

300.00 Lode Line; discovery pt. bears S. 11°55' W., 1200 ft. dist.

337.01 Cor. No. 3 of the Pasoford 6 Lode and intersect line 2-3 of the Pasoford 7 Lode, both of this survey.

600.00 Cor. No. 2

Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F43 2X; from which

A mound of stones constructed adjacent to the iron post.

Thence S. 11°55' W.

50.80 Intersect the north end line of the Bohemia 1 Lode (unsurveyed) at a point from which the N.E. Cor. bears S. 75°52'40" E., 384.23 ft. dist.

60.42 Intersect line 1-2 of the Pasoford 7 Lode of this survey.

660.00 Right bank of dry wash, 10 ft. wide, course S. 40° W.

FEET	
1500.00	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F43 3X; from which</p> <p>The N.E. Cor. of the Bohemia 1 Lode (unsurveyed) bears N. 26°54' E., 1484.92 ft. dist.</p> <p>A mound of stones, constructed adjacent to the iron post.</p> <p>Thence S. 78°05' E.</p>
167.40	Intersect the east side line of the Bohemia 1 Lode (unsurveyed) at a point from which the N.E. Cor. bears N. 20°30' E., 1450.68 ft. dist.
250.00	Unimproved dirt road bears N. 25° E. and S. 25° W.
271.80	Intersect the west end line of the Nail Keg 20 Lode (unsurveyed) at a point from which the N.W. Cor. of the Nail Keg 20 Lode identical with the S.W. Cor. of the Nail Keg 21 Lode (both unsurveyed) bears N. 37°55' E., 620.25 ft. dist.
300.00	Lode Line; discovery pt. bears N. 11°55' E., 300 ft. dist.
600.00	<p>Cor. No. 4</p> <p>Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F43 4X; from which</p> <p>The N.W. Cor. of the Nail Keg 20 Lode identical with the S.W. Cor. of the Nail Keg 21 Lode (both unsurveyed), bears N. 6°09' E., 560.31 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 11°55' E.</p>
445.00	Unimproved dirt road bears S. 60° W. and N. 60° E.
555.17	Intersect the south side line of the Nail Keg 21 Lode common with the north side line of the Nail Keg 20 Lode (both unsurveyed) at a point from which the S.W. Cor. of the Nail Keg 21 Lode identical with the N.W. Cor. of the Nail Keg 20 Lode, (both unsurveyed), bears N. 75°45' W., 56.36 ft. dist.
900.00	Cor. No. 3 of the Foothill #44 Lode of this survey.
930.54	Intersect the west end line of the Nail Keg 21 Lode (unsurveyed) at a point from which the S.W. Cor. of the Nail Keg 21 Lode identical with the N.W. Cor. of the Nail Keg 20 Lode, (both unsurveyed), bears S. 20°30' W., 377.30 ft. dist.

FEET	
1400.00	Left bank of dry wash, 10. ft. wide, course S. 45° W.
1500.00	Cor. No. 1 and the place of beginning.
FOOTHILL #44 LODE	
Beginning at Cor. No. 1 of the Foothill #44 Lode identical with Cor. No. 1 of the Foothill #45 Lode, both of this survey.	
Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F44 1 F45 1X; from which	
The 1/4 Cor. between Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, bears N. 25°35'50" W., 1734.87 ft. dist., previously described.	
Cor. No. 4, Survey No. 4579, Pasoford #2 Lode, identical with Cor. No. 2 of Survey No. 4579, Pasoford #1 Lode, bears S. 77°26'50" E., 900.03 ft. dist.	
The Cor. of Secs. 33 and 34, T. 5 S., R. 26 E., G&SRB&M, on the north boundary of Sec. 3, T. 6 S., R. 26 E., G&SRB&M, bears S. 34°49'10" W., 1309.94 ft. dist., previously described.	
Cor. No. 3, Survey No. 4579, Pasoford #3 Lode, identical with Cor. No. 3, Survey No. 4579, Pasoford #2 Lode, bears S. 76°10'30" E., 300.21 ft. dist.	
Cor. No. 2, Survey No. 4579, Pasoford #3 Lode, identical with Cor. No. 4, Survey No. 4579, Pasoford #4 Lode, bears N. 79°59'40" W., 300.12 ft. dist.	
A mound of stones constructed adjacent to the iron post.	
Thence S. 11°55' W.	
10.00	Intersect line 2-3, Survey No. 4579, Pasoford #3 Lode, at a point from which Cor. No. 2 identical with Cor. No. 4, Survey No. 4579, Pasoford #4 Lode, bears N. 78°05' W., 300.00 ft. dist.
130.00	Unimproved dirt road bears S. 70° W. and N. 50° E.
300.00	Lode Line; discovery pt. bears N. 78°05' W., 100 ft. dist.
396.98	Intersect the north side line of the Nail Keg 3 Lode at a point from which the N.W. Cor. of Nail Keg 3 Lode identical with the N.E. Cor. of the Nail Keg 21 Lode (both unsurveyed), bears N. 89°07' W., 8.95 ft. dist.
600.00	Cor. No. 2 identical with Cor. No. 2 of the Foothill #45 Lode, both of this survey.
Set an iron post, 3/4 ins. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins., diam., firmly secured to the iron post, mkd. M.S. 4632, F44 2 F45 2X; from which	

FEET	
	<p>The N.W. Cor. of the Nail Keg 3 Lode identical with the N.E. Cor. of the Nail Keg 21 Lode (both unsurveyed) bears N. 9°25' E., 201.50 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 78°05' W.</p>
39.17	Intersect the west end line of the Nail Keg 3 Lode common with the east end line of the Nail Keg 21 Lode (both unsurveyed), at a point from which the N.W. Cor. of the Nail Keg 3 Lode identical with the N.E. Cor. of the Nail Keg 21 Lode (both unsurveyed) bears N. 20°30' E., 203.59 ft. dist.
800.00	Unimproved dirt road bears N. 40° E. and S. 40° W.
1500.00	<p>Cor. No. 3 on line 4-1 of the Foothill #43 Lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F44 3X; from which</p> <p>The N.W. Cor. of the Nail Keg 21 Lode (unsurveyed) bears N. 19°30'26" E., 262.93 ft. dist.</p> <p>A mound of stones constructed adjacent to the iron post.</p> <p>Thence N. 11°55' E.</p>
30.54	Intersect the west end line of the Nail Keg 21 Lode (unsurveyed) at a point from which the N.W. Cor. bears N. 20°30' E., 232.70 ft. dist.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 1400 ft. dist.
500.00	Left bank of dry wash, 10 ft. wide, course S. 45° W.
600.00	<p>Cor. No. 4 identical with Cor. No. 1 of the Foothill #43 Lode and on line 2-3 of the Pasoford 6 Lode, all of this survey, previously described.</p> <p>Thence S. 78°05' E.</p>
162.05	Cor. No. 2 of the Pasoford 6 Lode of this survey, and intersect line 1-2, Survey No. 4579 Pasoford #5 Lode at a point from which Cor. No. 2 bears S. 23°22' W., 10.20 ft. dist.
400.00	Right bank of dry wash, 10 ft. wide, course S. 70° W.
602.05	Intersect line 3-4, Survey No. 4579, Pasoford #5 Lode, common with line 2-3, Survey No. 4579, Pasoford #4 Lode, at a point from which Cor. No. 3 of the Pasoford #5 Lode identical with Cor. No. 3 of the Pasoford #4 Lode, bears S. 23°17' W., 10.20 ft. dist.

FEET	
1202.05	Intersect line 4-1, Survey No. 4579, Pasoford #4 Lode, common with line 1-2, Survey No. 4579, Pasoford #3 Lode, at a point from which Cor. No. 4 of the Pasoford #4 Lode identical with Cor. No. 2 of the Pasoford #3 Lode bears S. 23°17' W., 10.20 ft. dist.
1500.00	Cor. No. 1 and the place of beginning.
FOOTHILL #45 LODE	
Beginning at Cor. No. 1 of the Foothill #45 Lode identical with Cor. No. 1 of the Foothill #44 Lode, both of this survey, previously described.	
Thence S. 11°55' W.	
10.00	Intersect line 2-3, Survey No. 4579, Pasoford #3 Lode, at a point from which Cor. No. 3 identical with Cor. No. 3, Survey No. 4579, Pasoford #2 Lode, bears S. 78°05' E., 300.00 ft. dist.
130.00	Unimproved dirt road bears S. 70° W. and N. 50° E.
300.00	Lode Line; discovery pt. bears S. 78°05' E., 100 ft. dist.
396.98	Intersect the north side line of the Nail Keg 3 Lode (unsurveyed) at a point from which the N.W. Cor. of the Nail Keg 3 Lode identical with the N.E. Cor. of the Nail Keg 21 Lode (both unsurveyed) bears N. 89°07' W., 8.95 ft. dist.
600.00	Cor. No. 2 identical with Cor. No. 2 of the Foothill #44 Lode, both of this survey, previously described. Thence S. 78°05' E.
470.00	Right bank of dry wash, 15 ft. wide, course S. 25° W.
1300.00	Right bank of dry wash, 15 ft. wide, course S.
1500.00	Cor. No. 3 on the east end line of the Nail Keg 3 Lode (unsurveyed),
Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins., diam., firmly secured to the iron post, mkd. M.S. 4632, F45 3X; from which	
A mound of stones constructed adjacent to the iron post.	
Thence N. 11°55' E.	
300.00	Lode Line; discovery pt. bears N. 78°05' W., 1400 ft. dist.
495.50	The N.E. Cor. of the Nail Keg 3 Lode (unsurveyed)

FEET	
553.55	<p>Witness Cor. for Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 30 ins. long in a 25 pound concrete and rock base, 18 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4632, F45 4WCX; from which</p> <p>A mound of stones constructed adjacent to the iron post.</p>
590.00	<p>True point for Cor. No. 3, Survey No. 4579, Pasoford #1 Lode, witnessed N. 78°05' W., 65 ft. dist., as described in the official record, and left bank of dry wash, 15 ft. wide, course S. 60° W.</p>
600.00	<p>True point for Cor. No. 4. Since this point falls in the middle of a dry wash, a permanent monument would be obliterated; therefore, a witness corner was constructed on the east end line of the Foothill #45 Lode, previously described.</p> <p>Thence N. 78°05' W.</p>
597.95	<p>Intersect line 1-2, Survey No. 4579, Pasoford #1 Lode common with line 4-1, Survey No. 4579, Pasoford #2 Lode at a point from which Cor. No. 2 of the Pasoford #1 Lode identical with Cor. No. 4 of the Pasoford #2 Lode bears S. 23°17' W., 10.20 ft. dist.</p>
660.00	<p>Left bank of dry wash, 10 ft. wide, course S. 50° W.</p>
1197.95	<p>Intersect line 2-3, Survey No. 4579, Pasoford #2 Lode common with line 3-4, Survey No. 4579, Pasoford #3 Lode at a point from which Cor. No. 3 of the Pasoford #2 Lode identical with Cor. No. 3 of the Pasoford #3 Lode bears S. 23°17' W., 10.20 ft. dist.</p>
1320.00	<p>Unimproved dirt road bears N. 50° E. and S. 50° W.</p>
1500.00	<p>Cor. No. 1 and the piece of beginning.</p>
SURVEY NO. 4632	
AREAS	
	Acres
Total Area, Pasoford 7 Lode	20.641
Area in conflict with	
Bohemia #1 Lode (unsurveyed)	0.113
Bohemia #2 Lode (unsurveyed)	0.053
Total Area, Pasoford #8 Lode	20.641
Area in conflict with	
Bohemia #2 Lode (unsurveyed)	0.499

FEET	AREAS	Acres
	Bohemia #3 Lode (unsurveyed)	0.046
	Total Area, Pasoford #9 Lode	11.400
	Area in conflict with Pasoford 6 Lode of this survey	0.036
	day Total Area, Birth/#2 Lode	19.146
	Area in conflict with Survey No. 4579, Birthday #1 Lode	1.700
	Total Area, Birthday #7 Lode	20.661
	Area in conflict with Survey No. 4579, Birthday #1 Lode	0.666
	Total Area, Foothill 33 Lode	20.170
	Area in conflict with Sec. 32, T. 5 S., R. 26 E., G&SRB&M	1.690
	Total Area, Foothill 34 Lode	20.170
	Area in conflict with Pickup 1 Lode (unsurveyed)	8.196
	Bohemia 9 Lode (unsurveyed)	0.177
	Pickup 1 Lode (unsurveyed), exclusive with its conflict with Bohemia 9 Lode (unsurveyed)	8.020
	Total Area, Foothill 35 Lode	20.170
	Area in conflict with Sec. 32, T. 5 S., R. 26 E., G&SRB&M	1.690
	Pickup 1 Lode (unsurveyed)	0.782
	Bohemia 9 Lode (unsurveyed)	1.546
	Pickup 1 Lode (unsurveyed) exclusive with its conflict with Bohemia 9 Lode (unsurveyed)	0.00
	Sandwash 2 Lode (unsurveyed)	9.618
	Sandwash 2 Lode (unsurveyed), exclusive with its conflict with Sec. 32, T. 5 S., R. 26 E., G&SRB&M	8.364
	Bohemia 10 Lode (unsurveyed)	0.064
	Total Area, Foothill #37 Lode	20.641
	Area in conflict with Pasoford #9 Lode of this survey	0.356
	Birthday #6 Lode of this survey	2.656
	Pickup 1 Lode (unsurveyed)	2.362
	Bohemia 9 Lode (unsurveyed)	0.229
	Bohemia 3 Lode (unsurveyed)	0.130
	Pickup 1 Lode (unsurveyed), exclusive with its conflict with Bohemia 9 Lode (unsurveyed)	2.297

FEET	AREAS	Acres
	Total Area, Foothill 42 Lode	10.331
	Area in conflict with Chino #1A Lode of this survey	0.237
	Total Area, Foothill #43 Lode	20.661
	Area in conflict with	
	Bohemia 1 Lode (unsurveyed)	9.143
	Nail Keg 21 Lode (unsurveyed)	0.243
	Nail Keg 20 Lode (unsurveyed)	2.459
	Pasoford 7 Lode of this survey	0.356
	Pasoford 7 Lode of this survey, exclusive with its conflict with Bohemia 1 Lode (unsurveyed)	0.328
	Total Area, Foothill #44 Lode	20.661
	Area in conflict with	
	Nail Keg 21 Lode (unsurveyed)	7.769
	Nail Keg 3 Lode (unsurveyed)	0.111
	Survey No. 4579, Pasoford #5 Lode	0.101
	Survey No. 4579, Pasoford #4 Lode	0.138
	Survey No. 4579, Pasoford #3 Lode	0.069
	Total Area, Foothill #45 Lode	20.661
	Area in conflict with	
	Nail Keg 3 Lode (unsurveyed)	12.027
	Survey No. 4579, Pasoford #3 Lode	0.069
	Survey No. 4579, Pasoford #2 Lode	0.138
	Survey No. 4579, Pasoford #1 Lode	0.137
	Total Area, Foothill 46 Lode	20.636
	Area in conflict with	
	Sec. 32, T. 5 S., R. 26 E., G&SRB&M	0.269
	Foothill 42 Lode of this survey	5.125
	Foothill 33 Lode of this survey	0.493
	Foothill 33 Lode, exclusive with its conflict with Sec. 32, T. 5 S., R. 26 E., G&SRB&M	0.485
	Total Area, Chino #1A Lode	20.636
	Total Area, Pasoford 6 Lode	16.262
	Total Area, Birthday #9 Lode	20.652
	Total Area, Birthday #8 Lode	20.661
	Total Area, Birthday #10 Lode	15.134
	Total Area, Birthday #11 Lode	19.335
	Total Area, Birthday #5 Lode	19.134
	Total Area, Birthday #4 Lode	19.146
	Total Area, Birthday #6 Lode	17.918

FEET	LOCATION
	<p>This survey is located in the SE$\frac{1}{4}$SW$\frac{1}{4}$ of Sec. 28, SE$\frac{1}{4}$NE$\frac{1}{4}$ of Sec. 32, NW$\frac{1}{4}$SW$\frac{1}{4}$NE$\frac{1}{4}$SE$\frac{1}{4}$ of Sec. 33, NW$\frac{1}{4}$SW$\frac{1}{4}$ of Sec. 34, all of T. 5 S., R. 26 E., G&SRB&M, and the NW$\frac{1}{4}$ of Sec. 3, T. 6 S., R. 26 E., G&SRB&M.</p> <p>The survey of the Birthday #2 Lode, Birthday #4 Lode, Birthday #5 Lode, Birthday #6 Lode, Birthday #7 Lode, Birthday #8 Lode, Birthday #9 Lode, Birthday #10 Lode, Birthday #11 Lode, Chino #1A Lode, Foothill 33 Lode, Foothill 34 Lode, Foothill 35 Lode, Foothill #37 Lode, Foothill 42 Lode, Foothill #43 Lode, Foothill #44 Lode, Foothill #45 Lode, Foothill 46 Lode, Pasoford 6 Lode, Pasoford 7 Lode, Pasoford #8 Lode and Pasoford #9 Lode, is identical with the respective locations or amended locations as marked on the ground.</p>
	<p>EXPENDITURES</p> <p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:</p>
No. 1	<p>The discovery pt. of the Chino #1A Lode is on the lode line 840 ft. from a point on line 4-1, 299.25 ft. from Cor. No. 4.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A cut, the S.E. Cor. of which bears N. 40°30' E., 860.05 ft. dist. from Cor. No. 1, Chino #1A Lode, 7 ft. wide, 10 ft. long, 11 ft. face runs N. 50° W.</p> <p style="text-align: right;">Value, \$250.00</p>
No. 3	<p>A drill hole, RL 24, 3$\frac{1}{2}$ in. diam., 2000 ft. deep, bears S. 77° W., 105 ft. from Cor. No. 3, Chino #1A Lode.</p> <p style="text-align: right;">Value, \$13,174.00</p>
No. 4	<p>A shaft, the center of which bears S. 51°31' W., 311 ft. from Cor. No. 3, Chino #1A Lode, 5x6 ft., size 4 ft. deep.</p> <p style="text-align: right;">Value, \$150.00</p>
No. 1	<p>The discovery pt. of the Foothill 46 Lode is on the lode line, 435 ft. from a pt. on line 1-2, 300 ft. from Cor. No. 1.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A shaft, the center of which bears S. 24°30' E., 531 ft. from Cor. No. 1 of the Foothill 46 Lode, 5x9 ft. in size, 8 ft. deep.</p> <p style="text-align: right;">Value, \$300.00</p>
No. 3	<p>A drill hole A 78, 2 $\frac{1}{3}$ in. diam., 941 ft. deep, bears S. 44°30' E., 496 ft. from Cor. No. 1 of the Foothill 46 Lode.</p> <p style="text-align: right;">Value, \$4,701.00</p>
	<p>Value credited to Foothill 46 lode, \$2,350.50</p>

FEET	
No. 1	<p>The discovery pt. of the Foothill 42 Lode is on the lode line 100 ft. from a point on the line 1-2, 150 ft. from Cor. No. 1.</p> <p>Value, None</p>
No. 2	<p>A cut, the west end of which bears S. 48°30' E., 139.05 ft. from Cor. No. 1 of the Foothill 42 Lode, 5 ft. wide, 9 ft. long, 10 ft. face, runs S. 20° E.</p> <p>Value, \$250.00</p>
No. 1	<p>The discovery pt. of the Birthday #7 Lode is on the lode line 540 ft. from a point on line 2-3, 300 ft. from Cor. No. 2.</p> <p>Value, None</p>
No. 2	<p>A cut, the west end of which bears N. 77°30' W., 431 ft. from Cor. No. 2 of the Birthday #7 Lode, 5 ft. wide, 10 ft. long, 10 ft. face, running S. 77° E.</p> <p>Value, \$250.00</p>
No. 3	<p>A drill hole A 69, 2 1/3 in. diam., 2298 ft. deep, bears N. 77°30' W., 450.05 ft. from Cor. No. 2 of the Birthday #7 Lode.</p> <p>Value, \$15,361.00</p>
No. 1	<p>The discovery pt. of the Birthday #8 Lode is on the lode line 465 ft. from a point on line 2-3, 300 ft. from Cor. No. 2.</p> <p>Value, None</p>
No. 2	<p>A cut, the center of which bears N. 55°30' W., 482 ft. from Cor. No. 3 of the Birthday #8 Lode, 5 ft. wide, 10 ft. long, 10 ft. face, runs S. 40° E.</p> <p>Value, \$250.00</p>
No. 3	<p>A drill Hole A 70, 2 1/3 in. diam., 1600 ft. deep, bears N. 64°15' W., 540.02 ft. from Cor. No. 3 of the Birthday #8 Lode.</p> <p>Value, \$7,754.00</p>
No. 4	<p>A cut, the center of which bears N. 63° W., 491 ft. from Cor. No. 3 of the Birthday #8 Lode, 5 ft. wide, 10 ft. long, 6 ft. face, runs S. 40° E.</p> <p>Value, \$200.00.</p>
No. 1	<p>The discovery pt. of the Birthday #9 Lode is on the lode line 460 ft. from a point on line 2-3, 299.84 ft. from Cor. No. 2.</p> <p>Value, None</p>

FEET		
No. 2	A cut; the west end of which bears N. 54°30' W., 429 ft. from Cor. No. 2 of the Birthday #9 Lode, 6 ft. wide, 12 ft. long, 10 ft. face, runs S. 75° E.	
	Value, \$275.00	
No. 3	A drill hole, A 72, 2 1/3 in. diam., 1350 ft. deep, bears S. 35°15' W., 284 ft. from Cor. No. 3 of the Birthday #9 Lode.	
	Value, \$6,600.00.	
No. 1	The discovery pt. of the Birthday #10 Lode, is on the lode line 540 ft. from a point on line 2-3, 220 ft. from Cor. No. 2.	
	Value, None	
No. 2	A shaft, the center of which bears S. 84°50' W., 562.05 ft. from Cor. No. 2 of the Birthday #10 lode, 8 ft. wide, 8 ft. long, 7 ft. deep.	
	Value, \$275.00	
No. 3	A drill hole, RL 23, 3 1/2 in. diam., 2000 ft. deep, bears S. 88°30' W., 461.06 ft. from Cor. No. 2 of the Birthday #10 Lode.	
	Value, \$13,211.00	
No. 1	The discovery pt. of the Birthday #11 Lode is on the lode line 335 ft. from a point on line 4-1, 281.05 ft. from Cor. No. 4.	
	Value, None	
No. 2	A shaft, the center of which bears S. 79°15' W., 352.05 ft. from Cor. No. 4 of the Birthday #11 Lode, 6x9 ft. in size, 8 ft. deep.	
	Value, \$300.00	
No. 3	A drill hole A 74, 2 1/3 in. diam., 1508 feet deep, bears S. 57° W., 281.06 ft. from Cor. No. 4 of the Birthday #11 Lode.	
	Value, \$8,725.00	
No. 1	The discovery pt. of the Foothill 33 Lode is on the lode line 20 ft. from a point on line 1-2, 300 ft. from Cor. No. 1.	
	Value, None	
No. 2	A cut, the east end of which bears N. 18°10' W., 394.06 ft. from Cor. No. 1, Foothill 33 Lode, 4 ft. wide, 13 ft. long, 10 ft. face, runs N. 50° W.	
	Value, \$250.00	

FEET	
No. 3	<p>A drill hole A 79, 2 1/3 in. diam., 1150 ft. deep, bears N. 19°05' E., 320.02 ft. from Cor. No. 1 of the Foothill 33 Lode.</p> <p style="text-align: right;">Value, \$4,655.00</p>
No. 1	<p>The discovery pt. of the Foothill 34 Lode is on the lode line 635 ft. from a point on line 1-2, 300 ft. from Cor. No. 1.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A shaft, the center of which bears N. 77°30' E., 851.2 ft. from Cor. No. 1 of the Foothill 34 Lode, 6x8 ft. in size, 8 ft. deep.</p> <p style="text-align: right;">Value, \$300.00</p>
No. 3	<p>A drill hole A 75, 2 1/3 in. diam., 2201 ft. deep, bears S. 27°30' W., 199.05 ft. from Cor. No. 3 of the Foothill 34 Lode.</p> <p style="text-align: right;">Value, \$13,062.00</p>
No. 4	<p>A shaft, the center of which bears N. 37°30' E., 320 ft. from Cor. No. 1 of the Foothill 34 Lode, 5x9 ft. in size, 7 ft. deep.</p> <p style="text-align: right;">Value, \$275.00</p>
No. 1	<p>The discovery pt. of the Foothill 35 Lode is on the lode line 130 ft. from a point on line 2-3, 300 ft. from Cor. No. 2.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A cut, the east center of which bears S. 52°50' W., 283.08 ft. from Cor. No. 2 of the Foothill 35 Lode, 8 ft. wide, 8 ft. long, 8 ft. face, runs S. 10° W.</p> <p style="text-align: right;">Value, \$225.00</p>
No. 3	<p>A drill hole A 11, 2 1/3 in. diam., 265 ft. deep, bears S. 84°50' W., 511.03 ft. from Cor. No. 2 of the Foothill 35 Lode.</p> <p style="text-align: right;">Value, \$1060.00</p>
No. 4	<p>A cut, the east end of which bears S. 87°30' W., 851 ft. from Cor. No. 2 of the Foothill 35 Lode, 8 ft. wide, 15 ft. long, 7 ft. face, runs N. 60° W.</p> <p style="text-align: right;">Value, \$275.00</p>
No. 1	<p>The discovery pt. of the Birthday #2 Lode is on the lode line 590 ft. from a point on line 3-4, 300 ft. from Cor. No. 3.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>An adit, the portal of which bears S. 89°30' E., 839 ft. from Cor. No. 1 of the Birthday #2 Lode, 4x8 ft. in</p>

FEET		
	size, runs N. 60° W., 9 ft. to the base. Value, \$225.00	
No. 3	A drill hole A 73, 2 1/3 in. diam., 2099 ft. deep, bears N. 61°30' W., 451 ft. from Cor. No. 4, Birthday #2 lode. Value, \$12,621.00	
No. 1	The discovery pt. of the Birthday #4 lode is on the lode line 490 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, None	
No. 2	A cut, the east end of which bears N. 69° E., 374 ft. from Cor. No. 1 of the Birthday #4 Lode, 16 ft. wide, 14 ft. long and 10 ft. face, runs N. 15° W. Value, \$500.00	
No. 3	A drill hole A 66, 2 1/3 in. diam., 2074 ft. deep, bears N. 13°50' W., 226.08 ft. from Cor. No. 4 of the Birthday #4 Lode. Value, \$14,389.00	
No. 1	The discovery pt. of the Birthday #5 Lode is on the lode line 170 ft. from a point on line 1-2, 299.50 ft. from Cor. No. 1. Value, None	
No. 2	A shaft, the center of which bears N. 54°15' E., 216 ft. from Cor. No. 2 of the Birthday #5 Lode, 6x6 ft. in size, 10 ft. deep. Value, \$400.00	
No. 3	A drill hole A 65, 2 1/3 in. diam., 1945 ft. deep, bears N. 15°10' W., 296.07 ft. from Cor. No. 3 of the Birthday #5 Lode. Value, \$18,273.00	
No. 1	The discovery pt. of the Birthday #6 Lode is on the lode line 395 ft. from a point on line 4-1, 281.05 from Cor. No. 4. Value, None	
No. 2	A shaft, the center of which bears N. 76°50' E., 451 ft. from Cor. No. 1 of the Birthday #6 Lode, 4x8 ft. in size, 9 ft. deep. Value, \$325.00	
No. 3	A drill hole A 71, 2 1/3 in. diam., 1200 ft. deep, bears N. 33°30' E., 449.05 ft. from Cor. No. 1, of the Birthday #6 Lode. Value, \$7,399.00	

FEET	
No. 1	<p>The discovery pt. of the Pasoford 7 Lode is on the lode line 380 ft. from a point on line 3-4, 307 ft. from Cor. No. 3.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A cut, the east end of which bears S. 1° E., 308 ft. from Cor. No. 4 of the Pasoford 7 Lode, 6 ft. wide, 9 ft. long, 12 ft. face, runs S. 35° W.</p> <p style="text-align: right;">Value, \$275.00</p>
No. 3	<p>A drill hole A 50, 2 1/3 in. diam., 2833 ft. deep, bears S. 57°40' W., 80.05 ft. from Cor. No. 3 of the Pasoford 7 Lode.</p> <p style="text-align: right;">Value, \$22,887.00</p>
No. 1	<p>The discovery pt. of the Pasoford #8 Lode is on the lode line 625 ft. from a point on line 3-4, 307 ft. from Cor. No. 3.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A cut, the east end of which bears N. 5°30' E., 887.09 ft. from Cor. No. 1 of the Pasoford #8 Lode, 12 ft. wide, 8 ft. long, 14 ft. face, runs N. 50° W.</p> <p style="text-align: right;">Value, \$275.00</p>
No. 3	<p>A drill hole A 64, 2 1/3 in. diam., 2712 ft. deep, bears S. 52°15' W., 35 ft. from Cor. No. 4 of the Pasoford #8 Lode.</p> <p style="text-align: right;">Value, \$18,539.00</p>
No. 1	<p>The discovery pt. of the Foothill #43 Lode is on the lode line 300 ft. from a point on line 3-4, 300 ft. from Cor. No. 3.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A shaft, the center of which bears N. 57°30' E., 449 ft. from Cor. No. 3 of the Foothill #43 Lode, 6x8 ft. in size, 8 ft. deep.</p> <p style="text-align: right;">Value, \$300.00</p>
No. 3	<p>A drill hole A 82, 2 1/3 in. diam., 300 ft. deep, bears N. 69°50' E., 371 ft. from Cor. No. 3 of the Foothill #43 Lode.</p> <p style="text-align: right;">Value, \$2,000.00</p>
No. 4	<p>A cut, the east end of which bears S. 46°30' W., 421 ft. from Cor. No. 1 of the Foothill #43 Lode, 20 feet wide, 15 ft. long, 7 ft. face, runs N. 65° W.</p> <p style="text-align: right;">Value, \$300.00</p>

FEET		
No. 1	The discovery pt. of the Foothill #44 Lode is on the lode line 100 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, None	
No. 2	A shaft, the center of which bears S. 28°30' W., 291 ft. from Cor. No. 1 of the Foothill #44 Lode, 5x9 ft. in size, 9 ft. deep, runs N. 70° W. Value, \$300.00	
No. 3	A drill hole A 80, 2 1/3 in. diam., 600 ft. deep, bears N. 55°15' E., 420.06 ft. from Cor. No. 3 of the Foothill #44 Lode. Value, \$2,553.00	
No. 1	The discovery pt. of the Foothill #45 Lode is on the lode line 100 ft. from a point on line 1-2, 300 ft. from Cor. No. 1. Value, None.	
No. 2	A shaft, the center of which bears S. 7°30' E., 290 ft. from Cor. No. 1 of the Foothill #45 Lode, 5x7 ft. in size, 7 ft. deep. Value, \$275.00	
No. 3	A drill hole A 81, 2 1/3 in. diam., 1000 ft. deep, bears S. 64°30' E., 419.06 ft. from Cor. No. 1 of the Foothill #45 Lode. Value, \$5,394.00	
No. 1	The discovery pt. of the Pasoford 6 Lode is on the lode line 327.71 ft. from a point on line 4-1, 235.58 ft. from Cor. No. 4. Value, None	
No. 2	A cut, the west end of which bears S. 50°45' W., 353.5 ft. from Cor. No. 1 of the Pasoford 6 Lode, 6 ft. wide, 15 ft. long, 9 ft. face, runs S. 25° E. Value, \$250.00	
No. 3	A drill hole A 45, 2 1/3 in. diam., 770 ft. deep, bears S. 61°30' W., 369.05 ft. from Cor. No. 1 of the Pasoford 6 Lode. Value, \$4,113.00	
No. 1	The discovery pt. of the Pasoford #9 Lode is on the lode line 420 ft. from a point on line 4-1, 165.03 ft. from Cor. No. 4. Value, None	

FEET	
No. 2	<p>A cut, the west end of which bears N. 56°45' W., 541.05 ft. from Cor. No. 1 of the Pasoford #9 Lode, 5 ft. wide, 8 ft. long, 6 ft. face, runs N. 45° E.</p> <p style="text-align: right;">Value, \$200.00</p>
No. 3	<p>A drill hole A 76, 2 1/3 in. diam., 1735 ft. deep, bears N. 71°50' E., 432 ft. from Cor. No. 2 of the Pasoford #9 Lode.</p> <p style="text-align: right;">Value, \$9,557.00</p>
No. 1	<p>The discovery pt. of the Foothill #37 Lode is on the lode line 490 ft. from a point on line 1-2, 307 ft. from Cor. No. 1.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A cut, the west end of which bears S. 60°30' W., 861 ft. from Cor. No. 1 of the Foothill #37 Lode, 5 ft. wide, 8 ft. long, 8 ft. face, runs S. 85° E.</p> <p style="text-align: right;">Value, \$200.00</p>
No. 3	<p>A drill hole RL 25, 3 1/2 in. diam., 2600 ft. deep, bears N. 83°15' W., 241.03 ft. from Cor. No. 1 of the Foothill #37 Lode.</p> <p style="text-align: right;">Value, \$21,108.00</p>
	<p>An interest in a common improvement described as follows:</p> <p>A drill hole A 78, 2 1/3 in. diam., 941 ft. deep, bears S. 44°30' E., 496 ft. from Cor. No. 1 of the Foothill 46 Lode and S. 22°30' E., 720 ft. from Cor. No. 2 of the Foothill 42 Lode.</p> <p style="text-align: center;">Total value of drill hole, \$4,701.00 Value of one-half interest, \$2,350.50</p>
	<p>This drill hole is situated on the Foothill 46 Lode and is located within 280 ft. of the east side line of the Foothill 42 Lode; therefore, it benefits or improves the value of both lodes.</p> <p>\$500.00, or over, has been expended in such a manner as tends to the development of each of the stated lodes subsequent to its location and to the times since which common ownership and continuity have prevailed; therefore, an undivided one-half interest is hereby credited to each of the stated lodes. No portion of, or interest in this improvement has been credited heretofore as past expenditure to any lode claim.</p>

FEET

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Survey No. 4579, Birthday #1 Lode

Cors. Nos. 2 and 3 are iron posts, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Cor. No. 2 identical with Cor. No. 3 of the Dos Pobres #8 Lode of the same survey.

Line 2-3 was found to be S. $88^{\circ}34'$ W., 1215.60 ft. dist. as approved.

Line 1-2 is shown as approved.

Line 3-4 is shown as approved.

Survey No. 4579, Dos Pobres #5 Lode

Cors. Nos. 2 and 3 are iron posts, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 2-3 is found to be correct as approved.

Survey No. 4579, Birthday #3 Lode

Cors. Nos. 1, 2, 3 and 4 described above.

Line 1-2, line 2-3 and line 4-1 were found to be correct as approved.

Line 3-4 common with line 3-4 of the Dos Pobres #6 Lode of the same survey is shown as approved.

Survey No. 4579, Dos Pobres #7 Lode

Cors. Nos. 2 and 3 described above.

Line 2-3 was found to be correct as approved.

Survey No. 4579, Dos Pobres #8 Lode

Cor. No. 3 described above.

Lines 2-3 and 3-4 shown as approved.

Survey No. 4579, Pasoford #10 Lode

Cors. Nos. 1, 3 and 4 described above.

Line 3-4 was found to be S. $11^{\circ}55'$ W., 599.75 ft. instead of S. $11^{\circ}55'$ W., 600 ft. as approved.

Line 4-1 was found to be S. $78^{\circ}02'$ E., 1500 ft. instead of S. $78^{\circ}05'$ E., 1500 ft. as approved.

Survey No. 4579, Dos Pobres #23 Lode

Cors. Nos. 1 and 4 are iron posts, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Cor. No. 1 is identical with Cor. No. 1 of the Dos Pobres #24 Lode of the same survey.

Line 4-1 was found to be S. $78^{\circ}05'$ E., 599.50 ft. instead of S. $78^{\circ}05'$ E., 600 ft. as approved.

Line 3-4 is shown as approved.

Survey No. 4579, Pasoford #5 Lode

Cor. No. 1 described above.

Cors. Nos. 2 and 3, the latter identical with Cor. No. 3, Survey No. 4579 of the Pasoford #4 Lode.

FEET

are iron posts, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 1-2 was found to be S. $23^{\circ}22'$ W., 1500.16 ft. instead of S. $23^{\circ}17'$ W., 1500 ft. as approved.

Line 2-3 was found to be correct as approved.

Line 3-4 is shown as approved.

Survey No. 4579, Pasoford #4 Lode

Cors. Nos. 3 and 4, the former identical with Cor. No. 3, Survey No. 4579, Pasoford #5 Lode, described above; the latter Cor. No. 4 identical with Cor. No. 2, Survey No. 4579, Pasoford #3 Lode, is an iron post, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 3-4 was found to be correct as approved.

Line 2-3 is shown as approved.

Line 4-1 is shown as approved.

Survey No. 4579, Pasoford #3 Lode

Cor. No. 2 described above.

Cor. No. 3 identical with Cor. No. 3, Survey No. 4579, Pasoford #2 Lode, is an iron post, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 2-3 was found to be correct as approved.

Line 1-2 is shown as approved.

Line 3-4 is shown as approved.

Survey No. 4579, Pasoford #2 Lode

Cor. No. 3 identical with Cor. No. 3, Survey No. 4579, Pasoford #3 Lode, described above.

Cor. No. 4 identical with Cor. No. 2, Survey No. 4579, Pasoford #1 Lode, is an iron post, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 3-4 was found to be correct as approved.

Line 2-3 is shown as approved.

Line 4-1 is shown as approved.

Survey No. 4579, Pasoford #1 Lode

Cor. No. 2 identical with Cor. No. 4, Survey No. 4579, Pasoford #2 Lode, described above.

W.C. for Cor. No. 3 is an iron post, $1\frac{1}{4}$ in. diam., with an aluminum cap, 2 in. diam., 12 in. above ground, firmly set and properly mkd. as described in the official record.

Line 2-3 was found to be correct as approved.

Line 1-2 is shown as approved.

Line 3-4 is shown as approved.

Survey No. 4579, Dos Pobres #6 Lode

Cors. Nos. 3 and 4 described above.

Line 3-4 described above.

F E E T

Survey No. 4579, Dos Pobres #24 Lode

Cor. No. 1 described above

Sandwash 2 Lode (unsurveyed)

The N.W., S.E. and the N.E. Cors. are mounds of stones.

The N.E. Cor. is identical with the S.W. Cor. of the Pickup 1 Lode (unsurveyed) and the west center end of the Bohemia 9 Lode (unsurveyed).

The north side line of the Sandwash 2 Lode was found to be N. $78^{\circ}59'30''$ W., 1383.04 ft. dist.

The $N\frac{1}{2}$ of the east end line of the Sandwash 2 Lode (unsurveyed) was found to be S. $23^{\circ}30'$ W., 272 ft. dist. and is common with the $S\frac{1}{2}$ of the west end line of the Bohemia 9 Lode (unsurveyed).

The $S\frac{1}{2}$ of the east end line of the Sandwash 2 Lode (unsurveyed) was found to bear S. $23^{\circ}30'$ W., and is common with the $N\frac{1}{2}$ of the west end line of the Bohemia 10 Lode.

The west end line is shown parallel to the east end line.

Pickup 1 Lode (unsurveyed)

The S.W. Cor. identical with the N.E. Cor. of the Sandwash 2 Lode (unsurveyed) described above. The N.W., N.E. and the S. E. Cors. are mounds of stones.

The S.E. Cor. is identical with the N.E. Cor. of the Bohemia 9 Lode (unsurveyed) and the N.W. Cor. of the Bohemia 3 Lode (unsurveyed).

The west end line was found to be S. $24^{\circ}50'$ W., 682.50 ft. dist., in part common with west end line of Bohemia 9 Lode (unsurveyed).

The north side line was found to be N. $66^{\circ}33'$ W., 1489.50 ft. dist.

The east end line was found to be S. $24^{\circ}50'$ W., 667.50 ft. dist.

The south side line was found to be N. $67^{\circ}07'30''$ W., 1489.90 ft. dist.

Bohemia 9 Lode (unsurveyed)

The N.E. Cor. identical with the S.E. Cor. of the Pickup 1 Lode (unsurveyed) and the N.W. Cor. of the Bohemia 3 Lode (unsurveyed) described above.

The N.W. and the S.W. Cors. are mounds of stones.

The S.W. Cor. is identical with the N.W. Cor. of the Bohemia 10 Lode (unsurveyed).

The west end center, identical with the N.E. Cor. of the Sandwash 2 Lode (unsurveyed), described above.

The $N\frac{1}{2}$ of the west end line, common with the $S\frac{1}{2}$ of the west end line of the Pickup 1 Lode (unsurveyed) was found to be S. $24^{\circ}50'$ W., 360 ft. dist.

The $S\frac{1}{2}$ of the west end line, common with the $N\frac{1}{2}$ of the east end line of the Sandwash 2 Lode (unsurveyed) was found to be S. $23^{\circ}30'$ W., 272 ft. dist.

The north side line was found to be N. $53^{\circ}22'50''$ W., 1522.01 ft. dist.

The east end line was projected parallel to the $N\frac{1}{2}$ of the west end line as S. $24^{\circ}50'$ W.

The south side line common with the north side line of the Bohemia 10 Lode (unsurveyed) is shown parallel to the north side line.

FEET

Bohemia 1 Lode (unsurveyed)

The N.E., N.W. and S.E. Cors. of the Bohemia 1 Lode (unsurveyed) are mounds of stones.

The N.W. Cor. is identical with the N.E. Cor. of the Bohemia 2 Lode (unsurveyed).

The north end line of the Bohemia 1 Lode (unsurveyed) was found to be N. $75^{\circ}52'40''$ W., 639.37 ft. dist.

The east side line of the Bohemia 1 Lode (unsurveyed) was found to be S. $20^{\circ}30'$ W.

The west side line of the Bohemia 1 Lode (unsurveyed) is shown parallel to the east side line, therefore, S. $20^{\circ}30'$ W.

Bohemia 10 Lode (unsurveyed)

The N.W. Cor. described above.

The north side line described above.

The west end line, common in part with east end line of the Sandwash 2 Lode (unsurveyed), described above.

Bohemia 2 Lode (unsurveyed)

The N.E. Cor. is identical with the N.W. Cor. of the Bohemia 1 Lode (unsurveyed) described above.

The N.W. Cor. is identical with the N.E. Cor. of the Bohemia 3 Lode (unsurveyed) is a mound of stones.

The north end line was found to be N. $75^{\circ}22'50''$ W. 676.14 ft. dist.

The east side line of the Bohemia 2 Lode (unsurveyed) is common with the west side line of the Bohemia 1 Lode (unsurveyed). It is shown parallel to the east side line of the Bohemia 1 Lode (unsurveyed); therefore, S. $20^{\circ}30'$ W.

The west side line of the Bohemia 2 Lode (unsurveyed) is shown parallel to the east side line of the Bohemia 2 Lode (unsurveyed); therefore, S. $20^{\circ}30'$ W.

Bohemia 3 Lode (unsurveyed)

The N.E. Cor. identical with the N.W. Cor. of the Bohemia 2 Lode (unsurveyed) described above.

The N.W. Cor. identical with the N.E. Cor. of the Bohemia 9 Lode (unsurveyed) and the S.E. Cor. of the Pickup 1 Lode (unsurveyed) described above.

The north end line was found to be N. $72^{\circ}56'20''$ W., 487.40 ft. dist.

The east side line, common with the west side line of the Bohemia 2 Lode (unsurveyed) is shown S. $20^{\circ}30'$ W. This is parallel with the east side line of the Bohemia 2 Lode (unsurveyed).

The west side line of the Bohemia 3 Lode (unsurveyed) is common with the east end line of the Bohemia 9 Lode (unsurveyed).

The east end line of the Bohemia 9 Lode (unsurveyed) is shown parallel to the $N\frac{1}{2}$ of its west end line, thus making the west side line of the Bohemia 3 Lode (unsurveyed) S. $24^{\circ}50'$ W.

Nail Keg 20 Lode (unsurveyed)

F E E T

The N.W. and S.W. Cors. are mounds of stones.
The west end line was found to be S. $37^{\circ}55'$ W.
The north side line of Nail Keg 20 Lode (unsurveyed)
is shown as S. $75^{\circ}45'$ E. and it is common with the
south side line of the Nail Keg 21 Lode (unsurveyed)

Nail Keg 21 Lode (unsurveyed)

The S.W., S.E., N.W. and the N.E. Cors. are mounds
of stones.
The S.W. Cor. is identical with the N.W. Cor. of
the Nail Keg 20 Lode (unsurveyed).
The N.E. Cor. is identical with the N.W. Cor. of
the Nail Keg 3 Lode (unsurveyed).
The S.E. Cor. is identical with the S.W. Cor. of
the Nail Keg 3 Lode (unsurveyed) and the N.E.
Cor. of the Nail Keg 20 Lode (unsurveyed).
The west end line was found to be S. $20^{\circ}30'$ W.,
610 ft. dist.
The north side line was found to be S. $75^{\circ}45'$ E.,
1457.70 ft. dist.
The east end line common with the west end line
of the Nail Keg 3 Lode (unsurveyed) was found to
be S. $20^{\circ}30'$ W.
The south side line is shown parallel to the north
side line.

Nail Keg 3 Lode (unsurveyed)

The N.W., S.W., N.E. and S.E. Cors. are mounds of
stones.
The S.W. Cor. is identical with the S.E. Cor. of
the Nail Keg 21 Lode (unsurveyed) and the N.E.
Cor. of the Nail Keg 20 Lode (unsurveyed).
The N.W. Cor. is identical with the N.E. Cor. of
the Nail Keg 21 Lode (unsurveyed), both described
above..
The west end line of the Nail Keg 3 Lode (unsurveyed)
is common with the east end line of the Nail Keg
21 Lode (unsurveyed) described above.
The north side line of the Nail Keg 3 Lode (unsur-
veyed) was found to be S. $89^{\circ}07'$ E., 1537.21 ft.
dist.
The east end line was found to be S. $11^{\circ}55'$ W.

The corner of Secs. 28, 29, 32 and 33, described above.

The $\frac{1}{4}$ Cor. of Secs. 28 and 33, described above.

The $\frac{1}{4}$ Cor. of Secs. 32 and 33, described above.

The $\frac{1}{4}$ Cor. of Secs. 33 and 34, described above.

The $\frac{N}{2}$ of the Sec. line between Secs. 32 and 33 was found
to be N. $0^{\circ}13'$ E., 2641.55 ft. dist., instead of
N. $0^{\circ}02'$ W., 2640 ft. as approved.

The $\frac{W}{2}$ of the Sec. line between Secs. 28 and 33 was found
to be N. $89^{\circ}49'30''$ W., 2647.38 ft. dist., instead of
W. 2640 ft. dist. as approved.

The $\frac{S}{2}$ of the Sec. line between Secs. 32 and 33 was found
to be S. $0^{\circ}13'$ W. instead of N. $0^{\circ}02'$ E. as approved.

The $\frac{S}{2}$ of the Sec. line between Secs. 33 and 34 is shown
as approved.

FEET

FEET

FIELD ASSISTANTS

Name

Capacity

Louis A. Cornego

Instrument-
Man

John D. Schliekelman

Chainman-
Axeman

Name of Location:

- Birthday #2
- Birthday #4
- Birthday #5
- Birthday #6
- Birthday #7
- Birthday #8
- Birthday #9
- Birthday #10
- Birthday #11
- Chino #1A
- Foothill 33
- Foothill 34
- Foothill 35
- Foothill #37
- Foothill 42
- Foothill #43
- Foothill #44
- Foothill #45
- Foothill 46
- Pasoford 6
- Pasoford 7
- Pasoford #8
- Pasoford #9

[Faint handwritten signature]