

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4646

State

Arizona

Land District

Phoenix

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Royal Investments, Inc., c/o Blake & Hancock, Attorneys at Law,
714 Central Towers, 2727 North Central Ave., Phoenix, Arizona 85004

Known as the, *(name of group, if any)*

Scott's Weaver Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Surprise No. 1 Lode	12/10/54	10/10/66
Surprise No. 3 Lode	2/15/55	10/10/66
Old 60 & 70 No. 1 Lode	11/27/54	10/10/66
Old 60 & 70 No. 2 Lode	1/10/55	10/10/66
Old 60 & 70 No. 3 Lode	12/27/54	10/10/66
Old 60 & 70 No. 4 Lode	1/10/55	10/10/66
Old 60 & 70 No. 5 Lode	1/9/55	10/10/66
Old 60 & 70 No. 6 Lode	1/20/55	10/10/66
Old 60 & 70 No. 7 Lode	2/15/55	10/10/66

Mining district			County	
La Paz			Yuma	
Section	Township	Range	Meridian	Survey under order dated March 31, 1966 and Amd. Nov. 7, 1966
31	4 North	20 West	Gila & Salt River	
Survey commenced		Survey completed	Name of Mineral Surveyor	
August 30, 1966		December 19, 1966	Louis A. Cornejo	

1943

1944

1945

... ..

...

1946
1947
1948
1949
1950
1951
1952
1953
1954
1955

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

FEET

This survey was made with a Wild T-16 Theodolite No. 54727, with horizon al limb 3.125 ins. diam., having one optical-reading vernier and a full vertical circle 3.125 ins. diam., having one optical-reading vernier; the verniers read to 15 seconds of arc; the eyepiece is equipped with a colored shade set in the dust shutter and a reticle with a solar circle for making direct observation upon the sun's center. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by method of deflection angles referred to the meridian determined by the following observation:

August 31, 1966, at Cor. No. 1 of the Surprise No. 1 lode, in latitude $33^{\circ} 38' 36''$ N., and longitude $114^{\circ} 22' 06''$ W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing the sun's center, and reading the horizontal angle from a reference point about 2000 ft. dist. to the right to the sun.

Mean time of observation

105th meridian standard time = 9h 26m 05s a.m.

Declination of the sun at

mean time of observation = $8^{\circ} 38' 31''$ N.

Mean observed vertical

angle to the sun's center = $39^{\circ} 24' 40''$

Mean horizontal angle from

reference point to the
sun's center = $288^{\circ} 15' 39''$

True bearing to reference

point = S. $0^{\circ} 01' 18''$ E.

The lines were measured with a K & E steel tape, 501 ft. in length, graduated every ft. for 500 ft., and the remainder graduated in tenths and hundredths; the tape was compared with a Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 15° E.

Survey No. 4646

SURPRISE NO. 1 LODE

At Cor. No. 1 of the Surprise No. 1 lode, identical with Cor. No. 1 of the Old 60 & 70 No. 1 lode of this survey.

Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S1-1-0.60 & 70.1-1-4646; from which

FEET	
	<p>The $\frac{1}{4}$ sec. cor. of secs. 31 & 36, T. 4 N., Rs. 20 & 21 W., bears N. $0^{\circ}01'18''$ W., 65.15 ft. dist., an iron post, 1 in. diam., 12 ins. above the ground, firmly set, mkd. and witnessed as described in the official record.</p> <p>A stone monument, 4 ft. diam. at the base and 3 ft. high, bears West, 2 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. $0^{\circ}01'18''$ E.</p>
300.0	<p>Lode line; discovery point bears S. $55^{\circ}41'18''$ E., 1000 ft. dist.</p>
600.0	<p>Cor. No. 2.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S1-2-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base and 30 ins. high, bears East, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. $55^{\circ}41'18''$ E.</p>
1500.0	<p>Cor. No. 3, identical with Cor. No. 3 of Surprise No. 3 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S1-3-S3-3-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. $0^{\circ}01'18''$ W.</p>
300.0	<p>Lode line; discovery point bears N. $55^{\circ}41'18''$ W., 500 ft. dist.</p>
600.0	<p>Cor. No. 4, identical with Cor. No. 4 of Surprise No. 3 lode, Cor. No. 4 of Old 60 & 70 No. 2 lode and Cor. No. 5 of Old 60 & 70 No. 1 lode, all of this survey.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S1-4-S3-4-0.60 & 70.2-4-0.60 & 70.1-5-4646; from which</p> <p>A stone monument, 4 ft. diam. at the base and 4 ft. high, bears South, 10 ft. dist.</p> <p>A stone monument, 4 ft. diam. at the base and 4 ft. high, bears North, 9 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. $55^{\circ}41'18''$ W.</p>
1015	<p>Road, 12 ft. wide, bears S. 23° E. and N. 23° W.</p>

FEET	
1500.0	Cor. No. 1, and place of beginning.
	SURPRISE NO. 3 LODE
	At Cor. No. 1 of the Surprise No. 3 lode, identical with Cor. No. 1 of Old 60 & 70 No. 2 lode and Cor. No. 1 of Old 60 & 70 No. 3 lode, both of this survey.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S3-1-0.60&70.2-1-0.60&70.3-1-4646; from which
	The $\frac{1}{2}$ sec. cor. of secs. 31 & 36, T. 4 N., Rs. 20 & 21 W., bears N. $54^{\circ}40'25''$ W., 3037.21 ft. dist.
	An iron pipe, $\frac{1}{2}$ in. diam., firmly set, extends 6 ins. above the ground, bears N. $0^{\circ}13'42''$ E., 44.17 ft. dist.
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 5 ft. dist.
	No bearing trees available.
	Thence S. $0^{\circ}01'18''$ E.
68.85	An iron pipe, $\frac{1}{2}$ in. diam., firmly set, extends 6 ins. above the ground.
125	Draw, 12 ft. wide, bears S. 55° E., drains N. 55° W.
300.0	Lode line; discovery points bears N. $55^{\circ}41'18''$ W., 1400 ft. dist.
600.0	Cor. No. 2.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. S3-2-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. $55^{\circ}41'18''$ W.
1500.0	Cor. No. 3, identical with Cor. No. 3 of Surprise No. 1 lode of this survey, previously described.
	Thence N. $0^{\circ}01'18''$ W.
300.0	Lode line; discovery point bears S. $55^{\circ}41'18''$ E., 100 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 4 of Surprise No. 1 lode, Cor. No. 4 of Old 60 & 70 No. 2 lode and Cor. No. 5 of Old 60 & 70 No. 1 lode, all of this survey, previously described.
	Thence S. $55^{\circ}41'18''$ E.
230	Draw, 10 ft. wide, bears S. 25° E., drains N. 25° W.

FEET	
1500.0	Cor. No. 1, and place of beginning.
	OLD 60 & 70 NO. 1 LODE
	Beginning at Cor. No. 1 of the Old 60 & 70 No. 1 lode, identical with Cor. No. 1 of Surprise No. 1 lode of this survey, previously described.
	Thence N. 0° 13' 42" E.
35	Draw, 10 ft. wide, bears S. 74° E., drains N. 74° W.
45	Road, 12 ft. wide, bears S. 56° E. and N. 56° W.
143.78	Lode line; discovery point bears S. 63° 04' 53" E., 900 ft. dist.
276.58	Cor. No. 2.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.1-2-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 4 ft. dist.
	No local bearing objects or bearing trees available.
	Thence S. 76° 40' E.
330	A cut, 6 ft. wide, bears N. 30° W. and S. 30° E.
360	A cut, 6 ft. wide, bears North and South.
884.75	Cor. No. 3.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.1-3-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears South, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence S. 56° 20' 58" E.
90	Draw, 5 ft. wide, bears N. 48° E., drains S. 48° W.
290	Ridge, bears N. 45° W. and S. 45° E.
456.05	Cor. No. 4, identical with Cor. No. 3 of Old 60 & 70 No. 2 lode of this survey.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.1-4-0.60&70.2-3-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 4 ft. dist.
	No local bearing objects or bearing trees available.

FEET	
	Thence S. 0° 13' 42" W.
50	Ridge, bears N. 45° W. and S. 70° E.
305.57	Lode line; discovery point bears N. 63° 04' 53" W., 490.5 ft. dist.
365.38	Lode line of Old 60 & 70 No. 2 lode of this survey.
400	Draw, 10 ft. wide, bears S. 25° E., drains N. 24° W.
470	Road, 12 ft. wide, bears S. 48° E. and N. 48° W.
665.38	Cor. No. 5, identical with Cor. No. 4 of Surprise No. 1 lode, Cor. No. 4 of Surprise No. 3 lode and Cor. No. 4 of Old 60 & 70 No. 2 lode, all of this survey, previously described.
	Thence N. 55° 41' 18" W.
1015	Road, 12 ft. wide, bears S. 23° E. and N. 23° W.
1500.0	Cor. No. 1, and place of beginning.
OLD 60 & 70 NO. 2 LODE	
	Beginning at Cor. No. 1 of Old 60 & 70 No. 2 lode, identical with Cor. No. 1 of Surprise No. 3 lode and Cor. No. 1 of Old 60 & 70 No. 3 lode, both of this survey, previously described.
	Thence N. 0° 13' 42" E.
20	Road, 12 ft. wide, bears S. 60° E. and N. 56° W.
44.17	An iron pipe, 1/2 in. diam., firmly set, extends 8 ins. above the ground.
300.0	Lode line; discovery point bears N. 55° 41' 18" W., 600 ft. dist.
603.71	Cor. No. 2, identical with Cor. No. 2 of Old 60 & 70 No. 3 lode, Cor. No. 2 of Old 60 & 70 No. 4 lode and Cor. No. 2 of Old 60 & 70 No. 5 lode, all of this survey.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.2-2-0, 60&70.3-2-0, 60&70.4-2-0, 60&70.5-2-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears South, 4 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 53° 46' 55" W.
1350	Ridge, bears S. 70° E. and N. 70° W.
1433.35	Cor. No. 3, of Old 60 & 70 No. 4 lode of this survey.
1535.41	Cor. No. 3, identical with Cor. No. 4 of Old 60 & 70 No. 1 lode of this survey, previously described.

FEET	
	Thence S. 0° 13' 42" W.
50	Ridge, bears N. 45° W. and S. 70° E.
305.57	Lode line of Old 60 & 70 No. 1 lode of this survey.
365.38	Lode line; discovery point bears S. 55° 41' 18" E., 900 ft. dist.
400	Draw, 10 ft. wide, bears S. 25° E., drains N. 24° W.
470	Road, 12 ft. wide, bears S. 48° E. and N. 48° W.
665.38	Cor. No. 4, identical with Cor. No. 4 of Surprise No. 1 lode, Cor. No. 4 of Surprise No. 3 lode and Cor. No. 5 of Old 60 & 70 No. 1 lode, all of this survey, previously described.
	Thence S. 55° 41' 18" E.
230	Draw, 10 ft. wide, bears S. 25° E., drains N. 25° W.
1500.0	Cor. No. 1, and place of beginning.
OLD 60 & 70 NO. 3 LODE	
	Beginning at Cor. No. 1 of Old 60 & 70 No. 3 lode, identical with Cor. No. 1 of Surprise No. 3 lode and Cor. No. 1 of Old 60 & 70 No. 2 lode, both of this survey, previously described.
	Thence N. 0° 13' 42" E.
20	Road, 12 ft. wide, bears S. 60° E. and N. 56° W.
44.17	An iron pipe, 1/2 in. diam., previously described.
300.0	Lode line; discovery point bears S. 55° 41' 18" E., 900 ft. dist.
603.71	Cor. No. 2, identical with Cor. No. 2 of Old 60 & 70 No. 2 lode, Cor. No. 2 of Old 60 & 70 No. 4 lode and Cor. No. 2 of Old 60 & 70 No. 5 lode, all of this survey, previously described.
	Thence S. 55° 38' 38" E.
1190	Road, 12 ft. wide, bears N. 84° E. and S. 84° W.
1360	Draw, 10 ft. wide, bears N. 83° E., drains S. 83° W.
1499.54	Cor. No. 3, identical with Cor. No. 3 of Old 60 & 70 No. 5 lode of this survey.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. O.60&70.3-3-O.60&70.5-3-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 4 ft. dist.
	No local bearing objects or bearing trees available.

FEET	
	Thence S. 0° 13' 42" W.
302.38	Lode line; discovery point bears N. 55° 41' 18" W., 598.76 ft. dist.
602.38	Cor. No. 4. Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.3-4-4646; from which A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist. No local bearing objects or bearing trees available.
	Thence N. 55° 41' 18" W.
1040	Draw, 10 ft. wide, bears N. 83° E., drains S. 83° W.
1160	Road, 12 ft. wide, bears North and South.
1498.76	Cor. No. 1, and place of beginning.
	OLD 60 & 70 NO. 4 LODE
	At Cor. No. 1 of Old 60 & 70 No. 4 lode, identical with Cor. No. 1 of Old 60 & 70 No. 5 lode and Cor. No. 1 of Old 60 & 70 No. 6 lode, both of this survey. Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.4-1-0.60&70.5-1-0.60&70.6-1-4646; from which The $\frac{1}{4}$ sec. cor. of secs. 31 & 36, T. 4 N., Rs. 20 & 21 W., bears N. 76° 37' 43" W., 2924.73 ft. dist. A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 4 ft. dist. No local bearing objects or bearing trees available.
	Thence S. 37° 28' 42" W.
300.0	Lode line; discovery point bears N. 55° 49' 21" W., 600 ft. dist.
350	Ridge, bears S. 68° E. and N. 57° W.
600.0	Cor. No. 2, identical with Cor. No. 2 of Old 60 & 70 No. 2 lode, Cor. No. 2 of Old 60 & 70 No. 3 lode and Cor. No. 2 of Old 60 & 70 No. 5 lode, all of this survey, previously described.
	Thence N. 53° 46' 55" W.
1350	Ridge, bears S. 70° E. and N. 70° W.
1433.35	Cor. No. 3, on line 2-3 of Old 60 & 70 No. 2 lode of this survey. Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.4-3-4646; from which

FEET	
	<p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears South, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 37° 28' 42" E.</p>
248.87	Lode line; discovery point bears S. 55°49'21" E., 835.39 ft. dist.
294.51	<p>Cor. No. 4.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.4-4-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 4 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 82° 30' E.</p>
609.20	<p>Cor. No. 5.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60&70.4-5-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base, and 3 ft. high, bears East, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 54° 35' 05" E.</p>
905.89	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">OLD 60 & 70 NO. 5 LODE</p> <p>Beginning at Cor. No. of Old 60 & 70 No. 5 lode, identical with Cor. No. 1 of Old 60 & 70 No. 4 lode and Cor. No. 1 of Old 60 & 70 No. 6 lode, both of this survey, previously described.</p> <p>Thence S. 37° 28' 42" W.</p>
300.0	Lode line; discovery point bears S. 55° 38' 38" E., 1299.54 ft. dist.
350	Ridge, bears S. 68° E. and N. 57° W.
600.0	<p>Cor. No. 2, identical with Cor. No. 2 of Old 60 & 70 No. 2 lode, Cor. No. 2 of Old 60 & 70 No. 3 lode and Cor. No. 2 of Old 60 & 70 No. 4 lode, all of this survey, previously described.</p> <p>Thence S. 55° 38' 38" E.</p>
1190	Road, 12 ft. wide, bears N. 84° E. and S. 84° W.
1360	Draw, 10 ft. wide, bears N. 83° E., drains S. 83° W.

FEET	
1499.54	<p>Cor. No. 3, identical with Cor. No. 3 of Old 60 & 70 No. 3 lode of this survey, previously described.</p> <p>Thence N. 37° 28' 42" E.</p>
70	<p>Draw, 10 ft. wide, bears S. 75° E., drains N. 75° W.</p>
160	<p>Road, 12 ft. wide, bears S. 86° E. and N. 86° W.</p>
300.0	<p>Lode line; discovery point bears N. 55° 38' 38" W., 200 ft. dist.</p>
490	<p>Ridge, bears N. 62° W. and S. 62° E.</p>
596.40	<p>Cor. No. 4, identical with Cor. No. 4 of Old 60 & 70 No. 6 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.5-4-0.60 & 70.6-4-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 55° 30' 22" W.</p>
1499.33	<p>Cor. No. 1, and place of beginning.</p>
<p>OLD 60 & 70 NO. 6 LODE</p>	
<p>Beginning at Cor. No. 1 of Old 60 & 70 No. 6 lode, identical with Cor. No. 1 of Old 60 & 70 No. 4 lode and Cor. No. 1 of Old 60 & 70 No. 5 lode, both of this survey, previously described.</p>	
<p>Thence N. 37° 28' 42" E.</p>	
298	<p>Lode line; discovery point bears S. 55° 30' 22" E., 1099.33 ft. dist.</p>
552.01	<p>Intersect line 1-4 of Old 60 & 70 No. 7 lode of this survey, at a point from which Cor. No. 4 bears S. 56° 03' 35" E., 823.43 ft. dist.</p>
582.37	<p>Cor. No. 2.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.6-2-4646; from which</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 3 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 56° 03' 35" E.</p>
535	<p>Draw, 8 ft. wide, bears S. 30° E., drains N. 30° W.</p>
825.44	<p>Intersect line 3-4 of Old 60 & 70 No. 7 lode of this survey, at a point from which Cor. No. 4 bears S. 41° 16' 22" W., 30.55 ft. dist.</p>

FEET	
1315	Draw, 8 ft. wide, bears S. 75° E., drains N. 75° W.
1500.16	Cor. No. 3.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.6-3-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 4 ft. dist.
	No local bearing objects or bearing trees available.
	Thence S. 37° 28' 42" W.
298.89	Lode line; discovery point bears N. 55° 30' 22" W., 400 ft. dist.
596.89	Cor. No. 4, identical with Cor. No. 4 of Old 60 & 70 No. 5 lode of this survey, previously described.
	Thence N. 55° 30' 22" W.
1499.33	Cor. No. 1, and place of beginning.
OLD 60 & 70 NO. 7 LODE	
	At Cor. No. 1 of Old 60 & 70 No. 7 lode.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.7-1-4646; from which
	The $\frac{1}{2}$ sec. cor. of sec. 31 & 36, T. 4 N., Rs. 20 & 21 W., bears S. 87° 31' 58" W., 2659.57 ft. dist.
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 41° 16' 22" E.
205	Draw, 8 ft. wide, bears S. 20° W., drains N. 20° E.
291.79	Lode line; discovery point bears S. 56° 03' 35" E., 200 ft. dist.
365	Draw, 10 ft. wide, bears S. 40° E., drains N. 40° W.
590	Ridge, bears S. 52° E. and N. 52° W.
598.71	Cor. No. 2.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. 0.60 & 70.7-2-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 5 ft. dist.
	No local bearing objects or bearing trees available.

FEET	
	Thence S. 56° 11' 20" E.
1120	Ridge, bears S. 64° E. and N. 64° W.
1455.75	Cor. No. 3.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. O.60&70.7-3-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence S. 41° 16' 22" W.
210	Draw, 8 ft. wide, bears S. 65° E., drains N. 65° W.
301.23	Lode line; discovery point bears N. 56° 03' 35" W., 1255.33 ft. dist.
562.47	Intersect line 2-3 of Old 60 & 70 No. 6 lode of this survey, at a point from which Cor. No. 2 bears N. 56° 03' 35" W., 825.44 ft. dist.
593.02	Cor. No. 4.
	Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, mkd. O.60&70.7-4-4646; from which
	A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 3 ft. dist.
	No local bearing objects or bearing trees available.
	Thence N. 56° 03' 35" W.
220	Draw, 8 ft. wide, bears S. 30° E., drains N. 30° W.
823.43	Intersect line 1-2 of Old 60 & 70 No. 6 lode of this survey, at a point from which Cor. No. 2 bears N. 37° 28' 42" E., 30.36 ft. dist.
1385	Draw, 8 ft. wide, bears S. 20° W., drains N. 20° E.
1455.33	Cor. No. 1, and place of beginning.
	AREAS
	Acres
	Total area, Surprise No. 1 lode..... 17.061
	Total area, Surprise No. 3 lode..... 17.061
	Total area, Old 60 & 70 No. 1 lode..... 15.040
	Total area, Old 60 & 70 No. 2 lode..... 18.097
	Total area, Old 60 & 70 No. 3 lode..... 17.183
	Total area, Old 60 & 70 No. 4 lode..... 17.679
	Total area, Old 60 & 70 No. 5 lode..... 20.562
	Total area, Old 60 & 70 No. 6 lode..... 20.267
	Area in conflict with-
	Old 60 & 70 No. 7 lode of this survey..... 0.573
	Total area, Old 60 & 70 No. 7 lode..... 19.596

FEET	LOCATION
	<p>This survey is located in the SW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of sec. 31, T. 4 North, R. 20 W., of the Gila and Salt River Meridian.</p> <p>The survey of the Surprise No. 1 lode, Surprise No. 3 lode, Old 60 & 70 No. 2 lode, Old 60 & 70 No. 3 lode, Old 60 & 70 No. 5 lode, Old 60 & 70 No. 6 lode, and Old 60 & 70 No. 7 lode is identical with the respective location as marked on the ground. The survey of the Old 60 & 70 No. 1 lode and Old 60 & 70 No. 4 lode differ to their respective location to the extent previously shown.</p>
	EXPENDITURES
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>
No. 1.	<p>The discovery point of the Surprise No. 1 lode is on the lode line 1000 ft., S. $55^{\circ} 41' 18''$ E., from the center of line 1-2. Value, None.</p>
No. 2.	<p>A cut, the mouth of which bears N. $82^{\circ} 05'$ W., 435.5 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 6 ft. wide, runs S. 85° E., 17 ft. long, to a face, 8 ft. high. Value, \$170.</p>
No. 3.	<p>A cut, the mouth of which bears N. $82^{\circ} 00'$ W., 489.3 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 5 ft. wide, runs N. 68° E., 20 ft. to a face, 5 ft. high. Value, \$200.</p>
No. 4.	<p>A cut, the mouth of which bears N. $81^{\circ} 30'$ W., 510.6 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 5 ft. wide, runs N. 77° E., 20 ft. to a face, 10 ft. high. Value, \$200.</p>
No. 5.	<p>A shaft, the center of which bears N. $75^{\circ} 30'$ W., 501.4 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 6 X 6 ft. in size, 6 ft. deep. Value, \$60.</p>
No. 6.	<p>A trench, the West-end of which bears N. $74^{\circ} 15'$ W., 486.5 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 4 ft. wide, 3 ft. deep, runs S. 67° E., 17 ft. long. Value, \$85.</p>
No. 7.	<p>A trench, the North-end of which bears N. $68^{\circ} 15'$ W., 444.2 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 5 ft. wide, 5 ft. deep, runs S. 12° E., 15 ft. long. Value, \$75.</p>
No. 8.	<p>A trench, the East-end of which bears N. 66° W., 475 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 4 ft. wide, 4 ft. deep, runs S. 85° W., 70 ft.; thence N. 63° W., 84 ft.; thence N. 46° W., 40 ft. long. Value, \$970.</p>
No. 9.	<p>A cut, the mouth of which bears S. $48^{\circ} 30'$ W., 135 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 4 ft. wide, runs S. 40° W., 17 ft. to a face, 5 ft. high. Value, \$170.</p>

FEET	
No. 10.	A shaft, the center of which bears S. 61° 30' W., 173 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 5 X 4 ft. in size, 6 ft. deep. Value, \$60.
No. 11.	A cut, the mouth of which bears S. 73° 30' W., 187.5 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 4 ft. wide, runs S. 26° E., 15 ft. to a face, 6 ft. high. Value, \$150.
No. 12.	A shaft, the center of which bears N. 85° W., 154 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 5 X 4 ft. in size, 7 ft. deep. Value, \$70.
No. 13.	A cut, the mouth of which bears N. 56° 15' W., 150 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 50 ft. wide, runs S. 28° W., 25 ft. to a face, 33 ft. high. Value, \$1,250.
No. 14.	A cut, the mouth of which bears N. 65° W., 289 ft. dist. from Cor. No. 4 of Surprise No. 1 lode, 120 ft. wide, runs S. 53° W., 50 ft. to a face, 20 ft. high. Value, \$3,750.
No. 15.	A cut, the mouth of which bears S. 76° 30' E., 250 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 4 ft. wide, runs N. 47° W., 6 ft. to a face, 6 ft. high. Value, \$60.
No. 16.	A cut, the mouth of which bears S. 82° 15' E., 259 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 4 ft. wide, runs N. 75° W., 10 ft. to a face, 6 ft. high. Value, \$100.
No. 17.	A cut, the mouth of which bears S. 76° 45' E., 491 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs S. 27° W., 5 ft. to a face, 5 ft. high. Value, \$50.
No. 18.	A trench, the West-end bears S. 83° 30' E., 718 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, 5 ft. deep, runs S. 34° E., 23 ft. long. Value, \$115.
No. 19.	A cut, the mouth of which bears S. 84° 30' E., 678 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 4 ft. wide, runs N. 26° E., 7 ft. to a face, 5 ft. high. Value, \$70.
No. 20.	A cut, the mouth of which bears S. 89° 15' E., 552 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs N. 70° E., 13 ft. to a face, 6 ft. high. Value, \$130.
No. 21.	A cut, the mouth of which bears N. 89° E., 585 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs N. 82° E., 8 ft. to a face, 6 ft. high. Value, \$80.
No. 22.	A cut, the mouth of which bears N. 86° 30' E., 645 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 6 ft. wide, runs N. 38° E., 13 ft. to a face, 8 ft. high. Value, \$130.

FEET	
No. 23.	A cut, the mouth of which bears N. 78° 00' E., 522 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 4 ft. wide, runs East, 17 ft. to a face, 8 ft. high. Value, \$170.
No. 24.	A cut, the mouth of which bears N. 72° 30' E., 531 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs N. 83° E., 10 ft. to a face, 15 ft. high. Value, \$100.
No. 25.	A cut, the mouth of which bears N. 70° 30' E., 532 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs N. 70° E., 13 ft. to a face, 13 ft. high. Value, \$130.
No. 26.	A cut, the mouth of which bears N. 66° 30' E., 524.5 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs N. 63° E., 18 ft. to a face, 10 ft. high. Value, \$180.
No. 27.	A cut, the mouth of which bears N. 63° 15' E., 532 ft. dist. from Cor. No. 2 of Surprise No. 1 lode, 5 ft. wide, runs East, 15 ft. to a face, 6 ft. high. Value, \$150.
No. 4.	The discovery point of the Surprise No. 3 lode is on the lode line, 100 ft. dist. from the center of line 3-4. Value, None.
No. 2.	A cut, the mouth of which bears S. 38° E., 376 ft. dist. from Cor. No. 4 of Surprise No. 3 lode, 5 ft. wide, runs S. 43° W., 8 ft. to a face, 8 ft. high. Value, \$82.
No. 1.	The discovery point of the Old 60 & 70 No. 1 lode is on the lode line, 900 ft. from the line 1-2; at a point, 143.78 ft. from Cor. No. 1. Value, None.
No. 2.	A cut, the mouth of which bears S. 86° E., 959 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 60° E., 35 ft. to a face, 6 ft. high. Value, \$350.
No. 3.	A cut, the mouth of which bears S. 86° 40' E., 932 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 50° E., 14 ft. to a face, 6 ft. high. Value, \$140.
No. 4.	A cut, the mouth of which bears S. 88° 15' E., 950.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 63° E., 15 ft. to a face, 5 ft. high. Value, \$150.
No. 5.	A cut, the mouth of which bears N. 88° 45' E., 870.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 40° W., 16 ft. to a face, 6 ft. high. Value, \$160.
No. 6.	A cut, the mouth of which bears S. 89° 45' E., 841 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 24° W., 16 ft. to a face, 7 ft. high. Value, \$160.

FEET	
No. 7.	A cut, the mouth of which bears N. 88° 30' E., 778 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 15° E., 18 ft. to a face, 8 ft. high. Value, \$180.
No. 8.	A cut, the mouth of which bears N. 89° E., 754 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 29° E., 13 ft. to a face, 6 ft. high. Value, \$130.
No. 9.	A cut, the mouth of which bears N. 88° 30' E., 739.6 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 4 ft. wide, runs N. 17° E., 10 ft. to a face, 5 ft. high. Value, \$100.
No. 10.	A cut, the mouth of which bears N. 88° 30' E., 721 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 10° E., 14 ft. to a face, 8 ft. high. Value, \$140.
No. 11.	A cut, the mouth of which bears N. 88° 15' E., 704.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 8° E., 14 ft. to a face, 6 ft. high. Value, \$140.
No. 12.	A cut, the mouth of which bears N. 88° 15' E., 690.2 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 8° W., 12 ft. to a face, 6 ft. high. Value, \$120.
No. 13.	A cut, the mouth of which bears N. 87° 15' E., 660 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 5 ft. wide, runs N. 58° W., 8 ft. to a face, 6 ft. high. Value, \$80.
No. 14.	A cut, the mouth of which bears N. 62° E., 399 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 6 ft. wide, runs North, 7 ft. to a face, 6 ft. high. Value, \$70.
No. 15.	A cut, the mouth of which bears N. 58° E., 380 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 1 lode, 6 ft. wide, runs N. 30° W., 10 ft. to a face, 6 ft. high. Value, \$100.
No. 1.	The discovery point of the Old 60 & 70 No. 2 lode is on the lode line, 600 ft. from the line 1-2; at a point, 300 ft. from Cor. No. 1. Value, None.
No. 2.	A cut, the mouth of which bears N. 47° 15' W., 469 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 4 ft. wide, runs N. 53° E., 16 ft. to a face, 7 ft. high. Value, \$160.
No. 3.	A cut, the mouth of which bears N. 49° W., 450 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 6 ft. wide, runs N. 38° E., 8 ft. to a face, 7 ft. high. Value, \$80.
No. 4.	A cut, the mouth of which bears N. 52° 45' W., 354.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 8 ft. wide, runs N. 41° E., 10 ft. to a face, 6 ft. high. Value, \$100.

FEET	
No. 5.	A cut, the mouth of which bears N. 46° 30' W., 152.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 6 ft. wide, runs N. 26° E., 9 ft. to a face, 8 ft. high. Value, \$90.
No. 6.	A cut, the mouth of which bears N. 40° 15' W., 118 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 5 ft. wide, runs N. 30° E., 9 ft. to a face, 8 ft. high. Value, \$90.
No. 7.	A cut, the mouth of which bears N. 10° W., 89.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 2 lode, 4 ft. wide, runs North, 6 ft. to a face, 5 ft. high. Value, \$60.
No. 1.	The discovery point of the Old 60 & 70 No. 3 lode is on the lode line, 900 ft. from the line 1-2; at a point, 300 ft. from Cor. No. 1. Value, None.
No. 2.	A cut, the mouth of which bears S. 85° 30' E., 122 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 3 lode, 7 ft. wide, runs N. 36° W., 20 ft. to a face, 12 ft. high. Value, \$200.
No. 3.	A cut, the mouth of which bears S. 79° 30' E., 340.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 3 lode, 6 ft. wide, runs N. 8° W., 10 ft. to a face, 5 ft. high. Value, \$100.
No. 4.	A drill hole, the center of which bears N. 79° 15' E., 341 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 3 lode, 6 ins. diam., vertical, measured 63 ft. deep. Value, \$630.
No. 5.	A cut, the mouth of which bears S. 81° 15' E., 370.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 3 lode, 6 ft. wide, runs N. 40° W., 13 ft. to a face, 7 ft. high. Value, \$130.
No. 1.	The discovery point of the Old 60 & 70 No. 4 lode is on the lode line, 600 ft. from the center of line 1-2. Value, None.
No. 2.	A cut, the mouth of which bears N. 35° 30' E., 601 ft. dist. from Cor. No. 2 of Old 60 & 70 No. 4 lode, 4 ft. wide, runs N. 85° E., 14 ft. to a face, 6 ft. high. Value, \$140.
No. 1.	The discovery point of the Old 60 & 70 No. 5 lode is on the lode line, 1299.54 ft. from the center of line 1-2. Value, None.
No. 2.	A cut, the mouth of which bears S. 88° 15' E., 609.5 ft. dist. from Cor. No. 2 of Old 60 & 70 No. 5 lode, 4 ft. wide, runs N. 15° W., 14 ft. to a face, 7 ft. high. Value, \$140.
No. 1.	The discovery point of the Old 60 & 70 No. 6 lode is on the lode line, 1099.33 ft. from the center of line 1-2. Value, None.

FEET	
No. 2	<p>A cut, the mouth of which bears N. 89°45' E., 445.5 ft. dist. from Cor. No. 1 of Old 60 & 70 No. 6 lode, 6 ft. wide, runs N. 72° W., 10 ft. to a face, 8 ft. high.</p> <p>Value, \$100.</p>
No. 1	<p>The discovery point of the Old 60 & 70 No. 7 lode is on the lode line, 200 ft. from line 1-2; at a point, 291.79 ft. from Cor. No. 1.</p> <p>Value, None.</p>
No. 2	<p>A cut, the mouth of which bears N. 83° 30' E., 357.5 ft. dist., from Cor. No. 1 of Old 60 & 70 No. 7 lode, 5 ft. wide, runs N. 65° E., 10 ft. to a face, 8 ft. high.</p> <p>Value, \$100.</p> <p>An interest in a common improvement described as follows:</p> <p>A tunnel, 5 x 6 ft. in size, the portal of which bears N. 67°30' W., 102.1 ft. from Cor. No. 4 of Surprise No. 1 lode; running S. 39° W., 107 ft. to pt. A, and 117 ft. to breast. At pt. A, center of a vertical winze, 6 x 5 ft. in size, 28 ft. deep; tunnel and winze not timbered.</p> <p>Value of tunnel and winze, \$5,445. Value of one-thirteenth interest, \$418.85.</p> <p>This improvement is for the development of the nine lode claims of this survey, and the Hi Jolly #2, Hi Jolly #3, Hi Jolly #4, and Hi Jolly #5 lodes, unsurveyed, which are all the contiguous lode claims owned in common within the range of benefit of said excavations.</p> <p>This development affords the most practical and economical means of developing each of the stated lodes at depth.</p> <p>Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-thirteenth interest in its value is hereby credited to each of said lodes and a like interest apportioned to each of the other stated lodes of the common group.</p> <p>Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p> <p style="text-align: center;">OTHER IMPROVEMENTS</p> <p>An access road, 12 ft. wide, approximately 6000 ft. long, through the property, that connects with the U. S. Highway No. 60 & 70.</p> <p style="text-align: center;">Claimant herein.</p>

FEET

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

From the 1/4 sec. cor. of sec. 31 & 36, T. 4 N., Rs. 20 & 21 W., the cor. of secs. 1, 6, 31 and 36, Ts. 3 and 4 N., Rs. 20 and 21 W., was found to be S. 0°01' 18" E., instead of South as approved, an iron post, firmly set, marked and witnessed as described in the official record; the cor. of secs. 25, 30, 31, and 36, was found to be correct as approved.

FIELD ASSISTANTS

Truman Stevens

Chainman

Eddie Booth

Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor LOUIS A. CORNEJO	Date December 19, 1966
--	---------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated March 31, 1966 & Amd. Nov. 7, 1966, I have carefully executed the survey of the claim of Royal Investments, Inc. known as the (lode, placer, or mill site) Scott's Weaver Group, consisting of (see below),* situated in Section 31 Township 4 N., Range 20 W., Gila & Salt River Meridian, in the State of Arizona

This survey, designated as number 4646, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lodes location(s) embraced in the said mining claim by claimant(s) or their grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*Surprise No. 1, Surprise No. 3, Old 60 & 70 Nos. 1, 2, 3, 4, 5, 6 and 7 lodes,

PARKER, ARIZONA (Location)	<i>Louis A. Cornejo</i> (Signature of Mineral Surveyor)
-------------------------------	--

CERTIFICATE OF APPROVAL

Bureau of Land Management Office Arizona State Office Location Phoenix, Arizona Date November 13, 1967
--

The foregoing field notes of mineral survey number 4646, in Section 31 Township 4 N., Range 20 W., Gila and Salt River Meridian, in the State of Arizona, executed by Louis A. Cornejo, Mineral Surveyor, under order dated March 31, 1966 and Amended November 7, 1966, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Riley E. Foreman</i> (Authorized Signature) Riley E. Foreman	Acting State Director (Title)
---	----------------------------------

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WASHINGTON, D. C. 20250

December 13, 1987

LOUIS A. COMBES

Division of

Phonix, Arizona

Low Income

1000 N. 1st Ave., Suite 100
Phoenix, Arizona, Inc.

Little Beaver Road (see below)

Section 21

Wild & Wolf River

20

Arizona

The following information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987. The information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987.

The following information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987. The information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987.

The following information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987. The information was obtained from the Bureau of Land Management, Phoenix, Arizona, on December 13, 1987.

Handwritten signature

PHOENIX, ARIZONA

Division of Land Management

Arizona State Office

Phoenix, Arizona

December 13, 1987

Section 21

Wild and Wolf River

Louis A. Combes

Section 21



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4646
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Old 60 & 70 No. 1, Old 60 & 70 No. 2, Old 60 & 70 No. 3, Old 60 & 70 No. 4, Old 60 & 70 No. 5, Old 60 & 70 No. 6, Old 60 & 70 No. 7, Surprise No. 1 and Surprise No. 3 lodes, Mineral Survey No. 4646, located in section 31, Township 4 North, Range 20 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Old 60 & 70 No. 1, Old 60 & 70 No. 2, Old 60 & 70 No. 3, Old 60 & 70 No. 4, Old 60 & 70 No. 5, Old 60 & 70 No. 6, Old 60 & 70 No. 7, Surprise No. 1 and Surprise No. 3 lodes, M.S. 4646, were canceled March 11, 2002, by memo 9605 (956) M.S. 4646, which is now a part of the original field notes."

March 11, 2002
Date



Chief Cadastral Surveyor of Arizona

