

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4655
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

D. W. Jaquays
1219 South 19th Avenue
Phoenix, Arizona 85009

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
B and M	6/13/52	1/17/67

Mining district Martinez			County Yavapai		
Sections 14 & 15	Township 10 North	Range 6 West	Meridian G. & S.R.	Survey under order dated 1/10/67 & 1/31/67	
Survey commenced 1/10/67		Survey completed 2/2/67	Name of Mineral Surveyor Harvey W. Smith (amended)		

SURVEY NO. 4685

1.

FEET

This survey was made with a Swiss Kern theodolite, Model DKM1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and twenty minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles, direct to 10 seconds accuracy and estimating to one second accuracy. The instrument is equipped with a colored eye-shade to be attached for making direct observations on the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 09:11 A.M. on January 11, 1967 at Cor. No. 1 of the B and M lode, latitude $34^{\circ}12'47''$ N., longitude $112^{\circ}49'43''$ W., turning from a reference pt. about 400 ft. southwest, clockwise to the sun in a southeast direction.

True bearing of reference pt. S. $43^{\circ}40'20''$ W.

The lines were measured with a Lufkin "Pioneer" steel tape, 300 ft. in length, graduated every ft. for 299 ft. and the remaining ft. graduated to tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}45'$ E.

Survey No. 4655

B and M Lode

At. Cor. No. 1 of the B and M lode, identical with Cor. No. 5, Sur. No. 882 Why Not lode and on line 1-2 Sur. No. 4617 JAQUAYS No. 11 lode.

Fd. a stone, $12 \times 2\frac{1}{2}$ ins. in size, 12 ins. above ground, firmly set, mkd. W N 3X C No. 1; from which I remove the W N X markings and

Set an iron post, $\frac{3}{4}$ ins. diam., 24 ins. long, in a concrete and rock base, at the true pt. with a brass cap, 2 ins. diam., mkd. MS 882 W N 5 MS 4655 B & M 1X; from which

The $\frac{1}{4}$ cor. of secs. 13 and 14, T. 10 N., R. 6 W., G&SRM bears N. $75^{\circ}36'30''$ E., 4,392.60 ft. dist.; a boulder, 6x8 ins. in size, 8 ins. above ground, firmly set, properly mkd. and witnessed as described in the official record.

A mound of stones with a post 3 ins. diam. sets adjacent to the cor.

Thence S. $43^{\circ}50'20''$ W.

FEET	
300.00	Point for Cor. No. 4 Sur. No. 882 Why Not lode at record dist., hereinafter described.
300.00	Lode line; discovery point bears N. $44^{\circ}42'10''$ W., 350.00 ft. dist.
600.00	Cor. No. 2 identical with Cor. No. 3 Sur. No. 882 Why Not lode and Cor. No. 2 Sur. No. 4617 JAQUAYS No. 11 lode. Fd. an iron post, $3/4$ ins. diam., firmly set, with a brass cap, $2\frac{1}{2}$ ins. diam., 12 ins. above ground, properly mkd. and witnessed as described in the official record to which I add marks M.S. 4655 B&M 2; from which A mound of stones sets adjacent to the iron post. Thence N. $44^{\circ}42'10''$ W.
5.00	Left bank of drainage, 15 ft. wide, course South.
485.00	Unimproved dirt road, bears South and N. 15° E.
600.00	Cor. No. 3 Sur. No. 4617 JAQUAYS No. 11 lode, identical with Cor. No. 2 JAQUAYS No. 10 lode of the same survey.
1200.00	Cor. No. 3 Sur. No. 4617 JAQUAYS No. 10 lode, identical with Cor. No. 2 JAQUAYS No. 9 lode of the same survey.
1500.00	Cor. No. 3 On line 2-3 Sur. No. 4617 JAQUAYS No. 9 lode Set an iron post, $3/4$ ins. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4655 B&M 3X; from which A mound of stones constructed around a wood post, 3 ins. diam., 4 ft. long, adjacent to the iron post. Cor. No. 3 Sur. No. 4617 JAQUAYS No. 9 lode bears N. $44^{\circ}42'10''$ W., 300 ft. dist. Thence N. $43^{\circ}50'20''$ E.
300.00	Lode line; discovery point bears S. $44^{\circ}42'10''$ E., 1,150.00 ft. dist.
600.00	Cor. No. 4 Set an iron post, $3/4$ ins. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. M.S. 4655 B&M 4X; from which

FEET	
	<p>A mound of stones constructed around a wood post, 3 ins. diam., 4 ft. long, adjacent to the iron post.</p> <p>Thence S. 44°42'10" E.</p>
300.00	Intersect line 1-2 Sur. No. 4617 JAQUAYS No. 9 lode, common with line 3-4 JAQUAYS No. 10 lode of the same survey at a point from which Cor. No. 2 JAQUAYS No. 9 lode, identical with Cor. No. 3 JAQUAYS No. 10 lode of the same survey bears S. 43°50'20" W., 600.00 ft. dist.
405.00	Unimproved dirt road, bears N. 10° E. and S. 25° W.
645.00	Right bank of drainage, 25 ft. wide, course S. 10° W.
900.00	Intersect line 1-2, Sur. No. 4617 JAQUAYS No. 10 lode, common with line 3-4 JAQUAYS No. 11 lode of the same survey at a point from which Cor. No. 2 JAQUAYS No. 10 lode, identical with Cor. No. 3 JAQUAYS No. 11 lode of the same survey bears S. 43°50'20" W., 600.00 ft. dist.
1500.00	Cor. No. 1, and place of beginning.
Survey No. 4655	
AREAS	
	Acres
Total area B and M lode.	20.655
Area in conflict with -	
Sur. No. 4617 JAQUAYS No. 9 lode	4.131
Sur. No. 4617 JAQUAYS No. 10 lode.	8.262
Sur. No. 4617 JAQUAYS No. 11 lode.	8.262
LOCATION	
This survey is located in the SW.¼ Sec. 14 and the SE.¼ sec. 15, T. 10 N., R. 6 W., G.&S.R.M.	
The survey of the B and M lode is identical with the amended location as marked on the ground.	
EXPENDITURES	
The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or their grantors are as follows:	
No. 1	<p>The discovery point of the B and M lode is on the lode line 350 ft. from a point on line 1-2, 300.00 ft. from Cor. No. 1.</p> <p style="text-align: right;">Value, None</p>
No. 2	<p>A pit, the NE. cor. of which bears N. 66°30' W., 263 ft. from Cor. No. 1 of the B and M lode; 4x6 ft. in size, 7 ft. deep.</p> <p style="text-align: right;">Value, \$150.00</p>

(This form bound at left)

FEET	
No. 3	<p>A pit, the NW. cor. of which bears S. 87°30' E., 115 ft. from Cor. No. 3 of the B and M lode; 6x8 ft. in size, 8 ft. deep.</p> <p>Value, \$175.00</p>
No. 4	<p>A pit, the NW. cor. of which bears S. 74°30' E., 700.00 ft. from Cor. No. 3 of the B and M lode; 4x6 ft. in size, 8 ft. deep.</p> <p>Value, \$150.00</p>
No. 5	<p>A pit, the NW. cor. of which bears S. 51°00' E., 405.00 ft. from Cor. No. 3 of the B and M lode; 6x7 ft. in size, 8 ft. deep.</p> <p>Value, \$175.00</p>
No. 6	<p>A pit, the SE. cor. of which bears N. 34°30' W., 680.00 ft. from Cor. No. 2 of the B and M lode; 5x7 ft. in size, 6 ft. deep.</p> <p>Value, \$135.00</p>
OTHER IMPROVEMENTS	
	<p>A pit, the SW. cor. of which bears S. 83° E., 175.00 ft. from Cor. No. 3 of the B and M lode; 10x12 ft. in size, 1½ ft. deep.</p> <p>Claimant Unknown</p>
	<p>An untimbered inclined shaft, the SW. cor. of the collar bears S. 75°30' E., 665.00 ft. from Cor. No. 3 of the B and M lode; 5x5 ft. in size, inclined at 20°, running N. 8° E., depth, 50+ ft.</p> <p>Claimant Unknown</p>
	<p>A pit, the NE. cor. of which bears N. 44°00' W., 675.00 ft. from Cor. No. 2 of the B and M lode; 5x8 ft. in size, 7 ft. deep.</p> <p>Claimant Unknown</p>
	<p>A pit, the SW. cor. of which bears S. 61°00' E., 350.00 ft. from Cor. No. 3 of the B and M lode; 8x20 ft. in size, with a 5 ft. on the NE. end.</p> <p>Claimant Unknown</p>
	<p>A pit, the NE. cor. of which bears N. 59°30' W., 480.00 ft. from Cor. No. 1 of the B and M lode; 7x15 ft. in size, with an 8 ft. face on the NE. end.</p> <p>Claimant Unknown</p>
	<p>An inclined shaft, the SE. cor. of the collar bears N. 61°30' W., 370.00 ft. Cor. No. 1 of the B and M lode; 5x6 ft. in size, inclined at 30° and running N. 40° E., 50+ ft.</p> <p>Claimant Unknown</p>

SURVEY NO. 4655

5.

FEET

A timbered inclined shaft, the SE. cor. of the collar bears N. $31^{\circ}00'$ E., 300.00 ft. from Cor. No. 2 of the B and M lode; 4x7 ft. in size, inclined at 32° , running N. 45° E., 350.00 ft. deep with five (5) levels extending northwest and southeast.

Claimant Unknown

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

Sur. No. 882 Why Not lode: Cors. Nos. 3 and 5 described above. Cor. No. 4; no evidence of this corner was found. Line 3-4-5 was found to be N. $43^{\circ}50'20''$ E., 600 ft. as approved under Sur. No. 4617.

Sur. No. 4617 JAQUAYS No. 9 lode: Cors. Nos. 1 and 2, identical with Cors. Nos. 4 and 3 respectively, of the JAQUAYS No. 10 lode of the same survey, and Cors. Nos. 3 and 4 are iron posts, $3/4$ ins. diam., 12 ins. above ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly set, properly mkd. and witnessed as described in the official record.

Sur. No. 4617 JAQUAYS No. 10 lode: Cors. Nos. 3 and 4 described above. Cors. Nos. 1 and 2 identical with Cors. Nos. 4 and 3 respectively of the JAQUAYS No. 11 lode of the same survey are iron posts, $3/4$ ins. diam., 12 ins. above ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly set, properly mkd. and witnessed as described in the official record.

Sur. No. 4617 JAQUAYS No. 9 lode: Cors. Nos. 2, 3, and 4 described above. Cor. No. 1 is an iron post, $3/4$ ins. diam., 12 ins. above ground, with a brass cap, $2\frac{1}{2}$ ins. diam., firmly set, properly mkd. and witnessed as described in the official record.

A diligent search for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15 was made but it was not found.

FIELD ASSISTANTS

Name	Capacity
Robert DePaoli	Chainman-Axeman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Harvey W. Smith	Date 2/2/67
---	----------------

I HEREBY CERTIFY That in pursuance of an order received from the Acting Chief, Division of Engineering at Phoenix, Arizona dated Jan. 10 and Jan. 31, 1967, I have carefully executed the survey of the claim of D. W. Jaquays known as the (lode, placer, or mill site) B and M lode situated in Martinez Mining District, Yavapai County, Secs. 14 & 15 Township 10 N., Range 6 W., Gila and Salt River Meridian, in the State of Arizona

This survey, designated as number 4655, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona (Location)	 (Signature of Mineral Surveyor)
-----------------------------------	---

CERTIFICATE OF APPROVAL

Bureau of Land Management Office Arizona State Office Location Phoenix, Arizona Date August 4, 1967

The foregoing field notes of mineral survey number 4655, in Sections 14 and 15 Township 10 N., Range 6 W., Gila and Salt River Meridian, in the State of Arizona, executed by Harvey W. Smith, Mineral Surveyor, under order dated January 26, 1967, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 (Authorized Signature) Kenneth F. Hansen	Acting State Director (Title)
--	----------------------------------

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF THE HISTORY OF ARTS
CHICAGO, ILLINOIS

Dear Sir:

I have the pleasure to inform you that your application for admission to the Department of the History of Arts has been reviewed and approved. You are hereby admitted to the Department for the fall semester of 1952.

You should report to the Department office at the University of Chicago, 5408 South University Avenue, Chicago, Illinois, on September 1, 1952. Please bring with you a copy of your application, your transcripts, and a check for the required tuition and fees.

Very truly yours,
The Department of the History of Arts

Division of Land Management
Chicago State Office
Chicago, Illinois
September 1, 1952

Enclosed for you are the following items:
1. A copy of the Department's prospectus.
2. A copy of the Department's regulations.
3. A copy of the Department's calendar.

Very truly yours,
The Department of the History of Arts

Enclosed for you are the following items:
1. A copy of the Department's prospectus.
2. A copy of the Department's regulations.
3. A copy of the Department's calendar.