

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4669

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of (name and address of Claimant)

Inspiration Consolidated Copper Co.
Inspiration, Arizona
c/o G. Henry Ladendorff, Attorney at Law
Suite 716, Arizona Bank Building Phoenix, Arizona 85003

Known as the, (name of group, if any)

CHRISTMAS MILL SITES ~~XXXXXXXXXXXXXXXXXXXX~~

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
CHRISTMAS MILL SITE NO. 1	1-22-68	
CHRISTMAS MILL SITE NO. 2	1-22-68	
CHRISTMAS MILL SITE NO. 3	1-19-68	
CHRISTMAS MILL SITE NO. 4	1-19-68	
CHRISTMAS MILL SITE NO. 5	1-22-68	
CHRISTMAS MILL SITE NO. 6	1-22-68	
CHRISTMAS MILL SITE NO. 7	1-22-68	
CHRISTMAS MILL SITE NO. 8	1-22-68	
CHRISTMAS MILL SITE NO. 9	1-19-68	
CHRISTMAS MILL SITE NO. 10	1-19-68	
CHRISTMAS MILL SITE NO. 11	12-29-67	
CHRISTMAS MILL SITE NO. 12	12-29-67	
CHRISTMAS MILL SITE NO. 13	1-19-68	
CHRISTMAS MILL SITE NO. 14	1-19-68	
CHRISTMAS MILL SITE NO. 15	1-22-68	
CHRISTMAS MILL SITE NO. 16	1-22-68	
CHRISTMAS MILL SITE NO. 17	1-22-68	
CHRISTMAS MILL SITE NO. 18	1-22-68	
CHRISTMAS MILL SITE NO. 19	1-19-68	
CHRISTMAS MILL SITE NO. 20	1-19-68	
CHRISTMAS MILL SITE NO. 21	12-29-67	
CHRISTMAS MILL SITE NO. 22	12-29-67	
CHRISTMAS MILL SITE NO. 23	1-4-68	

Mining district Banner		County Gila	
Section Sur. 18 Unsur. 19 & 20	Township 4 South	Range 16 East	Meridian Gila and Salt River
Survey commenced March 15, 1968		Survey completed June 10, 1968	Survey under order dated March 4, 1968
Name of Mineral Surveyor Travis L. Gant			

7
1
0
0
1

1967
1968
1969

...
...
...
...

...

1967-01-01	...
1967-02-01	...
1967-03-01	...
1967-04-01	...
1967-05-01	...
1967-06-01	...
1967-07-01	...
1967-08-01	...
1967-09-01	...
1967-10-01	...
1967-11-01	...
1967-12-31	...
1968-01-01	...
1968-02-01	...
1968-03-01	...
1968-04-01	...
1968-05-01	...
1968-06-01	...
1968-07-01	...
1968-08-01	...
1968-09-01	...
1968-10-01	...
1968-11-01	...
1968-12-31	...
1969-01-01	...

<u>NAME OF LOCATION</u>	<u>Located</u>
CHRISTMAS MILL SITE NO. 24	1-3-68
CHRISTMAS MILL SITE NO. 25	1-3-68
CHRISTMAS MILL SITE NO. 26	12-29-67
CHRISTMAS MILL SITE NO. 27	12-29-67
CHRISTMAS MILL SITE NO. 28	1-19-68
CHRISTMAS MILL SITE NO. 29	1-19-68
CHRISTMAS MILL SITE NO. 30	1-22-68
CHRISTMAS MILL SITE NO. 31	1-22-68
CHRISTMAS MILL SITE NO. 32	1-22-68
CHRISTMAS MILL SITE NO. 33	1-22-68
CHRISTMAS MILL SITE NO. 34	1-19-68
CHRISTMAS MILL SITE NO. 35	1-19-68
CHRISTMAS MILL SITE NO. 36	12-29-67
CHRISTMAS MILL SITE NO. 37	12-29-67
CHRISTMAS MILL SITE NO. 38	1-3-68
CHRISTMAS MILL SITE NO. 39	1-3-68
CHRISTMAS MILL SITE NO. 40	1-5-68
CHRISTMAS MILL SITE NO. 41	1-5-68
CHRISTMAS MILL SITE NO. 42	1-18-68
CHRISTMAS MILL SITE NO. 43	1-5-68
CHRISTMAS MILL SITE NO. 44	1-5-68
CHRISTMAS MILL SITE NO. 45	1-3-68
CHRISTMAS MILL SITE NO. 46	1-3-68
CHRISTMAS MILL SITE NO. 47	12-29-67
CHRISTMAS MILL SITE NO. 48	12-29-67
CHRISTMAS MILL SITE NO. 49	1-19-68
CHRISTMAS MILL SITE NO. 50	1-19-68
CHRISTMAS MILL SITE NO. 51	1-22-68
CHRISTMAS MILL SITE NO. 52	1-22-68
CHRISTMAS MILL SITE NO. 53	1-22-68
CHRISTMAS MILL SITE NO. 54	1-22-68
CHRISTMAS MILL SITE NO. 55	1-19-68

Cont'd on page 3

<u>Location</u>	<u>NAME OF LOCATION</u>
1-1-68	CHRISTMAS MILL SITE NO. 24
1-2-68	CHRISTMAS MILL SITE NO. 25
12-29-67	CHRISTMAS MILL SITE NO. 26
12-27-67	CHRISTMAS MILL SITE NO. 27
1-1-68	CHRISTMAS MILL SITE NO. 28
1-1-68	CHRISTMAS MILL SITE NO. 29
1-2-68	CHRISTMAS MILL SITE NO. 30
1-22-68	CHRISTMAS MILL SITE NO. 31
1-22-68	CHRISTMAS MILL SITE NO. 32
1-22-68	CHRISTMAS MILL SITE NO. 33
1-19-68	CHRISTMAS MILL SITE NO. 34
1-11-68	CHRISTMAS MILL SITE NO. 35
12-29-67	CHRISTMAS MILL SITE NO. 36
12-29-67	CHRISTMAS MILL SITE NO. 37
1-3-68	CHRISTMAS MILL SITE NO. 38
1-3-68	CHRISTMAS MILL SITE NO. 39
1-3-68	CHRISTMAS MILL SITE NO. 40
1-3-68	CHRISTMAS MILL SITE NO. 41
1-18-68	CHRISTMAS MILL SITE NO. 42
1-3-68	CHRISTMAS MILL SITE NO. 43
1-3-68	CHRISTMAS MILL SITE NO. 44
1-3-68	CHRISTMAS MILL SITE NO. 45
1-3-68	CHRISTMAS MILL SITE NO. 46
12-29-67	CHRISTMAS MILL SITE NO. 47
12-29-67	CHRISTMAS MILL SITE NO. 48
1-1-68	CHRISTMAS MILL SITE NO. 49
1-1-68	CHRISTMAS MILL SITE NO. 50
1-22-68	CHRISTMAS MILL SITE NO. 51
1-22-68	CHRISTMAS MILL SITE NO. 52
1-22-68	CHRISTMAS MILL SITE NO. 53
1-22-68	CHRISTMAS MILL SITE NO. 54
1-12-68	CHRISTMAS MILL SITE NO. 55

<u>NAME OF LOCATION</u>	<u>Located</u>
CHRISTMAS MILL SITE NO. 56	1-19-68
CHRISTMAS MILL SITE NO. 57	12-28-67
CHRISTMAS MILL SITE NO. 58	12-28-67
CHRISTMAS MILL SITE NO. 59	1-2-68
CHRISTMAS MILL SITE NO. 60	1-2-68
CHRISTMAS MILL SITE NO. 61	1-5-68
CHRISTMAS MILL SITE NO. 62	1-5-68
CHRISTMAS MILL SITE NO. 63	1-18-68
CHRISTMAS MILL SITE NO. 64	1-18-68
CHRISTMAS MILL SITE NO. 65	1-5-68
CHRISTMAS MILL SITE NO. 66	1-5-68
CHRISTMAS MILL SITE NO. 67	1-2-68
CHRISTMAS MILL SITE NO. 68	1-2-68
CHRISTMAS MILL SITE NO. 69	12-28-67
CHRISTMAS MILL SITE NO. 70	12-28-67
CHRISTMAS MILL SITE NO. 71	12-28-67
CHRISTMAS MILL SITE NO. 72	12-28-67
CHRISTMAS MILL SITE NO. 73	1-2-68
CHRISTMAS MILL SITE NO. 74	1-2-68
CHRISTMAS MILL SITE NO. 75	1-5-68
CHRISTMAS MILL SITE NO. 76	1-5-68
CHRISTMAS MILL SITE NO. 77	1-18-68
CHRISTMAS MILL SITE NO. 78	1-18-68
CHRISTMAS MILL SITE NO. 79	1-5-68
CHRISTMAS MILL SITE NO. 80	1-5-68
CHRISTMAS MILL SITE NO. 81	1-2-68
CHRISTMAS MILL SITE NO. 82	1-2-68
CHRISTMAS MILL SITE NO. 83	12-28-67
CHRISTMAS MILL SITE NO. 84	12-28-67
CHRISTMAS MILL SITE NO. 85	12-28-67
CHRISTMAS MILL SITE NO. 86	12-28-67
CHRISTMAS MILL SITE NO. 87	1-2-68

Cont'd on page 4

<u>DATE</u>	<u>NAME OF LOCATION</u>
1-1-68	CHRISTMAS HILL SITE NO. 58
12-28-67	CHRISTMAS HILL SITE NO. 57
12-28-67	CHRISTMAS HILL SITE NO. 56
1-2-68	CHRISTMAS HILL SITE NO. 55
1-2-68	CHRISTMAS HILL SITE NO. 60
1-2-68	CHRISTMAS HILL SITE NO. 61
1-2-68	CHRISTMAS HILL SITE NO. 62
1-18-68	CHRISTMAS HILL SITE NO. 63
1-18-68	CHRISTMAS HILL SITE NO. 64
1-2-68	CHRISTMAS HILL SITE NO. 65
1-2-68	CHRISTMAS HILL SITE NO. 66
1-2-68	CHRISTMAS HILL SITE NO. 67
1-2-68	CHRISTMAS HILL SITE NO. 68
12-28-67	CHRISTMAS HILL SITE NO. 69
12-28-67	CHRISTMAS HILL SITE NO. 70
12-28-67	CHRISTMAS HILL SITE NO. 71
1-2-68	CHRISTMAS HILL SITE NO. 72
1-2-68	CHRISTMAS HILL SITE NO. 73
1-2-68	CHRISTMAS HILL SITE NO. 74
1-2-68	CHRISTMAS HILL SITE NO. 75
1-2-68	CHRISTMAS HILL SITE NO. 76
1-18-68	CHRISTMAS HILL SITE NO. 77
1-18-68	CHRISTMAS HILL SITE NO. 78
1-2-68	CHRISTMAS HILL SITE NO. 79
1-2-68	CHRISTMAS HILL SITE NO. 80
1-2-68	CHRISTMAS HILL SITE NO. 81
1-2-68	CHRISTMAS HILL SITE NO. 82
12-28-67	CHRISTMAS HILL SITE NO. 83
12-28-67	CHRISTMAS HILL SITE NO. 84
12-28-67	CHRISTMAS HILL SITE NO. 85
12-28-67	CHRISTMAS HILL SITE NO. 86
1-2-68	CHRISTMAS HILL SITE NO. 87

<u>NAME OF LOCATION</u>	<u>Located</u>
CHRISTMAS MILL SITE NO. 88	1-2-68
CHRISTMAS MILL SITE NO. 89	1-5-68
CHRISTMAS MILL SITE NO. 90	1-5-68
CHRISTMAS MILL SITE NO. 91	1-16-68
CHRISTMAS MILL SITE NO. 92	1-16-68
CHRISTMAS MILL SITE NO. 93	1-16-68
CHRISTMAS MILL SITE NO. 94	1-16-68
CHRISTMAS MILL SITE NO. 95	1-5-68
CHRISTMAS MILL SITE NO. 96	1-5-68
CHRISTMAS MILL SITE NO. 97	1-9-68
CHRISTMAS MILL SITE NO. 98	1-9-68
CHRISTMAS MILL SITE NO. 99	1-16-68
CHRISTMAS MILL SITE NO. 100	1-16-68
CHRISTMAS MILL SITE NO. 101	1-16-68
CHRISTMAS MILL SITE NO. 102	1-16-68
CHRISTMAS MILL SITE NO. 103	1-9-68
CHRISTMAS MILL SITE NO. 104	1-9-68
CHRISTMAS MILL SITE NO. 105	1-9-68
CHRISTMAS MILL SITE NO. 106	1-9-68
CHRISTMAS MILL SITE NO. 107	1-16-68
CHRISTMAS MILL SITE NO. 108	1-16-68
CHRISTMAS MILL SITE NO. 109	1-16-68
CHRISTMAS MILL SITE NO. 110	1-16-68
CHRISTMAS MILL SITE NO. 111	1-16-68
CHRISTMAS MILL SITE NO. 112	1-16-68
CHRISTMAS MILL SITE NO. 113	1-9-68
CHRISTMAS MILL SITE NO. 114	1-9-68
CHRISTMAS MILL SITE NO. 115	1-9-68
CHRISTMAS MILL SITE NO. 116	1-9-68
CHRISTMAS MILL SITE NO. 117	1-16-68
CHRISTMAS MILL SITE NO. 118	1-16-68
CHRISTMAS MILL SITE NO. 119	1-16-68

Cont'd on page 5

<u>Location</u>	<u>NAME OF LOCATION</u>
1-2-88	CHRISTMAS MINE SITE NO. 88
1-3-88	CHRISTMAS MINE SITE NO. 89
1-4-88	CHRISTMAS MINE SITE NO. 90
1-10-88	CHRISTMAS MINE SITE NO. 91
1-10-88	CHRISTMAS MINE SITE NO. 92
1-10-88	CHRISTMAS MINE SITE NO. 93
1-10-88	CHRISTMAS MINE SITE NO. 94
1-2-88	CHRISTMAS MINE SITE NO. 95
1-1-88	CHRISTMAS MINE SITE NO. 96
1-2-88	CHRISTMAS MINE SITE NO. 97
1-7-88	CHRISTMAS MINE SITE NO. 98
1-10-88	CHRISTMAS MINE SITE NO. 99
1-10-88	CHRISTMAS MINE SITE NO. 100
1-10-88	CHRISTMAS MINE SITE NO. 101
1-10-88	CHRISTMAS MINE SITE NO. 102
1-2-88	CHRISTMAS MINE SITE NO. 103
1-2-88	CHRISTMAS MINE SITE NO. 104
1-2-88	CHRISTMAS MINE SITE NO. 105
1-2-88	CHRISTMAS MINE SITE NO. 106
1-10-88	CHRISTMAS MINE SITE NO. 107
1-10-88	CHRISTMAS MINE SITE NO. 108
1-10-88	CHRISTMAS MINE SITE NO. 109
1-10-88	CHRISTMAS MINE SITE NO. 110
1-10-88	CHRISTMAS MINE SITE NO. 111
1-10-88	CHRISTMAS MINE SITE NO. 112
1-2-88	CHRISTMAS MINE SITE NO. 113
1-2-88	CHRISTMAS MINE SITE NO. 114
1-2-88	CHRISTMAS MINE SITE NO. 115
1-2-88	CHRISTMAS MINE SITE NO. 116
1-10-88	CHRISTMAS MINE SITE NO. 117
1-10-88	CHRISTMAS MINE SITE NO. 118
1-10-88	CHRISTMAS MINE SITE NO. 119

<u>NAME OF LOCATION</u>	<u>Located</u>
CHRISTMAS MILL SITE NO. 120	1-11-68
CHRISTMAS MILL SITE NO. 121	1-11-68
CHRISTMAS MILL SITE NO. 122	1-16-68
CHRISTMAS MILL SITE NO. 123	1-16-68
CHRISTMAS MILL SITE NO. 124	1-9-68
CHRISTMAS MILL SITE NO. 125	1-9-68
CHRISTMAS MILL SITE NO. 126	1-9-68
CHRISTMAS MILL SITE NO. 127	1-9-68
CHRISTMAS MILL SITE NO. 128	1-10-68
CHRISTMAS MILL SITE NO. 129	1-11-68
CHRISTMAS MILL SITE NO. 130	1-11-68

DATE	NAME OF LOCATION
1-11-68	CHRISTMAS MILL SITE NO. 130
1-11-68	CHRISTMAS MILL SITE NO. 131
1-10-68	CHRISTMAS MILL SITE NO. 132
1-10-68	CHRISTMAS MILL SITE NO. 133
1-9-68	CHRISTMAS MILL SITE NO. 134
1-9-68	CHRISTMAS MILL SITE NO. 135
1-9-68	CHRISTMAS MILL SITE NO. 136
1-9-68	CHRISTMAS MILL SITE NO. 137
1-10-68	CHRISTMAS MILL SITE NO. 138
1-11-68	CHRISTMAS MILL SITE NO. 139
1-11-68	CHRISTMAS MILL SITE NO. 130



FEET

This survey was made with a W. & L. E. Gurley transit, No. 57289, with horizontal limb $6\frac{1}{4}$ ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 30 secs. of arc, the vertical vernier reads to one minute of arc; the eye-piece is equipped with a colored shade set in the dust shutter for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation;

May 31, 1968, at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 106, in latitude $33^{\circ} 04' 16''$ N., and longitude $110^{\circ} 44' 35''$ W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 3000 ft. northward clockwise to the sun.

Mean time of observation, 4:47 p.m.
 105th meridian, standard time=
 Declination of sun at mean time
 of observation = $22^{\circ} 02' 07''$ N.
 Mean observed vertical angle
 to sun's center = $30^{\circ} 46' 48''$
 Mean horizontal angle from
 reference point to sun's
 center, turned clockwise
 and to the right to the
 sun's center = $277^{\circ} 38' 42''$
 True bearing to reference point =
 $N. 0^{\circ} 00' 44'' E.$

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot for 500 ft., with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 ft. Invar tape at the time of beginning of the survey and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ} 30' E.$

SURVEY NO. 4669

CHRISTMAS MILL SITE NO. 1

At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 1, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 6 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 1-1-4669 and CM 6-4-4669; from which

FEET	
	<p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17, T. 4. S., R. 16 E., G. & S. R. M., bears S. $2^{\circ} 19' 25''$ W., 823.80 ft. dist., an iron post 1 in. diam., 12 ins. above ground, firmly set, with brass cap marked as described in the official record.</p> <p>Thence N. $89^{\circ} 54' 30''$ W.</p>
20.63	<p>Intersect the line bet. secs. 16 and 17, at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $0^{\circ} 53' 17''$ W., 823.24 ft. dist., previously described.</p>
600.27	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 2, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 5, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 6 of this survey.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., $1\frac{1}{4}$ ins. in the ground and in a concrete base, with brass cap mkd. CM 1-2-4669, CM 2-1-4669, CM 5-4-4669, and CM 6-3-4669.</p> <p>Thence N. $0^{\circ} 00' 25''$ E.</p>
362.58	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 2 of this survey.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 1-3-4669 and CM 2-4-4669.</p> <p>Thence S. $89^{\circ} 54' 40''$ E.</p>
270	<p>Center local drainage, 12 ft. wide, course North.</p>
585.23	<p>Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $0^{\circ} 53' 17''$ W., 1,185.88 ft. dist.</p>
600.28	<p>Cor. No. 4.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., $1\frac{1}{4}$ ins. in the ground and in a concrete base, with brass cap mkd. CM 1-4-4669; from which</p> <p>A granite rock in place, 12 x 26 ins., 6 ins. above ground, bears S. $80^{\circ} 43' W.$, 35.17 ft. dist., mkd. X B R - CM 1-4-4669 on north face.</p> <p>A granite rock in place, 19 x 20 ins., 5 ins. above ground, bears S. $18^{\circ} 28' E.$, 50.17 ft. dist., mkd. X B R - CM 1-4-4669 on north face.</p> <p>Thence S. $0^{\circ} 00' 32''$ W.</p>
362.61	<p>Cor. No. 1, and place of beginning.</p>
CHRISTMAS MILL SITE NO. 2	

SURVEY NO. 4669

3.

FEET	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 2, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 1, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 5, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 6 of this survey; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $34^{\circ} 31' 26''$ E., 1,000.23 ft. dist., previously described.</p> <p>Thence S. $89^{\circ} 47' 45''$ W.</p>
600.55	<p>Cor. No. 2, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 4 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 5 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 2-2-4669, CM 4-4-4669, and CM 5-3-4669.</p> <p>Thence N. $0^{\circ} 00' 16''$ E.</p>
362.61	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 2-3-4669.</p> <p>Thence N. $89^{\circ} 47' 55''$ E.,</p>
600.57	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 1.</p> <p>Thence S. $0^{\circ} 00' 25''$ W.</p>
362.58	<p>Cor. No. 1, and place of beginning.</p>
	<p>CHRISTMAS MILL SITE NO. 3</p>
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 4, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 9, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 10 of this survey.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 3-1-4669, CM 4-2-4669, 9-3-4669, and 10-4-4669; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $75^{\circ} 23' 10''$ E., 1,826.39 ft. dist., previously described.</p> <p>Thence S. $89^{\circ} 05' 02''$ W.</p>
601.05	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 10 of this survey.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 3-2-4669 and CM 10-3-4669.</p> <p>Thence N. $0^{\circ} 00' 10''$ E.</p>
360.95	<p>Cor. No. 3.</p>

(This form bound on left side)

FEET	
	<p>Set an iron post, 1 ins. diam., 2 ft. long, 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 3-3-4669.</p> <p style="text-align: center;">Thence N. 88° 55' 57" E.</p>
290	Center local drainage, 6 ft. wide, course N. 5° W.
601.14	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 4 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 3-4-4669 and CM 4-3-4669.</p> <p style="text-align: center;">Thence S. 0° 00' 54" W.</p>
362.54	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 4	
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 5, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 8, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 9 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 4-1-4669, CM 5-2-4669, CM 8-3-4669, and CM 9-4-4669; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 68° 30' 57" E., 1,254.62 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 52' 33" W.</p>
256	Centerline of road, bears N. 60° E. and S. 60° W.
599.85	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 3, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 9, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 10 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 54" E.</p>
362.54	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 3 of this survey.</p> <p style="text-align: center;">Thence S. 89° 51' 58" E.</p>
280	Center local drainage, 8 ft. wide, course North.
599.79	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 2 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 5 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 16" W.</p>

<p>FEET 207</p>	<p>Centerline of road, bears N. 75° E., and S. 75° W.</p>
<p>362.44</p>	<p>Cor. No. 1, and place of beginning</p>
<p>CHRISTMAS MILL SITE NO. 5</p>	
<p>At Cor. No. 1 of the CHRISTMAS MILLSITE NO. 5, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 6, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 7, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 8 of this survey.</p>	
<p>Set an iron post 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 5-1-4669, CM 6-2-4669, 7-3-4669, and CM 8-4-4669; from which</p>	
<p>The ¼ sec. cor. of Secs. 16 and 17 bears S. 50° 51' 12" E., 731.01 ft. dist., previously described.</p>	
<p>90</p>	<p>Thence S. 89° 48' 36" W. Centerline of road, bears N. 15° W. and S. 15° E.</p>
<p>600.53</p>	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 4, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 8, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 9 of this survey.</p>
<p>Thence N. 0° 00' 16" E.</p>	
<p>155.44</p>	<p>Centerline of road, bears N. 75° E. and S. 75° W.</p>
<p>362.44</p>	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 2, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 4 of this survey.</p>
<p>Thence N. 89° 47' 45" E.</p>	
<p>600.55</p>	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 1, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 2, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 6 of this survey.</p>
<p>Thence S. 0° 00' 25" W.</p>	
<p>362.59</p>	<p>Cor. No. 1, and place of beginning.</p>
<p>CHRISTMAS MILL SITE NO. 6</p>	
<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 6, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 7 of this survey.</p>	
<p>Set an iron post 2 ft. long, 1 ins. in diam., 16 ins. in the ground and in a concrete base, with brass cap mkd. CM 6-1-4669 and CM 7-4-4669; from which</p>	
<p>The ¼ sec. cor. of secs. 16 and 17 bears S. 4° 08' 25" W., 461.73 ft. dist., previously described.</p>	

FEET	
	Thence N. 89° 54' 27" W.
26.20	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 0° 53' 17" W., 460.61 ft. dist., previously described.
230	Center of dry wash, 40 ft. wide, course N. 30° E.
600.26	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 5, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 7, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 8 of this survey.
	Thence N. 0° 00' 25" E.
362.59	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 1, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 2, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 5 of this survey.
	Thence S. 89° 54' 30" E.
579.64	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 0° 53' 17" W., 823.24 ft. dist.
600.27	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 1 of this survey.
	Thence S. 0° 00' 32" W.
230	Center of dry wash, 30 ft. wide, course N. 80° E.
362.60	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 7	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 7, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 16 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 7-1-4669 and CM 16-1-4669; from which
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 18° 47' W., 103.38 ft. dist., previously described.
	Thence N. 89° 54' 02" W.
31.77	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 0° 53' 17" W., 97.94 ft. dist.
560	Water line of storage lake; shore bears N. 70° E. and S. 70° W.

FEET		
600.25	<p>Cor. No. 2, identical with Cor. Nos. 1 of the CHRISTMAS MILL SITE NO. 8 and of the CHRISTMAS MILL SITE NO. 15, and with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 16 of this survey.</p> <p>This corner falls in a reservoir where a monument cannot be preserved, witnessed S. 0° 00' 25" W., 53.07 ft. dist., hereinafter described.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 25" E.</p>	
160	<p>Water line of storage lake; shore bears N. 45° E and S. 45° W.</p>	
362.58	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 5, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 6, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 8 of this survey.</p> <p style="padding-left: 40px;">Thence S. 89° 54' 27" E.</p>	
370.26	<p>Center of dry wash, 40 ft. wide, course N. 30° E.</p>	
574.06	<p>Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 0° 53' 17" W., 460.61 ft. dist.</p>	
600.26	<p>Cor. No. 4, identical with Cor. No. 1 of CHRISTMAS MILL SITE NO. 6 of this survey.</p> <p style="padding-left: 40px;">Thence S. 0° 00' 32" W.</p>	
362.65	<p>Cor. No. 1, and place of beginning.</p>	
<p>CHRISTMAS MILL SITE NO. 8</p>		
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 8, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 7, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 15, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 16 of this survey.</p>		
<p>This corner falls in a reservoir where a monument cannot be preserved, witnessed S. 0° 00' 25" W., 53.07 ft. dist., hereinafter described.</p>		
<p>From the true point for Cor. No. 1,</p>		
<p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 80° 06' 14" E., 575.52 ft. dist., previously described.</p>		
<p style="padding-left: 40px;">Thence S. 89° 48' 33" W.</p>		
180	<p>Water line of storage lake; shore bears N. 45° E. and S. 45° W.</p>	
252	<p>Centerline of road, bears N. 45° E. and S. 45° W.</p>	
600.51	<p>Cor. No. 2, identical with Cor. Nos. 1 of the CHRISTMAS MILL SITE NO. 9 and of the CHRISTMAS MILL SITE NO. 14, and Cor. No. 4 of the</p>	

FEET		
	CHRISTMAS MILL SITE NO. 15 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, and in a concrete base, with brass cap mkd. CM 8-2-4669 CM 9-1-4669, CM 14-1-4669, and CM 15-4-4669.	
	Thence N. 0° 00' 16" E.	
362.59	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 4, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 5, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 9 of this survey.	
	Thence N. 89° 48' 36" E.	
510.53	Centerline of road, bears N. 15° W. and S. 15° E.	
600.53	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 5, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 6, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 7 of this survey.	
	Thence S. 0° 00' 25" W.	
202.58	Water line of storage lake; shore bears N. 45° E., and S. 45° W.	
362.58	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 9	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 9, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 8, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 14, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 15 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 85° 15' 17" E., 1,171.49 ft. dist., previously described.	
	Thence N. 89° 52' 33" W.	
599.92	Cor. No. 2, identical with Cor. Nos. 1 of the CHRISTMAS MILL SITE NO. 10 and of the CHRISTMAS MILL SITE NO. 13, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 14 of this survey.	
	Set an iron post, 3 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 9-2-4669, CM 10-1-4669, CM 13-1-4669, and CM 14-4-4669.	
	Thence N. 0° 00' 54" E.	
279	Centerline of road, bears S. 80° E. and N. 80° W.	
362.59	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 3, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 4 and Cor. No. 4 of	

FEET	
	the CHRISTMAS MILL SITE NO. 10 of this survey.
	Thence S. 89° 52' 33" E.
343.85	Centerline of road, bears N. 60° E. and S. 60° W.
599.85	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 4, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 5, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 8 of this survey.
	Thence S. 0° 00' 16" W.
362.59	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 10	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 10, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 9, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 13, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 14 of this survey; from which
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 86° 49' 10" E., 1,770.12 ft. dist., previously described.
	Thence S. 89° 14' 07" W.
566	Centerline of road, bears N. 10° E. and S. 10° W.
600.94	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 12 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 13 of this survey.
	Set an iron post, 2 ft. long, 1 ins. in diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 10-2-4669, CM 12-1-4669, and CM 13-4-4669.
	Thence N. 0° 00' 10" E.
361.00	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 3 of this survey.
	Thence N. 89° 05' 02" E.
601.05	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 3, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 4, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 9 of this survey.
	Thence S. 0° 00' 54" W.
83.59	Centerline of road, bears S. 80° E. and N. 80° W.
362.59	Cor. No. 1, and place of beginning.

FEET	CHRISTMAS MILL SITE NO. 11
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 11, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 12 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground, with brass cap mkd. CM 11-1-4669 and CM 12-4-4669; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $88^{\circ} 02' 22''$ E., 2,969.56 ft. dist., previously described. Thence S. $0^{\circ} 00' 30''$ W.</p>
335	Centerline of road, bears N. 50° E. and S. 50° W.
363.00	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 12, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 21, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 22 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base with brass cap mkd. CM 11-2-4669, CM 12-3-4669, CM 21-4-4669, and CM 22-1-4669.</p> <p>Thence S. $89^{\circ} 52' 30''$ W.</p>
25	Centerline of road, bears N. 40° E. and S. 40° W.
600.75	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 22 and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 23 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 11-3-4669, CM 22-4-4669 and CM 23-1-4669.</p> <p>Thence N. $0^{\circ} 00' 44''$ W.</p>
270	Center of local drainage, 10 ft. wide, course East.
362.00	<p>Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 11-4-4669; from which</p> <p>A granite rock in place, 16 x 16 ins., 12 ins. above ground, bears S. $30^{\circ} 24' E.$, 23.46 ft. dist., mkd. X B R - CM 11-4-4669 on northwest face.</p> <p>A granite rock in place, 22 x 15 ins., 10 ins. above the ground, bears N. $81^{\circ} 15' E.$, 22.29 ft. dist., mkd. X B R - CM 11-4-4669 on southeast face.</p> <p>Thence N. $89^{\circ} 46' 47'' E.$</p>
75	Center of local drainage, 10 ft. wide, course N. 10° W.

<p>FEET 600.88</p>	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">CHRISTMAS MILL SITE NO. 12</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 12, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 10 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 13 of this survey; from which</p> <p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. $87^{\circ} 49' 09''$ E., 2,370.00 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence S. $0^{\circ} 00' 10''$ W.</p>
<p>110</p>	<p>Centerline of road, bears N. 45° E. and S. 45° W.</p>
<p>361.06</p>	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 13, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 20, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 21 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, and in a concrete base, with brass cap mkd. CM 12-2-4669, CM 13-3-4669, CM 20-4-4669 and CM 21-1-4669.</p> <p style="padding-left: 40px;">Thence N. $89^{\circ} 05' 46''$ W.</p>
<p>599.64</p>	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 11, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 21, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 22 of this survey.</p> <p style="padding-left: 40px;">Thence N. $0^{\circ} 00' 30''$ E.</p>
<p>28</p>	<p>Centerline of road, bears N. 50° E. and S. 50° W.</p>
<p>363.00</p>	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 11 of this survey.</p> <p style="padding-left: 40px;">Thence S. $88^{\circ} 54' 38''$ E.</p>
<p>599.65</p>	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">CHRISTMAS MILL SITE NO. 13</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 13, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 9, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 10, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 14 of this survey.</p> <p style="padding-left: 40px;">Thence S. $0^{\circ} 00' 54''$ W.</p>
<p>362.57</p>	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 14, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 19, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 20 of this survey.</p>

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 13-2-4669, CM 14-3-4669, CM 19-4-4669, and CM 20-1-4669.</p> <p>Thence S. 89° 22' 45" W.</p>
600.85	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 12, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 20, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 21 of this survey.</p> <p>Thence N. 0° 00' 10" E.</p>
251.06	<p>Centerline of road, bears N. 45° E. and S. 45° W.</p>
361.06	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 10 and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 12 of this survey.</p> <p>Thence N. 89° 14' 07" E.</p>
34.94	<p>Centerline of road, bears N. 10° E. and S. 10° W.</p>
600.94	<p>Cor. No. 1, and place of beginning.</p>
	<p>CHRISTMAS MILL SITE NO. 14</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 14, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 8, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 9, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 15 of this survey.</p> <p>Thence S. 0° 00' 16" W.</p>
200	<p>Center of dry wash, 30 ft. wide, course N. 75° E.</p>
362.58	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 15, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 18, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 19 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 14-2-4669, CM 15-3-4669, CM 18-4-4669, and CM 19-1-4669.</p> <p>Thence N. 89° 52' 27" W.</p>
174	<p>Center of dry wash, 40 ft. wide, course N. 45° E.</p>
599.99	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 13, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 19, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 20 of this survey.</p>

FEET		
	Thence N. 0° 00' 54" E.	
362.57	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 9, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 10, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 13 of this survey.	
	Thence S. 89° 52' 33" E.	
599.92	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 15		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 15, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 7, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 8, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 16 of this survey.	
	This corner falls in a reservoir where a monument cannot be preserved.	
	Thence S. 0° 00' 25" W.	
41	Water line of storage lake; shore bears N. 45° E. and S. 45° W.	
53.07	A point selected for witness Cor. No. 1.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 15-1-4669, CM 8-1-4669, CM 7-2-4669, and CM 16-4-4669.	
105	Centerline of road, bears East and West.	
362.59	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 16, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 17, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 18 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base with brass cap mkd. CM 15-2-4669, CM 16-3-4669, CM 17-4-4669, and CM 18-1-4669.	
	Thence S. 89° 48' 36" W.	
600.49	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 14, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 18, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 19 of this survey.	
	Thence N. 0° 00' 16" E.	
162.58	Center of dry wash, 30 ft. wide, course N. 75° E.	
362.58	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 8 and Cor. Nos. 1 of the CHRISTMAS MILL SITE NO. 9 and of the CHRISTMAS MILL SITE NO. 14 of this survey.	

FEET	
	Thence N. 89° 48' 33" E.
348.51	Centerline of road, bears N. 45° E. and S. 45° W.
420.51	Waterline of storage lake; shore bears N. 45° E. and S. 45° W.
600.51	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 16	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 16, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 7 of this survey.
	Thence S. 0° 00' 32" W.
362.62	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 17 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 16-2-4669 and CM 17-1-4669.
	Thence N. 89° 53' 52" W.
30.43	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 264.72 ft. dist.
528	Centerline of road, bears N. 15° W. and S. 15° E.
600.24	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 15, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 17, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 18 of this survey.
	Thence N. 0° 00' 25" E.
257.59	Centerline of road, bears East and West.
309.52	Witness Corner for Cor. No. 4, previously described.
321.59	Water line of storage lake; shore bears N. 45° E. and S. 45° W.
362.59	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 7, Cor. Nos. 1 of the CHRISTMAS MILL SITE NO. 8 and of the CHRISTMAS MILL SITE NO. 15 of this survey.
	This corner falls in a reservoir where a monument cannot be preserved.
	Thence S. 89° 54' 02" E.

FEET	
40.25	Water line of storage lake; shore bears N. 70° E. and S. 70° W.
568.48	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 0° 53' 17" W. 97.94 ft. dist.
600.25	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 17	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 17, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 16 of this survey; from which	
The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 7° 09' 15" W., 266.83 ft. dist., previously described.	
Thence S. 0° 00' 32" W.	
182	Power line; bears N. 42° E. and S. 42° W.
362.63	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 31 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 17-2-4669 and CM 31-1-4669.
Thence N. 89° 53' 35" W.	
26.53	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 627.36 ft. dist., previously described.
81	Centerline of road, bears N. 50° W. and S. 50° E.
157	Power line; bears N. 42° E. and S. 42° W.
600.22	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 18, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 30, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 31 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 17-3-4669, CM 18-2-4669, CM 30-1-4669, and CM 31-4-4669.
Thence N. 0° 00' 25" E.	
362.58	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 15, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 16, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 18 of this survey.

FEET	
	Thence S. 89° 53' 52" E.
72.24	Centerline of road, bears N. 15° W. and S. 15° E.
569.81	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 264.72 ft. dist., previously described.
600.24	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 18</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 18, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 15, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 16, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 17 of this survey; from which</p> <p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 65° 03' 35" E., 625.32 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 25" W.</p> <p>362.58 Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 17, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 30, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 31 of this survey.</p> <p style="text-align: center;">Thence S. 89° 48' 32" W.</p> <p>600.48 Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 19, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 29, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 30 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. in diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 18-3-4669, CM 19-2-4669, CM 29-1-4669, and CM 30-4-4669.</p> <p style="text-align: center;">Thence N. 0° 00' 16" E.</p> <p>362.59 Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 14, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 15, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 19 of this survey.</p> <p style="text-align: center;">Thence N. 89° 48' 36" E.</p> <p>600.49 Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 19</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 19, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 14, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 15, and Cor. No.</p>

FEET		
	<p>¼ of the CHRISTMAS MILL SITE NO. 18 of this survey; from which</p> <p>The ¼ sec. cor. of secs. 16 and 17 bears N. 77° 10' 49" E., 1,197.35 ft. dist., previously described.</p> <p>Thence S. 0° 00' 16" W.</p>	
362.59	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 18, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 29, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 30 of this survey.</p> <p>Thence N. 89° 52' 23" W.</p>	
438	<p>Center of dry wash, 25 ft. wide, course N. 45° E.</p>	
600.05	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 20, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 28, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 29 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground and in a concrete base, with brass cap mkd. CM 19-3-4669; CM 20-2-4669, CM 28-1-4669, and CM 29-4-4669.</p> <p>Thence N. 0° 00' 54" E.</p>	
362.58	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 13, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 14, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 20 of this survey.</p> <p>Thence S. 89° 52' 27" E.</p>	
425.99	<p>Center of dry wash, 40 ft. wide, course N. 45° E.</p>	
599.99	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 20</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 20, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 13, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 14, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 19 of this survey; from which</p> <p>The ¼ sec. cor. of secs. 16 and 17 bears N. 81° 29' 36" E., 1,787.15 ft. dist., previously described.</p> <p>Thence S. 0° 00' 54" W.</p>	
362.58	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 19, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 28, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 29 of this survey.</p>	

FEET	
	Thence S. 89° 31' 08" W.
600.76	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 21, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 27, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 28 of this survey. Set an iron post, 2 ft. long, 1 ins. in diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 20-3-4669, CM 21-2-4669, CM 27-1-4669, and CM 28-4-4669.
	Thence N. 0° 00' 10" E.
361.11	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 12, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 13, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 21 of this survey.
	Thence N. 89° 22' 45" E.
600.85	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 21
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 21, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 12, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 13, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 20 of this survey; from which
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 83° 28' 31" E., 2,383.74 ft. dist., previously described.
	Thence S. 0° 00' 10" W.
361.11	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 20, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 27, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 28 of this survey.
	Thence N. 89° 15' 13" W.
599.65	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 22, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 26, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 27 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 21-3-4669, CM 22-2-4669, CM 26-1-4669, and CM 27-4-4669.
	Thence N. 0° 00' 30" E.
362.76	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 11, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 12, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 22 of this survey.

FEET	
599.64	<p>Thence S. 89° 05' 46" E. Cor. No. 1, and place of beginning.</p>
362.76	<p>CHRISTMAS MILL SITE NO. 22</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 22, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 11, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 12, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 21 of this survey; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 84° 57' 59" E., 2,979.36 ft. dist., previously described.</p> <p>Thence S. 0° 00' 30" W.</p> <p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 21, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 26, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 27 of this survey.</p>
585.62	<p>Thence S. 89° 55' 25" W.</p> <p>Centerline of road, bears N. 60° E. and S. 60° W.</p>
600.62	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 23, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 25, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 26 of this survey.</p>
14.71	<p>This corner falls on the edge of a gravel road where a monument cannot be preserved.</p> <p>Set a temporary point for Cor. No. 3.</p> <p>Thence N. 0° 00' 44" W.</p>
362.25	<p>A point selected for witness Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 23, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 25, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 26 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. in diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 22-3-4669, CM 23-2-4669, CM 25-1-4669, and CM 26-4-4669.</p> <p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 11, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 23 of this survey.</p>
575.75	<p>Thence N. 89° 52' 30" E.</p> <p>Centerline of road, bears N. 40° E. and S. 40° W.</p>
600.75	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 23</p>
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 23, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 11, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 22 of this survey; from which</p>
	<p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. $85^{\circ} 47' 22''$ E., 3,578.28 ft. dist., previously described.</p>
	<p style="padding-left: 80px;">Thence S. $0^{\circ} 00' 44''$ E.</p>
347.54	<p>Witness Corner for Cor. No. 2, previously described.</p>
362.25	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 22, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 25, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 26 of this survey.</p>
	<p>This corner falls on the edge of a gravel road where a monument cannot be preserved.</p>
	<p style="padding-left: 80px;">Thence N. $89^{\circ} 54' 53''$ W.</p>
598.32	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 24, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 25 of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. in diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 23-3-4669, CM 24-1-4669, and CM 25-4-4669.</p>
	<p style="padding-left: 80px;">Thence N. $0^{\circ} 01' 54''$ E.</p>
122	<p>Center local drainage, 6 ft. wide, course N. 50° E.</p>
362.99	<p>Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, and in a concrete base, with brass cap mkd. CM 23-4-4669; from which</p> <p style="padding-left: 40px;">A granite rock in place, 30 x 16 ins., 10 ins. above ground, bears N. $32^{\circ} 31'$ E., 20.47 ft. dist., mkd. X B R-CM 23-4-4669 on south face.</p> <p style="padding-left: 40px;">A granite rock in place, 24 x 15 ins., 12 ins. above the ground, bears S. $72^{\circ} 50'$ E., 28.46 ft. dist., Mkd. X B R-CM 23-4-4669 on southwest face.</p> <p style="padding-left: 80px;">Thence S. $89^{\circ} 50' 34''$ E.</p>
188	<p>Center local drainage, 7 ft. wide, course N. 50° E.</p>
598.04	<p>Cor. No. 1, and place of beginning.</p>

FEET		
	CHRISTMAS MILL SITE NO. 24	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 24, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 23 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 25 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. $81^{\circ} 28' 55''$ E., 4,213.34 ft. dist., previously described.	
	Thence S. $0^{\circ} 01' 54''$ W.	
363.00	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 25, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 38, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 39 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground, and in a concrete base, with brass cap mkd. CM 24-2-4669, CM 25-3-4669, CM 38-4-4669, and CM 39-1-4669.	
	Thence S. $88^{\circ} 44' 52''$ W.	
601.45	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 39 and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 40 of this survey.	
	Set an iron post, 2 ft. long, 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 24-3-4669, CM 39-4-4669, and CM 40-1-4669.	
	Thence N. $0^{\circ} 00' 36''$ E.	
182	Center local drainage, 5 ft. wide, course N. 80° E.	
361.30	Cor. No. 4.	
	Set an iron post, 2 ft. long, 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 24-4-4669.	
	Thence N. $88^{\circ} 35' 14''$ E.	
470	Center local drainage, 6 ft. wide, course N. 75° E.	
601.62	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 25	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 25, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 22, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 23, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 26 of this survey.	

FEET		
	<p>This corner falls on the edge of a gravel road where a monument cannot be preserved, witnessed N. 0° 00' 44" W., 14.71 ft. dist., previously described.</p> <p>From the true point for Cor. No. 1, the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 80° 03' 59" E., 3,622.85 ft. dist., previously described.</p> <p>Thence S. 0° 00' 44" E.</p>	
7	Centerline of road, bears N. 60° E. and S. 60° W.	
362.16	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 26, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 37, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 38 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 25-2-4669, CM 26-3-4669, CM 37-4-4669, and CM 38-1-4669.</p> <p>Thence N. 89° 59' 43" W.</p>	
547.60	Centerline of road, bears N. 55° E. and S. 55° W.	
598.60	<p>Cor. No. 3, identical with Cor. NO. 2 of the CHRISTMAS MILL SITE NO. 24, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 38, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 39 of this survey.</p> <p>Thence N. 0° 01' 54" E.</p>	
363.00	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 23, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 24 of this survey.</p> <p>Thence S. 89° 54' 53" E.</p>	
598.32	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 26	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 26, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 21, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 22, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 27 of this survey; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 78° 07' 24" E., 3,032.84 ft. dist., previously described.</p> <p>Thence S. 0° 00' 30" W.</p>	
346.02	<p>A point selected for witness Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 36, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 37 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13</p>	

FEET	
	<p>ins. in the ground, and in a concrete base, with brass cap mkd. WC-CM 26-2-4669, CM 27-3-4669, CM 36-4-4669, and CM 37-1-4669.</p>
363.11	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 36, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 37 of this survey.</p> <p>This corner falls on the near-vertical wall of an arroyo where a permanent monument cannot be established, bears NW and SE.</p> <p style="text-align: center;">Thence N. 89° 59' 08" W.</p>
600.49	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 25, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 37, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 38 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 44" W.</p>
355.16	<p>Centerline of road, bears N. 60° E. and S. 60° W.</p>
362.16	<p>The true point for Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 22, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 23, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 25 of this survey, witnessed N. 0° 00' 44" W., 14.71 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 55' 25" E.</p>
15	<p>Centerline of road, bears N. 60° E., and S. 60° W.</p>
600.62	<p>Cor. No. 1, and place of beginning.</p>
CHRISTMAS MILL SITE NO. 27	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 27, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 21, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 20, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 28 of this survey; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 75° 03' 32" E., 2,451.19 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 08" W.</p>
361.11	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 28, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 35, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 36 of this survey.</p> <p>This corner falls in the center of a dry wash, 20 ft. wide, course N. 60° E., from S. 80° E., where a monument cannot be preserved, witnessed S. 0° 00' 10" W., 33.20 ft. dist., hereinafter described.</p>

FEET		
	Thence N. 89° 26' 40" W.	
170	Center of dry wash, 20 ft. wide, course N. 60° E.	
599.67	The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 26, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 36, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 37 of this survey.	
	This corner falls on the near-vertical wall of an arroyo where a permanent monument cannot be established.	
	Thence N. 0° 00' 30" E.	
17.09	Witness Cor. No. 3, previously described.	
363.11	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 21, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 22, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 26 of this survey.	
	Thence S. 89° 15' 13" E.	
599.65	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 28	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 28, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 19, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 20, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 29 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 70° 28' 15" E., 1,875.47 ft. dist., previously described.	
	Thence S. 0° 00' 54" W.	
298	Center of dry wash, 20 ft. wide, course N. 40° E.	
362.58	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 29, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 34, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 35 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 28-2-4669, CM 29-3-4669, CM 34-4-4669, and CM 35-1-4669.	
	Thence S. 89° 39' 34" W.	
408	Center of local drainage, 10 ft. wide, course North.	

FEET	
600.67	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 35, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 36 of this survey, witnessed S. 0° 00' 10" W., 33.20 ft. dist., hereinafter described.</p> <p>This corner falls in the center of a dry wash, 20 ft. wide, course N. 60° E., from S. 80° E., where a permanent monument cannot be preserved, witnessed S. 0° 00' 10" W., 33.20 ft. dist.</p> <p>Thence N. 0° 00' 08" E.</p>
361.11	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 20, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 21, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 27 of this survey.</p> <p>Thence N. 89° 31' 08" E.</p>
600.76	<p>Cor. No. 1, and place of beginning.</p>
CHRISTMAS MILL SITE NO. 29	
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 29, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 19, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 18, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 30 of this survey; from which</p>	
<p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 61° 42' 53" E., 1,325.83 ft. dist., previously described.</p>	
Thence S. 0° 00' 16" W.	
362.60	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 30, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 33, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 34 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 29-2-4669, CM 30-3-4669, CM 33-4-4669, and CM 34-1-4669.</p>
Thence N. 89° 52' 15" W.	
600.12	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 34, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 35, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 28 of this survey.</p> <p>Thence N. 0° 00' 54" E.</p>
64.58	<p>Center of dry wash, 20 ft. wide, course N. 40° E.</p>
362.58	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 19, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 20, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 28.</p>

FEET		
	Thence S. 89° 52' 23" E.	
162.05	Center of dry wash, 25 ft. wide, course N. 45° E.	
600.05	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 30		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 30, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 17, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 18, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 31 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 42° 09' 33" E., 844.84 ft. dist., previously described.	
	Thence S. 0° 00' 25" W.	
362.59	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 31, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 32, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 33 of this survey.	
	Set an iron post 2 ft. long, 1 ins. diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 30-2-4669, CM 31-3-4669, CM 32-4-4669, and CM 33-1-4669.	
	Thence S. 89° 48' 28" W.	
600.47	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 29, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 33, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 34 of this survey.	
	Thence N. 0° 00' 16" E.	
362.60	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 18, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 19, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 29 of this survey.	
	Thence N. 89° 48' 32" E.	
600.48	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 31		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 31, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 17 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 3° 01' 38" W., 628.26 ft. dist., previously described.	
	Thence S. 0° 00' 32" W.	
75	Centerline of road bears N. 50° W. and S. 50° E.	

FEET		
362.62	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 32 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 31-2-4669, and CM 32-1-4669.	
	Thence N. 89° 53' 25" W.	
22.63	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 990.00 ft. dist.	
472	Power line, bears N. 42° E. and S. 42° W.	
600.21	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 30, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 32, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 33 of this survey.	
	Thence N. 0° 00' 25" E.	
362.59	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 17, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 18, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 30 of this survey.	
	Thence S. 89° 53' 35" E.	
443.22	Power line, bears N. 42° E. and S. 42° W.	
519.22	Centerline of road, bears N. 50° W. and S. 50° E.	
573.69	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 627.36 ft. dist.,	
600.22	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 32	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 32, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 31 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 1° 54' 58" W., 990.55 ft. dist., previously described.	
	Thence S. 0° 00' 32" W.	
80	Centerline of paved highway, bears East and West.	
362.70	Cor. No. 2, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 52 of this survey.	

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 32-2-4669, and CM 52-4-4669.</p> <p>Thence N. 89° 52' 43" W.</p>	
18.72	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 1,352.72 ft. dist.	
600.20	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 33, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 51, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 52 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 32-3-4669, CM 33-2-4669, CM 51-4-4669, and CM 52-3-4669.</p> <p>Thence N. 0° 00' 25" E.</p>	
218	Power line, bears N. 42° E. and S. 42° W.	
273	Centerline of paved highway, bears N. 85° E., and S. 80° W.	
362.58	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 30, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 31, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 33 of this survey.</p> <p>Thence S. 89° 53' 25" E.</p>	
128.21	Power line, bears N. 42° E. and S. 42° W.	
577.58	Intersect the line bet. secs. 16 and 17 at a point from which the $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 0° 36' 26" W., 990.00 ft. dist.	
600.21	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 33	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 33, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 30, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 31, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 32 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 29° 50' 02" E., 1,139.92 ft. dist., previously described.	
	Thence S. 0° 00' 25" W.	
89.58	Centerline of paved highway, bears N. 85° E. and S. 80° W.	

FEET		
144.58	Power line, bears N. 42° E. and S. 42° W.	
362.58	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 32, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 51, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 52 of this survey.</p> <p>Thence S. 89° 48' 29" W.</p>	
192	Power line, bears N. 42° E., and S. 42° W.	
600.45	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 34, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 50 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 51 of this survey.</p> <p>This corner falls on the surface of a paved highway where a monument cannot be preserved, witnessed S. 0° 00' 16" W., 26.88 ft. dist., hereinafter described; highway bears N. 45° E. and S. 45° W.</p> <p>Set a spike in the paved surface for a temporary point for Cor. No. 3.</p> <p>Thence N. 0° 00' 16" E.</p>	
362.58	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 29, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 30, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 34 of this survey.</p> <p>Thence N. 89° 48' 28" E.</p>	
600.47	Cor. No. 1, and place of beginning.	
	<p>CHRISTMAS MILL SITE NO. 34</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 34, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 29, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 30, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 33 of this survey; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 49° 40' 48" E., 1,531.34 ft. dist., previously described.</p> <p>Thence S. 0° 00' 16" W.</p>	
362.58	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 33, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 50, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 51 of this survey.</p> <p>This corner falls on the surface of a paved highway where a monument cannot be preserved, witnessed S. 0° 00' 16" W., 26.88 ft. dist., hereinafter described.</p>	

FEET		
	Thence N. 89° 52' 20" W.	
600.18	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 35, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 49, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 50 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 34-3-4669, CM 35-2-4669, CM 49-4-4669, and CM 50-3-4669.</p>	
	Thence N. 0° 00' 54" E.	
362.59	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 28, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 29, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 35 of this survey.</p>	
	Thence S. 89° 52' 15" E.	
600.12	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 35	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 35, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 28, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 29, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 34 of this survey; from which</p>	
	<p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 60° 45' 38" E., 2,025.79 ft. dist., previously described.</p>	
	Thence S. 0° 00' 54" W.	
362.59	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 34, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 49, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 50 of this survey.</p>	
	Thence S. 89° 47' 59" W.	
296	Center local drainage, 10 ft. wide, course North.	
600.58	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 36, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 48, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 49 of this survey.</p> <p>This corner falls on slide rock below a roadway where a monument cannot be preserved, witnessed S. 0° 00' 10" W., 116.24 ft. dist., hereinafter described.</p>	

FEET	
	<p>Set a temporary point for Cor. No. 3.</p> <p style="text-align: center;">Thence N. 0° 00' 10" E.</p>
327.91	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 28, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 36 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 35-4-4669, CM 36-1-4669, CM 27-2-4669, and CM 28-3-4669.</p>
361.11	<p>The true point for Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 28, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 36 of this survey.</p> <p>This corner falls in the center of a dry wash, 20 ft. wide, course N. 60° E., from S. 80° E., where a monument cannot be preserved.</p> <p style="text-align: center;">Thence N. 89° 39' 34" E.</p>
192.67	<p>Center of local drainage, 10 ft. wide, course North.</p>
600.67	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 36</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 36, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 27, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 28, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 35 of this survey.</p> <p>This corner falls in the center of a dry wash, 20 ft. wide, course N. 60° E., from S. 80° E., where a monument cannot be preserved; from this point</p> <p style="padding-left: 40px;">The ¼ sec. cor. of secs. 16 and 17 bears N. 67° 15' 02" E., 2,568.12 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 10" W.</p>
33.20	<p>Witness Cor. No. 1, previously described.</p>
361.11	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 35, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 49, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 48 of this survey.</p> <p>This corner falls on slide rock below a roadway where a monument cannot be preserved, witnessed S. 0° 00' 10" W., 116.24 ft. dist., hereinafter described.</p>

FEET	
	Thence N. 89° 38' 10" W.
23	Centerline of road, bears N. 30° W. and S. 30° E.
599.69	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 37, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 48, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 47 of this survey. Set an iron pipe, 2 ft. long, 1 ins. diam., 14 ins. in the ground, and in a concrete base, with brass cap mkd. CM 36-3-4669, CM 37-2-4669, CM 47-4-4669, and CM 48-3-4669.
	Thence N. 0° 00' 34" E.
143	Centerline of road, bears East and West.
350	Center of dry wash, 16 ft. wide, course East.
363.11	The true point for Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 26, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 27, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 37 of this survey. This corner falls on the near-vertical wall of an arroyo where a permanent monument cannot be established, witnessed N. 0° 00' 30" E., 17.09 ft. dist., previously described.
	Thence S. 89° 26' 40" E.
429.67	Center of dry wash, 20 ft. wide, course N. 60° E.
599.67	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 37
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 37, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 26, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 27, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 36 of this survey.
	This corner falls on the near-vertical wall of an arroyo where a permanent monument cannot be established, witnessed N. 0° 00' 30" E., 17.09 ft. dist., previously described.
	From the true point for Cor. No. 1,
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 71° 36' 02" E., 3,127.87 ft. dist., previously described.
	Thence S. 0° 00' 34" W.
13.11	Center of dry wash, 16 ft. wide, course East.
220.11	Centerline of road, bears East and West.

FEET	
363.11	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 36, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 48, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 47 of this survey.</p> <p style="text-align: center;">Thence N. 89° 54' 05" W.</p>
160	<p>Pipeline, 12 ins. diam., bears N. 7° W., and S. 7° E.</p>
315	<p>Centerline of dual concrete drainage pipelines, 48 ins. diam., course N. 45° E.</p>
572	<p>Centerline of road, bears N. 75° E., and S. 75° W.</p>
600.36	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 38, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 46, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 47 of this survey.</p> <p>This corner falls on the cut-bank of a roadway where a permanent monument cannot be established.</p> <p style="text-align: center;">Thence N. 0° 00' 42" W.</p>
13.40	<p>A point selected for witness Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 38, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 46, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 47 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. in diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 37-3-4669, CM 38-2-4669, CM 46-4-4669, and CM 47-3-4669.</p>
362.23	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 25, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 26, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 38 of this survey.</p> <p style="text-align: center;">Thence S. 89° 59' 08" E.</p>
600.49	<p>Cor. No. 1, and place of beginning.</p>
<p>CHRISTMAS MILL SITE NO. 38</p>	
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 38, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 25, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 26, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 37 of this survey; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 74° 32' 11" E., 3,702.50 ft. dist., previously described.</p>	

(This form bound on left side)

FEET		
	Thence S. 0° 00' 42" E.	
348.83	Witness Cor. No. 2, previously described.	
362.23	The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 37, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 47, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 46 of this survey.	
	This corner falls on the Cut-bank of a roadway where a permanent monument cannot be established.	
	Thence S. 89° 55' 31" W.	
598.87	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 39, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 45, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 46 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 38-3-4669, CM 39-2-4669, CM 45-4-4669, and CM 46-3-4669.	
	Thence N. 0° 01' 54" E.	
327.06	Centerline of road, bears N. 55° E. and S. 55° W.	
363.06	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 24, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 25, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 39 of this survey.	
	Thence S. 89° 59' 43" E.	
51	Centerline of road, bears N. 55° E., and S. 55° W.	
598.60	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 39		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 39, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 24, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 25, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 38 of this survey; from which	
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 76° 40' 25" E., 4,282.37 ft. dist., previously described.	
	Thence S. 0° 01' 54" W.	

FEET		
36	Centerline of road, bears N. 55° E. and S. 55° W.	
363.06	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 38, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 46, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 45 of this survey. Thence S. 88° 54' 09" W.	
601.28	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 40, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 44, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 45 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 39-3-4669, CM 40-2-4669, CM 44-4-4669, and CM 45-3-4669. Thence N. 0° 00' 36" E.	
118	Centerline of road, bears East and West.	
361.44	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 24 and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 40 of this survey. Thence N. 88° 44' 52" E.	
601.45	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 40		
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 40, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 24 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 39 of this survey.		
The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 78° 09' 12" E., 4,872.14 ft. dist., previously described.		
Thence S. 0° 00' 36" W.		
243.44	Centerline of road, bears East and West.	
361.44	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 39, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 45, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 44 of this survey. Thence N. 88° 57' 05" W.	
600.51	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 41, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 43, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 44 of this survey.	

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 40-3-4669, CM 41-2-4669, CM 43-4-4669, and CM 44-3-4669.</p> <p>Thence N. 0° 00' 44" E.</p>	
34	Centerline of road, bears N. 65° E. and S. 45° W.	
362.58	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 41 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 40-4-4669, and CM 41-1-4669.</p> <p>Thence S. 88° 50' 32" E.</p>	
600.51	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 41		
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 41, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 40 of this survey; from which</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. 79° 34' 18" E., 5,458.93 ft. dist., previously described.</p> <p>Thence S. 0° 00' 44" W.</p>	
328.58	Centerline of road, bears N. 65° E. and S. 45° W.	
362.58	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 40, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 44, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 43 of this survey.</p> <p>Thence S. 89° 36' 35" W.</p>	
34	Centerline of road, bears N. 45° E., and S. 45° W.	
600.31	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 42 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 43 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 41-3-4669, CM 42-4-4669, and CM 43-3-4669.</p> <p>Thence N. 0° 00' 44" E.</p>	
75	Center of dry wash, 15 ft. wide, course East.	
264	Center of dry wash, 15 ft. wide, course N 40° W.	
362.50	Cor. No. 4.	

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 41-4-4669.</p> <p style="text-align: center;">Thence N. 89° 36' 07" E.</p>	
600.31	<p>Cor. No. 1, and place of beginning.</p>	
	<p>CHRISTMAS MILL SITE NO. 42</p>	
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 42, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 43, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 62, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 63 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 42-1-4669, CM 43-2-4669, CM 62-3-4669, and CM 63-4-4669; from which</p>	
	<p style="text-align: center;">The cor. of secs. 16, 17, 20, and 21, T. 4 S., R. 16 E., G. & S. R. M., bears S. 81° 51' 21" E., 6,057.59 ft. dist., an iron post, 2 ins. diam, 12 ins. above ground, firmly set, with brass cap marked as described in the official record.</p> <p style="text-align: center;">Thence N. 89° 58' 55" W.</p>	
434	<p>Center of dry wash, 20 ft. wide, course North.</p>	
600.31	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 63 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 42-2-4669 and CM 63-3-4669.</p> <p style="text-align: center;">Thence N. 0° 00' 40" E.</p>	
362.55	<p>Cor. No. 3.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 42-3-4669; from which</p>	
	<p style="text-align: center;">A granite rock in place, 30 x 18 ins., 20 ins. above ground, bears N. 32° 56' W., 27.44 ft. dist., mkd. X B R CM 42-3-4669 on southeast face.</p>	
	<p style="text-align: center;">A granite rock in place, 36 x 24 ins., 21 ins. above ground, bears N. 9° 00' E., 54.38 ft. dist., mkd. X B R CM 42-3-4669 on south face.</p> <p style="text-align: center;">Thence S. 89° 55' 18" E.</p>	
513	<p>Center of dry wash, 18 ft. wide, course N. 45° E.</p>	

FEET		
600.31	Cor. No. 4, identical with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 41 and of the CHRISTMAS MILL SITE NO. 43 of this survey.	
	Thence S. 0° 00' 42" W.	
361.92	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 43	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 43, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 44, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 61, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 62 of this survey.	
	This corner falls in the bottom of a ravine where a monument cannot be preserved, course N. 80° E. from S. 45° W., witnessed N. 0° 00' 42" E., 9.35 ft. dist., hereinafter described.	
	Set a temporary point for Cor. No. 1; from which	
	The cor. of secs. 16, 17, 20 and 21, bears S. 80° 55' 41" E., 5,464.56 ft. dist., previously described.	
	Thence S. 89° 39' 54" W.	
440	Centerline of road, bears N. 45° E. and S. 45° W.	
600.31	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 42, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 62, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 63 of this survey.	
	Thence N. 0° 00' 42" E.	
361.92	Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 41 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 42 of this survey.	
	Thence N. 89° 36' 35" E.	
566.31	Centerline of road, bears N. 45° E. and S. 45° W.	
600.31	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 41, and Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 40 and of the CHRISTMAS MILL SITE NO. 44 of this survey.	
	Thence S. 0° 00' 42" W.	
353.15	A point selected for witness Cor. No. 1, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 44, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 61, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 62 of this survey.	

FEET	
362.50	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 43-1-4669, CM 44-2-4669, CM 61-3-4669, and CM 62-4-4669.</p> <p>Cor. No. 1, and place of beginning.</p>
600.49	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 44</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 44, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 45, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 60, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 61 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 44-1-4669, CM 45-2-4669, CM 60-3-4669, and CM 61-4-4669; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20, and 21, bears S. 79° 55' 41" E., 4,870.85 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence N. 89° 03' 55" W.</p> <p>The true point for Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 43, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 61, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 62 of this survey.</p> <p>This corner falls in the bottom of a ravine where a monument cannot be preserved.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 42" E.</p>
9.35	<p>Witness Cor. No. 2, previously described.</p>
362.50	<p>Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 40, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 41, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 43 of this survey.</p> <p style="padding-left: 40px;">Thence S. 88° 57' 05" E.</p>
600.51	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 40 and Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 39 and of the CHRISTMAS MILL SITE NO. 45 of this survey.</p> <p style="padding-left: 40px;">Thence S. 0° 00' 40" W.</p>
275.31	<p>Centerline of dry wash, 12 ft. wide, course East.</p>
361.31	<p>Cor. No. 1, and place of beginning.</p>

(This form bound on left side)

FEET	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 45</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 45, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 46, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 59, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 60 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. 45-1-4669, CM 46-2-4669, CM 59-3-4669, and CM 60-4-4669; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20, and 21, bears S. 78° 23' 34" E., 4,282.32 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence S. 89° 04' 07" W.</p>
601.12	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 44, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 60, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 61 of this survey.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 40" E.</p>
86	<p>Center of dry wash, 12 ft. wide, course East.</p>
361.31	<p>Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 39, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 40, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 44 of this survey.</p> <p style="padding-left: 40px;">Thence N. 88° 54' 09" E.</p>
601.28	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 39, and Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 38 and of the CHRISTMAS MILL SITE NO. 46 of this survey.</p> <p style="padding-left: 40px;">Thence S. 0° 01' 54" W.</p>
312.06	<p>Center of concrete drainage pipeline, 48 ins. diam., course East.</p>
363.06	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 46</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 46, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 47, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 58, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 59 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 46-1-4669, CM 47-2-4669, CM 58-3-4669, and CM 59-4-4669; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20 and 21 bears S. 76° 30' 11" E., 3,697.72 ft. dist., previously described.</p>

FEET	
	Thence S. 89° 51' 47" W.
221	Center of concrete drainage pipeline, 48 ins. diam., course N. 30° E.
599.15	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 45, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 59, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 60 of this survey.
	Thence N. 0° 01' 54" E.
51	Center of concrete drainage pipeline, 48 ins. diam., course East.
363.06	Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 38, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 39, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 45 of this survey.
	Thence N. 89° 55' 31" E.
598.87	The true point for Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 38, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 37 and of the CHRISTMAS MILL SITE NO. 47 of this survey.
	This corner falls on the cut-bank of a roadway where a permanent monument cannot be established, witnessed N. 0° 00' 42" W., 13.40 ft. dist., previously described.
	Thence S. 0° 00' 44" E.
8	Centerline of road, bears N. 75° E., and S. 75° W.
212.41	Center of dual concrete drainage pipelines, 48 ins. diam., course N. 65° E.
362.41	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 47
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 47, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 48, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 57, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 58 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 47-1-4669, CM 48-2-4669, CM 57-3-4669, and CM 58-4-4669; from which
	The cor. of secs. 16, 17, 20 and 21 bears S. 73° 57' 28" E., 3,116.74 ft. dist., previously described.
	Thence N. 89° 50' 05" W.

FEET		
115	Pipeline, 12 ins. diam., bears N. 7° W. and S. 7° E.	
600.23	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 46, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 58, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 59 of this survey. Thence N. 0° 00' 44" W.	
150	Center of dual concrete drainage pipelines, 48 ins. diam., course N. 65° E.	
354.41	Centerline of road, bears N. 75° E. and S. 75° W.	
362.41	The true point for Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 37, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 38, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 46 of this survey. This corner falls on the cut-bank of a roadway where a permanent monument cannot be established; witnessed N. 0° 00' 42" W., 13.40 ft. dist., previously described. Thence S. 89° 54' 05" E.	
28.36	Centerline of road, bears N. 75° E. and S. 75° W.	
285.36	Centerline of dual concrete drainage pipelines, 48 ins. diam., course N. 45° E.	
440.36	Pipeline, 12 ins. diam., bears N. 7° W. and S. 7° E.	
600.36	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 37, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 36 and of the CHRISTMAS MILL SITE NO. 48 of this survey. Thence S. 0° 00' 30" W.	
363.11	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 48	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 48, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 49, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 56, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 57 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 48-1-4669, CM 49-2-4669, CM 56-3-4669, and CM 57-4-4669; from which	
	The cor. of secs. 16, 17, 20 and 21 bears S. 70° 15' 42" E., 2,545.20 ft. dist., previously described.	

FEET		
	Thence N. 89° 50' 08" W.	
90	Centerline of road, bears N. 40° E. and S. 40° W.	
599.71	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 47, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 57, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 58 of this survey.	
	Thence N. 0° 00' 30" E.	
363.11	Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 36, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 37, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 47 of this survey.	
	Thence S. 89° 38' 10" E.	
576.69	Centerline of road, bears N. 30° W., and S. 30° E.	
599.69	The true point for Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 36, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 35 and of the CHRISTMAS MILL SITE NO. 49 of this survey.	
	This corner falls on slide rock below a roadway where a monument cannot be preserved.	
	Thence S. 0° 00' 10" W.	
40	Centerline of road, bears N. 30° W., and S. 30° E.	
116.24	A point selected for witness Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 36, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 35 and of the CHRISTMAS MILL SITE NO. 49 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 48-4-4669, CM 49-3-4669, CM 35-3-4669, and CM 36-2-4669.	
265.02	Centerline of road, bears N. 20° E. and S. 30° W.	
361.02	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 49	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 49, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 50, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 55, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 56 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 49-1-4669, CM 50-2-4669, CM 55-3-4669, and CM 56-4-4669; from which	

FEET		
	<p>The cor. of secs. 16, 17, 20 and 21 bears S. 64° 23' 58" E., 1,990.58 ft. dist., previously described.</p> <p>Thence S. 89° 56' 54" W.</p>	
546	<p>Center local drainage, 10 ft. wide, course N. 40° E.</p>	
600.50	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 48, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 56, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 57 of this survey.</p> <p>Thence N. 0° 00' 10" E.</p>	
96	<p>Centerline of road, bears N. 20° E. and S. 30° W.</p>	
244.78	<p>Witness Cor. No. 3, previously described.</p>	
321.02	<p>Centerline of road, bears N. 30° W., and S. 30° E.</p>	
361.02	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 35, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 36, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 48 of this survey.</p> <p>This corner falls on slide rock below a roadway where a monument cannot be preserved.</p> <p>Thence N. 89° 47' 59" E.</p>	
304.58	<p>Center of local drainage, 10 ft. wide, course North.</p>	
600.58	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 35, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 34 and of the CHRISTMAS MILL SITE NO. 50 of this survey.</p> <p>Thence S. 0° 00' 54" W.</p>	
362.58	<p>Cor. No. 1, and place of beginning.</p>	
	CHRISTMAS MILL SITE NO. 50	
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 50, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 51, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 54, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 55 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 50-1-4669, CM 51-2-4669, CM 54-3-4669, and CM 55-4-4669; from which</p>	

FEET	
	<p>The cor. of secs. 16, 17, 20 and 21 bears S. $54^{\circ} 17' 44''$ E., 1,471.49 ft. dist., previously described.</p> <p>Thence N. $89^{\circ} 52' 16''$ W.</p>
374	Centerline of paved highway, bears N. 15° E. and S. 15° W.
600.25	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 49, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 55, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 56 of this survey.</p> <p>Thence N. $0^{\circ} 00' 54''$ E.</p>
362.58	<p>Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 34, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 35, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 49 of this survey.</p> <p>Thence S. $89^{\circ} 52' 20''$ E.</p>
600.18	<p>The true point for Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 34, and Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 33 and of the CHRISTMAS MILL SITE NO. 51 of this survey.</p> <p>This corner falls on the surface of a paved highway where a monument cannot be preserved.</p> <p>Thence S. $0^{\circ} 00' 16''$ W.</p>
26.88	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 34, and Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 33 and of the CHRISTMAS MILL SITE NO. 51 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 50-4-4669, CM 51-3-4669, CM 33-3-4669, and CM 34-2-4669.</p>
362.59	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>CHRISTMAS MILL SITE NO. 51</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 51, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 52, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 53, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 54 of this survey.</p> <p>This corner falls in the bottom of a ravine where a monument cannot be preserved, witnessed S $0^{\circ} 00' 25''$ W., 27.60 ft. dist., hereinafter described.</p> <p>Set a temporary point for Cor. No. 1; from which</p>

FEET	
	<p>The cor. of secs. 16, 17, 20 and 21 bears S. $34^{\circ} 37' 48''$ E., 1,046.11 ft. dist., previously described.</p> <p>Thence S. $89^{\circ} 48' 30''$ W.</p>
422	Center of dry wash, 18 ft. wide, course N. 30° E.
562.44	Power line, bears N. 45° E. and S. 45° W.
600.44	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 50, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 54, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 55 of this survey.
	Thence N. $0^{\circ} 00' 16''$ E.
335.71	Witness Cor. No. 3, previously described.
362.59	The true point for Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 33, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 34, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 50 of this survey.
	This corner falls on the surface of a paved highway where a monument cannot be preserved.
	Thence N. $89^{\circ} 48' 29''$ E.
408.45	Power line, bears N. 42° E. and S. 42° W.
600.45	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 33, and with Cor. Nos. 3 of the CHRISTMAS MILL SITE NO. 32 and of the CHRISTMAS MILL SITE NO. 52 of this survey.
	Thence S. $0^{\circ} 00' 25''$ W.
362.59	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 52</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 52, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 53 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 52-1-4669 and CM 53-4-4669; from which</p> <p>The cor. of secs. 16, 17, 20 and 21 bears S. $0^{\circ} 22' 51''$ W., 860.00 ft. dist., previously described.</p> <p>Thence N. $89^{\circ} 55' 25''$ W.</p>

FEET	
14.82	Intersect the line bet. secs. 16 and 17 at a point from which the cor. of secs. 16, 17, 20 and 21, bears S. 0° 36' 26" E., 860.05 ft. dist., previously described.
600.18	<p>The true point for Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 51, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 53, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 54 of this survey.</p> <p>This corner falls in the bottom of a ravine where a monument cannot be preserved, witnessed S. 0° 00' 25" W., 27.60 ft. dist., hereinafter described.</p> <p style="text-align: center;">Thence N. 0° 00' 25" E.</p>
362.59	<p>Cor. No. 3, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 32, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 33, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 51 of this survey.</p> <p style="text-align: center;">Thence S. 89° 52' 43" E.</p>
581.48	Intersect the line bet. secs. 16 and 17 at a point from which the cor. of secs. 16, 17, 20 and 21, bears S. 0° 36' 26" E., 1,222.21 ft. dist.
600.20	<p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 32 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 32" W.</p>
232	Center of dry wash, 18 ft. wide, course East.
362.12	Cor. No. 1, and place of beginning.
<p>CHRISTMAS MILL SITE NO. 53</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 53, on line 1-2 Sur. No. 4443 INSPIRATION 23 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 53-1-4669; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20 and 21, bears S. 0° 38' 50" W., 500.12 ft. dist., previously described.</p> <p style="padding-left: 40px;">A granite rock in place, 50 x 35 ins., 30 ins. above ground, bears S. 18° 41' W., 19.52 ft. dist., mkd. X B R CM 53-1-4669 on North face.</p> <p style="padding-left: 40px;">A granite rock in place, 30 x 24 ins., 18 ins. above the ground, bears N. 86° 35' W., 25.35 ft. dist., mkd. X B R CM 53-1-4669 on Northeast face.</p> <p style="text-align: center;">Thence S. 89° 56' 03" W.</p>	

FEET		
10.95	Intersect the line bet. secs. 16 and 17 at a point from which the cor. of secs. 16, 17, 20 and 21, bears S. 0° 36' 26" E., 500.12 ft. dist.,	
600.16	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 54 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 23 lode, and line 1-2 Sur. No. 4443 INSPIRATION 24 lode. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 53-2-4669 and CM 54-1-4669. Thence N. 0° 00' 25" E.	
56.48	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 23 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 24 lode.	
333.78	A point selected for witness Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 51, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 52, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 54 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 53-3-4669, CM 54-4-4669, CM 51-1-4669, and CM 52-2-4669.	
361.38	The true point for Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 51, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 52, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 54 of this survey. This corner falls in the bottom of a ravine where a monument cannot be preserved. Thence S. 89° 55' 25" E.	
585.36	Intersect the line bet. secs. 16 and 17 at a point from which the cor. of secs. 16, 17, 20 and 21, bears S. 0° 36' 26" E., 860.05 ft. dist.	
600.18	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 52 of this survey. Thence S. 0° 00' 32" W.	
304.04	Intersect Cor. No. 1 of Sur. No. 4443 INSPIRATION 23 lode.	
359.89	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 54		

FEET	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 54, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 53 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 23 lode and line 1-2 Sur. No. 4443 INSPIRATION 24 lode; from which</p> <p>The cor. of secs. 16, 17, 20 and 21, bears S. 49° 58' 10" E., 776.44 ft. dist., previously described.</p> <p>Thence S. 89° 58' 20" W.</p>
600.43	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 55 of this survey, on line 3-4, Sur. No. 4443 INSPIRATION 24 lode and line 1-2, Sur. No. 4443 INSPIRATION 25 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 54-2-4669, and CM 55-1-4669.</p> <p>Thence N. 0° 00' 16" E.</p>
56.83	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 24 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 25 lode.
195	Center of dry wash, 10 ft. wide, course S. 80° E.
321.66	Power line, bears N. 45° E. and S. 45° W.
359.66	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 50, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 51, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 55 of this survey.</p> <p>Thence N. 89° 48' 30" E.</p>
38	Power line, bears N. 45° E. and S. 45° W.
178.44	Center of dry wash, 18 ft. wide, course N. 30° E.
600.44	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 51, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 52, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 53 of this survey.</p> <p>This corner falls in the bottom of a ravine where a monument cannot be preserved.</p> <p>Thence S. 0° 00' 25" W.</p>
27.60	Witness Cor. No. 4, previously described.
304.90	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 23 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 24 lode.
361.38	Cor. No. 1, and place of beginning.

FEET		
	CHRISTMAS MILL SITE NO. 55	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 55, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 54 of this survey, on line 3-4, Sur. No. 4443 INSPIRATION 24 lode, and line 1-2 Sur. No. 4443 INSPIRATION 25 lode.	
	The cor. of secs. 16, 17, 20, and 21, bears S. 67° 19' 49" E., 1,294.99 ft. dist., previously described.	
	Thence S. 89° 51' 07" W.	
278	Center of dry wash, 10 ft. wide, course North.	
318	Powerline, bears N. 45° E., and S. 45° W.	
400	Centerline of paved highway, bears North and South.	
516	Centerline of road, bears N. 30° E., and S. 30° W.	
600.31	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 56 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 25 lode and line 1-2 Sur. No. 4443 INSPIRATION 26 lode.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 55-2-4669 and CM 56-1-4669.	
	Thence N. 0° 00' 54" E.	
58.38	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 25 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 26 lode.	
362.56	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 49, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 50, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 56 of this survey.	
	Thence S. 89° 52' 16" E.	
226.25	Centerline of paved highway, bears N. 15° E. and S. 15° W.	
600.25	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 50, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 51, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 54 of this survey.	
	Thence S. 0° 00' 16" W.	
38	Powerline, bears N. 45° E., and S. 45° W.	
164.66	Center of dry wash, 10 ft. wide, course S. 80° E.	

FEET	
302.83	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 24 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 25 lode.
359.66	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 56	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 56, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 55 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 25 lode, and line 1-2 Sur. No. 4443 INSPIRATION 26 lode; from which	
The cor. of secs. 16, 17, 20, and 21, bears S. 74° 30' 33" E., 1,862.92 ft. dist., previously described.	
Thence N. 89° 55' 15" W.	
472	Water line of tailings pond, bears N. and S.
600.42	The true point for Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 57, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 70 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.
This corner falls in a tailings pond and cannot be set; witnessed S. 0° 00' 10" W., 117.63 ft. dist., hereinafter described.	
Thence N. 0° 00' 08" E.	
57.69	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 26 lode.
274.19	Crest of tailings dam, bears East and West.
336.19	Toe of tailings dam.
361.19	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 48, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 49, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 57 of this survey.
Thence N. 89° 56' 54" E.	
54.50	Center local drainage, 10 ft. wide, course N. 40° E.
600.50	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 49, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 50, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 55 of this survey.
Thence S. 0° 00' 54" W.	
304.18	Intersect Cor. No. 4 Sur. No. 4443 INSPIRATION 25 lode, identical with Cor. No. 1 of Sur. No. 4443 INSPIRATION 26 lode.

FEET	
362.56	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 57	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 57, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 56, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 70 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.	
This corner falls in a tailings pond and cannot be set, witnessed S. 0° 00' 10" W., 117.63 ft. dist., hereinafter described.	
From the true point for Cor. No. 1,	
The cor. of secs. 16, 17, 20, and 21, bears S. 78° 14' 52" E., 2,446.96 ft. dist., previously described.	
Thence S. 89° 58' 58" W.	
125	Water line of tailings pond, bears N. 20° W. and S. 20° E.
151	Centerline of road, bears N. 25° W. and S. 25° E.
599.76	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 58, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 69, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 70 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 57-2-4669, CM 58-1-4669, CM 69-4-4669, and CM 70-3-4669.	
Thence N. 0° 00' 32" E.	
363.09	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 47, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 48, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 58 of this survey.
Thence S. 89° 50' 08" E.	
509.71	Centerline of road, bears N. 40° E. and S. 40° W.
599.71	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 48, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 49, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 56 of this survey.
Thence S. 0° 00' 08" W.	
25	Toe of tailings dam.
87	Crest of tailings dam, bears East and West.
303.50	Intersect Cor. No. 4 of Sur. No. 4443 INSPIRATION 26 lode.
361.19	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 58</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 58, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 57, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 69, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 70 of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20, and 21, bears S. 80° 33' 25" E., 3,036.58 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 47' 07" W.</p>
88	Pipeline, bears N. 7° W. and S. 7° E.
600.10	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 59, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 68, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 69 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 58-2-4669, CM 59-1-4669, CM 68-4-4669, and CM 69-3-4669.</p> <p style="text-align: center;">Thence N. 0° 00' 42" W.</p>
362.57	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 46, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 47, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 59 of this survey.</p> <p style="text-align: center;">Thence S. 89° 50' 05" E.</p>
485.23	Pipeline, bears N. 7° W. and S. 7° E.
600.23	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 47, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 48, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 57 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 32" W.</p>
363.09	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 59</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 59, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 58, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 68, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 69 of this survey; from which</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20, and 21, bears S. 82° 04' 33" E., 3,630.19 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 89° 48' 59" W.</p>
439.42	Center of concrete drainage pipe, 48 ins. diam., Course N. 30° E.

FEET		
599.42	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 60, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 67, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 68 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 59-2-4669, CM 60-1-4669, CM 67-4-4669, and CM 68-3-4669.</p> <p>Thence N. 0° 01' 54" E.</p>	
363.06	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 45, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 46, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 60 of this survey.</p> <p>Thence N. 89° 51' 47" E.</p>	
378.15	<p>Center of concrete drainage pipe, 48 ins. diam., course N. 30° E.</p>	
599.15	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 46, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 47, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 58 of this survey.</p> <p>Thence S. 0° 00' 42" E.</p>	
362.57	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 60		
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 60, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 59, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 67, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 68 of this survey; from which</p>		
<p>The cor. of secs. 16, 17, 20, and 21 bears S. 83° 13' 21" E., 4,224.47 ft. dist., previously described.</p>		
Thence S. 89° 11' 36" W.		
600.96	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 61, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 66, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 67 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 60-2-4669, CM 61-1-4669, CM 66-4-4669, and CM 67-3-4669.</p> <p>Thence N. 0° 00' 36" E.</p>	
361.75	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 44, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 45, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 61 of this survey.</p>	

FEET		
	<p>Thence N. 89° 04' 07" E.</p>	
601.12	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 45, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 46, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 59 of this survey.</p>	
	<p>Thence S. 0° 01' 54" W.</p>	
363.06	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 61		
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 61, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 60, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 66, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 67 of this survey; from which</p>	
	<p>The cor. of secs. 16, 17, 20, and 21, bears S. 84° 09' 55" E., 4,820.83 ft. dist., - - previously described.</p>	
	<p>Thence N. 89° 08' 11" W.</p>	
600.50	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 62, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 65, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 66 of this survey.</p>	
	<p>Set an iron pipe, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 61-2-4669, CM 62-1-4669, CM 65-4-4669, and CM 66-3-4669.</p>	
	<p>Thence N. 0° 00' 44" E.</p>	
362.50	<p>The true point for Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 43, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 44, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 62 of this survey.</p>	
	<p>This corner falls in the bottom of a ravine where a monument cannot be preserved, witnessed N. 0° 00' 42" E., 9.35 ft. dist., previously described.</p>	
	<p>Thence S. 89° 03' 55" E.</p>	
600.49	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 44, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 45, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 60 of this survey.</p>	
	<p>Thence S. 0° 00' 36" W.</p>	
361.75	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 62		

(This form bound on left side)

FEET	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 62, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 61, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 65, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 66 of this survey; from which</p> <p>The cor. of secs. 16, 17, 20, and 21, bears S. 84° 42' 55" E., 5,419.31 ft. dist., previously described.</p> <p>Thence S. 89° 39' 54" W.</p>
446	Center of local drainage, 10 ft. wide, course N. 20° E.
600.30	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 63, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 64, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 65 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 62-2-4669, CM 63-1-4669, CM 64-4-4669, and CM 65-3-4669.</p> <p>Thence N. 0° 00' 42" E.</p>
204.50	Centerline of road, bears N. 40° E., and S. 40° W.
362.50	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 42, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 43, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 63 of this survey.</p> <p>Thence N. 89° 39' 54" E.</p>
160.31	Centerline of road, bears N. 45° E. and S. 45° W.
600.31	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 43, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 44, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 61 of this survey.</p> <p>This corner falls in the bottom of a ravine where a monument cannot be preserved, witnessed N. 0° 00' 42" E., 9.35 ft. dist., previously described.</p> <p>Thence S. 0° 00' 44" W.</p>
362.50	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 63</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 63, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 62, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 64, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 65 of this survey; from which</p>

FEET		
	<p>The cor. of secs. 19, 20, 29, and 30, T. 4 S., R. 16 E., G. & S. R. M., bears S. 9° 54' 30" E., 5,993.15 ft. dist., an iron pipe 2 ins. diam., 12 ins. above ground, firmly set, with brass cap mkd. as described in the official record.</p> <p>Thence N. 89° 59' 12" W.</p>	
82	Centerline of road, bears North and South.	
125	Center of drainage diversion channel, 20 ft. wide, course North.	
600.30	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 64 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 63-2-4669 and CM 64-3-4669.</p> <p>Thence N. 0° 00' 35" E.</p>	
210	Center of dry wash, 15 ft. wide, course N. 45° E.	
362.55	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 42 of this survey.</p> <p>Thence S. 89° 58' 55" E.</p>	
166.31	Center of dry wash, 20 ft. wide, course North.	
600.31	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 42, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 43, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 62 of this survey.</p> <p>Thence S. 0° 00' 42" W.</p>	
158	Centerline of road, bears N. 40° E. and S. 40° W.	
362.50	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 64		
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 64, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 65, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 76, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 77 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 64-1-4669, CM 65-2-4669, CM 76-3-4669, and CM 77-4-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 10° 32' 36" E., 5,636.42 ft. dist., previously described.</p>	

FEET	
	Thence N. 89° 59' 30" W.
70	Center of local drainage, 8 ft. wide, course N. 50° E.
600.28	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 77 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 64-2-4669 and CM 77-3-4669,
	Thence N. 0° 00' 35" E.
362.55	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 63 of this survey.
	Thence S. 89° 59' 12" E.
475.30	Center of drainage diversion channel, 20 ft. wide, course North.
518.30	Centerline of road, bears North and South.
600.30	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 62, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 63, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 65 of this survey.
	Thence S. 0° 00' 44" W.
145	Toe of diversion dam.
205	Crest of diversion dam, bears N. 40° W. and S. 40° E.
240	Centerline of road, on diversion dam, bears N. 40° W. and S. 40° E.
362.50	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 65
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 65, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 66, and with Cor. Nos. 4 of the CHRISTMAS MILL SITE NO. 75 and of the CHRISTMAS MILL SITE NO. 76 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 65-1-4669, CM 66-2-4669, CM 75-4-4669, and CM 76-4-4669; from which - The cor. of secs. 16, 17, 20, and 21, bears S. 88° 32' 59" E., 5,398.09 ft. dist., previously described.
	Thence S. 89° 39' 54" W.
523.30	Centerline of road at southeast end of diversion dam, bears N. 20° W. and S. 10° W.

FEET	
600.30	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 64, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 76, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 77 of this survey. Thence N. 0° 00' 44" E.
122.50	Centerline of road on diversion dam, bears N. 40° W. and S. 40° E.
157.50	Crest of diversion dam, bears N. 40° W. and S. 40° E.
217.50	Toe of diversion dam.
362.50	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 62, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 63, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 64 of this survey. Thence N. 89° 39' 54" E.
154.30	Center local drainage, 10 ft. wide, course N. 20° E.
600.30	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 61, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 62, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 66 of this survey. Thence S. 0° 00' 44" W.
362.50	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 66	
At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 66, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 67, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 74, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 75 of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 66-1-4669, CM 67-2-4669, CM 74-4-4669, and CM 75-1-4669; from which	
The cor. of secs. 16, 17, 20, and 21 bears S. 88° 28' 10" E., 4,797.62 ft. dist., previously described.	
Thence N. 89° 11' 24" W.	
600.51	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 65, Cor. Nos. 4 of the CHRISTMAS MILL SITE NO. 75, and of the CHRISTMAS MILL SITE NO. 76 of this survey. Thence N. 0° 00' 44" E.
362.50	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 61, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 62, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 65 of this survey.

FEET		
600.50	<p style="text-align: center;">Thence S. 89° 08' 11" E.</p> <p>Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 60, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 61, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 67 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 36" W.</p>	
361.94	Cor. No. 1, and place of beginning.	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 67</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 67, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 68, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 73, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 74 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with Brass cap mkd. CM 67-1-4669, CM 68-2-4669, CM 73-4-4669, and CM 74-1-4669; from which</p> <p style="padding-left: 40px;">The cor. of secs. 16, 17, 20, and 21, bears S. 88° 09' 01" E., 4,197.34 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 89° 18' 00" W.</p> <p>136 Center of local drainage, 8 ft. wide, course North.</p> <p>219 Center of dry wash, 12 ft. wide, course N. 60° E.</p> <p>600.81 Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 66, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 74, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 75 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 36" E.</p> <p>361.94 Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 60, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 61, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 66 of this survey.</p> <p style="text-align: center;">Thence N. 89° 11' 36" E.</p> <p>600.96 Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 59, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 60, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 68 of this survey.</p> <p style="text-align: center;">Thence S. 0° 01' 54" W.</p> <p>242 Center of dry wash, 15 ft. wide, course East.</p> <p>363.06 Cor. No. 1, and place of beginning.</p>	

FEET	
	CHRISTMAS MILL SITE NO. 68
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 68, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 69, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 72, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 73 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 68-1-4669, CM 69-2-4669, CM 72-4-4669, and CM 73-1-4669; from which
	The cor. of secs. 16, 17, 20, and 21, bears S. 87° 48' 14" E., 3,598.10 ft. dist., previously described.
	Thence S. 89° 46' 15" W.
599.69	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 67, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 73, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 74 of this survey.
	Thence N. 0° 01' 54" E.
121.06	Center of dry wash, 15 ft. wide, course East.
363.06	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 59, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 60, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 67 of this survey.
	Thence N. 89° 48' 59" E.
160	Centerline of concrete drainage pipe, 48 ins. diam., course N. 30° E.
599.42	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 58, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 59, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 69 of this survey.
	Thence S. 0° 00' 42" E.
362.58	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 69
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 69, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 70, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 71, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 72 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 69-1-4669, CM 70-2-4669, CM 71-4-4669, and CM 72-1-4669; from which
	The cor. of secs. 16, 17, 20, and 21, bears S. 87° 24' 59" E., 2,998.53 ft. dist., previously described.

(This form bound on left side)

FEET	
	Thence N. 89° 44' 28" W.
340	Centerline of road, bears N. 48° E. and S. 48° W.
412	Pipeline, 12 ins. diam., bears N. 52° E. and S. 52° W.
599.99	Cor. No. 2, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 72, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 73, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 68 of this survey.
	Thence N. 0° 00' 42" W.
362.58	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 58, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 59, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 68 of this survey.
	Thence S. 89° 47' 07" E.
512.10	Pipeline, bears N. 7° W. and S. 7° E.
600.10	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 58, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 57, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 70 of this survey.
	Thence S. 0° 00' 30" W.
363.04	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 70	
At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 70, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 71 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.	
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 70-1-4669, CM 71-1-4669; from which	
The cor. of secs. 16, 17, 20, and 21, bears S. 86° 46' 05" E., 2,399.51 ft. dist., previously described.	
	Thence S. 89° 59' 22" W.
180	Center of local drainage, 6 ft. wide, course N. 50° E.
599.79	Cor. No. 2, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 71, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 72, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 69 of this survey.
	Thence N. 0° 00' 30" E.

FEET		
363.04	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 69, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 58, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 57 of this survey.</p> <p>Thence N. 89° 58' 58" E.</p>	
448.76	<p>Centerline of road, bears N. 25° W. and S. 25° E.</p>	
474.76	<p>Water line of tailings pond, bears N. 20° W. and S. 20° E.</p>	
599.76	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 57 and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 56 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.</p> <p>This corner falls in a tailings pond where a monument cannot be set.</p> <p>Thence S. 0° 00' 10" W.</p>	
65	<p>Water line of tailings pond, bears East and West.</p>	
86	<p>Centerline of road, bears East and West.</p>	
117.63	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 57 and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 56 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC-CM 70-4-4669, CM 57-1-4669, and CM 56-2-4669.</p>	
363.11	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 71		
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 71, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 70 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.</p>		
Thence S. 0° 00' 10" W.		
260	<p>Centerline of road, bears N. 45° E. and S. 45° W.</p>	
287	<p>Powerline, bears N. 58° E. and S. 58° W.</p>	
363.11	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 84 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 71-2-4669 and CM 84-1-4669.</p> <p>Thence S. 89° 59' 46" W.</p>	

(This form bound on left side)

FEET	
62	Centerline of road, bears N. 35° E. and S. 35° W.
108	Powerline, bears N. 58° E. and S. 58° W.
490	Toe of tailings dam.
599.82	<p>The true point for Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 84, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 83, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 72 of this survey.</p> <p>This corner falls on the slope of a tailings dam where a permanent monument cannot be set; witnessed S. 0° 00' 30" W., 221.03 ft. dist., hereinafter described.</p> <p>Set a temporary point for Cor. No. 3.</p> <p style="text-align: center;">Thence N. 0° 00' 30" E.</p>
210.04	Toe of tailings dam.
363.04	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 72, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 69, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 70 of this survey.</p> <p style="text-align: center;">Thence N. 89° 59' 22" E.</p>
419.79	Center of local drainage, 6 ft. wide, course N. 50° E.
599.79	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 72
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 72, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 69, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 70, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 71 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 30" W.</p>
153	Toe of tailings dam.
363.04	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 71, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 84, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 83 of this survey.</p> <p>This corner falls on the slope of a tailings dam where a permanent monument cannot be set; witnessed S. 0° 00' 30" W., 221.03 ft. dist., hereinafter described.</p>

FEET		
	Thence N. 89° 41' 50" W.	
30	Crest of tailings dam, bears N. 25° W. and S. 25° E.	
365	Water level of tailings pond, bears N. 30° E. and S. 30° W.	
599.86	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 73, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 82, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 83 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 72-3-4669, CM 73-2-4669, CM 82-1-4669, and CM 83-4-4669.	
	Thence N. 0° 00' 44" W.	
90.58	Centerline of road, bears N. 20° E., and S. 20° W.	
227.58	Pipeline, bears N. 58° E. and S. 58° W.	
362.58	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 73, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 68, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 69 of this survey.	
	Thence S. 89° 44' 28" E.	
187.99	Pipeline, bears N. 52° E. and S. 52° W.	
259.99	Centerline of road, bears N. 48° E., and S. 48° W.	
599.99	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 73	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 73, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 68, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 69, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 72 of this survey.	
	Thence S. 0° 00' 44" E.	
135	Pipeline, bears N. 58° E. and S. 58° W.	
272	Centerline of road, bears N. 20° E. and S. 20° W.	
362.58	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 72, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 83, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 82 of this survey.	
	Thence S. 89° 43' 30" W.	
33	Centerline of road, bears N. 20° E. and S. 20° W.	
50	Pipeline, bears N. 30° E. and S. 30° W.	

FEET	
599.98	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 82, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 81, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 74 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 73-3-4669, CM 74-2-4669, CM 81-1-4669, and CM 82-4-4669.</p> <p>Thence N. 0° 01' 54" E.</p>
363.06	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 74, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 67, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 68 of this survey.</p> <p>Thence N. 89° 46' 15" E.</p>
599.69	<p>Cor. No. 1, and place of beginning.</p>
CHRISTMAS MILL SITE NO. 74	
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 74, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 67, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 68, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 73 of this survey.</p> <p>Thence S. 0° 01' 54" W.</p>
363.06	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 73, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 82, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 81 of this survey.</p> <p>Thence S. 89° 24' 48" W.</p>
101	<p>Center of local drainage, 10 ft. wide, course North.</p>
600.66	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 81, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 80, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 75 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 74-3-4669, CM 75-2-4669, CM 80-1-4669, and CM 81-4-4669.</p> <p>Thence N. 0° 00' 40" E.</p>
278	<p>Center of dry wash, 10 ft. wide, course N. 30° E.</p>
361.87	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 75, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 66, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 67 of this survey.</p> <p>Thence N. 89° 18' 00" E.</p>

FEET	
381.81	Center of dry wash, 12 ft. wide, course N. 60° E.
464.81	Center of local drainage, 8 ft. wide, course North
600.81	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 75	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 75, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 66, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 67, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 74 of this survey.	
Thence S. 0° 00' 40" W.	
83.87	Center of dry wash, 10 ft. wide, course N. 30° E.
361.87	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 74, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 81, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 80 of this survey.
Thence N. 89° 15' 10" W.	
152	Center of dry wash, 10 ft. wide, course N. 30° E.
600.51	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 76, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 79, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 80 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 75-3-4669, CM 76-1-4669, CM 79-4-4669, and CM 80-4-4669.	
Thence N. 0° 00' 44" E.	
362.53	Cor. No. 4, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 76, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 65, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 66 of this survey.
Thence S. 89° 11' 24" E.	
600.51	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 76	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 76, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 75, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 80, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 79 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 4° 45' 21" E., 5,200.14 ft. dist., previously described.	

FEET	
	Thence S. 89° 40' 04" W.
580.30	Centerline of road, bears North and S. 45° W.
600.30	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 77, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 78, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 79 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 76-2-4669, CM 77-1-4669, CM 78-4-4669, and CM 79-3-4669.
	Thence N. 0° 00' 44" E.
40	Centerline of road, bears N. 75° W. and S. 75° E.
280.50	Centerline of road, bears N. 55° E. and S. 55° W.
362.50	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 77, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 64, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 65 of this survey.
	Thence N. 89° 39' 54" E.
77	Centerline of road, at southeast end of diversion dam, bears N. 20° W. and S. 10° W.
600.30	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 65, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 66, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 75 of this survey.
	Thence S. 0° 00' 44" W.
362.53	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 77.
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 77, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 76, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 79, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 78 of this survey; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 11° 15' 50" E., 5,280.47 ft. dist., previously described.
	Thence N. 89° 59' 45" W.
298	Center of drainage diversion channel, 20 ft. wide, course N. 8° W.
600.26	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 78 of this survey.
	Set an iron post, 2 ft. long, 1 ins. in diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 77-2-4669, and CM 78-3-4669.

FEET		
	Thence N. 0° 00' 35" E.	
142	Center of local drainage, 6 ft. wide, course East.	
362.55	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 64 of this survey.	
	Thence S. 89° 59' 30" E.	
530.28	Center of local drainage, 8 ft. wide, course N. 50° E.	
600.28	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 64, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 65, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 76 of this survey.	
	Thence S. 0° 00' 44" W.	
82	Centerline of road, bears N. 55° E. and S. 55° W.	
322.50	Centerline of road, bears N. 75° W. and S. 75° E.	
362.50	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 78	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 78, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 79, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 90, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 91 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 78-1-4669, CM 79-2-4669, CM 90-3-4669, and CM 91-4-4669; from which	
	The cor. of secs. 19, 20, 29, and 30, bears S. 12° 05' 19" E., 4,925.42 ft. dist., previously described.	
	Thence N. 89° 59' 28" W.	
178	Centerline of road, bears N. 45° E. and S. 55° W.	
280	Center of drainage diversion channel, course N. 30° E., 20 ft. wide.	
600.25	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 91, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 92 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 78-2-4669, CM 91-3-4669, and CM 92-4-4669.	
	Thence N. 0° 00' 35" E.	
362.51	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 77 of this survey.	

FEET	
	Thence S. 89° 59' 45" E.
302.26	Center of drainage diversion channel, 20 ft. wide, course N. 8° W.
600.26	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 77, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 76, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 79 of this survey.
	Thence S. 0° 00' 44" W.
20	Centerline of road, bears N. 45° E. and S. 45° W.
362.56	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 79	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 79, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 80, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 89, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 90 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, and in a concrete base, with brass cap mkd. CM 79-1-4669, CM 80-3-4669, CM 89-3-4669, and CM 90-4-4669; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 5° 06' 45" E., 4,838.95 ft. dist., previously described.
	Thence S. 89° 39' 57" W.
280	Center of dry wash, 10 ft. wide, course N. 55° E.
600.30	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 78, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 91, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 90 of this survey.
	Thence N. 0° 00' 44" E.
342.56	Centerline of road, bears N. 45° E. and S. 45° W.
362.56	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 76, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 77, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 78 of this survey.
	Thence N. 89° 40' 04" E.
20	Centerline of road, bears North and S. 45° W.

FEET		
600.30	<p>Cor. No. 4, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 80, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 75, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 76 of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>	
246.54	Center of dry wash, 10 ft. wide, course N. 85° E.	
362.54	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 80		
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 80, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 75, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 74, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 81 of this survey; from which</p> <p>The cor. of secs. 16, 17, 20, and 21, bears N. 87° 12' 36" E., 4,801.67 ft. dist., previously described.</p> <p>Thence S. 0° 00' 36" W.</p>		
362.04	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 81, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 88, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 89 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 80-2-4669, CM 81-3-4669, CM 88-4-4669, and CM 89-4-4669.</p> <p>Thence N. 89° 18' 02" W.</p>	
497.51	Center of dry wash, 8 ft. wide, course N. 30° E.	
600.51	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 79, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 90, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 89 of this survey.</p> <p>Thence N. 0° 00' 40" E.</p>	
116	Center of dry wash, 10 ft. wide, course N. 85° E.	
362.54	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 75, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 76, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 79 of this survey.</p> <p>Thence S. 89° 15' 10" E.</p>	
448.51	Center of dry wash, 10 ft. wide, course N. 30° E.	
600.51	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET		
	CHRISTMAS MILL SITE NO. 81	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 81, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 74, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 73, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 82 of this survey; from which	
	The cor. of secs. 16, 17, 20, and 21, bears N. 86° 53' 42" E., 4,201.52 ft. dist., previously described.	
	Thence S. 0° 01' 54" W.	
363.06	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 82, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 87, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 88 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 81-2-4669, CM 82-3-4669, CM 87-4-4669, and CM 88-1-4669.	
	Thence S. 89° 30' 38" W.	
175	Center of local drainage, 6 ft. wide, course N. 40° E.	
600.51	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 80, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 88, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 89 of this survey.	
	Thence N. 0° 00' 36" E.	
362.04	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 74, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 75, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 80 of this survey.	
	Thence N. 89° 24' 48" E.	
499.66	Center of local drainage, 10 ft. wide, course North.	
600.66	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 82	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 82, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 73, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 72, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 83 of this survey; from which	
	The cor. of secs. 16, 17, 20, and 21, bears N. 86° 25' 26" E., 3,602.39 ft. dist., previously described.	
	Thence S. 0° 00' 44" E.	

FEET	
309.88	<p>A point selected for witness Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 83, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 86, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 87 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd WC - CM 82-2-4669, CM 83-3-4669, CM 86-4-4669, and CM 87-1-4669.</p>
362.58	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 83, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 86, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 87 of this survey.</p> <p>This corner falls near the edge of a tailings pond where a monument would soon be covered and lost, therefore set a temporary point for the true corner.</p> <p style="text-align: center;">Thence S. 89° 40' 45" W.</p>
162	Centerline of road, bears N. 15° E. and S. 15° W.
182	Pipeline, bears N. 15° E. and S. 15° W.
600.25	<p>Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 88, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 81, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 87 of this survey.</p> <p style="text-align: center;">Thence N. 0° 01' 54" E.</p>
363.06	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 81, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 74, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 73 of this survey.</p> <p style="text-align: center;">Thence N. 89° 43' 30" E.</p>
549.98	Pipeline, bears N. 30° E. and S. 30° W.
566.98	Centerline of road, bears N. 20° E. and S. 20° W.
599.98	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 83</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 83, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 72, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 71, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 84 of this survey.</p> <p>This corner falls on the slope of a tailings dam where a permanent monument cannot be set.</p> <p>From the temporary point set for Cor. No. 1,</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20, and 21, bears N. 85° 39' 00" E., 3,004.18 ft. dist., previously described.</p>

FEET		
	Thence S. 0° 00' 32" W.	
52.04	Crest of tailings dam, bears N. 25° W. and S. 25° E.	
190	Water level of tailings pond, bears East and S. 60° W.	
221.03	A point selected for witness Cor. No. 1, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 72, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 71, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 84 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 83-1-4669, CM 72-2-4669, CM 71-3-4669, and CM 84-4-4669.	
308.04	Power line, bears N. 61° E. and S. 61° W.	
363.04	The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 84, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 85, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 86 of this survey.	
	This corner falls in the center of a graded road where a permanent monument cannot be set, bears N. 70° E. and S. 70° W., witnessed S. 0° 00' 30" W., 60.28 ft. dist., hereinafter described.	
	Set a temporary point for Cor. No. 2.	
	Thence N. 89° 39' 11" W.	
106	Power line, bears N. 61° E., and S. 61° W.	
599.72	The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 82, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 87, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 86 of this survey.	
	This corner falls near the edge of a tailings pond where a monument would soon be covered and lost.	
	Thence N. 0° 00' 44" W.	
52.70	Witness Cor. No. 3, previously described.	
362.58	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 82, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 73, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 72 of this survey.	
	Thence S. 89° 41' 50" E.	
234.86	Water level of tailings pond, bears N. 30° E. and S. 30° W.	
569.86	Crest of tailings dam, bears N. 25° W. and S. 25° E.	
599.86	Cor. No. 1, and place of beginning.	

FEET	
	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 84</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 84, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 71 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode; from which</p> <p style="text-align: center;">The cor. of secs. 16, 17, 20, and 21, bears N. 84° 34' 03" E., 2,406.52 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 10" W.</p>
363.11	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 85 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 84-2-4669 and CM 85-1-4669.</p> <p style="text-align: center;">Thence N. 89° 59' 50" W.</p>
330 560 599.87	<p>Centerline of road, bears N. 10° E. and S. 10° W. Centerline of road, bears N. 60° W. and S. 60° E. The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 83, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 86, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 85 of this survey.</p> <p>This corner falls in the center of a graded road where a permanent monument cannot be set; witnessed S. 0° 00' 30" W., 60.28 ft. dist., hereinafter described.</p> <p style="text-align: center;">Thence N. 0° 00' 32" E.</p>
55	Power line bears N. 61° E. and S. 61° W.
142.01	Witness Cor. No. 4, previously described.
173.04	Water level of tailings pond, bears East and S. 60° W.
311	Crest of tailings dam, bears N. 25° W. and S. 25° E.
363.04	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 83, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 72, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 71 of this survey.</p> <p>This corner falls on the slope of a tailings dam where a permanent monument cannot be set.</p> <p style="text-align: center;">Thence N. 89° 59' 46" E.</p>
109.82	Toe of tailings dam.
491.82	Power line, bears N. 58° E. and S. 58° W.

FEET	
537.82	Centerline of road, bears N. 35° E. and S. 35° W.
599.82	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 85	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 85, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 84 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 26 lode; from which	
The cor. of secs. 16, 17, 20, and 21, bears N. 76° 08' 37" E., 2,467.53 ft. dist., previously described.	
Thence S. 0° 00' 10" W.	
12	Toe of tailings dam.
253	Crest of tailings dam, bears East and West.
353.49	Intersect Cor. No. 3 Sur. No. 4443 INSPIRATION 26 lode, identical with Cor. No. 4 Sur. No. 4443 INSPIRATION 14 lode, and Cor. No. 1 Sur. No. 4443 INSPIRATION 15 lode.
363.09	The true point for Cor. No. 2, on line 3-4 Sur. No. 4443 INSPIRATION 14 lode and line 1-2 Sur. No. 4443 INSPIRATION 15 lode.
This point falls in a tailings pond and was neither monumented nor witnessed.	
Thence N. 89° 59' 26" W.	
558	Water level of tailings pond, bears N. 60° E., and S. 60° W.
599.90	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 86 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 15 lode, and line 1-2 Sur. No. 4443 INSPIRATION 16 lode.
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 85-3-4669 and CM 86-2-4669.	
Thence N. 0° 00' 30" E.	
9.85	Intersect Cor. No. 4 Sur. No. 4443 INSPIRATION 15 lode, identical with Cor. No. 1 Sur. No. 4443 INSPIRATION 16 lode.
117.02	Pipeline, bears East and West.
302.74	A point selected for witness Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 86, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 83, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 84 of this survey.

FEET		
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 85-4-4669, CM 86-1-4669, CM 83-2-4669, and CM 84-3-4669.	
363.02	The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 86, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 83, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 84 of this survey.	
	This corner falls on the center of a graded road where a permanent monument cannot be set.	
	Thence S. 89° 59' 50" E.	
39.87	Centerline of road, bears N. 60° W. and S. 60° E.	
269.87	Centerline of road, bears N. 10° E. and S. 10° W.	
599.87	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 86		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 86, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 83, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 84, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 85 of this survey.	
	This corner falls in the center of a graded road where a permanent monument cannot be set.	
	From the temporary point marking the true corner,	
	The cor. of secs. 16, 17, 20, and 21, bears N. 78° 50' 28" E., 3,053.32 ft. dist., previously described.	
	Thence S. 0° 00' 30" W.	
60.28	Witness Cor. No. 1, previously described.	
246	Pipeline, bears East and West.	
353.17	Intersect Cor. No. 4 Sur. No. 4443 INSPIRATION 15 lode, identical with Cor. No. 1 Sur. No. 4443 INSPIRATION 16 lode.	
363.02	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 85 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 15 lode, and line 1-2 Sur. No. 4443 INSPIRATION 16 lode.	
	Thence N. 89° 35' 03" W.	
306	Pipeline, bears N. 15° E. and S. 15° W.	
324	Centerline of road, bears N. 15° E. and S. 15° W.	

FEET		
599.60	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 87 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 16 lode, and line 3-4 Sur. No. 4443 INSPIRATION 17 lode.</p> <p>This corner falls on the surface of a graded road where a permanent monument cannot be set, bears N. 60° E. and S. 60° W. Thence N. 0° 00' 44" W.</p>	
5.85	<p>Intersect Cor. No. 4 Sur. No. 4443 INSPIRATION 16 lode, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 17 lode.</p>	
47.44	<p>A point selected for witness Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 87 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 86-3-4669, and CM 87-2-4669.</p>	
82	<p>Power line, bears N. 61° E. and S. 61° W.</p>	
362.30	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 87, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 82, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 83 of this survey.</p> <p>This corner falls near the edge of a tailings pond where a monument would soon be covered and lost, witnessed N. 0° 00' 44" W., 52.70 ft. dist., previously described.</p> <p>Thence S. 89° 39' 11" E.</p>	
493.72	<p>Power line, bears N. 61° E. and S. 61° W.</p>	
599.72	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 87		
<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 87, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 82, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 83, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 86 of this survey.</p>		
<p>This corner falls near the edge of a tailings pond where a monument would soon be covered and lost, witnessed N. 0° 00' 44" W., 52.70 ft. dist., previously described.</p>		
<p>From the true point set for Cor. No. 1,</p> <p>The cor. of secs. 16, 17, 20, and 21 bears N. 80° 43' 22" E., 3,642.95 ft. dist., previously described.</p>		

FEET		
	Thence S. 0° 00' 44" E.	
280.30	Power line, bears N. 61° E. and S. 61° W.	
314.86	Witness Cor. No. 2, previously described.	
356.45	Intersect Cor. No. 4 Sur. No. 4443 INSPIRATION 16 lode, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 17 lode.	
362.30	The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 86 of this survey, on line 3-4 Sur. No. 4443 INSPIRATION 16 lode, and line 3-4 Sur. No. 4443 INSPIRATION 17 lode. This corner falls on the surface of a graded road where a permanent monument cannot be set.	
	Thence S. 89° 36' 25" W.	
154	Power line, bears S. 61° W. and N. 61° E.	
180	Centerline of road, bears N. 45° W. and S. 45° E.	
455	Centerline of road, bears N. 45° E. and S. 45° W.	
475	Pipeline, bears N. 40° E. and S. 40° W.	
600.53	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 88 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 17 lode, and line 3-4 Sur. No. 4443 INSPIRATION 18 lode. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 87-3-4669 and CM 88-2-4669.	
	Thence N. 0° 01' 54" E.	
10.32	Intersect Cor. No. 2 Sur. No. 4443 INSPIRATION 17 lode, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 18 lode.	
363.06	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 88, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 81 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 82 of this survey.	
	Thence N. 89° 40' 45" E.	
418.25	Pipeline, bears N. 15° E. and S. 15° W.	
438.25	Centerline of road, N. 15° E. and S. 15° W.	
600.25	Cor. No. 1, and place of beginning.	

FEET		
	CHRISTMAS MILL SITE NO. 88	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 88, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 81, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 82, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 87 of this survey; from which	
	The cor. of secs. 16, 17, 20, and 21, bears N. 81° 59' 12" E., 4,236.92 ft. dist., previously described.	
	Thence S. 0° 01' 54" W.	
352.74	Intersect Cor. No. 2 Sur. No. 4443 INSPIRATION 17 lode, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 18 lode.	
363.06	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 87 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 17 lode, and line 3-4 Sur. No. 4443 INSPIRATION 18 lode.	
	Thence S. 89° 36' 21" W.	
30	Toe of tailings dam.	
135	Crest of tailings dam, bears N. 55° W. and S. 55° E.	
600.36	The true point for Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 89 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 96 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.	
	This corner falls in a tailings pond where a monument cannot be set.	
	Thence N. 0° 00' 36" E.	
14.80	Intersect Cor. No. 2 Sur. No. 4443 INSPIRATION 18 lode.	
160	Crest of tailings dam, bears N. 75° E. and S. 75° W.	
196	Toe of tailings dam.	
237.39	A point selected for witness Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 89, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 96 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 88-3-4669, CM 89-1-4669, and CM 96-4-4669.	
362.06	Cor. No. 4, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 89, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 80, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 81 of this survey.	

FEET	
	Thence N. 89° 30' 38" E.
425.51	Center of local drainage, 6 ft. wide, course N. 40° E.
600.51	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 89	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 89, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 88 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 96 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.
	This corner falls in a tailings pond where a monument cannot be set, witnessed N. 0° 00' 36" E., 237.39 ft. dist., previously described.
	From the true point for Cor. No. 1,
	The cor. of secs. 19, 20, 29, and 30, bears S. 2° 10' 38" W., 4,453.53 ft. dist., previously described.
	Thence N. 89° 20' 44" W.
70	Water level of tailings pond, bears N. and S.
600.52	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 90, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 95, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 96 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 89-2-4669, CM 90-1-4669, CM 95-4-4669, and CM 96-3-4669.
	Thence N. 0° 00' 44" E.
244.53	Center of local drainage, 10 ft. wide, course N. 40° E.
362.53	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 90, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 79, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 80 of this survey.
	Thence S. 89° 18' 02" E.
103	Center of dry wash, 8 ft. wide, course N. 30° E.
600.51	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 80, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 81, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 88 of this survey.
	Thence S. 0° 00' 36" W.
124.67	Witness Cor. No. 1, previously described.
166.06	Toe of tailings dam.

FEET	
202.06	Crest of tailings dam, bears N. 75° E. and S. 75° W.
347.26	Intersect Cor. No. 2 Sur. No. 4443 INSPIRATION 18 lode.
362.06	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 90	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 90, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 89, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 96, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 95 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 5° 31' 36" E., 4,477.99 ft. dist., previously described.	
Thence S. 89° 39' 33" W.	
128	Center of local drainage, 10 ft. wide, course N. 45° E.
600.30	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 91, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 94, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 95 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 90-2-4669, CM 91-1-4669, CM 94-4-4669, and CM 95-3-4669.	
Thence N. 0° 00' 44" E.	
158.60	Center of local drainage, 8 ft. wide, course S. 55° E.
362.60	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 91, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 78, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 79 of this survey.
Thence N. 89° 39' 57" E.	
320.30	Center of dry wash, 10 ft. wide, course N. 55° E
600.30	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 79, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 80, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 89 of this survey.
Thence S. 0° 00' 44" W.	
118	Center of local drainage, 10 ft. wide, course N. 40° E.
362.53	Cor. No. 1, and place of beginning.

FEET	
	CHRISTMAS MILL SITE NO. 91
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 91, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 90, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 95, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 94 of this survey; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 13° 02' 29" E., 4,571.51 ft. dist., previously described.
	Thence N. 89° 59' 12" W.
180	Toe of diversion dam.
270	Crest of diversion dam, bears N. 45° W. and S. 45° E.
288	Centerline of road, 20 ft. wide, on diversion dam, bears N. 45° W. and S. 45° E.
600.23	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 92, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 93, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 94 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 91-2-4669, CM 92-1-4669, CM 93-4-4669, and CM 94-3-4669.
	Thence N. 0° 00' 35" E.
87.55	Center of local drainage, 8 ft. wide, course S. 80° E.
362.55	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 78 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 92 of this survey.
	Thence S. 89° 59' 28" E.
320.25	Centerline of drainage diversion channel, 20 ft. wide, course N. 30° E.
422.25	Centerline of road, bears N. 45° E. and S. 55° W.
600.25	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 78, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 79, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 90 of this survey.
	Thence S. 0° 00' 44" W.
204	Center of local drainage, 8 ft. wide, course S. 55° E.
362.60	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 92
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 92, identical with Cor. No. 2 of the

FEET	
	<p>CHRISTMAS MILL SITE NO. 91, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 94, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 93 of this survey; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 20° 07' 20" E., 4,743.27 ft. dist., previously described.</p> <p>Thence N. 89° 49' 20" W.</p>
599.52	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 93 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 92-2-4669 and CM 93-3-4669.</p> <p>Thence N. 0° 00' 44" E.</p>
362.53	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 92-3-4669; from which</p> <p>A granite rock in place, 30 x 24 ins. 24 ins. above the ground bears N. 88° 22' W., 17.96 ft. dist., mkd. X B R CM 92-3-4669 on East face.</p> <p>A granite rock in place, 24 x 20 ins., 12 ins. above the ground, bears S. 16° 30' W. 52.39 ft. dist., mkd. X B R CM 92-3-4669 on Northeast face.</p> <p>Thence S. 89° 49' 27" E.</p>
599.50	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 91 and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 78 of this survey.</p> <p>Thence S. 0° 00' 35" W.</p>
275	<p>Center local drainage, 8 ft. wide, course S. 80° E.</p>
362.55	<p>Cor. No. 1, and place of beginning.</p>
	<p>CHRISTMAS MILL SITE NO. 93</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 93, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 94, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 99, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 100 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 93-1-4669, CM 94-2-4669, CM 99-3-4669, and CM 100-4-4669; from which</p> <p>The cor. of secs. 19, 20, 20, and 30, bears S. 21° 44' 45" E., 4,404.64 ft. dist., previously described.</p>

FEET		
	Thence N. 89° 49' 13" W.	
599.54	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 100 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 93-2-4669 and CM 100-3-4669.	
	Thence N. 0° 00' 44" E.	
64	Center of local drainage, 8 ft. wide, course N. 45° E.	
362.53	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 92 of this survey. Thence S. 89° 49' 20" E.	
599.52	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 92, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 91, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 94 of this survey. Thence S. 0° 00' 35" W.	
95	Center of local drainage, 8 ft. wide, course East.	
362.55	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 94		
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 94, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 95, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 98, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 99 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 94-1-4669, CM 95-2-4669, CM 98-3-4669, and CM 99-4-4669; from which The cor. of secs. 19, 20, 29, and 30, bears S. 14° 09' 12" E., 4,219.14 ft. dist., previously described. Thence N. 89° 59' 19" W.	
600.21	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 93, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 100, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 99 of this survey. Thence N. 0° 00' 35" E.	
267.55	Center of local drainage, 8 ft. wide, course East.	
362.55	Cor. No. 3, identical with Cor. No. 2 of the	

FEET	
	<p>CHRISTMAS MILL SITE NO. 91, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 92, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 93 of this survey.</p> <p>Thence S. 89° 59' 12" E.</p>
312.23	Centerline of road, 20 ft. wide, on diversion dam, bears N. 45° W. and S. 45° E.
330.23	Crest of diversion dam, bears N. 45° W. and S. 45° E.
420.23	Toe of diversion dam.
600.23	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 91, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 90, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 95 of this survey.
	Thence S. 0° 00' 44" W.
142	Centerline of road, bears N. 80° W. and S. 60° E.
326	Center of drainage diversion channel, 20 ft. wide, course N. 50° W.
362.53	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 95</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 95, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 96, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 97, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 98 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 95-1-4669, CM 96-2-4669, CM 97-3-4669, and CM 98-4-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 6° 00' 52" E., 4,116.83 ft. dist., previously described.</p> <p>Thence S. 89° 42' 15" W.</p>
200	Centerline of road, bears West and N. 65° E.
255	Centerline of road at southeast end of diversion dam, bears N. 52° W. and East.
556.30	Centerline of drainage diversion channel, 20 ft. wide, course N. 50° W.
600.30	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 94, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 99, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 98 of this survey.
	Thence N. 0° 00' 44" E.

FEET		
36.53	Center of drainage diversion channel, 20 ft. wide, course N. 50° W.	
220.53	Centerline of road, bears N. 80° W. and S. 60° E.	
362.53	Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 91, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 90, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 94 of this survey. Thence N. 89° 39' 33" E.	
472.30	Center of dry wash, 10 ft. wide, course N. 45° E.	
600.30	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 90, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 89, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 96 of this survey. Thence S. 0° 00' 44" W.	
268	Centerline of road, bears N. 65° E. and S. 65° W.	
363.00	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 96		
At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 96, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 97 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.		
This corner falls in a tailings pond where a monument cannot be set.		
From the true point for Cor. No. 1,		
The cor. of secs. 19, 20, 29, and 30, bears S. 2° 22' 08" W., 4,091.76 ft. dist., previously described.		
Thence N. 89° 26' 10" W.		
155	Water level of tailings pond, bears N. 10° E. and S. 10° W.	
234.88	A point selected for witness Cor. No. 1, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 97 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 96-1-4669, and CM 97-4-4669.	
402	Centerline of road, bears N. 70° E. and S. 70° W.	
600.53	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 95, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 98, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 97 of this survey.	

(This form bound on left side)

FEET	
	Thence N. 0° 00' 44" E.
95	Centerline of road, bears N. 65° E. and S. 65° W.
363.00	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 89, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 90, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 95 of this survey.
	Thence S. 89° 20' 44" E.
530.52	Water level of tailings pond, bears N. and S.
600.52	The true point for Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 88, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 89 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.
	This corner falls in a tailings pond where a monument cannot be set; witnessed N. 0° 00' 36" E., 237.39 ft. dist., previously described.
	Thence S. 0° 00' 36" W.
362.05	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 97	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 97, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 104 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 97-1-4669, and CM 104-4-4669; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 2° 35' 52" W., 3,730.04 ft. dist., previously described.
	Thence N. 89° 31' 36" W,
45	Water level of tailings pond, bears N. 40° E. and S. 40° W.
170	Water level of tailings pond, bears N. and S.
559.54	Centerline of road, bears N. 35° W. and S. 45° E.
600.54	The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 104, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 103, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 98 of this survey.
	This corner falls on the cut-bank above a road where a monument cannot be preserved; witnessed S. 0° 00' 42" W., 8.78 ft. dist., hereinafter described.

FEET		
	Set a temporary point for Cor. No. 2. Thence N. 0° 00' 44" E.	
363.00	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 96, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 95, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 98 of this survey. Thence S. 89° 26' 10" E.	
198.53	Centerline of road, bears N. 70° E. and S. 70° W.	
365.65	Witness Cor. No. 4, previously described.	
445.53	Water level of tailings pond, bears N. 10° E. and S. 10° W.	
600.53	The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 96 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode. This corner falls in a tailings pond where a monument cannot be set. Thence S. 0° 00' 36" W.	
292	Water level of tailings pond, bears N. 60° E. and S. 60° W.	
362.05	Cor. No. 1, and place of beginning.	
	CHRISTMAS MILL SITE NO. 98	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 98, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 97, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 104, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 103 of this survey. This corner falls on the cut-bank above a road where a monument cannot be preserved; witnessed S. 0° 00' 42" W., 8.78 ft. dist., hereinafter described. From the temporary point set for Cor. No. 1, The cor. of secs. 19, 20, 29, and 30, bears S. 6° 35' 45" E., 3,756.03 ft. dist., previously described. Thence S. 89° 44' 46" W.	
600.29	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 99, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 102, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 103 of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 98-2-4669, CM 99-1-4669, CM 102-4-4669, and CM 103-3-4669.	

FEET		
	Thence N. 0° 00' 42" E.	
241.56	Center of local drainage, 8 ft. wide, course N. 45° E.	
362.56	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 95, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 94, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 99 of this survey.	
	Thence N. 89° 42' 15" E.	
44	Center of drainage diversion channel, 20 ft. wide, course N. 50° W.	
345.30	Centerline of road at southeast end of diversion dam, bears N. 52° W. and East.	
400.30	Centerline of road, bears West and N. 65° E.	
600.30	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 95, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 96, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 97 of this survey.	
	Thence S. 0° 00' 44" W.	
363.00	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 99		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 99, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 98, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 103, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 102 of this survey; from which	
	The cor. of secs. 19, 20, 29, and 30, bears S. 15° 28' 03" E., 3,868.62 ft. dist., previously described.	
	Thence N. 89° 59' 15" W.	
.60	Center of local drainage, 8 ft. wide, course North.	
600.20	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 100, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 101, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 102 of this survey	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 99-2-4669, CM 100-1-4669, CM 101-4-4669, and CM 102-3-4669.	
	Thence N. 0° 00' 35" E.	
362.55	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 94, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 93, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 100 of this survey	

FEET	
	. Thence S. 89° 59' 19" E,
600.21	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 94, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 95, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 98 of this survey.
	Thence S. 0° 00' 42" W.
121	Center of local drainage, 8 ft. wide, course N. 45° E.
362.56	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 100	
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 100, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 99, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 102, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 101 of this survey; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 23° 38' 15" E., 4,070.13 ft. dist., previously described.
	Thence N. 89° 49' 06" W.
599.56	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 101 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 100-2-4669 and CM 101-3-4669.
	Thence N. 0° 00' 44" E.
362.53	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 93 of this survey.
	Thence S. 89° 49' 13" E.
599.54	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 93, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 94, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 99 of this survey.
	Thence S. 0° 00' 35" W.
362.55	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 101	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 101, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 102, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 107, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 108 of this survey.

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 101-1-4669, CM 102-2-4669, CM 107-3-4669, and CM 108-4-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 25° 51' 56" E., 3,740.85 ft. dist., previously described.</p> <p>Thence N. 89° 48' 59" W.</p>
45	Center of local drainage, 6 ft. wide, course N. 60° E.
599.57	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 108 of this survey.
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, and in a concrete base, with brass cap mkd. CM 101-2-4669 and CM 108-3-4669.</p> <p>Thence N. 0° 00' 44" E.</p>
362.53	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 100 of this survey.
	Thence S. 89° 49' 06" E.
599.56	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 100, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 99, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 102 of this survey.
	Thence S. 0° 00' 35" W.
336.55	Center of local drainage, 6 ft. wide, course N. 60° E.
362.55	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 102	
	<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 102, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 103, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 106, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 107 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 102-1-4669, CM 103-2-4669, CM 106-3-4669, and CM 107-4-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 17° 02' 33" E., 3,520.55 ft. dist., previously described.</p> <p>Thence N. 89° 59' 11" W.</p>

FEET	
600.18	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 101, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 108, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 107 of this survey.</p>
	<p>Thence N. 0° 00' 35" E.</p>
26	<p>Center of local drainage, 6 ft. wide, course N. 60° E.</p>
362.55	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 99, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 100, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 101 of this survey.</p>
	<p>Thence S. 89° 59' 15" E.</p>
540.20	<p>Center of local drainage, 8 ft. wide, course North.</p>
600.20	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 99, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 98, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 103 of this survey.</p>
80	<p>Thence S. 0° 00' 44" W.</p>
362.56	<p>Center of local drainage, 6 ft. wide, course N. 45° W. Cor. No. 1, and place of beginning.</p>
<p>CHRISTMAS MILL SITE NO. 103</p>	
<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 103, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 104, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 105, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 106 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 103-1-4669, CM 104-2-4669, CM 105-3-4669, and CM 106-4-4669; from which</p>	
<p>The cor. of secs. 19, 20, 29, and 30, bears S. 7° 18' 02" E., 3,395.70 ft. dist., previously described.</p>	
<p>Thence S. 89° 47' 17" W.</p>	
383	<p>Center of local drainage, 6 ft. wide, course N. 35° W.</p>
600.29	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 106, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 107, and Cor. No. 1 of the CHRISTMAS MILL SITE NO. 102, of this survey.</p>
	<p>Thence N. 0° 00' 44" E.</p>
282.56	<p>Center of local drainage, 6 ft. wide, course N. 45° W.</p>

(This form bound on left side)

FEET		
362.56	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 98, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 99, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 102 of this survey.</p> <p>Thence N. 89° 44' 46" E.</p>	
600.29	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 98, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 97, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 104 of this survey.</p> <p>This corner falls on the cut-bank above a road where a monument cannot be preserved.</p> <p>Thence S. 0° 00' 42" W.</p>	
8.78	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 98, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 97, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 104 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 103-4-4669, CM 98-1-4669, CM 97-2-4669, and CM 104-3-4669.</p>	
363.00	<p>Cor. No. 1, and place of beginning.</p>	
CHRISTMAS MILL SITE NO. 104		
<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 104, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 105 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p>		
<p>This corner falls in the entrance driveway to the concentrator building of the CHRISTMAS Mine where a monument cannot be set; witnessed N. 0° 00' 36" E., 40.10 ft. dist., hereinafter described.</p>		
<p>Set a temporary point for Cor. No. 1, from which</p>		
<p>The cor. of secs. 19, 20, 29, and 30, bears S. 2° 52' 32" W., 3,368.39 ft. dist., previously described.</p>		
Thence N. 89° 37' 00" W.		
135	<p>Centerline of paved highway, bears N. 55° W., and S. 55° E.</p>	
320	<p>Power line, bears N. 50° E., and S. 50° W.</p>	

FEET		
600.53	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 103, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 106, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 105 of this survey.</p> <p>Thence N. 0° 00' 42" E.</p>	
354.22	<p>Witness Cor. No. 3, previously described.</p>	
363.00	<p>The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 97, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 98, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 103 of this survey.</p> <p>This corner falls on the cut-bank above a road where a monument cannot be preserved.</p> <p>Thence S. 89° 31' 36" E.</p>	
41	<p>Centerline of road, bears N. 35° W. and S. 45° E.</p>	
430.54	<p>Water level of tailings pond, bears N. and S.</p>	
555.54	<p>Water level of tailings pond, bears N. 40° E. and S. 40° W.</p>	
600.54	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 97 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p> <p>Thence S. 0° 00' 36" W.</p>	
83	<p>Power line, bears N. 50° E. and S. 50° W.</p>	
155	<p>Centerline of paved highway, bears N. 75° E. and S. 75° W.</p>	
321.96	<p>A point selected for witness Cor. No. 1, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 105, of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 1 1/4 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 104-1-4669 and CM 105-4-4669.</p>	
362.06	<p>Cor. No. 1, and place of beginning.</p>	
<p>CHRISTMAS MILL SITE NO. 105</p>		
<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 105, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 114 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p>		
<p>This corner falls in an electrical switch yard and cannot be monumented; witnessed S. 0° 00' 36" W., 85.57 ft. dist., hereinafter described.</p>		
<p>From the true point for Cor. No. 1,</p>		

FEET		
	<p>The cor. of secs. 19, 20, 29, and 30, bears S. 3° 13' 15" W., 3,006.85 ft. dist., previously described.</p>	
	<p>Thence N. 89° 42' 25" W.</p>	
10	<p>Leave electrical substation.</p>	
160	<p>Centerline of road, bears N. 70° E. and S. 70° W.</p>	
482.55	<p>Centerline of road, bears S. 60° E. and N. 40° W.</p>	
600.55	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 106, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 113, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 114 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 105-2-4669, CM 106-1-4669, CM 113-4-4669, and CM 114-3-4669.</p>	
	<p>Thence N. 0° 00' 44" E.</p>	
124	<p>Centerline of road, bears S. 40° E. and N. 55° W.</p>	
135	<p>Power line, bears N. 50° E. and S. 50° W.</p>	
363.00	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 104, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 103, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 106 of this survey.</p>	
	<p>Thence S. 89° 37' 00" E.</p>	
280.53	<p>Power line, bears N. 50° E. and S. 50° W.</p>	
465.53	<p>Centerline of paved highway, bears N. 55° W. and S. 55° E.</p>	
600.53	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 104 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p>	
	<p>This corner falls in the entrance driveway to the concentrator building of the Christmas mine where a monument cannot be set; witnessed N. 0° 00' 36" E., 40.10 ft. dist., previously described.</p>	
	<p>Thence S. 0° 00' 36" W.</p>	
30	<p>Centerline of paved highway, bears N. 80° W. and S. 80° E.</p>	
73	<p>Centerline of entrance drive to crusher building, bears N. 60° W. and S. 60° E.</p>	

FEET		
260	Centerline of road, bears N. 85° E. and S. 85° W.	
342	Enter electrical substation.	
362.05	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 106		
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 106, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 105, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 114, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 113 of this survey; from which		
The cor. of secs. 19, 20, 29, and 30, bears S. 8° 10' 22" E., 3,036.01 ft. dist., previously described.		
Thence S. 89° 49' 52" W.		
41	Centerline of road, bears N. 65° W. and S. 65° E.	
370	Power line, bears N. 78° E. and S. 78° W.	
507.29	Centerline of road, bears N. 55° E. and S. 55° W.	
520.29	Power line, bears N. 88° W. and S. 88° E.	
600.29	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 107, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 112, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 113 of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 106-2-4669, CM 107-1-4669, CM 112-4-4669, and CM 113-3-4669.		
Thence N. 0° 00' 44" E.		
3	Power line, bears N. 88° W. and S. 88° E.	
362.55	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 103, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 102, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 107 of this survey.	
Thence N. 89° 47' 17" E.		
217.29	Center of local drainage, 6 ft. wide, course N. 35° W.	
600.29	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 103, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 104, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 105 of this survey.	
Thence S. 0° 00' 44" W.		
228	Powerline, bears N. 50° E. and S. 50° W.	

FEET	
239	Centerline of road, bears S. 40° E. and N. 55° W.
363.00	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 107	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 107, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 106, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 113, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 112 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 18° 57' 41" E., 3,175.72 ft. dist., previously described.	
Thence N. 89° 59' 12" W.	
600.16	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 108, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 111, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 112 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 107-2-4669, CM 108-1-4669, CM 111-4-4669, and CM 112-3-4669.	
Thence N. 0° 00' 35" E.	
24	Power line, bears N. 88° W. and S. 88° E.
362.55	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 108, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 101, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 102 of this survey.
Thence S. 89° 59' 11" E.	
600.18	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 102, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 103, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 106 of this survey.
Thence S. 0° 00' 44" W.	
359.55	Power line, bears N. 88° W. and S. 88° E.
362.55	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 108	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 108, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 107, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 112, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 111 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 28° 31' 07" E., 3,418.31 ft. dist., previously described.	

FEET

- Thence N. 89° 48' 53" W.
- 599.59 The true point for Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 111, on line 3-4 of the CHRISTMAS MILL SITE NO. 110 of this survey.
- This corner falls in a graded road, bears E. and W. where a permanent monument cannot be set witnessed S. 0° 00' 44" W., 9.05 ft. dist., hereinafter described.
- Set a temporary point for Cor. No. 2.
- Thence N. 0° 00' 44" E.
- 44.92 Intersect Cor. No. 3 of the CHRISTMAS MILL SITE NO. 110, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 109 of this survey, hereinafter described.
- 45 Powerline, bears N. 88° W. and S. 88° E.
- 339.94 Intersect Cor. No. 3 of the CHRISTMAS MILL SITE NO. 109 of this survey, hereinafter described.
- 362.53 Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 101 of this survey.
- Thence S. 89° 48' 59" E.
- 554.57 Center of local drainage, 6 ft. wide, course N. 60° E.
- 599.57 Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 101, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 102, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 107 of this survey.
- Thence S. 0° 00' 35" W.
- 338.55 Power line, bears N. 88° W. and S. 88° E.
- 362.55 Cor. No. 1, and place of beginning.

CHRISTMAS MILL SITE NO. 109

At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 109, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 110 of this survey, on line 4-1 Sur. No. 2175 Climax lode.

Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 109-1-4669 and CM 110-2-4669; from which

FEET		
	<p>The cor. of secs. 19 and 30, T. 4 S. R. 16' E., G. & S. R. M., and secs. 24 and 25, T. 4 S., R. 15 E., G. & S. R. M., bears S. 30° 47' 55" W., 3,499.48 ft. dist., an iron post, 2 ins. diam., 10 ins. above ground, firmly set, with brass cap mkd. as described in the official record.</p>	
	<p>Thence N. 9° 56' 15" W.</p>	
298.15	<p>Cor. No. 2, on line 4-1 Sur. No. 2175 Climax lode.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 109-2-4669; from which</p>	
	<p>Cor. No. 4 Sur. No. 2175 Climax lode bears N. 9° 56' 15" W., 464.10 ft. dist.</p>	
	<p>Thence N. 89° 46' 25" E.</p>	
748.83	<p>Cor. No. 3, on line 2-3 CHRISTMAS MILL SITE NO. 108 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 109-3-4669; from which</p>	
	<p>A granite rock in place, 18 x 18 ins., 10 ins. above the ground, bears S. 23° 28' E., 48.88 ft. dist., mkd. X B R-CM109-3-4669 on top surface.</p>	
	<p>A granite rock in place, 18 x 16 ins., 12 ins. above the ground, bears N. 51° 56' E., 27.15 ft. dist., mkd. X B R - CM 109-3-4669 on north face.</p>	
	<p>Thence S. 0° 00' 44" W.</p>	
294.94	<p>Power line, bears N. 88° W. and S. 88° E.</p>	
295.02	<p>Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 110, on line 2-3 CHRISTMAS MILL SITE NO. 108 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 109-4-4669, and CM 110-3-4669.</p>	
	<p>Thence S. 89° 52' 01" W.</p>	
585	<p>Power line, bears S. 46° W. and N. 46° E.</p>	
697.31	<p>Cor. No. 1, and place of beginning.</p>	

FEET	DESCRIPTION	
	CHRISTMAS MILL SITE NO. 110	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 110, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 119 of this survey, on line 4-1 Sur. No. 2175 Climax lode.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 110-1-4669 and CM 119-2-4669; from which	
	The cor. of secs. 19, 24, 25, and 30, bears S. 34° 32' 25" W., 3,259.45 ft. dist., previously described.	
	Cor. No. 1 Sur. No. 2175 Climax lode bears S. 9° 56' 15" E., 404.88 ft. dist.	
	Thence N. 9° 56' 15" W.	
230	Power line, bears N. 46° E. and S. 46° W.	
325.94	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 109 of this survey, on line 4-1 Sur. No. 2175 Climax lode.	
	Thence N. 89° 52' 01" E.	
112.31	Power line, bears N. 46° E. and S. 46° W.	
697.31	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 109, on line 2-3 CHRISTMAS MILL SITE NO. 108 of this survey.	
	Thence S. 0° 00' 44" W.	
44.92	Intersect the true point for Cor. No. 2 of the CHRISTMAS MILL SITE NO. 108, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 111 of this survey; also centerline of road, bears East and West.	
53.97	Witness Cor. No. 2 of the CHRISTMAS MILL SITE NO. 108, identical with Witness Cor. No. 3 of the CHRISTMAS MILL SITE NO. 111 of this survey, hereinafter described.	
220	Centerline of road, bears N. 45° W. and S. 45° E.	
322.17	Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 119, on line 2-3 CHRISTMAS MILL SITE NO. 111 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 110-4-4669, and CM 119-3-4669.	
	Thence S. 89° 57' 19" W.	
640.98	Cor. No. 1, and place of beginning.	

FEET

CHRISTMAS MILL SITE NO. 111

At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 111, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 112, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 117, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 118 of this survey.

Set an iron post, 2 ft. long, 1 ins. in diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 111-1-4669, CM 112-2-4669, CM 117-3-4669, and CM 118-4-4669; from which

The cor. of secs. 19, 20, 29, and 30, bears S. $31^{\circ} 43' 09''$ E., 3,104.32 ft. dist., previously described.

Thence N. $89^{\circ} 50' 00''$ W.

599.61

Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 118, on line 3-4 of CHRISTMAS MILL SITE NO. 119 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 111-2-4669 and CM 118-3-4669.

Thence N. $0^{\circ} 00' 44''$ E.

85.85

Intersect Cor. No. 4 of the CHRISTMAS MILL SITE NO. 110, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 119 of this survey.

188.02

Centerline of road, bears N. 45° W. and S. 45° E.

354.05

A point selected for witness Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 108, on line 3-4 CHRISTMAS MILL SITE NO. 110 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 111-3-4669 and CM 108-2-4669.

363.10

The true point for Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 108, on line 3-4 CHRISTMAS MILL SITE NO. 110 of this survey.

This corners falls in a graded road where a permanent monument cannot be set.

Thence S. $89^{\circ} 48' 53''$ E.

599.59

Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 108, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 107, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 112 of this survey.

Thence S. $0^{\circ} 00' 35''$ W.

SURVEY NO. 4669

103.

FEET	
238	Centerline of road, bears East and West.
362.90	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 112	
At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 112, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 113, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 116, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 117 of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 112-1-4669, CM 113-2-4669, CM 116-3-4669, and CM 117-4-4669; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 21° 20' 39" E., 2,835.22 ft. dist., previously described.	
Thence S. 89° 59' 18" W.	
600.15	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 111, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 117, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 118 of this survey.
Thence N. 0° 00' 35" E.	
124.90	Centerline of road, bears East and West.
362.90	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 107, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 108, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 111 of this survey.
Thence S. 89° 59' 12" E.	
600.16	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 107, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 106, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 113 of this survey.
Thence S. 0° 00' 42" W.	
49	Centerline of road, bears N. 75° E. and S. 75° W.
362.64	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 113	
At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 113, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 114, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 115, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 116 of this survey.	

(This form bound on left side)

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 113-1-4669, CM 114-2-4669, CM 115-3-4669, and CM 116-4-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 9° 16' 44" E., 2,677.20 ft. dist., previously described.</p> <p>Thence S. 89° 51' 55" W.</p>	
152	Centerline of road, bears N. 45° W. and S. 45° E.	
500.28	Centerline of road, bears N. 55° E. and S. 55° W.	
600.28	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 112, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 117, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 116, of this survey</p> <p>Thence N. 0° 00' 42" E.</p>	
313.64	Centerline of road, bears N. 75° E. and S. 75° W.	
362.64	<p>Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 112, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 107, and Cor. No. 2 of the CHRISTMAS MILL SITE NO. 106 of this survey.</p> <p>Thence N. 89° 49' 52" E.</p>	
80	Power line, bears N. 88° W. and S. 88° E.	
93	Centerline of road, bears N. 55° E. and S. 55° W.	
230.29	Power line, bears N. 78° E. and S. 78° W.	
559.29	Centerline of road, bears N. 65° W. and S. 65° E.	
600.29	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 106, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 105, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 114 of this survey.</p> <p>Thence S. 0° 00' 44" W.</p>	
19	Centerline of road, bears S. 65° E. and N. 65° W.	
363.00	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 114		
<p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 114, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 115 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.</p> <p>This corner falls on a rock slide where a permanent monument cannot be established; witnessed N. 0° 00' 36" E., 134.86 ft. dist., hereinafter described.</p>		

FEET	
	<p>Set a temporary point for Cor. No. 1; from which</p> <p>The cor. of secs. 19, 20, 29 and 30, bears S. 3° 39' 36" W., 2,645.50 ft. dist., previously described.</p> <p>Thence N. 89° 48' 09" W.</p>
128	Centerline of road, bears N. 50° E. and S. 50° W.
600.56	<p>Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 113, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 116, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 115 of this survey.</p> <p>Thence N. 0° 00' 44" E.</p>
344	Centerline of road, bears N. 65° W. and S. 65° E.
363	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 105, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 106, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 113 of this survey; from which</p> <p>The center of a water tank, 65 ft. diam., bears S. 41° 00' E., 200 ft. dist.</p> <p>Thence S. 89° 42' 25" E.</p>
118	Centerline of road, bears N. 40° W. and S. 60° E.
440.55	Centerline of road, bears N. 70° E. and S. 70° W.
590.55	Enter electrical substation.
600.55	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 105 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p> <p>This corner falls in a electrical substation and cannot be monumented.</p> <p>Thence S. 0° 00' 36" W.</p>
15	Leave electrical substation.
37.27	Intersect Cor. No. 1 Sur. No. 4443 INSPIRATION 18 lode, identical with Cor. No. 2, Sur. No. 4443 INSPIRATION 7 lode.
85.57	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 105 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 18 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC -CM 114-4-4669 and CM 105-1-4669.</p>
181	Pipeline, bears N. 85° E. and S. 85° W.
227.14	A point selected for witness Cor. No. 1, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 115 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.

FEET	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 114-1-4669 and CM 115-4-4669.
290	Centerline of road, bears N. 85° E. and S. 85° W.
362.00	Cor. No. 1, and place of beginning.
	CHRISTMAS MILL SITE NO. 115
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 115, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 125 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 126 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.
	This corner falls in the bottom of a dry wash area where a monument cannot be preserved, witnessed S. 0° 00' 36" W., 25.83 ft. dist., hereinafter described.
	Set a temporary point for Cor. No. 1; from which
	The cor. of secs. 19, 20, 29 and 30, bears S. 4° 14' 16" W., 2,284.35 ft. dist., previously described.
	Thence N. 89° 53' 32" W.
600.58	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 116, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 124, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 125 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 115-2-4669, CM 116-1-4669, CM 124-4-4669, and CM 125-3-4669.
	Thence N. 0° 00' 44" E.
243.94	Centerline of road, bears N. 55° W. and S. 70° E.
362.94	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 114, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 113, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 116 of this survey.
	Thence S. 89° 48' 09" E.
472.56	Centerline of road, bears N. 50° E. and S. 50° W.
600.56	The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 114 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.
	This corner falls on a rock slide where a permanent monument cannot be established; witnessed N. 0° 00' 36" E., 134.86 ft. dist., previously described.
	Thence S. 0° 00' 36" W.
362.00	Cor. No. 1, and place of beginning.

FEET	
CHRISTMAS MILL SITE NO. 116	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 116, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 115, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 125 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 124 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 10° 43' 35" E., 2,319.76 ft. dist., previously described.	
Thence S. 89° 53' 52" W.	
206	Center of local drainage, 6 ft. wide, course S. 25° E.
600.28	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 117, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 123, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 124 of this survey.
Set an iron post, 2 ft. long, 1 ins. in diam., 12 ins. in the ground and in a concrete base, with brass cap mkd. CM 116-2-4669, CM 117-1-4669, CM 123-4-4669, and CM 124-3-4669.	
Thence N. 0° 00' 44" E.	
292.60	Centerline of road, bears N. 55° E. and S. 55° W.
362.60	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 113, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 112, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 117 of this survey.
Thence N. 89° 51' 55" E.	
100	Centerline of road, bears N. 55° E. and S. 55° W.
448.28	Centerline of road, bears N. 45° W. and S. 45° E.
600.28	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 113, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 114, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 115 of this survey.
Thence S. 0° 00' 44" W.	
119	Centerline of road, bears N. 55° W. and S. 70° E.
362.94	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 117	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 117, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 116, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 124, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 123 of this survey; from which	
The cor. of secs. 19, 20, 29, and 30, bears S. 24° 22' 15" E., 2,501.02 ft. dist., previously described.	

FEET		
	Thence N. 89° 58' 58" W.	
120	Centerline of road, bears North and South.	
600.14	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 118, Cor. No. 4 of the CHRISTMAS MILL SITE NO. 122, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 123 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 117-2-4669, CM 118-1-4669, CM 122-4-4669, and CM 123-3-4669.	
	Thence N. 0° 00' 37" E.	
362.30	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 112, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 111, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 118 of this survey.	
	Thence N. 89° 59' 18" E.	
600.15	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 112, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 113, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 116 of this survey.	
	Thence S. 0° 00' 44" W.	
70	Centerline of road, bears N. 55° E. and S. 55° W.	
362.60	Cor. No. 1, and place of beginning.	
CHRISTMAS MILL SITE NO. 118		
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 118, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 117, Cor. No. 3 of the CHRISTMAS MILL SITE NO. 123, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 122 of this survey; from which	
	The cor. of secs. 19, 20, 29, and 30, bears S. 35° 37' 02" E., 2,802.65 ft. dist., previously described.	
	Thence N. 89° 53' 55" W.	
252.52	Intersect line 4-1 CHRISTMAS MILL SITE NO. 120 of this survey.	
599.62	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 122 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 118-2-4669 and CM 122-3-4669.	
	Thence N. 0° 00' 44" E.	

FEET	
148.46	Intersect Cor. No. 4 of the CHRISTMAS MILL SITE NO. 119, on line 3-4 CHRISTMAS MILL SITE NO. 120 of this survey.
362.98	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 111, on line 3-4 CHRISTMAS MILL SITE NO. 119 of this survey. Thence S. 89° 50' 00" E.
599.61	Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 111, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 112, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 117 of this survey. Thence S. 0° 00' 37" W.
362.30	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 119	
Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 119, identical with Cor. No. 1 Sur. No. 2175 Climax lode, on line 2-3 Sur. No. 2175 Four Aces lode.	
A chiseled cross on the top of a malpais rock, 8 x 10 ins., 13 ins. above the ground, chiseled C-1-2175 on northwest face; I chisel the following marks on the east face of the rock: CM 119-1-4669; from which	
The cor. of secs. 24 and 25, T. 4 S., R. 15 E., G. & S. R. M., and of secs. 19 and 30, T. 4 S., R. 16 E., G. & S. R. M., bears S. 39° 59' 43" W., 2,984.07 ft. dist., previously described.	
A cross (X) and B R 1-2175, chiseled on a granite rock 48 x 36 ins., 36 ins. above the ground, bears S. 23° 30' E., 46.22 ft. dist.	
A cross (X) and B R 1-2175, chiseled on a malpais rock 24 x 24 ins., 36 ins. above the ground, bears N. 25° 10' E., 47.33 ft. dist.	
Thence N. 9° 56' 15" W.	
404.88	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 110 of this survey, on line 4-1 Sur. No. 2175 Climax lode. Thence N. 89° 57' 19" E.
640.98	Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 110, on line 2-3 CHRISTMAS MILL SITE NO. 111 of this survey. Thence S. 0° 00' 44" W.
85.85	Intersect Cor. No. 2 of the CHRISTMAS MILL SITE

FEET	
	No. 111, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 118 of this survey.
300.37	Cor. No. 4, established at the intersection of line 2-3 CHRISTMAS MILL SITE NO. 118, and line 3-4 CHRISTMAS MILL SITE NO. 120 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 119-4-4669.
	Thence S. 80° 10' 15" W.
193	Center local drainage, 8 ft. wide, course S. 10° W.
282.39	Intersect Cor. No. 2, Sur. No. 2175 Four Aces lode, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 120 of this survey.
579.56	Cor. No. 1, and place of beginning.
CHRISTMAS MILL SITE NO. 120	
	At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 120, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 121 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 120-1-4669 and CM 121-4-4669; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 40° 47' 01" E., 2,854.65 ft. dist., previously described.
	Thence S. 82° 49' 15" W.
370.06	Intersect line 2-3 CHRISTMAS MILL SITE NO. 122.
599.49	Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 121 of this survey, on line 1-2 Sur. No. 2175 Four Aces lode.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground and in a concrete base, with brass cap mkd. CM 120-2-4669 and CM 121-3-4669.
	Thence N. 9° 47' 08" W.
157	Centerline of local drainage, 8 ft. wide, course S. 40° W.
297.41	Cor. No. 3, identical with Cor. No. 2 Sur. No. 2175 Four Aces lode, on line 4-1 CHRISTMAS MILL SITE NO. 119 of this survey.

FEET	
	<p>A chiseled cross (X) on the top of a granite rock, 20 x 15 ins., 18 ins. above the ground, chiseled F A 2-2175 on southwest face; I chisel the following marks on the east face of the rock: CM 120-3-4669; from which</p> <p>A cross (X) and B R 2-2175, chiseled on a granite rock 36 x 36 ins., 48 ins. above the ground, bears N. 89° W., 7.89 ft. dist.</p> <p>A cross (X) and B R 2-2175, chiseled on a granite ledge, bears S. 10° 30' E., 7.22 ft. dist.</p> <p>Thence N. 80° 10' 15" E.</p>
89.39	Center of local drainage, 8 ft. wide, course S. 10° W.
282.39	Intersect Cor. No. 4 of the CHRISTMAS MILL SITE NO. 119, on line 2-3 CHRISTMAS MILL SITE NO. 118 of this survey.
599.44	<p>Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 120-4-4669.</p> <p>Thence S. 9° 41' 08" E.</p>
206.14	Intersect line 1-2 CHRISTMAS MILL SITE NO. 118, and line 3-4 CHRISTMAS MILL SITE NO. 122 of this survey.
325.13	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 121</p>
	<p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 121, identical with Cor. No. 2 Sur. No. 2175 Last Chance lode, on line 2-3 CHRISTMAS MILL SITE NO. 130 of this survey.</p> <p>A chiseled cross (X) on the top of a granite rock in place, 24 x 28 ins., 36 ins. above the ground, chiseled L C-2-2175; I chisel the following marks on the southeast face: CM 121-1-4669; from whihh</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 43° 46' 49" E., 2,630.28 ft. dist., previously described.</p> <p>A cross (X) and B R 2-2175, chiseled on a granite rock 24 x 22 ins., 20 ins. above the ground, bears N. 52° 30' W., 10.20 ft. dist.</p> <p>Thence S. 77° 18' 40" W.</p>
599.17	Cor. No. 2, on line 1-2 Sur. No. 2175 Four Aces lode, and on line 3-4, Sur. No. 2175

FEET	
	<p>Last Chance lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 121-2-4669; from which</p> <p>Cor. No. 1, Sur. No. 2175 Four Aces lode bears S. 9° 47' 08" E., 868.67 ft. dist.,</p> <p>Thence N. 9° 47' 08" W.</p>
31.33	Intersect Cor. No. 3 Sur. No. 2175 Last Chance lode, on line 1-2 Sur. No. 2175 Four Aces lode.
323.83	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 120 of this survey, on line 1-2 Sur. No. 2175 Four Aces lode.</p> <p>Thence N. 82° 49' 15" E.</p>
229.43	Intersect line 2-3 CHRISTMAS MILL SITE NO. 122 of this survey.
599.49	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 120 of this survey.</p> <p>Thence S. 9° 41' 08" E.</p>
248.50	Intersect Cor. No. 3 of the CHRISTMAS MILL SITE NO. 130, on line 1-2 CHRISTMAS MILL SITE NO. 122 of this survey.
266.22	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 122</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 122, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 123, on line 3-4 CHRISTMAS MILL SITE NO. 130 of this survey.</p> <p>This corner falls in a haul road where a permanent monument cannot be established.</p> <p>Set a temporary point for Cor. No. 1; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 40° 25' 13" E., 2,517.37 ft. dist., previously described.</p> <p>Thence N. 89° 59' 16" W.</p>
70	Edge of haul road, bears N. 65° E. and S. 65° W.
128.39	A point selected for witness Cor. No. 1, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 123 of this survey. This point was also selected for witness Cor. No. 4 of the CHRISTMAS MILL SITE NO. 130, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 129 of this survey.

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 122-1-4669, CM 123-2-4669, CM 130-4-4669, and CM 129-3-4669; this brass cap was also scribed with directional markings appropriate for the mill site boundaries involved.</p>
190.62	Intersect Cor. No. 3 of the CHRISTMAS MILL SITE NO. 130, on line 4-1 CHRISTMAS MILL SITE NO. 121 of this survey, hereinafter described.
599.64	<p>Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap kd. CM 122-2-4669; from which</p> <p>A granite rock in place, 24 x 18 ins., 12 ins. above the ground, bears S. 89° 15' E., 36.23 ft. dist., mkd. X B R - CM 122-2-4669 on southwest face.</p> <p>A granite rock in place 24 x 20 ins., 18 ins. above the ground, bears N. 63° 17' E., 22.47 ft. dist., mkd. X B R - CM 122-2-4669 on south face.</p> <p>Thence N. 0° 00' 44" E.</p>
198.63	Intersect line 3-4 CHRISTMAS MILL SITE NO. 121 and line 1-2 CHRISTMAS MILL SITE NO. 120 of this survey.
362.79	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 118 of this survey.</p> <p>Thence S. 89° 53' 55" E.</p>
347.10	Intersect line 4-1 CHRISTMAS MILL SITE NO. 120 of this survey.
599.62	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 118, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 117, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 123 of this survey.</p> <p>Thence S. 0° 00' 35" W.</p>
331.85	Northwest edge of gravelled haul road; bears N. 65° E. and S. 65° W.
361.85	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 123</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 123, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 124, on line 2-3 CHRISTMAS MILL SITE NO. 128 of this survey.</p>

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 123-1-4669 and CM 124-2-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 28° 18' 21" E., 2,176.62 ft. dist., previously described.</p> <p>Thence N. 89° 59' 16" W,</p>	
278.55	Intersect Cor. No. 2 of the CHRISTMAS MILL SITE NO. 128, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 129 of this survey, hereinafter described.	
294.34	Toe-of haul road embankment.	
516.34	Intersect the true point for Cor. No. 3 of the CHRISTMAS MILL SITE NO. 129, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 130 of this survey, witnessed N. 89° 59' 16" W., 212.17 ft. dist., previously described.	
562.12	Southeast edge of haul road, bears N. 65° E. and S. 65° W.	
600.12	<p>The true point for Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 122, on line 3-4 CHRISTMAS MILL SITE NO. 130 of this survey.</p> <p>This corner falls in a haul road where a permanent monument cannot be established, witnessed N. 89° 59' 16" W., 128.39 ft. dist., previously described.</p> <p>Thence N. 0° 00' 35" E.</p>	
30	Northwest edge of gravelled haul road, bears N. 65° E. and S. 65° W.	
361.85	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 117, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 118, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 122 of this survey.</p> <p>Thence S. 89° 58' 58" E.</p>	
480.14	Centerline of road, bears North and South.	
600.14	<p>Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 117, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 116, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 124 of this survey.</p> <p>Thence S. 0° 00' 44" W.</p>	
361.80	Cor. No. 1, and place of beginning.	

FEET

CHRISTMAS MILL SITE NO. 124

At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 124, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 125 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 124-1-4669 and CM 125-2-4669; from which

The cor. of secs. 19, 20, 29, and 30, bears S. 12° 41' 59" E., 1,964.28 ft. dist., previously described.

Thence N. 89° 59' 16" W.

- 98 Center of local drainage, 8 ft. wide, course South.
- 350.26 Intersect Cor. No. 2 of the CHRISTMAS MILL SITE NO. 127, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 128 of this survey, hereinafter described.
- 600.28 Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 123, on line 2-3 of the CHRISTMAS MILL SITE NO. 128 of this survey.
Thence N. 0° 00' 44" E.
- 361.80 Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 116, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 117, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 123 of this survey.
Thence N. 89° 53' 52" E.
- 394.28 Center of local drainage, 6 ft. wide, course S. 25° E.
- 600.28 Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 116, Cor. No. 2 of the CHRISTMAS MILL SITE NO. 115, and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 125 of this survey.
Thence S. 0° 00' 44" W.
- 280.20 Intersect line 2-3 CHRISTMAS MILL SITE NO. 127 of this survey.
- 363.00 Cor. No. 1, and place of beginning.

CHRISTMAS MILL SITE NO. 125

At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 125, on line 3-4 CHRISTMAS MILL SITE NO. 126, and on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.

FEET		
	<p>Set an iron pipe, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 125-1-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 5° 01' 58" W., 1,923.52 ft. dist., previously described.</p> <p>A granite rock in place, 24 x 19 ins., 12 ins. above the ground, bears S. 63° 22' E., 6.10 ft. dist., mkd. X B R - CM 125-1-4669 on west face.</p> <p>A granite rock in place 36 x 30 ins., 18 ins. above the ground, bears N. 42° 33' E., 32.20 ft. dist., mkd. X B R - CM 125-1-4669 on south face.</p> <p>Thence N. 89° 59' 16" W.</p>	
353.23	Intersect line 1-2 CHRISTMAS MILL SITE NO. 126 and line 3-4 CHRISTMAS MILL SITE NO. 127 of this survey.	
600.60	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 124 of this survey.	
	Thence N. 0° 00' 44" E.	
82.80	Intersect line 2-3 CHRISTMAS MILL SITE NO. 127 of this survey.	
363.00	Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 115, Cor. No. 1 of the CHRISTMAS MILL SITE NO. 116, and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 124 of this survey.	
	Thence S. 89° 53' 32" E.	
600.58	<p>The true point for Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 115 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 126 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.</p> <p>This corner falls in the bottom of a dry wash where a monument cannot be preserved.</p> <p>Thence S. 0° 00' 36" W.</p>	
25.83	<p>A point selected for witness Cor. No. 4, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 115 and Cor. No. 3 of the CHRISTMAS MILL SITE NO. 126 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 125-4-4669, CM 115-1-4669, and CM 126-3-4669.</p>	
362.00	Cor. No. 1, and place of beginning.	

FEET

CHRISTMAS MILL SITE NO. 126

Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 126, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 2 lode, on line 3-4 Sur. No. 2175 California lode.

An iron post, 2 ins. diam., 24 ins. above ground, with base surrounded by a mound of stone, with brass cap mkd. I 2-2-4443; I add the following marks on the brass cap: CM 126-1-4669; from which

The cor. of secs. 19, 20, 29, and 30, bears S. 4° 33' 34" E., 1,562.98 ft. dist., previously described.

Thence N. 9° 32' 40" W.

- 324.71 Intersect Cor. No. 3, Sur. No. 2175 California lode, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 127 of this survey, hereinafter described.
- 363.17 Intersect line 1-2 CHRISTMAS MILL SITE NO. 125 of this survey.
- 500.96 Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 127 of this survey.
- Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground with a concrete base, with brass cap mkd. CM 126-2-4669 and CM 127-3-4669.
- Thence N. 58° 59' 47" E.
- 438.83 The true point for Cor. No. 3, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 115 and Cor. No. 4 of the CHRISTMAS MILL SITE NO. 125 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.
- This corner falls in the bottom of a dry wash where a monument cannot be preserved.
- Thence S. 0° 00' 36" W.
- 25.83 Witness Cor. No. 3, previously described.
- 362.00 Intersect Cor. No. 1 of the CHRISTMAS MILL SITE NO. 125 of this survey, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.
- 427 Centerline of road, bears N. 35° E. and S. 35° W.
- 442 Pipeline, bears N. 35° E. and S. 35° W.
- 582.21 Intersect line 2-3 Sur. No. 4443 INSPIRATION 2 lode at a point from which Cor. No. 2 bears S. 64° 48' W., 323.79 ft. dist.

FEET	
644.89	<p>Cor. No. 4, on line 1-2 Sur. No. 4443 INSPIRATION 7 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground and in a concrete base, with brass cap mkd. CM 126-4-4669; from which</p> <p>Cor. No. 1 Sur. No. 4443 INSPIRATION 7 lode bears S. 0° 00' 36" W., 169.28 ft. dist.</p> <p>Thence S. 75° 36' 25" W.</p> <p>160 Pipeline, bears N. 35° E. and S. 35° W.</p> <p>177 Centerline of road, bears N. 35° E. and S. 35° W.</p> <p>302.45 Cor. No. 1, and place of beginning.</p>
241.90	<p style="text-align: center;">CHRISTMAS MILL SITE NO. 127</p> <p>Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 127, identical with Cor. No. 2 Sur. No. 2175 California lode, on line 2-3 Sur. No. 2175 Joker lode.</p> <p>The original granite stone marking Cor. No. 2 Sur. No. 2175 California lode has been lost. I restore the position of this corner from bearing rocks which are still in place.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CAL-2-2175 and CM 127-1-4669; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 23° 52' 31" E., 1,776.44 ft. dist., previously described.</p> <p>A cross (X) and B R 2-2175, chiseled on a malpais rock 48 ins. x 36 ins., 24 ins. above the ground, bears S. 16° 15' W., 9.40 ft. dist.</p> <p>A cross (X) and B R 2-2175, chiseled on a granite rock 10 x 10 ft., 48 ins. above the ground, bears N. 24° 30' E., 23.50 ft. dist.</p> <p>Thence N. 12° 11' 50" W.</p> <p>Intersect line 3-4 Sur. No. 2175 Joker lode at a point from which Cor. No. 3 bears N. 47° 35' 50" E., 13.46 ft. dist.; also intersect the line 4-1 CHRISTMAS MILL SITE NO. 128 of this survey.</p>

FEET		
298.61	<p>Cor. No. 2, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 128, on line 1-2 CHRISTMAS MILL SITE NO. 124 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base with brass cap mkd. CM 127-2-4669 and CM 128-3-4669.</p> <p>Thence N. 76° 42' 38" E.</p>	
259	Center local drainage, 8 ft. wide, course South.	
359.92	Intersect line 4-1 CHRISTMAS MILL SITE NO. 124 and line 2-3 CHRISTMAS MILL SITE NO. 125 of this survey.	
590.60	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 126 of this survey.</p> <p>Thence S. 9° 32' 40" E.</p>	
137.79	Intersect line 1-2 CHRISTMAS MILL SITE NO. 125 of this survey.	
176.25	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 2175 California lode, on line 1-2 CHRISTMAS MILL SITE NO. 126 of this survey.</p> <p>A chiseled cross (X) on the top of a granite rock 8 x 5 ins., 15 ins. above the ground, chiseled C-3-2175 on southwest face; I chisel the following marks on the northwest face of the rock: CM 127-4-4669; from which</p> <p>A cross (X) and B R 3-2175, chiseled on a malpais rock 24 x 30 ins., 28 ins. above the ground, bears N. 13° 15' E., 10.92 ft. dist.</p> <p>A cross (X) and B R 3-2175, chiseled on a malpais rock 25 x 30 ins., 30 ins. above the ground, bears N. 64° 15' W., 21.84 ft. dist.</p> <p>Thence S. 64° 51' 44" W.</p>	
305	Center of local drainage, 8 ft. wide, course S. 25° E.	
597.51	Cor. No. 1, and place of beginning.	
	<p>CHRISTMAS MILL SITE NO. 128</p> <p>At Cor. No. 1 of the CHRISTMAS MILL SITE NO. 128, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 129 of this survey, on line 3-4 Sur. No. 2175 Joker lode.</p>	

FEET	
	<p>This corner falls in the bottom of Copper Gulch where a monument cannot be preserved, witnessed S. 47° 35' 50" W. 48.38 ft. dist., hereinafter described; from which</p> <p>The cor. of secs. 19, 20, 29, and 30, bears S. 40° 28' 04" E., 1,894.51 ft. dist., previously described.</p> <p>Thence N. 9° 41' 08" W.</p>
22	North bank of Copper Gulch, course East.
481.99	<p>Cor. No. 2, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 129, on line 1-2 CHRISTMAS MILL SITE NO. 123 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 128-2-4669 and CM 129-4-4669.</p> <p>Thence S. 89° 59' 16" E.</p>
278.55	<p>Intersect Cor. No. 1 of the CHRISTMAS MILL SITE NO. 123, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 124 of this survey.</p>
528.57	<p>Cor. No. 3, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 127, on line 1-2 CHRISTMAS MILL SITE NO. 124 of this survey.</p> <p>Thence S. 25° 18' 30" E.</p>
51.27	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 2175 Joker lode.</p> <p>A cross (X) chiseled on the top of a granite rock, 14 x 12 ins., 15 ins. above the ground, chiseled J-3-2175 on southwest face; I chisel the following marks on the north face of the rock: CM 128-4-4669.</p> <p>Thence S. 47° 35' 50" W.</p>
13.46	Intersect line 1-2 CHRISTMAS MILL SITE NO. 127 of this survey.
550	North bank of Copper Gulch, course N. 70° E.
635.68	Cor. No. 1, and place of beginning.
	<p>CHRISTMAS MILL SITE NO. 129</p> <p>Beginning at Cor. No. 4 of the CHRISTMAS MILL SITE NO. 129, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 128 of this survey, on line 3-4 Sur. No. 2175 Joker lode.</p> <p>This corner falls in Copper Gulch where a monument cannot be preserved.</p>

FEET		
	Thence S. 47° 35' 50" W.	
7.32	Intersect Cor. No. 4 Sur. No. 2175 Joker lode, identical with Cor. No. 3 Sur. No. 2175 Alabama lode.	
18	South bank of Copper Gulch, course N. 70° E.	
48.38	A point selected for witness Cor. No. 1, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 128 of this survey, on line 3-4 Sur. No. 2175 Joker lode. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. WC - CM 128-1-4669 and CM 129-1-4669.	
278.60	Cor. No. 2, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 130 of this survey, on line 2-3 Sur. No. 2175 Alabama lode. Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 129-2-4669 and CM 130-1-4669.	
	Thence N. 9° 41' 08" W.	
82	South bank of Copper Gulch, course East.	
120	North bank of Copper Gulch, course East.	
520	Toe of haul road embankment.	
672.63	The true point for Cor. No. 3, identical with Cor. No. 4 of the CHRISTMAS MILL SITE NO. 130 on line 1-2 CHRISTMAS MILL SITE NO. 123 of this survey. This corner falls on the unconsolidated fill slope of a haul road where a permanent monument cannot be established, witnessed N. 89° 59' 16" W., 212.17 ft. dist., previously described.	
	Thence S. 89° 59' 16" E.	
222	Toe of haul road embankment.	
237.79	Cor. No. 4, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 128, on line 1-2 CHRISTMAS MILL SITE NO. 123 of this survey.	
	Thence S. 9° 41' 08" E.	
459.99	North bank of Copper Gulch, course East.	
481.99	Cor. No. 1, and place of beginning.	

FEET	
	CHRISTMAS MILL SITE NO. 130
	Beginning at Cor. No. 1 of the CHRISTMAS MILL SITE NO. 130, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 129 of this survey, on line 2-3 Sur. No. 2175 Alabama lode; from which
	The cor. of secs. 19, 20, 29, and 30, bears S. 48° 52' 11" E., 1,905.56 ft. dist., previously described.
	Thence S. 47° 35' 50" W.
321.49	Cor. No. 2, identical with Cor. No. 2 Sur. No. 2175 Alabama lode, on line 1-2 Sur. No. 2175 Last Chance lode.
	A chiseled cross (X) on the top of a granite rock, 15 x 12 ins., 14 ins. above the ground chiseled A-2-2175 on west face; I chisel the following marks on the northeast face of the rock: CM 130-2-4669; from which
	A cross (X) and B R 2175, chiseled on a granite rock 48 x 40 ins., 36 ins. above the ground, bears N. 44° 53' E., 52.77 ft. dist.
	Thence N. 9° 41' 08" W.
350	Toe of haul road embankment.
730	Southeast edge of haul road, bears N. 45° E. and S. 45° W.
785	Northwest edge of haul road, bears N. 45° E. and S. 45° W.
874.90	Intersect Cor. No. 2 Sur. No. 2175 Last Chance lode, identical with Cor. No. 1 of the CHRISTMAS MILL SITE NO. 121 of this survey.
892.62	Cor. No. 3, established at the intersection of line 4-1 CHRISTMAS MILL SITE NO. 121 and line 1-2 CHRISTMAS MILL SITE NO. 122 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground and in a concrete base, with brass cap mkd. CM 130-3-4669.
	Thence S. 89° 59' 16" E.
62.23	Witness Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 129, on line 1-2 CHRISTMAS MILL SITE NO. 123 of this survey. This monument is also witness Cor. No. 1 of the CHRISTMAS MILL SITE NO. 122, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 123 of this survey, previously described.
120.62	Edge of haul road, bears N. 65° E. and S. 65° W.

FEET	
190.62	Intersect the true point for Cor. No. 1 of the CHRISTMAS MILL SITE NO. 122, identical with Cor. No. 2 of the CHRISTMAS MILL SITE NO. 123 of this survey.
228.62	Southeast edge of haul road, bears N. 65° E. and S. 65° W.
274.40	The true point for Cor. No. 4, identical with Cor. No. 3 of the CHRISTMAS MILL SITE NO. 129, on line 1-2 CHRISTMAS MILL SITE NO. 123 of this survey.
	This corner falls on the unconsolidated fill-slope of a haul road where a permanent monument cannot be established. witnessed N. 89° 59' 16" W., 212.17 ft. dist., previously described. Thence S. 9° 41' 08" E.
152.63	Toe of haul road embankment.
552.63	North bank of Copper Gulch, course East.
590.63	South bank of Copper Gulch, course East.
672.63	Cor. No. 1, and place of beginning.

SURVEY NO. 4669

AREAS

	Acres
Total area, CHRISTMAS MILL SITE NO. 1	4.997
Area in conflict with--	
NW $\frac{1}{4}$ sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.149
Total area, CHRISTMAS MILL SITE NO. 2	4.999
Total area, CHRISTMAS MILL SITE NO. 3	4.991
Total area, CHRISTMAS MILL SITE NO. 4	4.991
Total area, CHRISTMAS MILL SITE NO. 5	4.998
Total area, CHRISTMAS MILL SITE NO. 6	4.997
Area in conflict with --	
NW $\frac{1}{4}$ sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.195
Total area, CHRISTMAS MILL SITE NO. 7	4.997
Area in conflict with --	
NW $\frac{1}{4}$ sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.241
Total area, CHRISTMAS MILL SITE NO. 8	4.999
Total area, CHRISTMAS MILL SITE NO. 9	4.993
Total area, CHRISTMAS MILL SITE NO. 10	4.991
Total area, CHRISTMAS MILL SITE NO. 11	5.000
Total area, CHRISTMAS MILL SITE NO. 12	4.983
Total area, CHRISTMAS MILL SITE NO. 13	4.991
Total area, CHRISTMAS MILL SITE NO. 14	4.994
Total area, CHRISTMAS MILL SITE NO. 15	4.997
Total area, CHRISTMAS MILL SITE NO. 16	4.997
Area in conflict with --	
NW $\frac{1}{4}$ and SW $\frac{1}{4}$ sec. 16, T. 4 S., R. 16 E. G. & S. R. M.	0.267
Total area, CHRISTMAS MILL SITE NO. 17	4.996
Area in conflict with --	
SW $\frac{1}{4}$ sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.237
Total area, CHRISTMAS MILL SITE NO. 18	4.998

FEET		
	Total area, CHRISTMAS MILL SITE NO. 19	4.994
	Total area, CHRISTMAS MILL SITE NO. 20	4.991
	Total area, CHRISTMAS MILL SITE NO. 21	4.981
	Total area, CHRISTMAS MILL SITE NO. 22	4.999
	Total area, CHRISTMAS MILL SITE NO. 23	4.980
	Total area, CHRISTMAS MILL SITE NO. 24	5.000
	Total area, CHRISTMAS MILL SITE NO. 25	4.981
	Total area, CHRISTMAS MILL SITE NO. 26	5.000
	Total area, CHRISTMAS MILL SITE NO. 27	4.985
	Total area, CHRISTMAS MILL SITE NO. 28	4.990
	Total area, CHRISTMAS MILL SITE NO. 29	4.995
	Total area, CHRISTMAS MILL SITE NO. 30	4.998
	Total area, CHRISTMAS MILL SITE NO. 31	4.996
	Area in conflict with --	
SW $\frac{1}{4}$	sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.205
	Total area, CHRISTMAS MILL SITE NO. 32	4.997
	Area in conflict with --	
SW $\frac{1}{4}$	sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.172
	Total area, CHRISTMAS MILL SITE NO. 33	4.998
	Total area, CHRISTMAS MILL SITE NO. 34	4.996
	Total area, CHRISTMAS MILL SITE NO. 35	4.989
	Total area, CHRISTMAS MILL SITE NO. 36	4.985
	Total area, CHRISTMAS MILL SITE NO. 37	4.999
	Total area, CHRISTMAS MILL SITE NO. 38	4.985
	Total area, CHRISTMAS MILL SITE NO. 39	5.000
	Total area, CHRISTMAS MILL SITE NO. 40	4.990
	Total area, CHRISTMAS MILL SITE NO. 41	4.996
	Total area, CHRISTMAS MILL SITE NO. 42	4.992
	Total area, CHRISTMAS MILL SITE NO. 43	4.992
	Total area, CHRISTMAS MILL SITE NO. 44	4.988
	Total area, CHRISTMAS MILL SITE NO. 45	4.998
	Total area, CHRISTMAS MILL SITE NO. 46	4.988
	Total area, CHRISTMAS MILL SITE NO. 47	4.999
	Total area, CHRISTMAS MILL SITE NO. 48	4.985
	Total area, CHRISTMAS MILL SITE NO. 49	4.988
	Total area, CHRISTMAS MILL SITE NO. 50	4.996
	Total area, CHRISTMAS MILL SITE NO. 51	4.998
	Total area, CHRISTMAS MILL SITE NO. 52	4.993
	Area in conflict with --	
SW $\frac{1}{4}$	sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.139
	Total area, CHRISTMAS MILL SITE NO. 53	4.969
	Area in conflict with --	
SW $\frac{1}{4}$	sec. 16, T. 4 S., R. 16 E., G.&S.R.M.	0.106
Sur. No. 4443	INSPIRATION 23 lode	0.774
Sur. No. 4443	INSPIRATION 23 lode, exclusive of its conflict with SW $\frac{1}{4}$ sec. 16	0.759
	Total area, CHRISTMAS MILL SITE NO. 54	4.969
	Area in conflict with --	
Sur. No. 4443	INSPIRATION 24 lode	0.781
	Total area, CHRISTMAS MILL SITE NO. 55	4.976
	Area in conflict with --	
Sur. No. 4443	INSPIRATION 25 lode	0.794
	Total area, CHRISTMAS MILL SITE NO. 56	4.988
	Area in conflict with --	
Sur. No. 4443	INSPIRATION 26 lode	0.800
	Total area, CHRISTMAS MILL SITE NO. 57	4.986
	Total area, CHRISTMAS MILL SITE NO. 58	4.999
	Total area, CHRISTMAS MILL SITE NO. 59	4.991
	Total area, CHRISTMAS MILL SITE NO. 60	5.000
	Total area, CHRISTMAS MILL SITE NO. 61	4.991
	Total area, CHRISTMAS MILL SITE NO. 62	4.996
	Total area, CHRISTMAS MILL SITE NO. 63	4.996
	Total area, CHRISTMAS MILL SITE NO. 64	4.996
	Total area, CHRISTMAS MILL SITE NO. 65	4.996

FEET

Total area, CHRISTMAS MILL SITE NO. 66	4.993
Total area, CHRISTMAS MILL SITE NO. 67	5.000
Total area, CHRISTMAS MILL SITE NO. 68	4.994
Total area, CHRISTMAS MILL SITE NO. 69	4.998
Total area, CHRISTMAS MILL SITE NO. 70	4.999
Total area, CHRISTMAS MILL SITE NO. 71	4.999
Total area, CHRISTMAS MILL SITE NO. 72	4.997
Total area, CHRISTMAS MILL SITE NO. 73	4.996
Total area, CHRISTMAS MILL SITE NO. 74	4.998
Total area, CHRISTMAS MILL SITE NO. 75	4.993
Total area, CHRISTMAS MILL SITE NO. 76	4.996
Total area, CHRISTMAS MILL SITE NO. 77	4.996
Total area, CHRISTMAS MILL SITE NO. 78	4.996
Total area, CHRISTMAS MILL SITE NO. 79	4.996
Total area, CHRISTMAS MILL SITE NO. 80	4.994
Total area, CHRISTMAS MILL SITE NO. 81	4.998
Total area, CHRISTMAS MILL SITE NO. 82	4.998
Total area, CHRISTMAS MILL SITE NO. 83	4.996
Total area, CHRISTMAS MILL SITE NO. 84	5.000
Total area, CHRISTMAS MILL SITE NO. 85	5.000
Area in conflict with --	
Sur. No. 4443 INSPIRATION 15 lode	0.134
Total area, CHRISTMAS MILL SITE NO. 86	4.992
Area in conflict with --	
Sur. No. 4443 INSPIRATION 16 lode	0.108
Total area, CHRISTMAS MILL SITE NO. 87	4.999
Area in conflict with --	
Sur. No. 4443 INSPIRATION 17 lode	0.111
Total area, CHRISTMAS MILL SITE NO. 88	4.997
Area in conflict with --	
Sur. No. 4443 INSPIRATION 18 lode	0.173
Total area, CHRISTMAS MILL SITE NO. 89	4.994
Total area, CHRISTMAS MILL SITE NO. 90	4.996
Total area, CHRISTMAS MILL SITE NO. 91	4.996
Total area, CHRISTMAS MILL SITE NO. 92	4.990
Total area, CHRISTMAS MILL SITE NO. 93	4.990
Total area, CHRISTMAS MILL SITE NO. 94	4.995
Total area, CHRISTMAS MILL SITE NO. 95	4.999
Total area, CHRISTMAS MILL SITE NO. 96	4.998
Total area, CHRISTMAS MILL SITE NO. 97	4.998
Total area, CHRISTMAS MILL SITE NO. 98	4.999
Total area, CHRISTMAS MILL SITE NO. 99	4.996
Total area, CHRISTMAS MILL SITE NO. 100	4.990
Total area, CHRISTMAS MILL SITE NO. 101	4.990
Total area, CHRISTMAS MILL SITE NO. 102	4.996
Total area, CHRISTMAS MILL SITE NO. 103	4.999
Total area, CHRISTMAS MILL SITE NO. 104	4.998
Total area, CHRISTMAS MILL SITE NO. 105	4.998
Total area, CHRISTMAS MILL SITE NO. 106	4.999
Total area, CHRISTMAS MILL SITE NO. 107	4.995
Total area, CHRISTMAS MILL SITE NO. 108	4.990
Total area, CHRISTMAS MILL SITE NO. 109	4.887
Total area, CHRISTMAS MILL SITE NO. 110	4.941
Total area, CHRISTMAS MILL SITE NO. 111	4.997
Total area, CHRISTMAS MILL SITE NO. 112	4.998
Total area, CHRISTMAS MILL SITE NO. 113	5.000
Total area, CHRISTMAS MILL SITE NO. 114	4.998
Total area, CHRISTMAS MILL SITE NO. 115	4.997
Total area, CHRISTMAS MILL SITE NO. 116	4.999
Total area, CHRISTMAS MILL SITE NO. 117	4.994

FEET

Total area, CHRISTMAS MILL SITE NO. 118	4.992
Total area, CHRISTMAS MILL SITE NO. 119	4.903
Total area, CHRISTMAS MILL SITE NO. 120	4.281
Area in conflict with --	
CHRISTMAS MILL SITE NO. 118 of this survey	1.342
CHRISTMAS MILL SITE NO. 122 of this survey	1.159
Total area, CHRISTMAS MILL SITE NO. 121	4.055
Area in conflict with --	
Sur. No. 2175 Last Chance lode	0.215
CHRISTMAS MILL SITE NO. 122 of this survey	1.987
Total area, CHRISTMAS MILL SITE NO. 122	4.988
Total area, CHRISTMAS MILL SITE NO. 123	4.985
Total area, CHRISTMAS MILL SITE NO. 124	4.994
Total area, CHRISTMAS MILL SITE NO. 125	4.998
Total area, CHRISTMAS MILL SITE NO. 126	4.517
Area in conflict with --	
Sur. No. 4443 INSPIRATION 2 lode	0.211
CHRISTMAS MILL SITE NO. 125 of this survey	2.114
Total area, CHRISTMAS MILL SITE NO. 127	3.188
Area in conflict with --	
Sur. No. 2175 Joker lode	0.032
CHRISTMAS MILL SITE NO. 124 of this survey	0.333
CHRISTMAS MILL SITE NO. 125 of this survey	0.599
Total area, CHRISTMAS MILL SITE NO. 128	3.240
Area in conflict with --	
CHRISTMAS MILL SITE NO. 127 of this survey	0.008
Total area, CHRISTMAS MILL SITE NO. 129	3.106
Total area, CHRISTMAS MILL SITE NO. 130	4.860

LOCATION

This survey is located in Sur. sec. 16, Unsur. secs. 17, 18, 19 and 20, T. 4 S., R. 16 E., G. & S. R. M., Gila County, Arizona

The survey of the CHRISTMAS MILL SITES is identical with the respective location as marked on the ground.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The Cor of secs. 8, 9, 16, and 17, T. 4 S., R. 16 E., G. & S. R. M., is an iron post, 2 ins. diam., 13 ins. above ground, firmly set, marked as described in the official record. The line between this sec. cor. and the $\frac{1}{4}$ sec. cor. of secs. 16 and 17, previously described, bears N. $0^{\circ} 53' 17''$ E., 2,685.40 ft.

Sur. No. 2175 California lode: Cor. No. 3 is a granite stone, firmly set and properly marked. Cors. Nos. 1 and 4 have been destroyed. Although Cor. No. 2 could not be found, its position was re-established from found bearing rocks. Line 2-3 was found to be N. $64^{\circ} 51' 44''$ E., 597.51 ft., instead of N. $64^{\circ} 46'$ E., 600 ft., as approved. The line between Cor. No. 3 Sur. No. 2175 California lode and Cor. No. 2 Sur. No. 4443 INSPIRATION 2 lode was used to ascertain the bearing of line 3-4, no other evidence as to the true direction of this line being available; this line was found to be S. $9^{\circ} 32' 40''$ E., 324.71 ft., instead of S. $9^{\circ} 37'$ E., 324.78 ft., as approved for Sur. No. 4443 INSPIRATION 2 lode; line 1-2 shown as approved.

FEET

Sur. No. 2175 Joker lode: Cor. No. 3 is a granite stone, firmly set and properly marked; no other corners were found. The line between re-established Cor. No. 2 Sur. No. 2175 California lode and Cor. No. 3 was found to be N. $9^{\circ}31'10''$ W., 248.95 ft., instead of N. $9^{\circ}39'$ W., 262.6 ft., as approved. The line between re-established Cor. No. 2 Sur. No. 2175 California lode and Cor. No. 2 shown as approved. The line between Cor. No. 3 and Cor. No. 2 Sur. No. 2175 Alabama lode was used to ascertain the bearing of line 3-4, S. $47^{\circ}35'50''$ W., instead of S. $47^{\circ}40'$ W., as approved. The length of line 3-4 is shown 643 ft., as approved; line 4-1 shown as approved.

Sur. No. 2175 Alabama lode: Cor. No. 2 is a granite stone, firmly set and properly marked; no other corners were found. The line between Cor. No. 2 and Cor. No. 3 Sur. No. 2175 Joker lode was used to ascertain the bearing of line 2-3, N. $47^{\circ}35'50''$ E., instead of N. $47^{\circ}40'$ E., as approved. The length of line 2-3 was found to be 592.77 ft. instead of 600 ft., as approved; lines 1-2 and 3-4 shown as approved.

Sur. No. 2175 Last Chance lode: Cor. No. 2 is a granite rock in place, properly marked; no other corners were found. Set a point for Cor. No. 3 on line 1-2 Sur. No. 2175 Four Aces lode at a distance of 900.00 ft. from Cor. No. 1 Sur. No. 2175 Four Aces lode, as approved. The line between Cor. No. 2 Sur. No. 2175 Alabama lode and Cor. No. 2 was found to be N. $9^{\circ}41'08''$ W., 874.90 ft., instead of N. $9^{\circ}39'$ W., 878 ft., as approved. The line between Cor. No. 2 Sur. No. 2175 Alabama lode and Cor. No. 1 shown as approved. Line 2-3 was found to be S. $80^{\circ}18'29''$ W., 598.40 ft., instead of S. $80^{\circ}21'$ W., 600 ft., as approved; line 3-4 was found to be S. $9^{\circ}47'08''$ E., instead of S. $9^{\circ}39'$ E., as approved.

Sur. No. 2175 Four Aces lode: Cors. Nos. 1 and 2 are granite stones firmly set and properly marked; Cor. No. 3 could not be found. Line 1-2 was found to be N. $9^{\circ}47'08''$ W., 1,489.91 ft., instead of N. $9^{\circ}39'$ W., 1500 ft., as approved. The line between Cor. No. 3 Sur. No. 2175 Last Chance lode and Cor. No. 2 was found to be N. $9^{\circ}47'08''$ W., 589.91 ft., instead of N. $9^{\circ}39'$ W., 600 ft., as approved. The line between Cor. No. 2 and Cor. No. 1 Sur. No. 2175 Climax lode was found to be S. $80^{\circ}10'15''$ W., 297.16 ft., instead of S. $80^{\circ}21'$ W., 300 ft., as approved; the line between Cor. No. 1 Sur. No. 2175 Climax lode and Cor. No. 3 shown as approved.

Sur. No. 2175 Climax lode: Cors. Nos. 1 and 4 are granite stones, firmly set and properly marked. Line 4-1 was found to be S. $9^{\circ}56'15''$ E., 1,493.07 ft., instead of S. $9^{\circ}39'$ E., 1500 ft., as approved; line 1-2 shown as approved.

FEET

Sur. No. 4443 INSPIRATION 2 lode: Cors. Nos. 1 and 2 are iron posts, firmly set and properly marked; Cor. No. 3 could not be found. Line 1-2 was found to be N. $9^{\circ}32'40''$ W., instead of N. $9^{\circ}37'$ W., as approved. Line 2-3 shown as approved.

Sur. No. 4443 INSPIRATION 7 lode: Cors. Nos. 1 and 4 are iron posts, firmly set and properly marked; Cors. Nos. 2 and 3 have been destroyed. Cor. No. 2 was re-established at the point at which the line between Cor. No. 1 of this lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 30 lode intersects the line between Cor. No. 3 Sur. No. 4443 INSPIRATION 8 lode and Cor. No. 2 Sur. No. 4443 INSPIRATION 16 lode; line 1-2 was found to be N. $0^{\circ}00'36''$ E., 1500.90 ft., instead of NORTH, 1500 ft., as approved; lines 4-1 and 2-3 shown as approved.

Sur. No. 4443 INSPIRATION 15 lode: Cors. Nos. 2 and 3 are iron posts, firmly set and properly marked. Cor. No. 1 has been buried by tailings and Cor. No. 4 has been destroyed. Cor. No. 1 is identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 26 lode, and Cor. No. 4 Sur. No. 4443 INSPIRATION 14 lode, and was re-established as hereinafter described. Cor. No. 4 was re-established at the point at which the line between Cor. No. 3 of this lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 27 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 26 lode and Cor. No. 3 Sur. No. 4443 INSPIRATION 19 lode. Line 1-2 was found to bear S. $0^{\circ}00'10''$ W., instead of SOUTH, as approved. Line 3-4 was found to bear N. $0^{\circ}00'30''$ E., instead of NORTH, as approved. Line 4-1 was found to be S. $89^{\circ}58'$ E., 599.90 ft., instead of EAST, 600 ft., as approved.

Sur. No. 4443 INSPIRATION 16 lode: Cor. No. 2 is an iron post, firmly set and properly marked. All other corners have been destroyed by road construction and clearing operations. Cor. No. 1 is identical with Cor. No. 4 Sur. No. 4443 INSPIRATION 15 lode, and was re-established as previously described. Cor. No. 4 was re-established at the point at which the line between Cor. No. 4 Sur. No. 4443 INSPIRATION 6 lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 28 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 26 lode and Cor. No. 3 Sur. No. 4443 INSPIRATION 19 lode. Line 1-2 was found to bear S. $0^{\circ}00'30''$ W., instead of SOUTH, as approved. Line 3-4 was found to bear N. $0^{\circ}00'44''$ W., instead of NORTH, as approved. Line 4-1 was found to be S. $89^{\circ}58'$ E., 599.58 ft., instead of EAST, 600 ft., as approved.

Sur. No. 4443 INSPIRATION 17 lode: All four corners have been destroyed by road construction and clearing operations. Cor. No. 2 was re-established at the point at which the line between Cor. No. 4 Sur. No. 4443 INSPIRATION 7

	FEET	
		<p>lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 29 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 26 lode and Cor. No. 3 Sur. No. 4443 INSPIRATION 19 lode. Cor. No. 3 is identical with Cor. No. 4 Sur. No. 4443 INSPIRATION 16 lode and was re-established as previously described. Line 1-2 was found to bear N. 0°01'54" E., instead of NORTH, as approved. Line 2-3 was found to be S. 80°58' E., 600.51 ft., instead of EAST, 600 ft., as approved. Line 3-4 was found to bear S. 0°00'44" E., instead of SOUTH, as approved.</p> <p>Sur. No. 4443 INSPIRATION 18 lode: All four corners have been destroyed or buried by tailings. Cor. No. 1 is identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 7 lode and was re-established as previously described. Cor. No. 2 was re-established at the point at which the line between Cor. No. 1 Sur. No. 4443 INSPIRATION 7 lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 30 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 26 lode and Cor. No. 3 Sur. No. 4443 INSPIRATION 19 lode. Cor. No. 3 is identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 17 lode and was re-established as previously described. Line 1-2 was found to be N. 0°00'36" E., 1500.28 ft., instead of NORTH, 1500 ft., as approved. Line 2-3 was found to be S. 89°58' E., 600.36 ft., instead of EAST, 600 ft., as approved. Line 3-4 was found to bear S. 0°01'54" W., instead of SOUTH, as approved. Line 4-1 shown as approved.</p> <p>Sur. No. 4443 INSPIRATION 23 lode: All four corners are iron posts, firmly set and properly marked. Line 1-2 was found to bear S. 0°00'32" W., instead of SOUTH, as approved. Line 3-4 was found to bear N. 0°00'25" E., instead of NORTH, as approved. Line 4-1 was found to be N. 89°59'39" E., 600.16 ft., instead of EAST, 600 ft., as approved.</p> <p>Sur. No. 4443 INSPIRATION 24 lode: All four corners are iron posts, firmly set and properly marked. Line 1-2 was found to bear S. 0°00'25" W., instead of SOUTH, as approved. Line 3-4 was found to bear N. 0°00'16" E., instead of NORTH, as approved. Line 4-1 was found to be S. 89°59'39" E., 600.44 ft., instead of EAST, 600 ft., as approved.</p> <p>Sur. No. 4443 INSPIRATION 25 lode: All four corners are iron posts, firmly set and properly marked. Line 1-2 was found to bear S. 0°00'16" W., instead of SOUTH, as approved. Line 3-4 was found to bear N. 0°00'54" E., instead of NORTH, as approved. Line 4-1 was found to be EAST, 600.29 ft., instead of EAST, 600 ft., as approved.</p> <p>Sur. No. 4443 INSPIRATION 26 lode: Cors. Nos. 1 and 2 are iron posts, firmly set and properly marked. Cors. Nos. 3 and 4 fall in tailings ponds and have been covered. Cor. No. 3 was re-established at the point at which</p>

(This form bound on left side)

FEET

the line between Cor. No. 2 of this lode and Cor. No. 3 Sur. No. 4443 INSPIRATION 19 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 15 lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 36 lode. Cor. No. 4 was re-established at the point at which the line between Cor. No. 1 of this lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 27 lode intersects the line between Cor. No. 2 Sur. No. 4443 INSPIRATION 15 lode and Cor. No. 4 Sur. No. 4443 INSPIRATION 36 lode. Line 1-2 was found to bear S. $0^{\circ}00'54''$ W., instead of SOUTH, as approved. Line 3-4 was found to bear N. $0^{\circ}00'10''$ E., 1500.51 ft., instead of NORTH, 1500 ft., as approved. Line 4-1 was found to bear S. $89^{\circ}59'12''$ E., 600.44 ft., instead of EAST, 600 ft., as approved. Line 2-3 was found to bear N. $89^{\circ}58'$ W., instead of WEST, as approved.

Sur. No. 4443 INSPIRATION 14 lode: Cors. Nos. 1 and 3 are iron posts, firmly set and properly marked. Cor. No. 4 is identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 26 lode and was re-established as previously described. Line 3-4 was found to bear N. $0^{\circ}00'10''$ E., instead of NORTH, as approved. Line 4-1 was found to bear S. $89^{\circ}58'$ E., instead of EAST, as approved.

FIELD ASSISTANTS

Wilburn H. Martin	Chainman
A. Michael Orchard	Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date July 22, 1968
--	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated March 4, 1968, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company known as the (lode, placer, or mill site) CHRISTMAS MILL SITES NOS. 1 through 130 situated in Sur. sec. 16 and Unsur. secs. 17, 18, 19 and 20 Township 4 S., Range 16 E., Gila and Salt River Meridian, in the State of Arizona

This survey, designated as number 4669, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) location(s) embraced in the said mining claim by claimant(s) or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Globe, Arizona (Location)	<i>Travis L. Gant</i> (Signature of Mineral Surveyor)
------------------------------	--

CERTIFICATE OF APPROVAL

Bureau of Land Management Office Arizona State Office Location Phoenix, Arizona Date March 18, 1969

The foregoing field notes of mineral survey number 4669, in Surveyed Section 16 and Unsurveyed Sections 17, 18, 19 and 20, surveyed unsurveyed Township 4 S., Range 16 E., Gila and Salt River Meridian, in the State of Arizona, executed by Travis L. Gant Mineral Surveyor, under order dated March 4, 1968, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Raymond C. Clegorn</i> Raymond C. Clegorn (Authorized Signature)	Acting State Director (Title)
--	----------------------------------

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
STATEMENT OF WORK

Form 100-10
1-75

Project Name: _____
Date: _____

The purpose of this statement of work is to define the scope of the project and the responsibilities of the contractor. The contractor shall provide all personnel, materials, and equipment necessary to complete the project in accordance with the schedule and budget provided.

The contractor shall be responsible for the design, construction, and maintenance of the project. The contractor shall also be responsible for the safety of all personnel and equipment used in the project. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the procurement of all materials and equipment necessary for the project. The contractor shall also be responsible for the transportation and storage of all materials and equipment. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the maintenance of all equipment used in the project. The contractor shall also be responsible for the repair and replacement of all equipment that is damaged or worn out. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the safety of all personnel and equipment used in the project. The contractor shall also be responsible for the training and supervision of all personnel. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the design, construction, and maintenance of the project. The contractor shall also be responsible for the safety of all personnel and equipment used in the project. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the procurement of all materials and equipment necessary for the project. The contractor shall also be responsible for the transportation and storage of all materials and equipment. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the maintenance of all equipment used in the project. The contractor shall also be responsible for the repair and replacement of all equipment that is damaged or worn out. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.

The contractor shall be responsible for the safety of all personnel and equipment used in the project. The contractor shall also be responsible for the training and supervision of all personnel. The contractor shall provide a detailed report of the project progress and results to the Bureau of Land Management.