

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4675
State
Arizona
Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Clifton R. Staley
2301 W. Canada
Tucson, Arizona 85706

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

| NAME OF LOCATION | DATE | |
|------------------|---------|---------|
| | LOCATED | AMENDED |
| Mountian Goat | 6/23/56 | 8/15/69 |
| Gold Mine No. 1 | 6/15/57 | 8/15/69 |

| | | | | |
|--------------------------|--------------|--------------------------|--|--|
| Mining district Banner | | | County Gila | |
| Section 20 | Township 4 S | Range 16E. | Meridian G. & S. R. | Survey under order dated 5/21/69 & 8/27/69 |
| Survey commenced 6/10/69 | | Survey completed 8/30/69 | Name of Mineral Surveyor Harvey W. Smith | |

Form 100-1000
1-1-50

UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION

REPORT OF

Name of reporting office
Date
Title of report
Name of special agent in charge

1. Name of subject
2. Address
3. City and State

4. Date of report
5. Name of informant
6. Nature of information received

7. Summary of information received

| DATE | NAME | ADDRESS | CITY AND STATE | CHARACTER OF INFORMATION |
|--------|------------|--------------|----------------|--------------------------|
| 1-1-50 | JOHN DOE | 123 MAIN ST | NEW YORK, N.Y. | ... |
| 1-1-50 | JANE SMITH | 456 BROADWAY | NEW YORK, N.Y. | ... |

8. Name of informant
9. Name of special agent in charge
10. Name of supervisor
11. Name of field office
12. Name of district office
13. Name of division

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-seconds accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey, and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation of the sun. At 09:28 A.M. on June 12, 1969, at Cor. No. 1 of the Mountian Goat lode, latitude $33^{\circ} 03' 47.18''$ N., longitude $111^{\circ} 13' 38.25''$ W., turning from a reference point about 300 ft. northeasterly, clockwise to the sun in an easterly direction.

True bearing of reference point: $N. 31^{\circ} 14' 45''$ E.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. One additional foot at the zero end is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° East.

Mountian Goat Lode

At Cor. No. 1 of the Mountian Goat Lode.

Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4675 MG 1 X; from which

The cor. of secs. 20, 21, 28 and 29, T. 4 S., R. 16 E., G.&S.R. Mer., bears $S. 41^{\circ} 39' 40''$ E., 2470.50 ft. dist.; an iron post, 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.

A steel barb-wire fence post, $4 1/2$ ft. long, painted white, sets in a mound of stones adjacent to the iron post.

Thence $N. 56^{\circ} 58' 30''$ W.

| FEET | |
|---------|--|
| 300.0 | Lode line; discovery point bears N. 40° 06' 20" E., 1115.05 ft. dist. |
| 460.0 | <p>Cor. No. 2</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 MG 2 X; from which</p> <p>A steel barb-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.</p> <p>Thence N. 40° 06' 20" E.</p> |
| 126.41 | Cor. No. 1 Gold Mine No. 1 lode of this survey. |
| 1172.14 | <p>Intersect line 2-3 Sur. No. 4443 INSPIRATION 12 lode at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 13 lode, bears S. 89° 58' 05" W., 8.64 ft. dist.</p> |
| 1335.05 | <p>Cor. No. 3, identical with Cor. No. 4 of the Gold Mine No. 1 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 MG 3 GM1 4 X; from which</p> <p>Cor. No. 3 Sur. No. 4443 INSPIRATION 12 lode, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 13 lode, bears S. 42° 21' W., 168.60 ft. dist.</p> <p>A steel bar-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.</p> <p>Thence S. 56° 58' 30" E.</p> |
| 160.0 | Lode line; discovery point bears S. 40° 06' 20" W., 220.0 ft. dist. |
| 228.33 | <p>Intersect line 2-3 Sur. No. 4443 INSPIRATION 12 lode at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 13 lode, bears S. 89° 58' 05" W., 304.99 ft. dist.</p> |
| 460.0 | <p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 MG 4 X; from which</p> |

| FEET | |
|------------------|--|
| | <p>A steel barb-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 40° 06' 20" W.</p> <p>Jeep road, bears S. 50° E. and N. 50° W. Cor. No. 1, and place of beginning.</p> |
| 470.0 1335.05 | |
| | <p>Gold Mine No. 1 LODE</p> <p>At Cor. No. 1 of the Gold Mine No. 1 lode</p> <p>On line 2-3 Mountian Goat lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 GMI 1 X; from which</p> <p style="text-align: center;">The cor. of secs. 20, 21, 28 and 29 bears S. 41° 35' 25" E., 2941.26 ft. dist.; previously described.</p> <p>A steel barb-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 62° 46' 40" W.</p> |
| 125.0 | Lode line; discovery point bears N. 40° 06' 20" E., 733.64 ft. dist. |
| 425.0 | Cor. No. 2 |
| | <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 GM 1 2 X; from which</p> <p>A steel barb-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 40° 24' 25" E.</p> |
| 795.08 | Intersect line 2-3 Sur. No. 4443 INSPIRATION 13 lode at a point from which Cor. No. 2, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 12 lode, bears East, 527.57 ft. dist. Cor. No. 3 Sur. No. 4443 INSPIRATION 13 lode, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 14 lode, bears West, 72.43 ft. dist. |
| 1210.11 | Cor. No. 3 |
| | <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the</p> |

(This form bound on left side)

FEET

ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4675 GM 1 3 X; from which

A steel barb-wire fence post, 4 1/2 ft. long, painted white, sets in a mound of stones adjacent to the iron post.

Thence S. 62° 46' 40" E.

290.74 Intersect line 1-2 Sur. No. 4443 INSPIRATION 13 lode, identical with line 3-4 Sur. No. 4443 INSPIRATION 12 lode, at a point from which Cor. No. 2 INSPIRATION 13 lode, identical with Cor. No. 3 INSPIRATION 12 lode, bears South, 183.03 ft. dist.

293.47 Lode line; discovery pt. bears S. 40° 06' 20" W., 475.0 ft. dist.

418.47 Cor. No. 4, identical with Cor. No. 3 of the Mountian Goat lode of this survey.

Thence S. 40° 06' 20" W.

162.91 Intersect line 2-3 Sur. No. 4443 INSPIRATION 12 lode at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 13 lode, bears S. 89° 58' 05" W., 8.64 ft. dist.

1208.64 Cor. No. 1, and place of beginning.

SURVEY NO. 4675

AREAS

| | Acres |
|-----------------------------------|--------|
| Total area, Mountian Goat lode | 13.991 |
| Area in conflict with | |
| Sur. No. 4443 INSPIRATION 12 lode | 0.424 |
| Total area Gold Mine No. 1 lode | 11.407 |
| Area in conflict with | |
| Sur. No. 4443 INSPIRATION 12 lode | 0.251 |
| Sur. No. 4443 INSPIRATION 13 lode | 2.457 |

LOCATION

This survey is located in the SE 1/4 and NE 1/4, sec. 20, T. 4 S., R. 16 E., G.&S.R. Mer.

The survey of the Mountian Goat and Gold Mine No. 1 lodes is identical with the respective location or amended location as marked on the ground.

| FEET | EXPENDITURES |
|-------|--|
| | <p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:</p> |
| No. 1 | <p>The discovery cut of the Mountian Goat lode, the mouth of which being the discovery point, is on the lode line 220.0 ft. from a point on line 3-4, 160.0 ft. from Cor. No. 3; 15 ft. wide, running N. 40° E., 25 ft. to a face 10 ft. high.</p> <p style="text-align: right;">Value: \$250.00</p> |
| No. 2 | <p>An adit, 3 1/2 x 5 1/2 ft. in size, partially caved at the portal, the latter which bears S. 26° W., 300.0 ft. from Cor. No. 3 Mountian Goat lode and runs N. 70° E., 20+ ft.</p> <p style="text-align: right;">Value: \$400.00</p> |
| No. 1 | <p>The discovery point of the Gold Mine No. 1 lode is on the lode line, 475 ft. from a point on line 3-4, 293.47 ft. from Cor. No. 3.</p> <p style="text-align: right;">Value: None</p> |
| No. 2 | <p>An adit, 3 1/2 x 6 ft. in size, partially caved at the portal, the latter which bears S. 63° 30' W., 450 ft. from Cor. No. 4 Gold Mine No. 1 lode, and runs S. 70° W., 6.0 ft.</p> <p style="text-align: right;">Value: \$100.00</p> |
| No. 3 | <p>An adit, 3 1/2 x 6 ft. in size, the portal of which bears S. 57° W., 405 ft. from Cor. No. 4 Gold Mine No. 1 lode, and runs S. 50° W., 20+ ft.</p> <p style="text-align: right;">Value: \$400.00</p> |
| No. 4 | <p>An adit, 4 x 6 ft. in size, the portal of which bears S. 56° W., 445 ft. from Cor. No. 4 Gold Mine No. 1 lode, and runs S. 45° W., 20+ ft.</p> <p style="text-align: right;">Value: \$400.00</p> |
| | <p>OTHER IMPROVEMENTS</p> |
| | <p>A frame cabin, the NE cor. of which bears S. 27° W., 475 ft. from Cor. No. 3 Mountian Goat lode; 10 x 20 ft. in size; the long sides bear S. 30° E. Claimant herein.</p> <p>A jeep access road which traverses nearly the width of the Mountian Goat lode to the cabin site and provides access to the improvements on the Gold Mine No. 1 lode. Claimant herein.</p> |

FEET

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

Sur. No. 4443 INSPIRATION 12 lode: Cor. No. 2 is a stone $3\frac{1}{2} \times 4 \times 4$ ft. firmly set, mkd. 1-12-2-4443, the center of which I accepted as the true point. Cor. No. 3, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 13 lode, is an iron post, firmly set and properly marked. Line 2-3 was found to be S. $89^{\circ} 58' 05''$ W., 600.25 ft. instead of West, 600.0 ft. as approved. Line 3-4, identical with line 1-2 Sur. No. 4443 INSPIRATION 13 lode is shown as approved.

Sur. No. 4443 INSPIRATION 13 lode: Cor. No. 2, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 12 lode, described above. Line 1-2 identical with line 3-4 Sur. No. 4443 INSPIRATION 12 lode, described above. Line 2-3 is shown as approved. Cor. No. 3, identical with Cor. No. 2 Sur. No. 4443 INSPIRATION 14 lode, is an iron post, firmly set and properly marked. Lines 2-3 and 3-4 are shown as approved.

Sur. No. 4443 INSPIRATION 14 lode: Cor. No. 2, identical with Cor. No. 3 Sur. No. 4443 INSPIRATION 13 lode, described above. Lines 1-2 and 2-3 are shown as approved.

FIELD ASSISTANTS

| <u>Name</u> | <u>Capacity</u> |
|-----------------|-----------------|
| Edward Peterson | Chainman |
| Wayne Smith | Axeman |

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


CERTIFICATE OF SURVEYOR

| | |
|---|-----------------------|
| Name of Mineral Surveyor Harvey W. Smith | Date Sept. 8, 1969 |
|---|-----------------------|

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated 5/21/69 & 8/27/69, 1969, I have carefully executed the survey of the claim of Clifton R. Staley, known as the (lode, placer, or mill site) Mountian Goat & Gold Mine No. 1 lodes, situated in Banner Mining District, Gila County, Sec. 20, Township 4S., Range 16E., Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4675, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Mountian Goat & Gold Mine No. 1 lode location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

| | |
|-----------------------------------|---|
| Scottsdale, Arizona (Location) |  (Signature of Mineral Surveyor) Harvey W. Smith, E. M. |
|-----------------------------------|---|

CERTIFICATE OF APPROVAL

| |
|---|
| Bureau of Land Management Office Arizona State Office Location Phoenix, Arizona Date October 20, 1969 |
|---|

The foregoing field notes of mineral survey number 4675, in Section 20, Township 4 S., Range 16 E., Gila and Salt River Meridian, in the State of Arizona, executed by Harvey W. Smith, Mineral Surveyor, under order dated May 21, 1969, and Amended Order dated August 27, 1969, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

| | |
|---|----------------------------------|
|  (Authorized Signature) Glendon E. Collins | Acting State Director (Title) |
|---|----------------------------------|

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

| | |
|------------------------|---------|
| (Authorized Signature) | (Title) |
|------------------------|---------|

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

THE UNIVERSITY OF MICHIGAN
LIBRARY

THE UNIVERSITY OF MICHIGAN

1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025

2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100

2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200

2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300

2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400

2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500

2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600

2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700