

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4706

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Inspiration Consolidated Copper Company  
c/o G. Henry Ladendorff, Attorney at Law  
Suite 716 Arizona Bank Building  
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

IL Mill Site Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
INSPIRATION MILL SITE NO. IL 88	7/19/67	
INSPIRATION MILL SITE NO. IL 89	7/19/67	
INSPIRATION MILL SITE NO. IL 90	7/19/67	
INSPIRATION MILL SITE NO. IL 91	7/19/67	
INSPIRATION MILL SITE NO. IL 92	7/19/67	
INSPIRATION MILL SITE NO. IL 93	7/19/67	
INSPIRATION MILL SITE NO. IL 94	7/19/67	
INSPIRATION MILL SITE NO. IL 95	7/19/67	
INSPIRATION MILL SITE NO. IL 96	7/18/67	
INSPIRATION MILL SITE NO. IL 97	7/19/67	
INSPIRATION MILL SITE NO. IL 98	7/19/67	
INSPIRATION MILL SITE NO. IL 99	7/19/67	
INSPIRATION MILL SITE NO. IL 100	7/19/67	
INSPIRATION MILL SITE NO. IL 101	7/19/67	
INSPIRATION MILL SITE NO. IL 102	7/19/67	
INSPIRATION MILL SITE NO. IL 103	7/19/67	
INSPIRATION MILL SITE NO. IL 106	7/19/67	
INSPIRATION MILL SITE NO. IL 107	7/19/67	
INSPIRATION MILL SITE NO. IL 108	7/19/67	
INSPIRATION MILL SITE NO. IL 109	7/19/67	
INSPIRATION MILL SITE NO. IL 110	7/19/67	
INSPIRATION MILL SITE NO. IL 111	7/19/67	
INSPIRATION MILL SITE NO. IL 112	7/19/67	

(Continued on Page 2)

Mining district (Use) Globe		County Gila	
Section 33	Township 1 North	Range 14 East	Meridian Gila & Salt River
Sections 3 & 4	1 South		Survey under order dated November 3, 1971
Survey commenced November 8, 1971	Survey completed December 30, 1971	Name of Mineral Surveyor Travis L. Gant	



NAME OF LOCATION	LOCATED	AMENDED
INSPIRATION MILL SITE NO. IL 113	7/19/67	
INSPIRATION MILL SITE NO. IL 114	7/19/67	
INSPIRATION MILL SITE NO. IL 115	7/19/67	
INSPIRATION MILL SITE NO. IL 116	7/19/67	
INSPIRATION MILL SITE NO. IL 117	7/19/67	
INSPIRATION MILL SITE NO. IL 118	7/20/67	
INSPIRATION MILL SITE NO. IL 119	7/20/67	
INSPIRATION MILL SITE NO. IL 120	7/19/67	
IL 121 Mill Site	7/19/67	8/19/71
INSPIRATION MILL SITE NO. IL 122	7/19/67	
IL 123 Mill Site	7/19/67	8/19/71
INSPIRATION MILL SITE NO. IL 124	7/19/67	
INSPIRATION MILL SITE NO. IL 125	7/19/67	
INSPIRATION MILL SITE NO. IL 126	7/19/67	
INSPIRATION MILL SITE NO. IL 127	7/19/67	
INSPIRATION MILL SITE NO. IL 128	7/19/67	
INSPIRATION MILL SITE NO. IL 129	7/19/67	
INSPIRATION MILL SITE NO. IL 130	7/19/67	
INSPIRATION MILL SITE NO. IL 131	7/19/67	
INSPIRATION MILL SITE NO. IL 132	7/19/67	
INSPIRATION MILL SITE NO. IL 133	7/19/67	
INSPIRATION MILL SITE NO. IL 134	7/19/67	
INSPIRATION MILL SITE NO. IL 135	7/19/67	
INSPIRATION MILL SITE NO. IL 136	7/18/67	
INSPIRATION MILL SITE NO. IL 137	7/18/67	
INSPIRATION MILL SITE NO. IL 138	7/18/67	
INSPIRATION MILL SITE NO. IL 139	7/18/67	
IL 143 Mill Site	7/19/67	8/19/71
IL 144 Mill Site	7/19/67	8/19/71
IL 145 Mill Site	7/19/67	8/19/71
INSPIRATION MILL SITE NO. IL 146	7/19/67	
INSPIRATION MILL SITE NO. IL 147	7/19/67	
INSPIRATION MILL SITE NO. IL 148	7/19/67	

(Continued on Page 3)



NAME OF LOCATION	LOCATED	AMENDED
INSPIRATION MILL SITE NO. IL 149	7/19/67	
INSPIRATION MILL SITE NO. IL 150	7/19/67	
INSPIRATION MILL SITE NO. IL 151	7/19/67	
INSPIRATION MILL SITE NO. IL 152	7/18/67	
INSPIRATION MILL SITE NO. IL 153	7/18/67	
INSPIRATION MILL SITE NO. IL 154	7/18/67	
INSPIRATION MILL SITE NO. IL 155	7/18/67	
INSPIRATION MILL SITE NO. IL 156	7/18/67	
INSPIRATION MILL SITE NO. IL 157	7/18/67	
INSPIRATION MILL SITE NO. IL 158	7/18/67	
INSPIRATION MILL SITE NO. IL 159	7/18/67	
INSPIRATION MILL SITE NO. IL 160	7/18/67	
INSPIRATION MILL SITE NO. IL 161	7/18/67	
INSPIRATION MILL SITE NO. IL 162	7/18/67	
INSPIRATION MILL SITE NO. IL 163	7/18/67	
IL 168 Mill Site	7/20/67	8/19/71
INSPIRATION MILL SITE NO. IL 170	7/20/67	
INSPIRATION MILL SITE NO. IL 172	7/20/67	
INSPIRATION MILL SITE NO. IL 174	7/20/67	
INSPIRATION MILL SITE NO. IL 176	7/18/67	
INSPIRATION MILL SITE NO. IL 178	7/18/67	
INSPIRATION MILL SITE NO. IL 180	7/18/67	
INSPIRATION MILL SITE NO. IL 182	7/18/67	
INSPIRATION MILL SITE NO. IL 184	7/18/67	
INSPIRATION MILL SITE NO. IL 200	7/20/67	
INSPIRATION MILL SITE NO. IL 201	7/18/67	
INSPIRATION MILL SITE NO. IL 202	3/28/68	
INSPIRATION MILL SITE NO. IL 203	3/28/68	
INSPIRATION MILL SITE NO. IL 204	3/28/68	
INSPIRATION MILL SITE NO. IL 205	3/28/68	
INSPIRATION MILL SITE NO. IL 206	3/28/68	
INSPIRATION MILL SITE NO. IL 207	3/28/68	

(Continued on Page 4)

DATE	DESCRIPTION	AMOUNT
1/1/19	...	...
1/2/19	...	...
1/3/19	...	...
1/4/19	...	...
1/5/19	...	...
1/6/19	...	...
1/7/19	...	...
1/8/19	...	...
1/9/19	...	...
1/10/19	...	...
1/11/19	...	...
1/12/19	...	...
1/13/19	...	...
1/14/19	...	...
1/15/19	...	...
1/16/19	...	...
1/17/19	...	...
1/18/19	...	...
1/19/19	...	...
1/20/19	...	...
1/21/19	...	...
1/22/19	...	...
1/23/19	...	...
1/24/19	...	...
1/25/19	...	...
1/26/19	...	...
1/27/19	...	...
1/28/19	...	...
1/29/19	...	...
1/30/19	...	...
1/31/19	...	...

Box River Bond

NAME OF LOCATION	LOCATED	AMENDED
INSPIRATION MILL SITE NO. IL 208	3/28/68	
INSPIRATION MILL SITE NO. IL 209	3/28/68	
INSPIRATION MILL SITE NO. IL 210	3/27/68	
INSPIRATION MILL SITE NO. IL 211	3/27/68	
INSPIRATION MILL SITE NO. IL 212	3/27/68	
INSPIRATION MILL SITE NO. IL 213	3/27/68	
INSPIRATION MILL SITE NO. IL 214	3/27/68	
INSPIRATION MILL SITE NO. IL 215	3/27/68	
INSPIRATION MILL SITE NO. IL 216	3/27/68	
INSPIRATION MILL SITE NO. IL 217	3/27/68	
INSPIRATION MILL SITE NO. IL 218	3/27/68	
INSPIRATION MILL SITE NO. IL 219	3/27/68	
IL 304 MILL SITE	2/24/71	
IL 305 MILL SITE	2/24/71	
IL 306 MILL SITE	2/24/71	
IL 307 MILL SITE	2/24/71	
IL 308 MILL SITE	2/24/71	
IL 309 MILL SITE	2/24/71	
IL 311 MILL SITE	8/19/71	
IL 312 MILL SITE	8/19/71	
IL 313 MILL SITE	10/12/71	





FEET

This survey was made with a W. & L. E. Gurley transit, No. 57289, equipped with horizontal limb  $6\frac{1}{2}$  ins. diam., having two double opposite verniers, and a full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 30 secs. of arc; the vertical vernier reads to one minute of arc. This instrument was used in all-purpose taping and alignment procedures where great distances were not involved. Distances greater than 500 feet were measured in many cases using electronic distance measuring equipment, i.e., the Hewlett-Packard Model 3800 Distance Meter, Ser. No. 0987 A 00472, having a range of 10,000 feet and an absolute accuracy of 0.01 feet plus the distance measured divided by 100,000 in the normal operating temperature range. In all instances wherein the distance meter was used, vertical angles were measured with a Kern theodolite, Model DKM 2 AE, Ser. No. 145997, with microscopic angle-reading capabilities enabling the instrument man to read angles, either horizontal or vertical, to 1 sec. of arc. All three of these instruments were in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

November 20, 1971, at Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 182, in latitude  $33^{\circ} 22' 47''$  N., and longitude  $110^{\circ} 55' 40''$  W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the theodolite telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 1200 feet southwesterly clockwise to the sun.

Mean time of observation, 105th  
meridian, standard time = 10:40 a.m.

Declination of sun at mean  
time of observation =  $19^{\circ} 39' 34''$  S.

Mean observed vertical angle  
to sun's center, corrected for  
refraction and parallax =  $32^{\circ} 45' 52''$

Mean horizontal angle from  
reference point to sun's center,  
turned clockwise and to the  
right to sun's center =  $154^{\circ} 33' 37''$

True bearing to reference point  
= N.  $0^{\circ} 00' 53''$  E.

FEET

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 ft., with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200 feet in length, measured as a base-line with a standard 100.00 tape, and found to be precise and accurate.

All line and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° 30' E.

Note concerning monumentation: With the exception of those corners which were not monumented for reasons given in each case, or which were monumented as otherwise described herein, I have set iron posts at each corner of each mill site claim comprising this survey. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe has been placed in the ground in a foundation consisting of not less than 1/2 cu. ft. of high early strength portland cement concrete mixed at the site. Brass caps have been securely attached and marked as described, using 1/8-in. steel dies for stamping. Alongside every corner monument I have erected a rock monument having a base two feet minimum diam., and a height of not less than two feet.

---

SURVEY NO. 4706

---

INSPIRATION MILL SITE NO. IL 88

At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 88, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 201, on line 1-2 of the INSPIRATION MILL SITE NO. IL 162 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 88-1, and IL 201-1-4706; from which

The standard 1/4 sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&S.R.M., bears S. 89° 51' 04" W., 1061.50 ft. dist., a "+" mark on a granite rock in place, 36 x 24 x 12 ins. above ground, mkd. "S C 1/4" on the north side of the cross as described in the official record.

FEET	
	Thence N. 89° 51' 04" E.
259.58	Intersect Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 162 and of the INSPIRATION MILL SITE NO. IL 163 of this survey.
658.95	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 89, on line 1-2 of the INSPIRATION MILL SITE NO. IL 163 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 88-2, and IL 89-2-4706.
	Thence S. 0° 01' 25" W.
329.00	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 89, INSPIRATION MILL SITE NO. IL 90, and INSPIRATION MILL SITE NO. IL 91 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 88-3, IL 89-3, IL 90-3, and IL 91-3-4706.
	Thence S. 89° 49' 21" W.
658.81	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 201, and INSPIRATION MILL SITE NO. IL 202 of this survey.  This corner falls on the near-vertical side of a large rock in an inaccessible location.
	Thence NORTH
7.41	A point selected for witness Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 201, and INSPIRATION MILL SITE NO. IL 202 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 20 ins. in the ground, with brass cap mkd. WC-IL 88-4, IL 90-4, IL 201-4, and IL 202-4-4706.
329.32	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 89
	At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 89, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 95, on line 4-1 of the INSPIRATION MILL SITE NO. IL 184 of this survey.

(This form bound on left side)

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 89-1 and IL 95-1-4706; from which</p> <p>The standard sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 89° 51' 04" E., 259.38 ft. dist; an iron post, 2 ins. diam., 14 ins. above ground, firmly set, with brass cap marked as described in the official record.</p> <p>Thence S. 89° 51' 04" W.</p>	
400.14	Intersect Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 163 and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 184 of this survey, hereinafter described.	
658.99	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 88, on line 1-2 of the INSPIRATION MILL SITE NO. IL 163 of this survey.</p> <p>Thence S. 0° 01' 25" W.</p>	
329.00	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 90, and INSPIRATION MILL SITE NO. IL 91 of this survey.</p> <p>Thence N. 89° 51' 52" E.</p>	
111	Center of local drainage, 8 ft. wide, course N. 40° E.	
659.13	<p>Cor. No. 4, identical with Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 95, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 91 and INSPIRATION MILL SITE NO. IL 97 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 89-4, IL 91-4, IL 95-5, and IL 97-4-4706.</p> <p>Thence NORTH</p>	
80	Center of local drainage, 10 ft. wide, course S. 75° E.	
329.15	Cor. No. 1, and place of beginning.	
	INSPIRATION MILL SITE NO. IL 90	
	<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 90, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 92, INSPIRATION MILL SITE NO. IL 202, and INSPIRATION MILL SITE NO. IL 203 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 90-1, IL 92-1, IL 202-1, and IL 203-1-4706; from which</p>	

FEET	
	<p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. <math>58^{\circ} 18' 28''</math> W., 1247.53 ft. dist., previously described.</p> <p>Thence N. <math>89^{\circ} 49' 40''</math> E.</p>
328	Center of local drainage, 8 ft. wide, course S. $65^{\circ}$ E.
490	Center of local drainage, 8 ft. wide, course N. $45^{\circ}$ E.
658.68	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 91, INSPIRATION MILL SITE NO. IL 92, and INSPIRATION MILL SITE NO. IL 93 of this survey.</p> <p>Set a brass tablet, 2 ins. diam., <math>2\frac{1}{2}</math> ins. stem, grouted into ledge rock, with top mkd. IL 90-2, IL 91-2, IL 92-2, and IL 93-2-4706.</p> <p>Thence N. <math>0^{\circ} 01' 25''</math> E.</p>
255	Center of local drainage, 8 ft. wide, course N. $75^{\circ}$ E.
328.90	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 89, and INSPIRATION MILL SITE NO. IL 91 of this survey.</p> <p>Thence S. <math>89^{\circ} 49' 21''</math> W.</p>
658.81	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 201, and INSPIRATION MILL SITE NO. IL 202 of this survey.</p> <p>This corner falls on the near-vertical side of a large rock in an inaccessible location; witnessed NORTH, 7.41 ft. dist., previously described.</p> <p>Thence SOUTH</p>
229	Center of local drainage, 8 ft. wide, course East.
328.84	Cor. No. 1, and place of beginning.
	<p>INSPIRATION MILL SITE NO. IL 91</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 91, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 93, INSPIRATION MILL SITE NO. IL 97, and INSPIRATION MILL SITE NO. IL 99 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 91-1, IL 93-1, IL 97-1, and IL 99-1-4706; from which</p>

FEET		
	<p>The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 21° 29' 33" E., 707.93 ft. dist., previously described.</p> <p>Thence S. 89° 51' 46" W.</p>	
659.26	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 92, and INSPIRATION MILL SITE NO. IL 93 of this survey.</p> <p>Thence N. 0° 01' 25" E.</p>	
255	<p>Center of local drainage, 8 ft. wide, course N. 75° E.</p>	
328.90	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 89, and INSPIRATION MILL SITE NO. IL 90 of this survey.</p> <p>Thence N. 89° 51' 52" E.</p>	
111	<p>Center of local drainage, 8 ft. wide, course N. 40° E.</p>	
659.13	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 89 and INSPIRATION MILL SITE NO. IL 97, and Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 95 of this survey.</p> <p>Thence SOUTH</p>	
328.88	<p>Cor. No. 1, and place of beginning.</p>	
	<p>INSPIRATION MILL SITE NO. IL 92</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 92, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 202, and INSPIRATION MILL SITE NO. IL 203 of this survey.</p> <p>Thence N. 89° 49' 40" E.</p>	
328	<p>Center of local drainage, 8 ft. wide, course S. 65° E.</p>	
490	<p>Center of local drainage, 8 ft. wide, course N. 45° E.</p>	
658.68	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 91, and INSPIRATION MILL SITE NO. IL 93 of this survey.</p> <p>Thence S. 0° 01' 25" W.</p>	

FEET	
328.91	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 93, INSPIRATION MILL SITE NO. IL 94, and INSPIRATION MILL SITE NO. IL 205 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 92-3, IL 93-3, IL 94-3, and IL 205-3-4706.</p> <p>Thence S. 89° 50' 11" W.</p>
658.54	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 203 and INSPIRATION MILL SITE NO. IL 205, and Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 204 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 92-4, IL 203-4, IL 204-5, and IL 205-4-4706.</p> <p>Thence NORTH</p>
328.81	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 93</p>	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 93, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 91, INSPIRATION MILL SITE NO. IL 97, and INSPIRATION MILL SITE NO. IL 99 of this survey.</p> <p>Thence S. 89° 51' 46" W.</p>
659.26	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 91, and INSPIRATION MILL SITE NO. IL 92 of this survey.</p> <p>Thence S. 0° 01' 25" W.</p>
328.91	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 92, INSPIRATION MILL SITE NO. IL 94, and INSPIRATION MILL SITE NO. IL 205 of this survey.</p> <p>Thence N. 89° 49' 28" E.</p>
659.40	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 94, INSPIRATION MILL SITE NO. IL 99, and INSPIRATION MILL SITE NO. IL 101 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 93-4, IL 94-4, IL 99-4, and IL 101-4-4706.</p> <p>Thence NORTH</p>
328.47	<p>Cor. No. 1, and place of beginning.</p>

(This form bound on left side)

FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 94</p>
	<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 94, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 101, IL 307 MILL SITE, and IL 308 MILL SITE of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 94-1, IL 101-1, IL 307-1, and IL 308-1-4706; from which</p>
	<p style="text-align: center;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 11° 09' E., 1341.26 ft. dist., previously described.</p>
	<p style="text-align: center;">Thence S. 89° 47' 48" W.</p>
659.53	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 205, IL 308 MILL SITE, and IL 313 MILL SITE of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 94-2, IL 205-2, IL 308-2, and IL 313-2-4706.</p>
	<p style="text-align: center;">Thence N. 0° 01' 25" E.</p>
329.09	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 92, INSPIRATION MILL SITE NO. IL 93, and INSPIRATION MILL SITE NO. IL 205 of this survey.</p>
	<p style="text-align: center;">Thence N. 89° 49' 28" E.</p>
659.40	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 93, INSPIRATION MILL SITE NO. IL 99, and INSPIRATION MILL SITE NO. IL 101 of this survey.</p>
	<p style="text-align: center;">Thence SOUTH</p>
328.77	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 95</p>
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 95, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 89, on line 4-1 of the INSPIRATION MILL SITE NO. IL 184 of this survey.</p>
	<p style="text-align: center;">Thence N. 89° 51' 04" E.</p>
259.38	<p>Cor. No. 2, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 184 of this survey and of the INSPIRATION MILL SITE NO. IL 185, uns., also identical with the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., previously described.</p>



FEET	
	<p>To the outer rim of the existing 2½ ins. diam. brass cap marking the standard corner, I add the following information, using steel dies for stamping: IL 95-2 -4706 and IL 184-1-4706.</p> <p>Thence N. 89° 54' 46" E.</p>
399.94	<p>Cor. No. 3, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 96 of this survey, on line 4-1 of the INSPIRATION MILL SITE NO. IL 185, uns.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 95-3, and IL 96-1-4706.</p> <p>Thence S. 0° 00' 53" W.</p>
270	<p>Center local drainage, 10 ft. wide, course S. 80° E.</p>
329.41	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 96, and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 97 and INSPIRATION MILL SITE NO. IL 98 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 95-4, IL 96-4, IL 97-3, and IL 98-3-4706.</p> <p>Thence S. 89° 54' 40" W.</p>
659.23	<p>Cor. No. 5, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 89, INSPIRATION MILL SITE NO. IL 91, and INSPIRATION MILL SITE NO. IL 97 of this survey.</p> <p>Thence NORTH</p>
80	<p>Center local drainage, 10 ft. wide, course S. 75° E.</p>
329.15	<p>Cor. No. 1, and place of beginning.</p>
<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 96</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 96, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 95, of this survey, on line 4-1 of the INSPIRATION MILL SITE NO. IL 185, uns.; from which</p> <p style="text-align: center;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 89° 54' 46" W., 399.94 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 54' 46" E.</p>	

FEET	
259.84	Intersect Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 185, uns., and INSPIRATION MILL SITE NO. IL 195, uns.
650	Center of road, 20 ft. wide, bears N. and S.
658.08	The true point for Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 106 of this survey, on line 3-4 of the INSPIRATION MILL SITE NO. IL 195, uns.  This corner falls in a haul road where a permanent monument cannot be established, witnessed N. 89° 54' 46" E., 36.20 ft. dist., hereinafter described, road bears N. and S.  Set a temporary point for Cor. No. 2.  Thence S. 0° 00' 53" W.
50	Junction of centerlines of haul roads bearing N., W., and E., road widths varying.
107	Center local drainage, 10 ft. wide, course N. 70° E.
330.00	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 106, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 98 and INSPIRATION MILL SITE NO. IL 107 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 96-3, IL 98-4, IL 106-3, and IL 107-4-4706.  Thence S. 89° 57' 51" W.
658.08	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 95, and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 97 and INSPIRATION MILL SITE NO. IL 98 of this survey.  Thence N. 0° 00' 53" E.
59.41	Center of local drainage, 10 ft. wide, course S. 80° E.
329.41	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 97	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 97, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 91, INSPIRATION MILL SITE NO. IL 93, and INSPIRATION MILL SITE NO. IL 99 of this survey  Thence N. 89° 57' 24" E.	

FEET	
659.14	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 98, INSPIRATION MILL SITE NO. IL 99, and INSPIRATION MILL SITE NO. IL 100 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 97-2, IL 98-2, IL 99-2, and IL 100-2-4706.</p> <p>Thence N. 0° 00' 53" E.</p>
329.40	<p>Cor. No. 3, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 95 and INSPIRATION MILL SITE NO. IL 96, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 98 of this survey.</p> <p>Thence S. 89° 54' 40" W.</p>
659.23	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 89 and INSPIRATION MILL SITE NO. IL 91, and Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 95 of this survey.</p> <p>Thence SOUTH</p>
328.88	<p>Cor. No. 1, and place of beginning.</p>
INSPIRATION MILL SITE NO. IL 98	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 98, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 100, INSPIRATION MILL SITE NO. IL 107, and INSPIRATION MILL SITE NO. IL 109 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 98-1, IL 100-1, IL 107-1, and IL 109-1-4706; from which</p>	
<p>The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 58° 08' 42" W., 1245.43 ft. dist., previously described.</p>	
<p>Cor. No. 4 of the CLAY No. 5 lode, uns., bears S. 77° 57' 30" E., 33.65 ft. dist.</p>	
Thence S. 89° 55' 18" W.	
658.08	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 97, INSPIRATION MILL SITE NO. IL 99, and INSPIRATION MILL SITE NO. IL 100 of this survey.</p> <p>Thence N. 0° 00' 53" E.</p>
329.40	<p>Cor. No. 3, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 95 and</p>

(This form bound on left side)

FEET	
	<p>INSPIRATION MILL SITE NO. IL 96, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 97 of this survey.</p> <p>Thence N. 89° 57' 51" E.</p>
658.08	<p>Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 96 and INSPIRATION MILL SITE NO. IL 106, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 107 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>
328.91	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 99</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 99, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 91, INSPIRATION MILL SITE NO. IL 93, and INSPIRATION MILL SITE NO. IL 97 of this survey.</p> <p>Thence N. 89° 57' 24" E.</p>
659.14	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 97, INSPIRATION MILL SITE NO. IL 98, and INSPIRATION MILL SITE NO. IL 100 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>
328.97	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 100, INSPIRATION MILL SITE NO. IL 101, and INSPIRATION MILL SITE NO. IL 102 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 99-3, IL 100-3, IL 101-3, and IL 102-3-4706.</p> <p>Thence WEST</p>
659.06	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 93, INSPIRATION MILL SITE NO. IL 94, and INSPIRATION MILL SITE NO. IL 101 of this survey.</p> <p>Thence NORTH</p>
328.47	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 100</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 100, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 98, INSPIRATION MILL SITE NO. IL 107, and INSPIRATION MILL SITE NO. IL 109 of this survey.</p>

FEET		
	<p style="text-align: center;">Thence S. 89° 55' 18" W.</p>	
658.08	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 97, INSPIRATION MILL SITE NO. IL 98, and INSPIRATION MILL SITE NO. IL 99 of this survey.</p>	
	<p style="text-align: center;">Thence S. 0° 00' 53" W.</p>	
328.97	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 99, INSPIRATION MILL SITE NO. IL 101, and INSPIRATION MILL SITE NO. IL 102 of this survey.</p>	
	<p style="text-align: center;">Thence N. 89° 55' 27" E.</p>	
658.08	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 102, INSPIRATION MILL SITE NO. IL 109, and INSPIRATION MILL SITE NO. IL 110 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 100-4, IL 102-4, IL 109-4, and IL 110-4-4706.</p>	
	<p style="text-align: center;">Thence N. 0° 00' 53" E.</p>	
329.00	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 101</p>	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 101, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 94, IL 307 MILL SITE, and IL 308 MILL SITE of this survey.</p>	
	<p style="text-align: center;">Thence S. 89° 59' 32" E.</p>	
658.98	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 102, INSPIRATION MILL SITE NO. IL 103, and the IL 307 MILL SITE of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. in diam., 16 ins. in the ground, with brass cap mkd. IL 101-2, IL 102-2, IL 103-2, and IL 307-2-4706.</p>	
	<p style="text-align: center;">Thence N. 0° 00' 53" E.</p>	
328.86	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 99, INSPIRATION MILL SITE NO. IL 100, and INSPIRATION MILL SITE NO. IL 102 of this survey.</p>	
	<p style="text-align: center;">Thence WEST</p>	

(This form bound on left side)

FEET	
659.06	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 93, INSPIRATION MILL SITE NO. IL 94, and INSPIRATION MILL SITE NO. IL 99 of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
328.77	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 102</p>	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 102, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 103, INSPIRATION MILL SITE NO. IL 110, and INSPIRATION MILL SITE NO. IL 112 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 102-1, IL 103-1, IL 110-1, and IL 112-1-4706; from which</p>	
<p style="text-align: center;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 38° 48' 44" W., 1687.51 ft. dist., previously described.</p>	
<p>Thence S. 89° 54' 10" W.</p>	
658.08	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 101, INSPIRATION MILL SITE NO. IL 103, and IL 307 MILL SITE of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 53" E.</p>
328.86	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 99, INSPIRATION MILL SITE NO. IL 100, and INSPIRATION MILL SITE NO. IL 101 of this survey.</p> <p style="text-align: center;">Thence N. 89° 55' 27" E.</p>
658.08	<p>Cor. No. 4, identical with Cors. Nos 4 of the INSPIRATION MILL SITE NO. IL 100, INSPIRATION MILL SITE NO. IL 109, and INSPIRATION MILL SITE NO. IL 110 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 53" W.</p>
328.61	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 103</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 103, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 102, INSPIRATION MILL SITE NO. IL 110, and INSPIRATION MILL SITE NO. IL 112 of this survey.</p> <p style="text-align: center;">Thence S. 89° 54' 10" W.</p>
658.08	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 101, INSPIRATION MILL SITE NO. IL 102, and the IL 307 MILL SITE of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 53" W.</p>
313.99	<p>A point selected for witness Cor. No. 3, identical with Cor. No. 3 of the IL 307 MILL SITE of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. W C-IL 103-3, and IL 307-3-4706.</p>
328.42	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the IL 307 MILL SITE of this survey.</p> <p>This corner falls in the junction of two small dry washes, course South, where a permanent monument cannot be established.</p> <p style="text-align: center;">Thence N. 89° 57' 14" E.</p>
658.07	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 112 and INSPIRATION MILL SITE NO. IL 114 of this survey.</p> <p>Set an iron post, 3 ft. long, 4½ ins. diam., 18 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface marked IL 103-4, IL 112-4, and IL 114-4-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 53" E.</p>
329.01	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 106</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 106.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 106-1-4706; from which</p> <p style="text-align: center;">The standard ¼ sec. cor. of sec. 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 89° 54' 46" E., 918.95 ft. dist.;</p>

FEET	
	<p>an iron post, 2 ins. diam., surrounded by a mound of stone raised to base of brass cap, marked as described in the official record.</p> <p>Cor. No. 3 of the CROW No. 1 lode, uns., bears S. 50° 12' 18" W., 306.10 ft. dist.</p> <p>Thence S. 0° 00' 53" W.</p>
280	Centerline of haul road, 30 ft. wide, bears N. 30° W. and S. 30° E.
329.93	<p>The true point for Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 107, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 108 of this survey.</p> <p>This corner falls on the shoulder of a haul road where a permanent monument cannot be established; witnessed S. 0° 00' 53" W., 24.25 ft. dist., hereinafter described.</p> <p>Thence S. 89° 54' 25" W.</p>
20.30	Intersect line 3-4 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 bears N. 58° 02' 03" W., 253.20 ft. dist.
255	Center of local drainage, 10 ft. wide, course S. 35° W.
658.95	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 96, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 98 and INSPIRATION MILL SITE NO. IL 107 of this survey.</p> <p>Thence N. 0° 00' 53" E.</p>
223	Center of local drainage, 10 ft. wide, course N. 70° E.
280	Junction of centerlines of haul roads bearing N., W., and E., road widths varying.
330.00	<p>The true point for Cor. No. 4, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 96 of this survey, on line 3-4 of the INSPIRATION MILL SITE NO. IL 195, uns.</p> <p>This corner falls in a haul road where a permanent monument cannot be established, road bears N. and S.</p> <p>Thence N. 89° 54' 46" E.</p>
36.20	A point selected for witness Cor. No. 4, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 96 of this survey, on line 3-4 of the INSPIRATION MILL SITE NO. IL 195, uns.



FEET	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. W C-IL 96-2, and IL 106-4-4706.
260.79	Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 195, uns., and IL 196 mill site, uns.
539.05	Intersect Cor. No. 4 of the IL 196 mill site, uns., on line 2-3 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 of the CROW No. 1 lode bears S. 30° 29' 50" W., 227.16 ft. dist.
658.96	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 107	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 107, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 98, INSPIRATION MILL SITE NO. IL 100, and INSPIRATION MILL SITE NO. IL 109 of this survey.
	Thence N. 89° 49' 46" E.
658.95	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 109, on line 3-4 of the INSPIRATION MILL SITE NO. IL 108 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 107-2, and IL 109-2-4706.
	Thence N. 0° 00' 53" E.
68	Center of local drainage, 10 ft. wide, course S. 65° E.
303.77	A point selected for witness Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 106 and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 108 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. W C-IL 106-2, IL 107-3, and IL 108-4-4706.
315.32	Intersect line 3-4 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 bears N. 58° 02' 03" W., 277.12 ft. dist.
328.02	The true point for Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 106, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 108 of this survey.

(This form bound on left side)

FEET	
	<p>This corner falls on the shoulder of a haul road where a permanent monument cannot be established.</p> <p style="text-align: center;">Thence S. 89° 54' 25" W.</p>
20.30	<p>Intersect line 3-4 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 bears N. 58° 02' 03" W., 253.20 ft. dist.</p>
255	<p>Center of local drainage, 10 ft. wide, course S. 35° W.</p>
658.95	<p>Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 96 and INSPIRATION MILL SITE NO. IL 106, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 98 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 53" W.</p>
328.91	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 108</p>
	<p>At the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 108.</p>
	<p>This corner falls in a haul road, 30 ft. wide, where a permanent monument cannot be established; witnessed N. 87° 31' 10" W., 64.81 ft. dist., hereinafter described.</p>
	<p>Set a temporary point for Cor. No. 1; from which</p>
	<p style="text-align: center;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 35° 53' 15" E., 444.17 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 05' 49" W.</p>
308.47	<p>The true point for Cor. No. 2.</p>
	<p>This corner falls in unconsolidated fill material below the shoulder of a haul road where a monument cannot be preserved.</p>
	<p>Set a temporary point for Cor. No. 2; from which</p>
	<p style="text-align: center;">Cor. No. 4 of the CROW No. 1 lode, uns., identical with Cor. No. 4 of the SCHULZA'S lode, uns., bears S. 49° 19' 39" E., 484.20 ft. dist.</p>
60	<p style="text-align: center;">Thence WEST</p> <p>Centerline of haul road, 30 ft. wide, bears N. 30° E. and S. 40° W.</p>

FEET	
136.25	<p>Intersect Cor. No. 1 of the CLAY No. 5 lode, uns.; this corner was also selected for use as witness Cor. No. 2.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. W C - IL 108-2-4706.</p>
138.45	<p>Intersect line 3-4 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 bears N. 58° 02' 03" W., 889.68 ft. dist.</p>
390	<p>Centerline of haul road, 30 ft. wide, bears N. 35° W. and S. 35° E.</p>
585	<p>Center of local drainage, 10 ft. wide, course S. 15° E.</p>
658.21	<p>Cor. No. 3, on line 2-3 of the INSPIRATION MILL SITE NO. IL 109 of this survey, and on line 4-1 of the CLAY No. 5 lode, uns.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 108-3-4706; from which</p> <p style="padding-left: 40px;">Cor. No. 4 of the CLAY No. 5 lode, uns., bears WEST, 626.04 ft. dist.</p> <p style="padding-left: 80px;">Thence N. 0° 00' 53" E.</p>
8.98	<p>Intersect Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 107 and INSPIRATION MILL SITE NO. IL 109 of this survey.</p>
76.98	<p>Center of local drainage, 10 ft. wide, course S. 65° E.</p>
312.75	<p>Witness Cor. No. 4, previously described.</p>
324.30	<p>Intersect line 3-4 of the CROW No. 1 lode, uns., at a point from which Cor. No. 3 bears N. 58° 02' 03" W., 277.12 ft. dist.</p>
337.00	<p>The true point for Cor. No. 4, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 106, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 107 of this survey.</p> <p>This corner falls on the shoulder of a haul road where a permanent monument cannot be established.</p> <p style="padding-left: 80px;">Thence S. 87° 31' 10" E.</p>
29	<p>Centerline of haul road, 30 ft. wide, bears N. 30° W. and S. 30° E.</p>
594.45	<p>A point selected for witness Cor. No. 1.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. W C - IL 108-1-4706.</p>

(This form bound on left side)

FEET	
659.26	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 109	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 109, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 98, INSPIRATION MILL SITE NO. IL 100, and INSPIRATION MILL SITE NO. IL 107 of this survey.	
Thence N. 89° 49' 46" E.	
658.95	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 107, on line 3-4 of the INSPIRATION MILL SITE NO. IL 108 of this survey.
Thence S. 0° 00' 53" W.	
8.98	Intersect Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 108 of this survey, on line 4-1 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 4 bears WEST, 626.04 ft. dist.
329.05	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 110 and INSPIRATION MILL SITE NO. IL 111 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 109-3, IL 110-3, and IL 111-3-4706.	
Thence S. 89° 50' 02" W.	
101.59	Intersect line 3-4 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 4 bears N. 58° 34' 36" W., 614.48 ft. dist.
658.95	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 100, INSPIRATION MILL SITE NO. IL 102, and INSPIRATION MILL SITE NO. IL 110 of this survey.
Thence N. 0° 00' 53" E.	
329.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 110	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 110, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 102, INSPIRATION MILL SITE NO. IL 103, and INSPIRATION MILL SITE NO. IL 112 of this survey.	
Thence N. 89° 52' 39" E.	

FEET	
658.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 111, INSPIRATION MILL SITE NO. IL 112, and INSPIRATION MILL SITE NO. IL 113 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 110-2, IL 111-2, IL 112-2, and IL 113-2-4706.</p> <p>Thence N. 0° 00' 53" E.</p>
266.76	<p>Intersect line 3-4 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 4 bears N. 58° 34' 36" W., 733.52 ft. dist.</p>
329.11	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 109 and INSPIRATION MILL SITE NO. IL 111 of this survey.</p> <p>Thence S. 89° 50' 02" W.</p>
101.59	<p>Intersect line 3-4 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 4 bears N. 58° 34' 36" W., 614.48 ft. dist.</p>
658.95	<p>Cor. No. 4, identical with Cor. Nos. 4 of the INSPIRATION MILL SITE NO. IL 100, INSPIRATION MILL SITE NO. IL 102, and INSPIRATION MILL SITE NO. IL 109 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>
328.61	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 111</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 111, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 113 and INSPIRATION MILL SITE NO. IL 200 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 111-1, IL 113-1, and IL 200-1-4706; from which</p> <p style="padding-left: 40px;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 11° 13' 18" E., 1346.43 ft. dist., previously described.</p> <p style="padding-left: 40px;">Cor. No. 3 of the CLAY No. 5 lode, uns., bears S. 1° 55' 30" W., 129.01 ft. dist.</p> <p style="padding-left: 40px;">Cor. No. 1 of the CLAY 16 lode, uns., bears S. 48° 47' 20" E., 195.71 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 89° 43' 22" W.</p>
217.10	<p>Intersect line 3-4 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 3 bears S. 58° 34' 36" E., 249.33 ft. dist.</p>

FEET	
657.28	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 110, INSPIRATION MILL SITE NO. IL 112, and INSPIRATION MILL SITE NO. IL 113 of this survey.</p> <p>Thence N. 0° 00' 53" E.</p>
266.76	<p>Intersect line 3-4 of the CLAY No. 5 lode, uns. at a point from which Cor. No. 3 bears S. 58° 34' 36" E., 765.07 ft. dist.</p>
329.11	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 109 and INSPIRATION MILL SITE NO. IL 110 of this survey.</p> <p>Thence S. 89° 42' 48" E.</p>
258	<p>Center of local drainage, 12 ft. wide, course S. 60° E.</p>
657.75	<p>The true point for Cor. No. 4.</p> <p>This corner falls in the center of a ravine, 8 ft. wide, course N. 85° E., where a monument cannot be perpetuated.</p> <p>Thence S. 0° 05' 49" W.</p>
146.12	<p>A point selected for witness Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. W C - IL 111-4-4706.</p>
329.00	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 112</p>	
658.95	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 112, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 102, INSPIRATION MILL SITE NO. IL 103, and INSPIRATION MILL SITE NO. IL 110 of this survey.</p> <p>Thence N. 89° 52' 39" E.</p>
658.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 110, INSPIRATION MILL SITE NO. IL 111, and INSPIRATION MILL SITE NO. IL 113 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>
329.01	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 113, INSPIRATION MILL SITE NO. IL 114, and INSPIRATION MILL SITE NO. IL 115 of this survey.</p>

FEET	
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 112-3, IL 113-3, IL 114-3, and IL 115-3-4706.
	Thence S. 89° 52' 39" W.
658.96	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 103 and INSPIRATION MILL SITE NO. IL 114 of this survey.
	Thence N. 0° 00' 53" E.
329.01	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 113
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 113, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 111 and INSPIRATION MILL SITE NO. IL 200 of this survey.
	Thence N. 89° 43' 22" W.
217.10	Intersect line 3-4 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 3 bears S. 58° 34' 36" E., 249.33 ft. dist.
657.28	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 110, INSPIRATION MILL SITE NO. IL 111, and INSPIRATION MILL SITE NO. IL 112 of this survey.
	Thence S. 0° 00' 53" W.
329.01	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 112, INSPIRATION MILL SITE NO. IL 114, and INSPIRATION MILL SITE NO. IL 115 of this survey.
	Thence S. 89° 43' 24" E.
656.80	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 115, INSPIRATION MILL SITE NO. IL 118, and INSPIRATION MILL SITE NO. IL 200 of this survey.
	This corner falls on the surface of a slanting rock wall and is inaccessible; witnessed S. 0° 05' 49" W., 22.80 ft. dist., hereinafter described.
	Thence N. 0° 05' 49" E.
200.06	Intersect line 2-3 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 3 bears WEST, 4.12 ft. dist.
329.00	Cor. No. 1, and place of beginning.

FEET		
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 114</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 114, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 116 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 114-1, and IL 116-1-4706; from which</p> <p style="padding-left: 40px;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 28° 11' 47" W., 2238.13 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence N. 89° 56' 49" E.</p> <p>658.95 Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 115, INSPIRATION MILL SITE NO. IL 116, and INSPIRATION MILL SITE NO. IL 117 of this survey.</p> <p>Set a brass tablet, 2 ins. diam., 2½ ins. stem, grouted into rock surface, with top mkd. IL 114-2, IL 116-2, IL 117-2-4706, and IL 115-2-4706.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 53" E.</p> <p>329.42 Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 112, INSPIRATION MILL SITE NO. IL 113, and INSPIRATION MILL SITE NO. IL 115 of this survey.</p> <p style="padding-left: 40px;">Thence S. 89° 52' 39" W.</p> <p>658.96 Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 103 and INSPIRATION MILL SITE NO. IL 112 of this survey.</p> <p style="padding-left: 40px;">Thence S. 0° 00' 53" W.</p> <p>328.62 Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 115</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 115, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 117, INSPIRATION MILL SITE NO. IL 118, and INSPIRATION MILL SITE NO. IL 119 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 115-1, IL 117-1, IL 118-1, and IL 119-1-4706; from which</p> <p style="padding-left: 40px;">The standard sec. cor. of sec. 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 7° 34' 31" E., 1996.01 ft. dist., previously described.</p>	



FEET	SURVEY NO. 4706	25
	<p>Cor. No. 4 of the CLAY 16 lode uns., bears S. 65° 02' 30" E., 163.62 ft. dist.</p> <p>The NW cor. of the Schulze Homestead, Pat. No. 458733, bears S. 81° 33' 34" E., 352.01 ft. dist.</p> <p>Thence N. 89° 46' 07" W.</p>	
656.34	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 114, INSPIRATION MILL SITE NO. IL 116, and INSPIRATION MILL SITE NO. IL 117 of this survey.</p> <p>Thence N. 0° 00' 53" E.</p>	
329.42	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 112, INSPIRATION MILL SITE NO. IL 113, and INSPIRATION MILL SITE NO. IL 114 of this survey.</p> <p>Thence S. 89° 43' 24" E.</p>	
656.80	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 113, INSPIRATION MILL SITE NO. IL 118, and INSPIRATION MILL SITE NO. IL 200 of this survey.</p> <p>Thence S. 0° 05' 49" W.</p>	
22.80	<p>A point selected for witness Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 113, INSPIRATION MILL SITE NO. IL 118, and INSPIRATION MILL SITE NO. IL 200 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W C - IL 113-4, IL 115-4, IL 118-4, and IL 200-4-4706.</p>	
328.90	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>INSPIRATION MILL SITE NO. IL 116</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 116, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 114 of this survey.</p> <p>Thence N. 89° 56' 49" E.</p>	
658.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 114, INSPIRATION MILL SITE NO. IL 115, and INSPIRATION MILL SITE NO. IL 117 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>	

(This form bound on left side)

FEET	
328.88	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 117, and Cors. Nos. 2 of the IL 305 MILL SITE and IL 306 MILL SITE of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 116-3, IL 117-3, IL 305-2, and IL 306-2-4706.</p> <p>Thence S. 89° 54' 31" W.</p>
658.95	<p>Cor. No. 4, identical with Cor. No. 1 of the IL 306 MILL SITE of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 116-4, and IL 306-1-4706.</p> <p>Thence N. 0° 00' 53" E.</p>
329.32	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 117</p>	
656.34	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 117, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 115, INSPIRATION MILL SITE NO. IL 118, and INSPIRATION MILL SITE NO. IL 119 of this survey.</p> <p>Thence N. 89° 46' 07" W.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 114, INSPIRATION MILL SITE NO. IL 115, and INSPIRATION MILL SITE NO. IL 116 of this survey.</p> <p>Thence S. 0° 00' 53 W.</p>
328.88	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 116, and Cors. Nos. 2 of the IL 305 MILL SITE and the IL 306 MILL SITE of this survey.</p> <p>Thence S. 89° 45' 32" E.</p>
655.86	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 119, and Cors. Nos. 1 of the IL 304 MILL SITE and the IL 305 MILL SITE of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 117-4, IL 119-4, IL 304-1, and IL 305-1-4706.</p> <p>Thence N. 0° 05' 49" E.</p>
328.99	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	INSPIRATION MILL SITE NO. IL 118
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 118, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 115, INSPIRATION MILL SITE NO. IL 117, and INSPIRATION MILL SITE NO. IL 119 of this survey.
	Thence N. 89° 40' 17" E.
148.34	Intersect line 4-1 of the CLAY 16 lode, uns., at a point from which Cor. No. 4 bears SOUTH, 69.89 ft. dist.
658.95	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. 119 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. IL 118-2, and IL 119-2-4706.
	Thence NORTH
329.37	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 200 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 118-3, and IL 200-3-4706.
	Thence S. 89° 37' 48" W.
510.61	Intersect line 4-1 of the CLAY 16 lode, uns., at a point from which Cor. No. 4 bears SOUTH, 398.89 ft. dist.
658.40	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 113, INSPIRATION MILL SITE NO. IL 115, and INSPIRATION MILL SITE NO. IL 200 of this survey.  This corner falls on the surface of a slanting rock wall and is inaccessible.
	Thence S. 0° 05' 49" W.
22.80	Witness Cor. No. 4, previously described.
328.90	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 119
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 119, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 115, INSPIRATION MILL SITE NO. IL 117, and INSPIRATION MILL SITE NO. IL 118 of this survey.
	Thence N. 89° 40' 17" E.

FEET	
148.34	Intersect line 4-1 of the CLAY 16 lode, uns., at a point from which Cor. No. 4 bears SOUTH, 69.89 ft. dist.
658.95	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 118 of this survey.  Thence SOUTH
57.91	Intersect the northerly boundary of the Schulze Homestead, Pat. No. 458733, at a point from which the NW corner thereof bears N. 89° 32' 50" W., 310.75 ft. dist.
72.67	Intersect line 3-4 of the CLAY 16 lode, uns., at a point from which Cor. No. 4 bears S. 89° 59' W., 510.60 ft. dist.
195	Centerline of U.S. Highway 60, 40 ft. wide, bears N. 57° E. and S. 57° W.
329.17	Cor. No. 3, identical with Cor. No. 2 of the IL 304 MILL SITE of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 119-3, and IL 304-2-4706.  Thence S. 89° 41' 14" W.
226	Centerline of U.S. Highway 60, 40 ft. wide, bears N. 60° E. and S. 60° W.
311.40	Intersect the westerly boundary of the Schulze Homestead, Pat. No. 458733, at a point from which the NW cor. thereof bears N. 0° 08' 15" E., 275.42 ft. dist.
659.50	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 117, and Cors. Nos. 1 of the IL 304 MILL SITE and the IL 305 MILL SITE of this survey.  Thence N. 0° 05' 49" E.
328.99	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 120	
At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 120, identical with Cors. Nos. 1 of the IL 121 Mill Site and IL 311 MILL SITE of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 120-1, IL 121-1, and IL 311-1-4706; from which	
The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&S.R.M., bears S. 63° 39' 48" E., 2944.45 ft. dist.;	

FEET	
	<p>an iron post, 1 ins. diam., 13 ins. above ground, firmly set, with U.S.G.L.O. brass cap marked as described in the official record.</p> <p>Thence S. 0° 00' 40" W.</p>
329.04	<p>Cor. No. 2, identical with Cor. No. 2 of the IL 121 Mill Site, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 122, and Cor. No. 5 of the IL 123 Mill Site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 120-2, IL 121-2, IL 122-4, and IL 123-5-4706.</p> <p>Thence S. 89° 47' 43" W.</p>
655.22	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 122, on line 1-2 of the INSPIRATION MILL SITE NO. IL 210 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 120-3, and IL 122-3-4706.</p> <p>Thence N. 0° 00' 20" E.</p>
222	<p>Road; bears N. 75° E. and S. 75° W.</p>
328.95	<p>Cor. No. 4, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 210, and Cor. No. 5 of the IL 311 MILL SITE of this survey.</p> <p>Set an iron post, 3 ft. long, 4¼ ins. diam., 18 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface mkd. IL 120-4, IL 210-2, and IL 311-5-4706.</p> <p>Thence N. 89° 47' 15" E.</p>
234	<p>Road; bears N. 20° E. and S. 30° W.</p>
655.25	<p>Cor. No. 1, and place of beginning.</p>
	<p>IL 121 Mill Site</p>
	<p>Beginning at Cor. No. 1 of the IL 121 Mill Site, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 120 and IL 311 MILL SITE of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>
329.04	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 120, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 122, and Cor. No. 5 of the IL 123 Mill Site of this survey.</p>

(This form bound on left side)

FEET	
	Thence EAST
584.53	<p>Cor. No. 3, identical with Cor. No. 4 of the IL 123 Mill Site of this survey, established on line 1-2 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 121-3 and IL 123-4-4706; from which</p> <p>Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode bears S. 44° 40' 13" E., 666.05 ft. dist.</p>
	Thence N. 44° 40' 13" W.
730	Road; bears S. 87° E. and N. 87° W.
833.80	<p>Cor. No. 4, identical with Cor. No. 2 of the IL 311 MILL SITE of this survey, and Cor. No. 1 Sur. No. 3950 Black Eagle lode, and Cor. No. 2 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>At the center point of the top of the 4 ins. x 4 ins. wooden post marking said corners of Sur. No. 3950 Black Eagle and Black Eagle No. 4 lodes, said center point being marked by a galvanized nail, I replace the nail with a brass tablet, 2 ins. diam., with 2½ ins. stem cemented into the post, mkd. IL 121-4-4706, IL 311-2-4706, BE 1-3950, and BE 4-2-3950.</p>
	Thence S. 0° 22' 25" E.
70	Road; bears S. 87° E. and WEST.
263.94	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 122
	<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 122, identical with Cors. Nos. 1 of the IL 123 Mill Site, INSPIRATION MILL SITE NO. IL 124, and INSPIRATION MILL SITE NO. IL 125 of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 122-1, IL 123-1, IL 124-1, and IL 125-1-4706; from which</p>
	<p>The ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 76° 13' 03" E., 2717.19 ft. dist., previously described.</p>
	Thence S. 89° 52' 39" W.
655.19	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 124, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 210 and INSPIRATION MILL SITE NO. IL 211 of this survey.</p>

FEET		
	<p>This corner falls in the bottom of a small ravine, course S. 80° E., where a permanent monument cannot be established.</p> <p>Thence N. 0° 00' 20" E.</p>	
76.56	<p>A point selected for witness Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 124, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 210 and INSPIRATION MILL SITE NO. IL 211 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. W C - IL 122-2, IL 124-2, IL 210-1, and IL 211-1-4706.</p>	
328.97	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 120, on line 1-2 of the INSPIRATION MILL SITE NO. IL 210 of this survey.</p> <p>Thence S. 89° 47' 43" E.</p>	
655.22	<p>Cor. No. 4, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 120 and the IL 121 Mill Site, and Cor. No. 5 of the IL 123 Mill Site of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>	
329.91	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>IL 123 Mill Site</p> <p>Beginning at Cor. No. 1 of the IL 123 Mill Site, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 122, INSPIRATION MILL SITE NO. IL 124, and INSPIRATION MILL SITE NO. IL 125 of this survey.</p> <p>Thence N. 89° 50' 00" E.</p>	
660.86	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 125, on line 2-3 of the IL 144 Mill Site of this survey.</p> <p>This corner falls in the bottom of a ravine where a permanent monument cannot be established.</p> <p>Thence NORTH</p>	
69.06	<p>A point selected for witness Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 125, on line 2-3 of the IL 144 Mill Site of this survey.</p>	

(This form bound on left side)

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. W C - IL 123-2, and IL 125-2-4706.</p>	
250.84	<p>Cor. No. 3, identical with Cor. No. 2 of the IL 144 Mill Site of this survey, established on line 1-2 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 123-3, and IL 144-2-4706; from which</p> <p style="padding-left: 40px;">Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode, identical with Cors. Nos. 1 of the IL 143, IL 144, and IL 145 Mill Sites of this survey, bears S. 44° 40' 13" E., 557.56 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 44° 40' 13" W.</p>	
108.49	<p>Cor. No. 4, identical with Cor. No. 3 of the IL 121 Mill Site of this survey, on line 1-2 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p style="padding-left: 40px;">Thence WEST</p>	
584.53	<p>Cor. No. 5, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 120 and the IL 121 Mill Site, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 122 of this survey.</p> <p style="padding-left: 40px;">Thence S. 0° 00' 40" W.</p>	
329.91	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 124</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 124, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 122, the IL 123 Mill Site, and INSPIRATION MILL SITE NO. IL 125 of this survey.</p> <p style="padding-left: 40px;">Thence S. 89° 52' 39" W.</p>	
655.19	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 122, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 210 and INSPIRATION MILL SITE NO. IL 211 of this survey.</p> <p>This corner falls in the bottom of a small ravine, course S. 80° E., where a permanent monument cannot be established; witnessed N. 0° 00' 20" E., 76.56 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence S. 0° 00' 20" W.</p>	



FEET	
329.00	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 126, on line 1-2 of the INSPIRATION MILL SITE NO. IL 211 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 124-3, and IL 126-3-4706.</p> <p style="text-align: center;">Thence N. 89° 51' 49" E.</p>
471	<p>Center of local drainage, 6 ft. wide, course S. 45° E.</p>
655.15	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 125, INSPIRATION MILL SITE NO. IL 126, and INSPIRATION MILL SITE NO. IL 127 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 124-4, IL 125-4, IL 126-4, and IL 127-4-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 40" E.</p>
328.84	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">INSPIRATION MILL SITE NO. IL 125</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 125, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 122, the IL 123 Mill Site, and INSPIRATION MILL SITE NO. IL 124 of this survey.</p> <p style="text-align: center;">Thence N. 89° 50' 00" E.</p>
660.86	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the IL 123 Mill Site, on line 2-3 of the IL 144 Mill Site of this survey.</p> <p>This corner falls in the bottom of a ravine where a permanent monument cannot be established; witnessed NORTH, 69.06 ft. dist., previously described.</p> <p style="text-align: center;">Thence SOUTH</p>
329.00	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 127, INSPIRATION MILL SITE NO. IL 146, and the IL 144 Mill Site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 125-3, IL 127-3, IL 144-3, and IL 146-3-4706.</p>

FEET	
660.93	<p>Thence S. 89° 50' 51" W.</p> <p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 124, INSPIRATION MILL SITE NO. IL 126, and INSPIRATION MILL SITE NO. IL 127 of this survey.</p> <p>Thence N. 0° 00' 40" E.</p>
328.84	Cor. No. 1, and place of beginning.
	<p>INSPIRATION MILL SITE NO. IL 126</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 126, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 127, INSPIRATION MILL SITE NO. IL 128, and INSPIRATION MILL SITE NO. IL 129 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 126-1, IL 127-1, IL 128-1, and IL 129-1-4706; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 89° 46' 34" E., 2639.10 ft. dist., previously described.</p> <p>Thence S. 89° 47' 50" W.</p>
655.13	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 128, INSPIRATION MILL SITE NO. IL 211, and INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 126-2, IL 128-2, IL 211-2, and IL 212-2-4706.</p> <p>Thence N. 0° 00' 20" E.</p>
329.57	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 124, on line 1-2 of the INSPIRATION MILL SITE NO. IL 211 of this survey.</p> <p>Thence N. 89° 51' 49" E.</p>
471	Center of local drainage, 6 ft. wide, course S. 45° E.
655.15	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 124, INSPIRATION MILL SITE NO. IL 125, and INSPIRATION MILL SITE NO. IL 127 of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>
317	Center of local drainage, 8 ft. wide, course S. 45° E.
328.81	Cor. No. 1, and place of beginning.

FEET	
	INSPIRATION MILL SITE NO. IL 127
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 127, identical with Cor. Nos. 1 of INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 128, and INSPIRATION MILL SITE NO. IL 129 of this survey.
	Thence N. 89° 51' 13" E.
12	Center of local drainage, 8 ft. wide, course S. 45° E.
660.99	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 129, INSPIRATION MILL SITE NO. IL 146, and INSPIRATION MILL SITE NO. IL 148 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 127-2, IL 129-2, IL 146-2, and IL 148-2-4706.
	Thence NORTH
328.88	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 125, the IL 144 Mill Site, and INSPIRATION MILL SITE NO. IL 146 of this survey.
	Thence S. 89° 50' 51" W.
660.93	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 124, INSPIRATION MILL SITE NO. IL 125, and INSPIRATION MILL SITE NO. IL 126 of this survey.
	Thence S. 0° 00' 40" W.
317	Center of local drainage, 8 ft. wide, course S. 45° E.
328.81	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 128
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 128, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 127, and INSPIRATION MILL SITE NO. IL 129 of this survey.
	Thence S. 89° 47' 50" W.
655.13	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 211, and INSPIRATION MILL SITE NO. IL 212 of this survey.
	Thence S. 0° 00' 20" W.

FEET	
328.69	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 130, on line 1-2 of the INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 128-3, and IL 130-3-4706.</p> <p>Thence N. 89° 46' 21" E.</p>
655.10	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 129, INSPIRATION MILL SITE NO. IL 130, and INSPIRATION MILL SITE NO. IL 131 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 128-4, IL 129-4, IL 130-4, and IL 131-4-4706.</p> <p>Thence N. 0° 00' 40" E.</p>
328.41	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 129</p>	
12	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 129, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 127, and INSPIRATION MILL SITE NO. IL 128 of this survey.</p> <p>Thence N. 89° 51' 13" E.</p>
	<p>Center of local drainage, 8 ft. wide, course S. 45° E.</p>
660.99	<p>Cor. No. 2, <b>identical with</b> Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 127, INSPIRATION MILL SITE NO. IL 146, and INSPIRATION MILL SITE NO. IL 148 of this survey.</p> <p>Thence SOUTH</p>
328.96	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 131, INSPIRATION MILL SITE NO. IL 148, and INSPIRATION MILL SITE NO. IL 150 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 129-3, IL 131-3, IL 148-3, and IL 150-3-4706.</p> <p>Thence S. 89° 54' 04" W.</p>
413	<p>Center of local drainage, 8 ft. wide, course S. 42° E.</p>

FEET	
661.06	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 128, INSPIRATION MILL SITE NO. IL 130, and INSPIRATION MILL SITE NO. IL 131 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 40" E.</p>
328.41	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">INSPIRATION MILL SITE NO. IL 130</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 130, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 131, INSPIRATION MILL SITE NO. IL 132, and INSPIRATION MILL SITE NO. IL 133 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 130-1, IL 131-1, IL 132-1, and IL 133-1-4706; from which</p> <p style="text-align: center;">The <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 75° 48' 17" E., 2722.33 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 89° 43' 06" W.</p>
655.07	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 132, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 212 and INSPIRATION MILL SITE NO. IL 213 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 130-2, IL 132-2, IL 212-1, and IL 213-1-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 20" E.</p>
329.49	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 128, on line 1-2 of the INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p style="text-align: center;">Thence N. 89° 46' 21" E.</p>
655.10	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 128, INSPIRATION MILL SITE NO. IL 129, and INSPIRATION MILL SITE NO. IL 131 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 40" W.</p>
328.87	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">INSPIRATION MILL SITE NO. IL 131</p>

FEET	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 131, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 130, INSPIRATION MILL SITE NO. IL 132, and INSPIRATION MILL SITE NO. IL 133 of this survey.</p> <p>Thence N. 89° 55' 04" E.</p>
312	<p>West bank of storage reservoir, bears N. 20° E., and S. 10° E.</p>
388	<p>East bank of storage reservoir, bears N. 10° E. and S. 10° W.</p>
661.12	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 133, INSPIRATION MILL SITE NO. IL 150, and INSPIRATION MILL SITE NO. IL 152 of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 131-2, IL 133-2, IL 150-2, and IL 152-2-4706.</p> <p>Thence NORTH</p>
329.06	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 129, INSPIRATION MILL SITE NO. IL 148, and INSPIRATION MILL SITE NO. IL 150 of this survey.</p> <p>Thence S. 89° 54' 04" W.</p>
413	<p>Center of local drainage, 8 ft. wide, course S. 42° E.</p>
661.06	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 128, INSPIRATION MILL SITE NO. IL 129, and INSPIRATION MILL SITE NO. IL 130 of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>
328.87	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 132</p>
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 132, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 130, INSPIRATION MILL SITE NO. IL 131, and INSPIRATION MILL SITE NO. IL 133 of this survey.</p> <p>Thence S. 89° 43' 06" W.</p>
655.07	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 130, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 212 and INSPIRATION MILL SITE NO. IL 213 of this survey.</p> <p>Thence S. 0° 00' 20" W.</p>

FEET	
329.01	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 134, on line 1-2 of the INSPIRATION MILL SITE NO. IL 213 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 132-3, and IL 134-3-4706.</p> <p>Thence N. 89° 42' 57" E.</p>
655.04	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 133, INSPIRATION MILL SITE NO. IL 134, and INSPIRATION MILL SITE NO. IL 135 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 132-4, IL 133-4, IL 134-4, and IL 135-4-4706.</p> <p>Thence N. 0° 00' 40" E.</p>
328.98	<p>Cor. No. 1, and place of beginning.</p> <p style="text-align: center;">INSPIRATION MILL SITE NO. IL 133</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 133, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 130, INSPIRATION MILL SITE NO. IL 131, and INSPIRATION MILL SITE NO. IL 132 of this survey.</p> <p>Thence N. 89° 55' 04" E.</p>
312	<p>West Bank of Storage Reservoir, bears N. 20° E. and S. 10° E.</p>
388	<p>East Bank of storage Reservoir, bears N. 10° E. and S. 10° W.</p>
661.12	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 131, INSPIRATION MILL SITE NO. IL 150, and INSPIRATION MILL SITE NO. IL 152 of this survey.</p> <p>Thence SOUTH</p>
158.90	<p>A point selected for witness Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 152, and INSPIRATION MILL SITE NO. IL 154 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. W C - IL 133-3, IL 135-3, IL 152-3, and IL 154-3-4706.</p>
240	<p>Road; bears N. 70° E., and S. 70° W.</p>

FEET	
329.22	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 152, and INSPIRATION MILL SITE NO. IL 154 of this survey.</p> <p>This corner falls on the unconsolidated northeasterly slope of an earth water-storage dam where a permanent monument cannot be established; not monumented.</p> <p style="text-align: center;">Thence S. 89° 56' 19" W.</p>
35	<p>Crest of dam; northeasterly shoulder bears N. 17° W. and S. 17° E.</p>
82	<p>Crest of dam; southwesterly shoulder bears N. 17° W. and S. 17° E.</p>
101	<p>Enter storage reservoir; water line bears N. 17° W. and S. 17° E.</p>
373	<p>West bank of storage reservoir; bears NORTH and S. 10° W.</p>
661.18	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 132, INSPIRATION MILL SITE NO. IL 134, and INSPIRATION MILL SITE NO. IL 135 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 40" E.</p>
328.98	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">INSPIRATION MILL SITE NO. IL 134</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 134, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 136, and INSPIRATION MILL SITE NO. IL 214 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. IL 134-1, IL 135-1, IL 136-1, and IL 214-1-4706; from which</p> <p style="text-align: center;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R 14 E., G.&amp;S.R.M., bears S. 0° 00' 24" W., 1316.56 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 89° 46' 53" W.</p> <p>654.99 Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 213 and the INSPIRATION MILL SITE NO. IL 214 of this survey.</p>



FEET	
	<p>Set an iron post, 3 ft. long, 4<math>\frac{1}{4}</math> ins. diam., 18 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface marked IL 134-2, IL 213-2, and IL 214-2-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 20" E.</p>
328.63	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 132, on line 1-2 of the INSPIRATION MILL SITE NO. IL 213 of this survey.</p> <p style="text-align: center;">Thence N. 89° 42' 57" E.</p>
655.04	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 132, INSPIRATION MILL SITE NO. IL 133, and INSPIRATION MILL SITE NO. IL 135 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 40" W.</p>
329.38	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 135</p>	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 135, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 134, INSPIRATION MILL SITE NO. IL 136, and INSPIRATION MILL SITE NO. IL 214 of this survey.</p> <p style="text-align: center;">Thence N. 89° 55' 00" E.</p>
661.25	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 154, and INSPIRATION MILL SITE NO. IL 156 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 135-2, IL 136-2, IL 154-2, and IL 156-2-4706.</p> <p style="text-align: center;">Thence NORTH</p>
60	<p>Crest of dam; southwesterly shoulder bears N. 17° W. and S. 17° E.</p>
215	<p>Crest of dam; northeasterly shoulder bears N. 17° W. and S. 17° E.</p>
329.13	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 133, INSPIRATION MILL SITE NO. IL 152, and INSPIRATION MILL SITE NO. IL 154 of this survey.</p>

FEET	
	<p>This corner falls on the unconsolidated north-easterly slope of an earth water-storage dam where a permanent monument cannot be established; witnessed NORTH, 170.32 ft. dist., previously described.</p> <p>Thence S. 89° 56' 19" W.</p>
35	Crest of dam; northeasterly shoulder bears N. 17° W. and S. 17° E.
82	Crest of dam; southwesterly shoulder bears N. 17° W. and S. 17° E.
101	Enter Storage Reservoir; water line bears N. 17° W. and S. 17° E.
373	West bank of storage reservoir; bears NORTH and S. 10° W.
661.18	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 132, INSPIRATION MILL SITE NO. IL 133, and INSPIRATION MILL SITE NO. IL 134 of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>
329.38	Cor. No. 1, and place of beginning.
<p>INSPIRATION MILL SITE NO. IL 136</p>	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 136, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 134, INSPIRATION MILL SITE NO. IL 135, and INSPIRATION MILL SITE NO. IL 214 of this survey.</p> <p>Thence N. 89° 55' 00" E.</p>
661.25	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 154, and INSPIRATION MILL SITE NO. IL 156 of this survey.</p> <p>Thence SOUTH</p>
329.04	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 156, and INSPIRATION MILL SITE NO. IL 158 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 136-3, IL 137-3, IL 156-3, and IL 158-3-4706.</p> <p>Thence S. 89° 56' 09" W.</p>

FEET	
661.31	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 214, and INSPIRATION MILL SITE NO. IL 215 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 136-4, IL 137-4, IL 214-4, and IL 215-4-4706.</p> <p>Thence N. 0° 00' 40" E.</p>
328.82	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 137</p>	
	<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 137, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 138, INSPIRATION MILL SITE NO. IL 215, and INSPIRATION MILL SITE NO. IL 216 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 137-1, IL 138-1, IL 215-1, and IL 216-1-4706; from which</p> <p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 0° 00' 08" W., 658.64 ft. dist., previously described.</p> <p>Thence N. 89° 55' 00" E.</p>
661.38	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 138, INSPIRATION MILL SITE NO. IL 158, and INSPIRATION MILL SITE NO. IL 160 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 137-2, IL 138-2, IL 158-2, and IL 160-2-4706.</p> <p>Thence NORTH</p>
328.88	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 156, and INSPIRATION MILL SITE NO. IL 158 of this survey.</p> <p>Thence S. 89° 56' 09" W.</p>
661.31	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 214, and INSPIRATION MILL SITE NO. IL 215 of this survey.</p> <p>Thence S. 0° 00' 40" W.</p>
329.10	<p>Cor. No. 1, and place of beginning.</p>

FEET		
	INSPIRATION MILL SITE NO. IL 138	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 138, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 215, and INSPIRATION MILL SITE NO. IL 216 of this survey.	
	Thence N. 89° 55' 00" E.	
661.38	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 158, and INSPIRATION MILL SITE NO. IL 160 of this survey.	
	Thence SOUTH	
329.11	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 139 and INSPIRATION MILL SITE NO. IL 160, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 162 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 138-3, IL 139-3, IL 160-3, and IL 162-4-4706.	
	Thence S. 89° 54' 26" W.	
661.39	Cor. No. 4, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 139 and INSPIRATION MILL SITE NO. IL 217, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 216 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 138-4, IL 139-2, IL 216-4, and IL 217-2-4706.	
	Thence N. 0° 00' 08" E.	
329.22	Cor. No. 1, and place of beginning.	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 139</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 139, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 217, on line 1-2 of the INSPIRATION MILL SITE NO. IL 206 of this survey, and identical with the standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., previously described.</p> <p>Into the center of the "+" marking the exact <math>\frac{1}{4}</math> sec. cor. on the aforementioned granite rock, I drill a <math>\frac{3}{4}</math> ins. diam. hole, <math>2\frac{1}{2}</math> ins. deep, and grout into said hole a 2 ins. diam. brass tablet, <math>2\frac{1}{2}</math> ins. stem, mkd. SC <math>\frac{1}{4}</math> S 33 1971 in the south half of the disc, and IL 139-1 and IL 217-1-4706 in the north half of the disc. The remainder of the <math>\frac{1}{4}</math> sec. cor markings, as described in the official record, were left undisturbed.</p>	

FEET	
	<p>Thence N. 0° 00' 08" E.</p>
329.42	<p>Cor. No. 2, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 138 and INSPIRATION MILL SITE NO. IL 216, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 217 of this survey.</p>
	<p>Thence N. 89° 54' 26" E.</p>
661.39	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 138 and INSPIRATION MILL SITE NO. IL 160, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 162 of this survey.</p>
	<p>Thence SOUTH</p>
328.77	<p>Cor. No. 4, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 162, on line 1-2 of the INSPIRATION MILL SITE NO. IL 201 of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 139-4, and IL 162-1-4706.</p>
	<p>Thence S. 89° 51' 04" W.</p>
259.36	<p>Intersect Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 201 and INSPIRATION MILL SITE NO. IL 206 of this survey.</p>
661.40	<p>Cor. No. 1, and place of beginning.</p>
	<p>IL 143 Mill Site</p>
	<p>At Cor. No. 1 of the IL 143 Mill Site, identical with Cors. Nos. 1 of the IL 144 Mill Site, and IL 145 Mill Site of this survey, and Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode.</p>
	<p>At the center point of the top of the 4 ins. x 4 ins. wooden post marking Cor. No. 1 of Sur. No. 3950 Black Eagle No. 4 lode, said center point being marked by a galvanized nail, I replace the nail with a brass tablet, 2 ins. diam., with 2½ ins. stem cemented into the post, mkd. IL 143-1, IL 144-1, IL 145-1-4706, and BE 4-1-3950; from which</p>
	<p>The ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 72° 23' 08" E., 1664.13 ft. dist., previously described.</p>
	<p>Thence EAST.</p>
843.72	<p>Cor. No. 2, identical with Cor. No. 4 of the IL 145 Mill Site of this survey, established on line 1-2 Sur. No. 3950 Standard No. 14 lode.</p>

(This form bound on left side)

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 143-2, and IL 145-4-4706; from which</p> <p>Cor. No. 1 Sur. No. 3950 Standard No. 14 lode bears S. 44° 37' 47" E., 908.60 ft. dist.</p> <p>Thence N. 44° 37' 47" W.</p>	
593.00	<p>Cor. No. 3, identical with Cor. No. 1 Sur. No. 3950 Standard No. 13 lode, Cor. No. 2 Sur. No. 3950 Standard No. 14 lode, and Cor. No. 4 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>This corner was re-established in the field by single proportionate measurement between Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode and Cor. No. 3 Sur. No. 3950 Standard No. 14 lode, inasmuch as the 4 ins. x 4 ins. post originally marking the corner point was found overturned; at the re-established corner</p> <p>Set an iron post, 2½ ft. long, 4¼ ins. diam., 12 ins. into fractured rock, grouted in place with concrete and painted white above ground, with brass top surface mkd. IL 143-3-4706, and BE 4-4, STD 13-1, and STD 14-2-3950.</p> <p>Thence S. 45° 20' 42" W.</p>	
600.43	<p>Cor. No. 1, and place of beginning.</p>	
	<p>IL 144 Mill Site</p> <p>Beginning at Cor. No. 1 of the IL 144 Mill Site, identical with Cors. Nos. 1 of the IL 143 Mill Site and the IL 145 Mill Site of this survey and with Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>Thence N. 44° 40' 13" W.</p>	
557.56	<p>Cor. No. 2, identical with Cor. No. 3 of the IL 123 Mill Site of this survey, on line 1-2 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p>Thence SOUTH</p>	
181.78	<p>Intersect witness Cors. Nos. 2 of the IL 123 Mill Site and INSPIRATION MILL SITE NO. IL 125 of this survey.</p>	
250.84	<p>Intersect the true point for Cors. Nos. 2 of the IL 123 Mill Site and INSPIRATION MILL SITE NO. IL 125 of this survey.</p>	
579.84	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 125, INSPIRATION MILL SITE NO. IL 127, and INSPIRATION MILL SITE NO. IL 146 of this survey.</p> <p>Thence N. 89° 49' 48" E.</p>	

FEET	
661.04	<p>Cor. No. 4, identical with Cor. No. 2 of the IL 145 Mill Site, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 146 and INSPIRATION MILL SITE NO. IL 147 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 144-4, IL 145-2, IL 146-4, and IL 147-4-4706.</p> <p style="text-align: center;">Thence N. 56° 01' 00" W.</p>
324.48	<p>Cor. No. 1, and place of beginning.</p>
<p>IL 145 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the IL 145 Mill Site, identical with Cors. Nos. 1 of the IL 143 Mill Site, and IL 144 Mill Site of this survey, and Cor. No. 1 Sur. No. 3950 Black Eagle No. 4 lode.</p> <p style="text-align: center;">Thence S. 56° 01' 00" E.</p>	
324.48	<p>Cor. No. 2, identical with Cors. Nos. 4 of the IL 144 Mill Site, INSPIRATION MILL SITE NO. IL 146, and INSPIRATION MILL SITE NO. IL 147 of this survey.</p> <p style="text-align: center;">Thence EAST</p>
656.56	<p>Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 147 and IL 168 Mill Site of this survey.</p>
753.69	<p>Cor. No. 3, identical with Cor. No. 4 of the IL 168 Mill Site of this survey, established on line 1-2 Sur. No. 3950 Standard No. 14 lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 145-3, and IL 168-4-4706; from which</p> <p style="text-align: center;">Cor. No. 1 Sur. No. 3950 Standard No. 14 lode bears S. 44° 37' 47" E., 653.76 ft. dist.</p> <p style="text-align: center;">Thence N. 44° 37' 47" W.</p>
254.84	<p>Cor. No. 4, identical with Cor. No. 2 of the IL 143 Mill Site, on line 1-2 Sur. No. 3950 Standard No. 14 lode.</p> <p style="text-align: center;">Thence WEST</p>
843.72	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 146</p>	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 146, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 147, INSPIRATION MILL SITE NO. IL 148, and INSPIRATION MILL SITE NO. IL 149 of this survey.</p>	

(This form bound on left side)

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 146-1, IL 147-1, IL 148-1, and IL 149-1-4706; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. <math>89^{\circ} 41' 46''</math> E., 1318.16 ft. dist., previously described.</p> <p>Thence S. <math>89^{\circ} 51' 30''</math> W.</p>
659.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 127, INSPIRATION MILL SITE NO. IL 129, and INSPIRATION MILL SITE NO. IL 148 of this survey.</p> <p>Thence NORTH</p>
328.88	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 125, INSPIRATION MILL SITE NO. IL 127, and IL 144 Mill Site of this survey.</p> <p>Thence N. <math>89^{\circ} 49' 48''</math> E.</p>
661.04	<p>Cor. No. 4, identical with Cors. Nos. 4 of the IL 144 Mill Site and INSPIRATION MILL SITE NO. IL 147, and Cor. No. 2 of the IL 145 Mill Site of this survey.</p> <p>Thence S. <math>0^{\circ} 11' 20''</math> W.</p>
329.21	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 147</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 147, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 146, INSPIRATION MILL SITE NO. IL 148, and INSPIRATION MILL SITE NO. IL 149 of this survey.</p> <p>Thence N. <math>89^{\circ} 41' 46''</math> E.</p>
657.69	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 149, IL 168 Mill Site, and INSPIRATION MILL SITE NO. IL 170 of this survey.</p> <p>This corner falls on the near-vertical cut-bank of an abandoned haul road in an inaccessible location; witnessed S. <math>0^{\circ} 00' 20''</math> E., 17.11 ft. dist., hereinafter described.</p> <p>Thence N. <math>0^{\circ} 00' 20''</math> W.</p>



FEET		
325.72	<p>Cor. No. 3, identical with Cor. No. 3 of the IL 168 Mill Site, on line 2-3 of the IL 145 Mill Site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 147-3, and IL 168-3-4706.</p> <p>Thence WEST</p>	
656.56	<p>Cor. No. 4, identical with Cors. Nos. 4 of the IL 144 Mill Site and the INSPIRATION MILL SITE NO. IL 146, and Cor. No. 2 of the IL 145 Mill Site of this survey.</p> <p>Thence S. 0° 11' 20" W.</p>	
329.21	<p>Cor. No. 1, and place of beginning.</p>	
INSPIRATION MILL SITE NO. IL 148		
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 148, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 146, INSPIRATION MILL SITE NO. IL 147, and INSPIRATION MILL SITE NO. IL 149 of this survey.</p> <p>Thence S. 89° 51' 30" W.</p>	
659.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 127, INSPIRATION MILL SITE NO. IL 129, and INSPIRATION MILL SITE NO. IL 146 of this survey.</p> <p>Thence SOUTH</p>	
328.96	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 129, INSPIRATION MILL SITE NO. IL 131, and INSPIRATION MILL SITE NO. IL 150 of this survey.</p> <p>Thence N. 89° 55' 13" E.</p>	
226	<p>Road; bears N. 45° E. and S. 57° W.</p>	
255	<p>Enter ore storage area undergoing treatment with sulphuric acid, hereinafter referred to as ore-heap; toe of heap bears N. 50° E. and S. 40° W.</p>	
660.06	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 149, INSPIRATION MILL SITE NO. IL 150, and INSPIRATION MILL SITE NO. IL 151 of this survey.</p> <p>This corner falls in an active ore-heap where a monument cannot be set; not monumented.</p> <p>Thence N. 0° 01' 06" W.</p>	

FEET	
42	Leave ore heap area; toe of slope of heap bears N. 85° W. and S. 85° E.
69	Road; bears N. 85° W. and S. 85° E.
329.67	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 149	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 149, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 146, INSPIRATION MILL SITE NO. IL 147, and INSPIRATION MILL SITE NO. IL 148 of this survey.	
Thence N. 89° 41' 46" E.	
657.69	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 147, the IL 168 Mill Site, and the INSPIRATION MILL SITE NO. IL 170 of this survey.
This corner falls on the near-vertical cut-bank of an abandoned access road in an inaccessible location.	
Thence S. 0° 00' 20" E.	
17.11	A point selected for witness Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 147, the IL 168 Mill Site, and the INSPIRATION MILL SITE NO. IL 170 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. WC - IL 147-2, IL 149-2, IL 168-2, and IL 170-2-4706.	
302	Road; bears N. 70° W. and S. 70° E.
328.00	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 151, INSPIRATION MILL SITE NO. IL 170, and INSPIRATION MILL SITE NO. IL 172 of this survey.
This corner falls at the toe of an ore-heap area where a monument cannot be preserved; not monumented.	
Thence S. 89° 33' 02" W.	
657.63	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 148, INSPIRATION MILL SITE NO. IL 150, and INSPIRATION MILL SITE NO. IL 151 of this survey; not monumented for reasons previously given.

FEET	
	Thence N. 0° 01' 06" W.
42	Leave ore heap area; toe of slope of heap bears N. 85° W. and S. 85° E.
69	Road; bears N. 85° W. and S. 85° E.
329.67	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 150
	At the true point for Cor. No. 1, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 151, INSPIRATION MILL SITE NO. IL 152, and INSPIRATION MILL SITE NO. IL 153 of this survey.
	This corner falls in an active ore-heap area where a monument cannot be set; from the true point for Cor. No. 1
	The ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&S.R.M., bears N. 63° 14' 14" E., 1476.05 ft. dist., previously described.
	Thence S. 89° 49' 41" W.
248	Leave ore-heap area; toe of heap bears N. 70° W. and S. 70° E.
308	Road; bears N. 70° W. and S. 70° E.
660.16	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 131, INSPIRATION MILL SITE NO. IL 133, and INSPIRATION MILL SITE NO. IL 152 of this survey.
	Thence NORTH
329.06	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 129, INSPIRATION MILL SITE NO. IL 131, and INSPIRATION MILL SITE NO. IL 148 of this survey.
	Thence N. 89° 55' 13" E.
226	Road; bears N. 45° E. and S. 57° W.
255	Enter ore-heap area; toe of heap bears N. 50° E. and S. 40° W.
660.06	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 148, INSPIRATION MILL SITE NO. IL 149, and INSPIRATION MILL SITE NO. IL 151 of this survey; not monumented for reasons previously given.
	Thence S. 0° 01' 06" E.
328.00	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 151</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 151, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 150, INSPIRATION MILL SITE NO. IL 152, and INSPIRATION MILL SITE NO. IL 153 of this survey.</p> <p>This corner falls in an active ore-heap area where a monument cannot be set.</p> <p style="text-align: center;">Thence N. 89° 38' 15" E.</p> <p>657.55 The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 172, and INSPIRATION MILL SITE NO. IL 174 of this survey.</p> <p>This corner also falls in a active ore-heap area where a monument cannot be set.</p> <p style="text-align: center;">Thence N. 0° 00' 20" W.</p> <p>329.00 The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 149, INSPIRATION MILL SITE NO. IL 170, and INSPIRATION MILL SITE NO. IL 172 of this survey; not monumented for reasons previously given.</p> <p style="text-align: center;">Thence S. 89° 33' 02" W.</p> <p>657.63 The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 148, INSPIRATION MILL SITE NO. IL 149, and INSPIRATION MILL SITE NO. IL 150 of this survey; not monumented for reasons previously given.</p> <p style="text-align: center;">Thence S. 0° 01' 06" E.</p> <p>328.00 Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 152</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 152, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 150, INSPIRATION MILL SITE NO. IL 151, and INSPIRATION MILL SITE NO. IL 153 of this survey.</p> <p>This corner falls in an active ore-heap area where a monument cannot be set.</p> <p style="text-align: center;">Thence S. 89° 49' 41" W.</p> <p>248 Leave ore-heap area; toe of heap bears N. 70° W. and S. 70° E.</p>

FEET	
308	Road; bears N. 70° W. and S. 70° E.
660.16	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 131, INSPIRATION MILL SITE NO. IL 133, and INSPIRATION MILL SITE NO. IL 150 of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
158.90	Witness Cor. No. 3, previously described.
240	Road; bears N. 70° E. and S. 70° W.
329.22	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 133, INSPIRATION MILL SITE NO. IL 135, and INSPIRATION MILL SITE NO. IL 154 of this survey.</p> <p>This corner falls on the unconsolidated north-easterly slope of an earth water-storage dam where a permanent monument cannot be established; not monumented.</p> <p style="text-align: center;">Thence N. 89° 48' 33" E.</p>
100	Leave northeasterly slope of earth dam; toe of dam bears WNW and ESE.
660.27	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 154, and INSPIRATION MILL SITE NO. IL 155 of this survey.</p> <p>This corner falls in an access road where a monument cannot be maintained; set a temporary point for Cor. No. 4. Road bears NE and SW.</p> <p style="text-align: center;">Thence N. 0° 01' 06" W.</p>
21.88	<p>A point selected for witness Cor. No. 4, identical with Cors. Nos 4 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 154, and INSPIRATION MILL SITE NO. IL 155 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. W C - IL 152-4, IL 153-4, IL 154-4, and IL 155-4-4706.</p>
253	Road; bears N. 77° W. and S. 77° E.
283	Enter ore-heap area; toe of heap bears N. 77° W. and S. 77° E.
329.00	Cor. No. 1, and place of beginning.

FEET	
	<p>INSPIRATION MILL SITE NO. IL 153</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 153, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 150, INSPIRATION MILL SITE NO. IL 151, and INSPIRATION MILL SITE NO. IL 152 of this survey.</p> <p>This corner falls in an active ore-heap area where a monument cannot be set.</p> <p style="text-align: center;">Thence N. 89° 38' 15" E.</p>
657.55	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 151, INSPIRATION MILL SITE NO. IL 172, and INSPIRATION MILL SITE NO. IL 174 of this survey; not monumented for reasons previously given.</p> <p style="text-align: center;">Thence S. 0° 00' 20" E.</p>
307	Road; bears N. 67° W. and S. 67° E.
329.00	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 155, INSPIRATION MILL SITE NO. IL 174, and INSPIRATION MILL SITE NO. IL 176 of this survey.</p> <p>This corner falls on the shoulder of an access road and at the toe of an active ore-heap where a permanent monument cannot be established; not monumented.</p> <p style="text-align: center;">Thence S. 89° 38' 15" W.</p>
422	Leave ore-heap area; toe of heap bears N. 20° E. and S. 20° W.
657.48	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 152, INSPIRATION MILL SITE NO. IL 154, and INSPIRATION MILL SITE NO. IL 155 of this survey.</p> <p>This corner falls in an access road where a monument cannot be maintained. Road bears NE and SW.</p> <p style="text-align: center;">Thence N. 0° 01' 06" W.</p>
21.88	Witness Cor. No. 4, previously described.
253	Road; bears N. 77° W. and S. 77° E.
283	Enter ore-heap area; toe of heap bears N. 77° W. and S. 77° E.
329.00	Cor. No. 1, and place of beginning.
<p>INSPIRATION MILL SITE NO. IL 154</p>	

FEET	
	<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 154, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 155, INSPIRATION MILL SITE NO. IL 156, and INSPIRATION MILL SITE NO. IL 157 of this survey.</p> <p>Set a brass tablet, 2 ins. diam., 2½ ins. stem, grouted into ledge rock, top mkd. IL 154-1, IL 155-1, IL 156-1, and IL 157-1-4706; from which</p> <p>The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 45° 05' 59" E., 1859.65 ft. dist., previously described.</p> <p>Thence S. 89° 49' 30" W.</p>
660.15	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 136, and INSPIRATION MILL SITE NO. IL 156 of this survey.</p> <p>Thence NORTH</p>
60	<p>Crest of dam; southwesterly shoulder bears N. 17° W. and S. 17° E.</p>
215	<p>Crst of dam; northeasterly shoulder bears N. 17° W. and S. 17° E.</p>
329.13	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 133, INSPIRATION MILL SITE NO. IL 135, and INSPIRATION MILL SITE NO. IL 152 of this survey.</p> <p>This corner falls on the unconsolidated north-easterly slope of an earth water-storage dam where a permanent monument cannot be established; witnessed NORTH 170.32 ft. dist., previously described.</p> <p>Thence N. 89° 48' 33" E.</p>
100	<p>Leave northeasterly slope of earth dam; toe of dam bears WNW and ESE.</p>
660.27	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 152, INSPIRATION MILL SITE NO. IL 153, and INSPIRATION MILL SITE NO. IL 155 of this survey.</p> <p>This corner falls in an access road where a monument cannot be maintained; witnessed N. 0° 01' 06" W., 21.88 ft. dist., previously described. Road bears NE. and SW.</p>

(This form bound on left side)

FEET	
	Thence S. 0° 01' 14" W.
140	Enter active ore-heap area; contact line between ore and natural ground bears E. and W.
256	Leave active ore-heap area; contact line between ore and natural ground bears N. 80° W. and S. 80° E.
329.31	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 155
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 155, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 154, INSPIRATION MILL SITE NO. IL 156, and INSPIRATION MILL SITE NO. IL 157 of this survey.
	Thence N. 89° 39' 46" E.
280	Enter active ore-heap area; contact line between ore and natural ground bears NW. and SE.
657.63	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 157, INSPIRATION MILL SITE NO. IL 176, and INSPIRATION MILL SITE NO. IL 178 of this survey.
	This corner falls in an active ore-heap area where a monument cannot be set.
	Thence N. 0° 00' 20" W.
329.60	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 174, and INSPIRATION MILL SITE NO. IL 176 of this survey; not monumented for reasons previously given.
	Thence S. 89° 38' 15" W.
422	Leave ore-heap area; toe of heap bears N. 20° E. and S. 20° W.
657.48	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 152, INSPIRATION MILL SITE NO. IL 153, and INSPIRATION MILL SITE NO. IL 154 of this survey.
	This corner falls in an access road where a monument cannot be maintained; witnessed N. 0° 01' 16" W., 21.88 ft. dist., previously described. Road bears NE. and SW.
	Thence S. 0° 01' 14" W.



FEET	
140	Enter active ore-heap area; contact line between ore and natural ground bears E. and W.
256	Leave active ore-heap area; contact line between ore and natural ground bears N. 80° W. and S. 80° E.
329.31	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 156	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 156, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 154, INSPIRATION MILL SITE NO. IL 155, and INSPIRATION MILL SITE NO. IL 157 of this survey.	
Thence S. 89° 49' 30" W.	
660.15	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 135, INSPIRATION MILL SITE NO. IL 136, and INSPIRATION MILL SITE NO. IL 154 of this survey.
Thence SOUTH	
329.04	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 137, and INSPIRATION MILL SITE NO. IL 158 of this survey.
Thence N. 89° 49' 22" E.	
660.03	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 157, INSPIRATION MILL SITE NO. IL 158, and INSPIRATION MILL SITE NO. IL 159 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 156-4, IL 157-4, IL 158-4, and IL 159-4-4706.	
Thence N. 0° 01' 14" E.	
329.02	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 157	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 157, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 154, INSPIRATION MILL SITE NO. IL 155, and INSPIRATION MILL SITE NO. IL 156 of this survey.	
Thence N. 89° 39' 46" E.	
280	Enter active ore-heap area; contact line between ore and natural ground bears NW. and SE.

(This form bound on left side)

FEET	
657.63	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 155, INSPIRATION MILL SITE NO. IL 176, and INSPIRATION MILL SITE NO. IL 178 of this survey; not monumented for reasons previously given.</p> <p style="text-align: center;">Thence S. 0° 00' 20" E.</p>
276	<p>Leave active ore-heap area; contact line between ore and natural ground bears WNW. and ESE.</p>
331.25	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 159, INSPIRATION MILL SITE NO. IL 178, and INSPIRATION MILL SITE NO. IL 180 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins., diam., 15 ins. in the ground, with brass cap mkd. IL 157-3, IL 159-3, IL 178-3, and IL 180-3-4706.</p> <p style="text-align: center;">Thence S. 89° 51' 26" W.</p>
657.77	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 156, INSPIRATION MILL SITE NO. IL 158, and INSPIRATION MILL SITE NO. IL 159 of this survey.</p> <p style="text-align: center;">Thence N. 0° 01' 14" E.</p>
329.02	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 158</p>	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 158, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 159, INSPIRATION MILL SITE NO. IL 160, and INSPIRATION MILL SITE NO. IL 161 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 158-1, IL 159-1, IL 160-1, and IL 161-1-4706; from which</p>	
<p style="text-align: center;">The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 63° 33' 30" E., 1471.42 ft. dist., previously described.</p>	
<p>Thence S. 89° 47' 11" W.</p>	
659.92	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 138, and INSPIRATION MILL SITE NO. IL 160 of this survey.</p> <p style="text-align: center;">Thence NORTH</p>

FEET		
328.88	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 137, and INSPIRATION MILL SITE NO. IL 156 of this survey.</p> <p>Thence N. 89° 49' 22" E.</p>	
660.03	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 156, INSPIRATION MILL SITE NO. IL 157, and INSPIRATION MILL SITE NO. IL 159 of this survey.</p> <p>Thence S. 0° 01' 14" W.</p>	
328.46	<p>Cor. No. 1, and place of beginning.</p>	
<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 159</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 159, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 158, INSPIRATION MILL SITE NO. IL 160, and INSPIRATION MILL SITE NO. IL 161 of this survey.</p> <p style="text-align: center;">Thence N. 89° 54' 12" E.</p>		
657.91	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 161 and INSPIRATION MILL SITE NO. IL 180, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 182 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 159-2, IL 161-2, IL 180-2, and IL 182-4-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 20" W.</p>	
328.99	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 157, INSPIRATION MILL SITE NO. IL 178, and INSPIRATION MILL SITE NO. IL 180 of this survey.</p> <p style="text-align: center;">Thence S. 89° 51' 26" W.</p>	
657.77	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 156, INSPIRATION MILL SITE NO. IL 157, and INSPIRATION MILL SITE NO. IL 158 of this survey.</p> <p style="text-align: center;">Thence S. 0° 01' 14" W.</p>	
328.46	<p>Cor. No. 1, and place of beginning.</p>	

FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 160</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 160, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 158, INSPIRATION MILL SITE NO. IL 159, and INSPIRATION MILL SITE NO. IL 161 of this survey.</p> <p style="text-align: center;">Thence S. 89° 47' 11" W.</p>
659.92	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 138, and INSPIRATION MILL SITE NO. IL 158 of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
329.11	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 138 and INSPIRATION MILL SITE NO. IL 139, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 162 of this survey.</p> <p style="text-align: center;">Thence N. 89° 46' 40" E.</p>
659.80	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 161, and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 162 and INSPIRATION MILL SITE NO. IL 163 of this survey.</p> <p>Set a brass tablet, 2 ins. diam., 2½ in. stem, grouted into solid sheet rock, mkd. IL 160-4, IL 161-4, IL 162-3, and IL 163-3-4706.</p> <p style="text-align: center;">Thence N. 0° 01' 14" E.</p>
329.01	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 161</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 161, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 158, INSPIRATION MILL SITE NO. IL 159, and INSPIRATION MILL SITE NO. IL 160 of this survey.</p> <p style="text-align: center;">Thence N. 89° 54' 12" E.</p>
657.91	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 159 and INSPIRATION MILL SITE NO. IL 180, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 182 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 20" E.</p>

FEET	
328.91	<p>The true point for Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 163, and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 182 and INSPIRATION MILL SITE NO. IL 184 of this survey.</p> <p>This corner falls in an area currently being stripped of brush for the installation of another ore-heap. Since the extent of the ore-heap size is unknown, the corner was neither monumented nor witnessed.</p> <p style="text-align: center;">Thence S. 89° 53' 41" W.</p>
658.06	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 160, and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 162 and INSPIRATION MILL SITE NO. IL 163 of this survey.</p> <p style="text-align: center;">Thence N. 0° 01' 14" E.</p>
329.01	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 162</p>	
<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 162, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 139, on line 1-2 of the INSPIRATION MILL SITE NO. IL 201 of this survey; from which</p>	
<p style="text-align: center;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 89° 51' 04" W., 661.40 ft. dist., previously described.</p>	
<p>Thence N. 89° 51' 04" E.</p>	
400.10	<p>Intersect Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 88 and INSPIRATION MILL SITE NO. IL 201 of this survey.</p>
659.69	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 163, on line 1-2 of the INSPIRATION MILL SITE NO. IL 88 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 162-2, and IL 163-2-4706.</p> <p style="text-align: center;">Thence N. 0° 01' 14" E.</p>
329.61	<p>Cor. No. 3, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 160, and INSPIRATION MILL SITE NO. IL 161, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 163 of this survey.</p>

FEET	
659.80	<p>Thence S. 89° 46' 40" W.</p> <p>Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 138, INSPIRATION MILL SITE NO. IL 139, and INSPIRATION MILL SITE NO. IL 160 of this survey.</p> <p>Thence SOUTH</p>
328.77	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>INSPIRATION MILL SITE NO. IL 163</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 163, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 184, on line 1-2 of the INSPIRATION MILL SITE NO. IL 89 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 163-1, and IL 184-4-4706; from which</p> <p>The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 89° 51' 04" E., 659.52 ft. dist., previously described.</p> <p>Thence S. 89° 51' 04" W.</p>
258.85	<p>Intersect Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 88 and INSPIRATION MILL SITE NO. IL 89 of this survey.</p>
658.21	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 162, on line 1-2 of the INSPIRATION MILL SITE NO. IL 88 of this survey.</p> <p>Thence N. 0° 01' 14" E.</p>
329.61	<p>Cor. No. 3, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 160 and INSPIRATION MILL SITE NO. IL 161, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 162 of this survey.</p> <p>Thence N. 89° 53' 41" E.</p>
658.06	<p>The true point for Cor. No. 4, identical with Cors. Nos 3 of the INSPIRATION MILL SITE NO. IL 161, INSPIRATION MILL SITE NO. IL 182, and INSPIRATION MILL SITE NO. IL 184 of this survey; not monumented for reasons previously given.</p> <p>Thence S. 0°00' 20" E.</p>
329.11	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	<p>IL 168 Mill Site</p> <p>Beginning at Cor. No. 1 of the IL 168 Mill Site, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 170 of this survey; also identical with the ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., previously described.</p> <p>Using galvanized wire, I attach a pre-stamped cylindrical copper plate to the iron post, 1 ins. diam., supporting the U.S.G.L.O. brass cap; the copper plate is mkd. IL 168-1-4706 and IL 170-1-4706; from which</p> <p style="padding-left: 40px;">Cor. No. 1 Sur. No. 3950 Standard No. 14 lode bears S. 36° 02' 30" W., 176.90 ft. dist.</p> <p style="padding-left: 40px;">Thence S. 89° 41' 46" W.</p>
151.57	<p>Intersect line 1-2 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears S. 14° 49' 50" W., 620.53 ft. dist.</p>
244.01	<p>Intersect line 1-2 Sur. No. 3950 Standard No. 14 lode, at a point from which Cor. No. 1 bears S. 44° 37' 47" E., 199.18 ft. dist.</p>
660.47	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 147, INSPIRATION MILL SITE NO. IL 149, and INSPIRATION MILL SITE NO. IL 170 of this survey.</p> <p>This corner falls on the near-vertical cut-bank of an abandoned haul road in an inaccessible location; witnessed S. 0° 00' 20" E., 17.11 ft. dist., previously described.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 20" W.</p>
325.72	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 147, on line 2-3 of the IL 145 Mill Site of this survey.</p> <p style="padding-left: 40px;">Thence EAST</p>
97.13	<p>Cor. No. 4, identical with Cor. No. 3 of the IL 145 Mill Site of this survey, on line 1-2 Sur. No. 3950 Standard No. 14 lode.</p> <p style="padding-left: 40px;">Thence S. 60° 13' 56" E.</p>
649.00	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 170</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 170, identical with Cor. No. 1 of the IL 168 Mill Site of this survey; also identical with the ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M.</p>

FEET	
	Thence S. 89° 41' 46" W.
151.57	Intersect line 1-2 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears S. 14° 49' 50" W., 620.53 ft. dist.
244.01	Intersect line 1-2 Sur. No. 3950 Standard No. 14 lode, at a point from which Cor. No. 1 bears S. 44° 37' 47" E., 199.18 ft. dist.
660.47	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 147, INSPIRATION MILL SITE NO. IL 149, and the IL 168 Mill Site of this survey.  This corner falls on the near-vertical cut-bank of an abandoned haul road in an inaccessible location.  Thence S. 0° 00' 20" E.
17.11	Witness Cor. No. 2, previously described.
302	Road; bears N. 70° W. and S. 70° E.
328.00	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 149, INSPIRATION MILL SITE NO. IL 151, and INSPIRATION MILL SITE NO. IL 172 of this survey; not monumented for reasons previously given.  Thence N. 89° 55' 22" E.
71	Road; bears N. 70° W. and S. 70° E.
391	Centerline of major haul road, 30 ft. wide, bears N. 40° E. and S. 30° W.
421.44	Intersect line 1-2 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears S. 14° 49' 50" W., 279.02 ft. dist.
660.34	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 172 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 170-4, and IL 172-4-4706; from which  Cor. No. 1 of the CLAY No. 3 lode, uns., bears S. 48° 58' 08" W., 411.37 ft. dist.  Thence N. 0° 00' 53" E.
99	Centerline of major haul road, 30 ft. wide, bears N. 60° E. and S. 60° W.
290.51	Intersect line 4-1 Sur. No. 3950 Standard No. 14 lode at a point from which Cor. No. 1 bears S. 45° 18' 42" W., 146.38 ft. dist.
330.61	Cor. No. 1, and place of beginning.



FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 172</p> <p>At the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 172, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 174 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 4 of the IL 310 mill site, uns.</p> <p>This corner falls on the near-vertical face of a cut bank for a haul road which runs N. and S. approximately 30 ft. east of the corner, and is therefore inaccessible for monumenting; witnessed S. 0° 00' 53" W., 124.85 ft. dist., hereinafter described.</p> <p>From the true point for Cor. No. 1,</p> <p style="padding-left: 40px;">The ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 0° 00' 53" E., 660.32 ft. dist., previously described.</p> <p style="padding-left: 40px;">Cor. No. 1 of the CLAY No. 3 lode, uns., bears N. 79° 06' 50" W., 315.91 ft. dist.</p> <p style="padding-left: 80px;">Thence S. 89° 59' 04" W.</p>
84.41	Intersect line 4-1 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears N. 75° 11' 45" W., 233.58 ft. dist.
260	Enter ore-heap area; toe of ore-heap bears N. and S.
396	Centerline of major haul road, 30 ft. wide, bears N. 18° E. and S. 18° W.
660.22	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 151, INSPIRATION MILL SITE NO. IL 153, and INSPIRATION MILL SITE NO. IL 174 of this survey; not monumented for reasons previously given.</p> <p style="padding-left: 80px;">Thence N. 0° 00' 20" W.</p>
329.00	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 149, INSPIRATION MILL SITE NO. IL 151, and INSPIRATION MILL SITE NO. IL 170 of this survey; not monumented for reasons previously given.</p> <p style="padding-left: 80px;">Thence N. 89° 55' 22" E.</p>
71	Road; bears N. 70° W. and S. 70° E.
391	Centerline of major haul road, 30 ft. wide, bears N. 40° E. and S. 30° W.
421.44	Intersect line 1-2 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears S. 14° 49' 50" W., 279.02 ft. dist.
660.34	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 170 of this survey.

(This form bound on left side)

FEET	
	Thence S. 0° 00' 53" W.
35.83	Intersect Cor. No. 1 of the IL 310 mill site, uns.
329.71	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 174
	Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 174, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 172 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 4 of the IL 310 mill site, uns.
	This corner falls on the near-vertical face of a cut bank for a haul road which runs N. and S. approximately 30 ft. east of the corner, and is therefore inaccessible for monumenting; witnessed S. 0° 00' 53" W., 124.85 ft. dist., hereinafter described.
	Thence S. 89° 59' 04" W.
84.41	Intersect line 4-1 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears N. 75° 11' 45" W., 233.58 ft. dist.
260	Enter ore-heap area; toe of ore-heap bears N. and S.
396	Centerline of major haul road, 30 ft. wide, bears N. 18° E. and S. 18° W.
660.22	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 151, INSPIRATION MILL SITE NO. IL 153, and INSPIRATION MILL SITE NO. IL 172 of this survey; not monumented for reasons previously given.
	Thence S. 0° 00' 20" E.
307	Road; bears N. 67° W. and S. 67° E.
329.00	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 155, and INSPIRATION MILL SITE NO. IL 176 of this survey; not monumented for reasons previously given.
	Thence S. 89° 55' 44" E.
52	Road; bears N. 67° W. and S. 67° E.

FEET	
210	Centerline of major haul road, 30 ft. wide, bears N. and S.
400	Leave ore-heap area; toe of ore-heap bears NE. and SW.
660.10	<p>The true point for Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 176 of this survey, and with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 177, uns.</p> <p>This corner falls on the southwesterly edge of a haul road where a permanent monument cannot be established; witnessed S. 0° 00' 53" W., 125.02 ft., hereinafter described. Road bears N. and SE.</p> <p style="padding-left: 40px;">Thence N. 0° 00' 53" E.</p>
80	Leave haul road, northwesterly shoulder bears NNE. and SSW.
205.15	<p>A point selected for witness Cor. No. 1, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 172 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 4 of the IL 310 mill site, uns.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - IL 172-1, and IL 174-1-4706.</p>
307.67	Intersect line 4-1 of the CLAY No. 3 lode, uns., at a point from which Cor. No. 1 bears N. 75° 11' 45" W., 320.88 ft. dist.
330.00	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 176	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 176, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 178 of this survey, and with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 177, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. 179, uns.</p> <p style="text-align: center;">IL</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 176-1, and IL 178-1-4706; from which</p>	
<p>The ¼ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 0° 00' 53" E., 1320.32 ft. dist., previously described.</p>	

(This form bound on left side)

FEET	
	Thence N. 89° 53' 39" W.
160	Enter active ore-heap area; toe of ore-heap bears NW. and SE.
350	Centerline of haul road across ore-heap; bears N. and S.
659.98	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 155, INSPIRATION MILL SITE NO. IL 157, and INSPIRATION MILL SITE NO. IL 178 of this survey; not monumented for reasons previously given.
	Thence N. 0° 00' 20" W.
329.60	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 153, INSPIRATION MILL SITE NO. IL 155, and INSPIRATION MILL SITE NO. IL 174 of this survey; not monumented for reasons previously given.
	Thence S. 89° 55' 44" E.
52	Road; bears N. 67° W., and S. 67° E.
210	Centerline of major haul road, 30 ft. wide, bears N. and S.
400	Leave ore-heap area; toe of ore-heap bears NE. and SW.
660.10	The true point for Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 174 of this survey, and with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 177, uns.
	This corner falls on the southwesterly edge of a haul road where a permanent monument cannot be established. Road bears N. and SE.
	Thence S. 0° 00' 53" W.
125.02	A point selected for witness Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 174 of this survey, and with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 175, uns., and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 177, uns.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - IL 174-4, and IL 176-4-4706.
196	Centerline of haul road, 30 ft. wide, bears N. 70° E. and S. 55° W.
330.00	Cor. No. 1, and place of beginning.

FEET	
	INSPIRATION MILL SITE NO. IL 178
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 178, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 176 of this survey, and with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 177, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 179, uns.
	Thence N. 89° 53' 39" W.
160	Enter active ore-heap area; toe of ore-heap bears NW. and SE.
350	Haul road across ore-heap; bears N. and S.
659.98	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 155, INSPIRATION MILL SITE NO. IL 157, and INSPIRATION MILL SITE NO. IL 176 of this survey; not monumented for reasons previously given.
	Thence S. 0° 00' 20" E.
276	Leave active ore-heap area; contact line between ore and natural ground bears WNW. and ESE.
331.25	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 157, INSPIRATION MILL SITE NO. IL 159, and INSPIRATION MILL SITE NO. IL 180 of this survey.
	Thence N. 89° 52' 45" E.
93	Enter active ore-heap area; contact line between ore and natural ground bears WNW. and ESE.
285	Haul road across ore-heap; bears N. and S.
450	Leave active ore-heap area; toe of ore-heap bears NE. and SW.
659.86	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 180 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 179, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 181, uns.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 178-4, and IL 180-4-4706.
	Thence N. 0° 00' 53" E.
90	Center of local drainage, 8 ft. wide, course N. 45° E.
328.64	Cor. No. 1, and place of beginning.

FEET		
	INSPIRATION MILL SITE NO. IL 180	
	At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 180, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 182, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 181, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 183, uns.	
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 180-1, and IL 182-1-4706; from which	
	The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 53" W., 657.66 ft. dist., previously described.	
	Thence S. 89° 52' 58" W.	
659.75	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 159 and INSPIRATION MILL SITE NO. IL 161, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 182 of this survey.	
	Thence N. 0° 00' 20" W.	
328.99	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 157, INSPIRATION MILL SITE NO. IL 159, and INSPIRATION MILL SITE NO. IL 178 of this survey.	
	Thence N. 89° 52' 45" E.	
93	Enter active ore-heap area; contact line between ore and natural ground bears WNW. and ESE.	
285	Haul road across ore-heap; bears N. and S.	
450	Leave active ore-heap area; toe of ore-heap bears NE. and SW.	
659.86	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 178 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 179, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 181, uns.	
	Thence S. 0° 00' 53" W.	
329.03	Cor. No. 1, and place of beginning.	
	INSPIRATION MILL SITE NO. IL 182	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 182, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 180 of this survey, and with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 181, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 183, uns.	

FEET	
	Thence S. 0° 00' 53" W.
328.42	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 184 of this survey, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 183, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 185, uns.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 182-2, and IL 184-2-4706.</p>
	Thence S. 89° 50' 25" W.
659.64	<p>The true point for Cor. No. 3, identical with Cors. Nos 3 of the INSPIRATION MILL SITE NO. IL 161 and INSPIRATION MILL SITE NO. IL 184, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 163 of this survey, not monumented for reasons previously given.</p>
	Thence N. 0° 00' 20" W.
328.91	<p>Cor. No. 4, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 159, INSPIRATION MILL SITE NO. IL 161, and INSPIRATION MILL SITE NO. IL 180 of this survey.</p>
	Thence N. 89° 52' 58" E.
659.75	<p>Cor. No. 1, and place of beginning.</p>
	INSPIRATION MILL SITE NO. IL 184
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 184, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 95 of this survey, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 185, uns.; also identical with the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., previously described.</p>
	Thence N. 0° 00' 53" E.
329.24	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 182 of this survey, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 183, uns., and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 185, uns.</p>
	Thence S. 89° 50' 25" W.
659.64	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 161 and INSPIRATION MILL SITE NO. IL 182, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 163 of this survey; not monumented for reasons previously given.</p>
	Thence S. 0° 00' 20" E.

(This form bound on left side)

FEET	
329.11	Cor. No. 4, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 163, on line 1-2 of the INSPIRATION MILL SITE NO. IL 89 of this survey.
	Thence N. 89° 51' 04" E.
400.14	Intersect Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 89 and INSPIRATION MILL SITE NO. IL 95 of this survey.
659.52	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 200	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 200, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 111 and INSPIRATION MILL SITE NO. IL 113 of this survey.
	Thence N. 89° 37' 03" E.
657.84	Cor. No. 2.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 200-2-4706.
	Thence SOUTH
133.33	Intersect line 2-3 of the CLAY No. 5 lode, uns., and line 1-2 of the CLAY 16 lode, uns., at a point from which Cor. No. 3 and Cor. No. 1, bear WEST, 662.16 feet dist., and 510.60 ft. dist., respectively.
329.14	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 118 of this survey.
	Thence S. 89° 37' 48" W.
510.61	Intersect line 4-1 of the CLAY 16 lode, uns., at a point from which Cor. No. 1 bears NORTH, 199.11 ft. dist.
658.40	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 113, INSPIRATION MILL SITE NO. IL 115, and INSPIRATION MILL SITE NO. IL 118 of this survey.
	This corner falls on the surface of a slanting rock wall and is inaccessible; witnessed S. 0° 05' 49" W., 22.80 ft. dist., previously described.
	Thence N. 0° 05' 49" E.
200.06	Intersect line 2-3 of the CLAY No. 5 lode, uns., at a point from which Cor. No. 3 bears WEST, 4.12 ft. dist.
329.00	Cor. No. 1, and place of beginning.



FEET	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 201</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 201, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 88, on line 1-2 of the INSPIRATION MILL SITE NO. IL 162 of this survey.</p> <p style="text-align: center;">Thence S. 89° 51' 04" W.</p>
400.10	Intersect Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 162, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 139 of this survey.
659.46	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 206, on line 4-1 of the INSPIRATION MILL SITE NO. IL 139 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 201-2, and IL 206-2-4706.</p> <p style="text-align: center;">Thence SOUTH</p>
327.61	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 202, INSPIRATION MILL SITE NO. IL 206, and INSPIRATION MILL SITE NO. IL 207 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 201-3, IL 202-3, IL 206-3, and IL 207-3-4706.</p> <p style="text-align: center;">Thence EAST</p>
659.46	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 90, and INSPIRATION MILL SITE NO. IL 202 of this survey.</p> <p>This corner falls on the near-vertical side of a large rock in an inaccessible location.</p> <p style="text-align: center;">Thence NORTH</p>
7.41	Witness Cor. No. 4, previously described.
329.32	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 202</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 202, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 92, and INSPIRATION MILL SITE NO. IL 203 of this survey.</p>

(This form bound on left side)

FEET	
659.46	<p style="text-align: center;">Thence N. 89° 56' 27" W.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 203, INSPIRATION MILL SITE NO. IL 207, and INSPIRATION MILL SITE NO. IL 208 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 202-2, IL 203-2, IL 207-2, and IL 208-2-4706.</p>
72	<p style="text-align: center;">Thence NORTH</p> <p>Center of local drainage, 6 ft. wide, course S. 80° E.</p>
328.16	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 201, INSPIRATION MILL SITE NO. IL 206, and INSPIRATION MILL SITE NO. IL 207 of this survey.</p>
659.46	<p style="text-align: center;">Thence EAST</p> <p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 88, INSPIRATION MILL SITE NO. IL 90, and INSPIRATION MILL SITE NO. IL 201 of this survey.</p> <p>This corner falls on the near-vertical side of a large rock in an inaccessible location; witnessed NORTH, 7.41 ft. dist., previously described.</p>
229	<p style="text-align: center;">Thence SOUTH</p> <p>Center of local drainage, 8 ft. wide, course EAST.</p>
328.84	<p>Cor. No. 1, and place of beginning.</p>
659.46	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 203</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 203, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 90, INSPIRATION MILL SITE NO. IL 92, and INSPIRATION MILL SITE NO. IL 202 of this survey.</p> <p style="text-align: center;">Thence N. 89° 56' 27" W.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 202, INSPIRATION MILL SITE NO. IL 207, and INSPIRATION MILL SITE NO. IL 208 of this survey.</p>
	<p style="text-align: center;">Thence SOUTH</p>

FEET	
328.05	<p>Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 204, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 208, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 209 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 203-3, IL 204-4, IL 208-3, and IL 209-2-4706.</p> <p style="text-align: center;">Thence S. 89° 52' 30" E.</p>
659.46	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 92 and INSPIRATION MILL SITE NO. IL 205, and Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 204 of this survey.</p> <p style="text-align: center;">Thence NORTH</p>
328.81	<p>Cor. No. 1, and place of beginning.</p>
<p>INSPIRATION MILL SITE NO. IL 204</p>	
<p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 204, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 205, the IL 309 MILL SITE, and the IL 313 MILL SITE of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 204-1, IL 205-1, IL 309-1, and IL 313-1-4706; from which</p>	
<p style="text-align: center;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. 38° 57' 07" W., 1688.49 ft. dist., previously described.</p>	
<p style="text-align: center;">Thence N. 89° 59' 22" W.</p>	
330.47	<p>Cor. No. 2, identical with Cor. No. 2 of the IL 309 MILL SITE of this survey.</p> <p>Set an iron post, 3 ft. long, 4<math>\frac{1}{4}</math> ins. diam., 15 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface marked IL 204-2, and IL 309-2-4706.</p> <p style="text-align: center;">Thence N. 89° 47' 40" W.</p>
328.99	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 209 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 204-3, and IL 209-3-4706.</p>

FEET		
329.09	<p style="text-align: center;">Thence NORTH</p> <p>Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 203 and INSPIRATION MILL SITE NO. IL 208, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 209 of this survey.</p> <p style="text-align: center;">Thence S. 89° 52' 30" E.</p>	
659.46	<p>Cor. No. 5, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 92, INSPIRATION MILL SITE NO. IL 203, and INSPIRATION MILL SITE NO. IL 205 of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>	
328.89	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 205</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 205, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 204, the IL 309 MILL SITE, and the IL 313 MILL SITE of this survey.</p> <p style="text-align: center;">Thence N. 89° 51' 14" E.</p>	
658.41	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 94, the IL 308 MILL SITE, and the IL 313 MILL SITE of this survey.</p> <p style="text-align: center;">Thence N. 0° 01' 25" E.</p>	
329.09	<p>Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 92, INSPIRATION MILL SITE NO. IL 93, and INSPIRATION MILL SITE NO. IL 94 of this survey.</p> <p style="text-align: center;">Thence S. 89° 50' 11" W.</p>	
658.54	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 92, and INSPIRATION MILL SITE NO. IL 203, and Cor. No. 5 of the INSPIRATION MILL SITE NO. IL 204 of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>	
328.89	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">INSPIRATION MILL SITE NO. IL 206</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 206, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 218, on line 4-1 of the INSPIRATION MILL SITE NO. IL 217 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins., diam., 18</p>	

FEET	
	<p>ins. in the ground, with brass cap mkd. IL 206-1, and IL 208-1-4706; from which</p> <p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. <math>89^{\circ} 51' 04''</math> E., 258.05 ft. dist., previously described.</p> <p>Thence N. <math>89^{\circ} 51' 04''</math> E.</p>
258.05	Intersect Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 139 and INSPIRATION MILL SITE NO. IL 217 of this survey, identical with the standard $\frac{1}{4}$ sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&S.R.M.
660.09	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 201, on line 4-1 of the INSPIRATION MILL SITE NO. IL 139 of this survey.
	Thence SOUTH
327.61	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 201, INSPIRATION MILL SITE NO. IL 202, and INSPIRATION MILL SITE NO. IL 207 of this survey.
	Thence S. $89^{\circ} 38' 42''$ W.
660.10	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 207, on line 1-2 of the INSPIRATION MILL SITE NO. IL 218 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 206-4, and IL 207-4-4706.
	Thence NORTH
329.98	Cor. No. 1, and place of beginning.
	<p>INSPIRATION MILL SITE NO. IL 207</p> <p>At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 207, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 208, and INSPIRATION MILL SITE NO. IL 219, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 218 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 207-1, IL 208-1, IL 218-2, and IL 219-1-4706; from which</p> <p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears N. <math>21^{\circ} 20' 22''</math> E., 709.14 ft. dist., previously described.</p>

FEET		
	Thence N. 89° 29' 48" E.	
660.12	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 202, INSPIRATION MILL SITE NO. IL 203, and INSPIRATION MILL SITE NO. IL 208 of this survey.	
	Thence NORTH	
72	Center of local drainage, 6 ft. wide, course S. 80° E.	
328.16	Cor. No. 3, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 201, INSPIRATION MILL SITE NO. IL 202, and INSPIRATION MILL SITE NO. IL 206 of this survey.	
	Thence S. 89° 38' 42" W.	
660.10	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 206, on line 1-2 of the INSPIRATION MILL SITE NO. IL 218 of this survey.	
	Thence SOUTH	
329.87	Cor. No. 1, and place of beginning.	
INSPIRATION MILL SITE NO. IL 208		
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 208, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 207 and INSPIRATION MILL SITE NO. IL 219, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 218 of this survey.		
	Thence N. 89° 29' 48" E.	
660.12	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 202, INSPIRATION MILL SITE NO. IL 203, and INSPIRATION MILL SITE NO. IL 207 of this survey.	
	Thence SOUTH	
328.05	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 203, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 204, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 209 of this survey.	
	Thence S. 89° 19' 30" W.	
660.14	Cor. No. 4, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 209, on line 4-1 of the INSPIRATION MILL SITE NO. IL 219 of this survey.	

FEET	
330.03	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 208-4, and IL 209-1-4706.</p> <p>Thence NORTH</p> <p>Cor. No. 1, and place of beginning.</p>
660.14	<p>INSPIRATION MILL SITE NO. IL 209</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 209, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 208, on line 4-1 of the INSPIRATION MILL SITE NO. IL 219 of this survey; from which</p> <p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G. &amp; S.R.M., bears N. 14° 36' 06" E., 1023.61 ft. dist., previously described.</p> <p>Thence N. 89° 19' 30" E.</p>
329.09	<p>Cor. No. 2, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 203 and INSPIRATION MILL SITE NO. IL 208, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 204 of this survey.</p> <p>Thence SOUTH</p>
660.14	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 204 of this survey.</p> <p>Thence S. 89° 16' 22" W.</p>
329.69	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 219 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 209-4, and IL 219-4-4706.</p> <p>Thence NORTH</p> <p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 210</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 210, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 211, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 122 and INSPIRATION MILL SITE NO. IL 124 of this survey.</p>

FEET		
	<p>This corner falls in the bottom of a small ravine, course S. 80° E., where a permanent monument cannot be established.</p>	
	<p>From the true point for Cor. No. 1</p>	
	<p>The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G. &amp; S.R.M., bears S. 11° 15' 32" E., 3352.98 ft. dist., previously described.</p>	
	<p>Thence N. 0° 00' 20" E.</p>	
76.56	<p>Witness Cor. No. 1, previously described.</p>	
328.97	<p>Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 120 and INSPIRATION MILL SITE NO. IL 122 of this survey.</p>	
550.97	<p>Road; bears N. 75° E. and S. 75° W.</p>	
657.92	<p>Cor. No. 2, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 120, and Cor. No. 5 of the IL 311 MILL SITE of this survey.</p>	
	<p>Thence S. 89° 51' 50" W.</p>	
249	<p>Centerline of Castle Dome Highway, 24 ft. wide, bears N. 16° E. and S. 16° W.</p>	
328.92	<p>Cor. No. 3.</p>	
	<p>Set an iron post, 3 ft. long, 4<math>\frac{1}{4}</math> ins. diam., 15 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top mkd. IL 210-3-4706.</p>	
	<p>Thence S. 0° 00' 20" W.</p>	
279	<p>Centerline of Castle Dome Mine Highway, 24 ft. wide, bears N. 16° E. and S. 16° W.</p>	
519	<p>Road; bears N. 10° E. and S. 20° W.</p>	
658.34	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 211 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 210-4, and IL 211-4-4706.</p>	
	<p>Thence N. 89° 47' 27" E.</p>	
328.91	<p>Cor. No. 1, and place of beginning.</p>	



FEET	
	<p>INSPIRATION MILL SITE NO. IL 211</p> <p>Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 211, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 210, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 122 and INSPIRATION MILL SITE NO. IL 124 of this survey.</p> <p>This corner falls in the bottom of a small ravine, course S. 80° E., where a permanent monument cannot be established. Witnessed N. 0° 00' 20" E., 76.56 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 20" W.</p>
329.00	<p>Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 124 and INSPIRATION MILL SITE NO. IL 126 of this survey.</p>
658.57	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 128, and INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p style="text-align: center;">Thence S. 89° 57' W.</p>
328.91	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 211-3, and IL 212-3-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 20" E.</p>
657.66	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 210 of this survey.</p> <p style="text-align: center;">Thence N. 89° 47' 27" E.</p>
328.91	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 212</p> <p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 212, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 213, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 130 and INSPIRATION MILL SITE NO. IL 132 of this survey; from which</p> <p style="text-align: center;">The standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 18° 22' 15" E., 2077.58 ft. dist., previously described.</p>

FEET	
	Thence N. 0° 00' 20" E.
329.49	Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 128 and INSPIRATION MILL SITE NO. IL 130 of this survey.
658.18	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 126, INSPIRATION MILL SITE NO. IL 128, and INSPIRATION MILL SITE NO. IL 211 of this survey.
	Thence S. 89° 57' W.
328.91	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 211 of this survey.
	Thence S. 0° 00' 20" W.
255	Centerline of Castle Dome Highway, 24 ft. wide, bears N. 30° W. and S. 30° E.
657.65	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 213 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 212-4, and IL 213-4-4706.
	Thence S. 89° 57' 30" E.
130	Centerline of Castle Dome Mine Highway, 24 ft. wide, bears N. and S.
328.91	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 213
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 213, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 212, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 130 and INSPIRATION MILL SITE NO. IL 132 of this survey.
	Thence S. 0° 00' 20" W.
329.01	Intersect Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 132 and INSPIRATION MILL SITE NO. IL 134 of this survey.
657.64	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 134 and INSPIRATION MILL SITE NO. IL 214 of this survey.
	Thence N. 89° 59' 15" W.

FEET	
328.91	<p>Cor. No. 3.</p> <p>Set an iron post, 3 ft. long, 4¼ ins. diam., 16 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top mkd. IL 213-3-4706.</p> <p style="text-align: center;">Thence N. 0° 00' 20" E.</p>
203	<p>Centerline of the Castle Dome Mine Highway, 24 ft. wide, bears N. 28° E. and S. 28° W.</p>
657.81	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 212 of this survey.</p> <p style="text-align: center;">Thence S. 89° 57' 30" E.</p>
130	<p>Centerline of the Castle Dome Mine Highway, 24 ft. wide, bears N. and S.</p>
328.91	<p>Cor. No. 1, and place of beginning.</p>
INSPIRATION MILL SITE NO. IL 214	
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 214, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 134, INSPIRATION MILL SITE NO. IL 135, and INSPIRATION MILL SITE NO. IL 136 of this survey.</p> <p style="text-align: center;">Thence S. 89° 46' 53" W.</p>
654.99	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 134 and INSPIRATION MILL SITE NO. IL 213 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 20" W.</p>
328.78	<p>Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 215 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 214-3, and IL 215-3-4706.</p> <p style="text-align: center;">Thence N. 89° 47' 05" E.</p>
654.96	<p>Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 137, and INSPIRATION MILL SITE NO. IL 215 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 40" E.</p>
328.82	<p>Cor. No. 1, and place of beginning.</p>

(This form bound on left side)

FEET		
	INSPIRATION MILL SITE NO. IL 215	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 215, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 138, and INSPIRATION MILL SITE NO. IL 216 of this survey.	
	Thence S. 89° 47' 05" W.	
654.93	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 216 of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 215-2, and IL 216-2-4706.	
	Thence N. 0° 00' 20" E.	
329.10	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 214 of this survey.	
	Thence N. 89° 47' 05" E.	
654.96	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 136, INSPIRATION MILL SITE NO. IL 137, and INSPIRATION MILL SITE NO. 214 of this survey.	
	Thence S. 0° 00' 40" W.	
329.10	Cor. No. 1, and place of beginning.	
	INSPIRATION MILL SITE NO. IL 216	
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 216, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 137, INSPIRATION MILL SITE NO. IL 138, and INSPIRATION MILL SITE NO. IL 215 of this survey.	
	Thence S. 89° 47' 05" W.	
654.93	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 215 of this survey.	
	Thence S. 0° 00' 20" W.	
328.87	The true point for Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 217 of this survey.	
	This corner falls high on the slope of a slanting rock surface facing SE. in an inaccessible location which cannot be monumented; witnessed S. 0° 00' 20" W., 7.70 ft. dist., hereinafter described.	

SURVEY NO. 4706

85.

FEET	
	<p>Thence N. 89° 48' 55" E.</p>
654.95	<p>Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 138, and Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 139 and INSPIRATION MILL SITE NO. IL 217 of this survey.</p>
	<p>Thence N. 0° 00' 08" E.</p>
329.22	<p>Cor. No. 1, and place of beginning.</p>
	<p>INSPIRATION MILL SITE NO. IL 217</p>
	<p>Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 217, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 139, on line 1-2 of the INSPIRATION MILL SITE NO. IL 206 of this survey; also identical with the standard ¼ sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&amp;S.R.M., previously described.</p>
	<p>Thence N. 0° 00' 08" E.</p>
329.42	<p>Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 139, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 138 and INSPIRATION MILL SITE NO. IL 216 of this survey.</p>
	<p>Thence S. 89° 48' 55" W.</p>
654.95	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 216 of this survey.</p>
	<p>This corner falls high on the slope of a slanting rock surface facing SE. in an inaccessible location which cannot be monumented.</p>
	<p>Thence S. 0° 00' 20" W.</p>
7.70	<p>A point selected for witness Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 216 of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. WC - IL 216-3, and IL 217-3-4706.</p>
329.00	<p>Cor. No. 4.</p>
	<p>Set an iron post, 3 ft. long, 4¼ ins. diam., 15 ins. in the ground, with reinforced concrete base and painted white above ground, with brass top surface mkd. IL 217-4-4706.</p>
	<p>Thence N. 89° 51' 04" E.</p>
67.62	<p>Intersect Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 218 of this survey, hereinafter described.</p>

(This form bound on left side)

FEET	
396.92	Intersect Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 206 and INSPIRATION MILL SITE NO. IL 218 of this survey.
654.97	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 218	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 218, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 206, on line 4-1 of the INSPIRATION MILL SITE NO. IL 217 of this survey.	
Thence SOUTH	
329.98	Intersect Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 206 and INSPIRATION MILL SITE NO. IL 207 of this survey.
659.85	Cor. No. 2, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 207, INSPIRATION MILL SITE NO. IL 208, and INSPIRATION MILL SITE NO. IL 219 of this survey.
Thence WEST	
330.00	Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 219 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 218-3, and IL 219-2-4706.	
Thence N. 0° 03' 40" E.	
658.99	Cor. No. 4, on line 4-1 of the INSPIRATION MILL SITE NO. IL 217 of this survey.
Set an iron post, 3 ft. long, 4½ ins. diam., 17 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface mkd. IL 218-4-4706.	
Thence N. 89° 51' 04" E.	
329.30	Cor. No. 1, and place of beginning.
INSPIRATION MILL SITE NO. IL 219	
Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 219, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 207 and INSPIRATION MILL SITE NO. IL 208, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 218 of this survey.	

FEET		
	Thence WEST	
330.00	Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 218 of this survey.	
	Thence S. 0° 00' 10" E.	
659.72	Cor. No. 3.  Set an iron post, 3 ft. long, 4½ ins. diam., 18 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface mkd. IL 219-3-4706.	
	Thence EAST	
329.97	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 209 of this survey.	
	Thence NORTH	
329.69	Intersect Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 209, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 208 of this survey.	
659.72	Cor. No. 1, and place of beginning.	
	IL 304 MILL SITE	
	Beginning at Cor. No. 1 of the IL 304 MILL SITE, identical with Cor. No. 1 of the IL 305 MILL SITE, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 117 and INSPIRATION MILL SITE NO. IL 119 of this survey; from which	
	The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&S.R.M., bears N. 6° 31' 08" E., 2322.60 ft. dist., previously described.	
	Thence N. 89° 41' 14" E.	
348.10	Intersect the westerly boundary of the Schulze Homestead, Pat. No. 458733, at a point from which the NW. cor. thereof bears N. 0° 08' 15" E., 275.42 ft. dist.	
433.50	Centerline of U.S. Highway 60, 40 ft. wide, bears N. 60° E. and S. 60° W.	
659.50	Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 119 of this survey.	
	Thence SOUTH	
328.98	The true point for Cor. No. 3.  This corner falls in the edge of Bloody Tanks Wash where a permanent monument cannot be established; course N. 50° E.	

(This form bound on left side)

FEET		
	Thence S. 89° 41' 10" W.	
9.27	A point selected for witness Cor. No. 3.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15	
	ins. in the ground, with brass cap mkd.	
	WC - IL 304-3-4706.	
312.19	Intersect the westerly line of the Schulze	
	Homestead, Pat. No. 458733, at a point from	
	which the NW. corner thereof bears N. 0° 08'	
	15" E., 604.42 ft. dist.	
	At this point of intersection, set an iron post,	
	3 ft. long, 4½ ins. diam., 18 ins. in the	
	ground and painted white above ground, with	
	brass top surface mkd. "+" and 4706 IL 304	
	LINE 3--4 on the north half of the "+" and	
	SCHZ. HMSTD., W. BDRY on the east half of	
	the "+"	
660.06	The true point for Cor. No. 4, identical with	
	Cor. No. 4 of the IL 305 MILL SITE of this	
	survey.	
	This corner falls in unconsolidated rock fill	
	material below the southeasterly shoulder of	
	U.S. Highway 60 where a permanent monument	
	cannot be established.	
	Thence N. 0° 05' 49" E.	
43	Centerline of U.S. Highway 60, 40 ft. wide,	
	bears N. 52° E. and S. 52° W.	
114.01	A point selected for witness Cor. No. 4,	
	identical with Cor. No. 4 of the IL 305 MILL	
	SITE OF THIS SURVEY.	
	Set an iron post, 2 ft. long, 1 ins. diam., 17	
	ins. in the ground, with brass cap mkd. WC -	
	IL 304-4, and IL 305-4-4706.	
329.00	Cor. No. 1, and place of beginning.	
	IL 305 MILL SITE	
	Beginning at Cor. No. 1 of the IL 305 MILL SITE,	
	identical with Cor. No. 1 of the IL 304 MILL	
	SITE, and Cors. Nos. 4 of the INSPIRATION MILL	
	SITE NO. IL 117 and INSPIRATION MILL SITE NO.	
	IL 119 of this survey.	
	Thence N. 89° 45' 32" W.	
655.86	Cor. No. 2, identical with Cors. Nos. 3 of the	
	INSPIRATION MILL SITE NO. IL 116 and INSPIRA-	
	TION MILL SITE NO. IL 117, and Cor. No. 2 of	
	the IL 306 MILL SITE of this survey.	



FEET	
	Thence S. 0° 00' 53" W.
328.92	Cor. No. 3, identical with Cor. No. 3 of the IL 306 MILL SITE of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 305-3, and IL 306-3-4706.
	Thence S. 89° 45' 06" E.
600	Centerline of U.S. Highway 60, 40 ft. wide, bears N. 52° E. and S. 52° W.
655.39	The true point for Cor. No. 4, identical with Cor. No. 4 of the IL 304 MILL SITE of this survey.  This corner falls in unconsolidated rock fill material below the southeasterly shoulder of U.S. Highway 60 where a permanent monument cannot be established.
	Thence N. 0° 05' 49" E.
43	Centerline of U.S. Highway 60, 40 ft. wide, bears N. 52° E. and S. 52° W.
114.01	Witness Cor. No. 4, previously described.
329.00	Cor. No. 1, and place of beginning.
	IL 306 MILL SITE
	Beginning at Cor. No. 1 of the IL 306 MILL SITE, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 116 of this survey; from which  The standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&S.R.M., bears N. 24° 40' 23" W., 2533.12 ft. dist., previously described.
	Thence N. 89° 54' 31" E.
658.95	Cor. No. 2, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 116 and INSPIRATION MILL SITE NO. IL 117, and Cor. No. 2 of the IL 305 MILL SITE of this survey.
	Thence S. 0° 00' 53" W.
328.92	Cor. No. 3, identical with Cor. No. 3 of the IL 305 MILL SITE of this survey.
	Thence S. 89° 54' 40" W.

FEET	
658.96	<p>Cor. No. 4.</p> <p>Set an iron post, 3 ft. long, 4½ ins. diam., 14 ins. in the ground, in a reinforced concrete base and painted white above ground, with brass top surface mkd. IL 306-4-4706.</p> <p>Thence N. 0° 00' 53" E.</p>
328.89	<p>Cor. No. 1, and place of beginning.</p>
<p>IL 307 MILL SITE</p>	
<p>Beginning at Cor. No. 1 of the IL 307 MILL SITE, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 94, INSPIRATION MILL SITE NO. IL 101, and the IL 308 MILL SITE of this survey.</p>	
<p>Thence S. 89° 59' 32" E.</p>	
658.98	<p>Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 101, INSPIRATION MILL SITE NO. IL 102, and INSPIRATION MILL SITE NO. IL 103 of this survey.</p> <p>Thence S. 0° 00' 53" W.</p>
313.99	<p>Witness Cor. No. 3, previously described.</p>
328.42	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 103 of this survey.</p> <p>This corner falls at the junction of two small dry washes, course SOUTH, where a permanent monument cannot be established.</p> <p>Thence S. 89° 57' 14" W.</p>
658.89	<p>Cor. No. 4, identical with Cor. No. 4 of the IL 308 MILL SITE of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 307-4, and IL 308-4-4706.</p> <p>Thence NORTH</p>
329.04	<p>Cor. No. 1, and place of beginning.</p>
<p>IL 308 MILL SITE</p>	
<p>Beginning at Cor. No. 1 of the IL 308 MILL SITE, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 94, INSPIRATION MILL SITE NO. IL 101, and the IL 307 MILL SITE of this survey.</p>	

FEET	
	Thence S. 89° 47' 48" W.
659.53	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 94, INSPIRATION MILL SITE NO. IL 205, and IL 313 MILL SITE of this survey.
	Thence S. 0° 01' 25" W.
329.36	Cor. No. 3, identical with Cor. No. 3 of the IL 313 MILL SITE of this survey.  Set a brass tablet, 2 ins. diam., 2½ ins. stem, grouted into ledge rock, with top mkd. IL 308-3, and IL 313-3-4706.
	Thence N. 89° 46' 08" E.
659.68	Cor. No. 4, identical with Cor. No. 4 of the IL 307 MILL SITE of this survey.
	Thence NORTH
329.04	Cor. No. 1, and place of beginning.
IL 309 MILL SITE	
	Beginning at Cor. No. 1 of the IL 309 MILL SITE, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 204, INSPIRATION MILL SITE NO. IL 205, and IL 313 MILL SITE of this survey.
	Thence N. 89° 59' 22" W.
330.47	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 204 of this survey.
	Thence S. 0° 06' 00" W.
328.89	Cor. No. 3.  Set an iron post, 3 ft. long, 4¼ ins. diam., 14 ins. in the ground, in a concrete base, with brass top surface mkd. IL 309-3-4706.
	Thence EAST
331.04	Cor. No. 4, identical with Cor. No. 4 of the IL 313 MILL SITE of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 309-4, and IL 313-4-4706.
	Thence NORTH
328.83	Cor. No. 1, and place of beginning.

FEET	
	IL 311 MILL SITE
	Beginning at Cor. No. 1 of the IL 311 MILL SITE, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 120 and IL 121 Mill Site of this survey.
	Thence N. 0° 22' 25" W.
193.94	Road; bears S. 87° E. and W.
263.94	Cor. No. 2, identical with Cor. No. 4 of the IL 121 Mill Site of this survey, Cor. No. 1 Sur. No. 3950 Black Eagle lode, and Cor. No. 2 Sur. No. 3950 Black Eagle No. 4 lode.
	Thence N. 44° 39' 53" W.
89.32	Cor. No. 3, identical with Cor. No. 1 of the IL 312 MILL SITE of this survey, established on line 1-2 Sur. No. 3950 Black Eagle lode.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. IL 311-3, and IL 312-1-4706.
	Thence WEST
590.71	Cor. No. 4, identical with Cor. No. 3 of the IL 312 MILL SITE of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 311-4, and IL 312-3-4706.
	Thence S. 0° 00' 20" W.
329.89	Cor. No. 5, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 120, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 210 of this survey.
	Thence N. 89° 47' 15" E.
234	Road; bears N. 20° E. and S. 30° W.
655.25	Cor. No. 1, and place of beginning.
	IL 312 MILL SITE
	Beginning at Cor. No. 1 of the IL 312 MILL SITE, identical with Cor. No. 3 of the IL 311 MILL SITE of this survey, established on line 1-2 Sur. No. 3950 Black Eagle lode; from which
	The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&S.R.M., bears S. 58° 51' 12" E., 3158.66 ft. dist., previously described.

FEET	
	Thence N. 44° 39' 53" W.
840.24	Cor. No. 2, established on line 1-2 Sur. No. 3950 Black Eagle lode.  Set an iron post, 3 ft. long, 4¼ ins. diam., 16 ins. in the ground, in a concrete base and painted white above ground, with brass top surface mkd. IL 312-2-4706; from which  Cor. No. 2 Sur. No. 3950 Black Eagle lode bears N. 44° 39' 53" W., 481.52 ft. dist.  Thence S. 0° 00' 20" W.
597.60	Cor. No. 3, identical with Cor. No. 4 of the IL 311 MILL SITE of this survey.  Thence EAST
590.71	Cor. No. 1, and place of beginning.
IL 313 MILL SITE	
	Beginning at Cor. No. 1 of the IL 313 MILL SITE, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 204, INSPIRATION MILL SITE NO. IL 205, and IL 309 MILL SITE of this survey.  Thence N. 89° 51' 14" E.
658.41	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 94, INSPIRATION MILL SITE NO. IL 205, and IL 308 MILL SITE of this survey.  Thence S. 0° 01' 25" W.
329.36	Cor. No. 3, identical with Cor. No. 3 of the IL 308 MILL SITE of this survey.  Thence S. 89° 54' 00" W.
658.27	Cor. No. 4, identical with Cor. No. 4 of the IL 309 MILL SITE of this survey.  Thence NORTH
328.83	Cor. No. 1, and place of beginning.
SURVEY NO. 4706	
AREAS	
	Acres
Total area, INSPIRATION MILL SITE NO. IL 88	4.979
Total area, INSPIRATION MILL SITE NO. IL 89	4.979
Total area, INSPIRATION MILL SITE NO. IL 90	4.973
Total area, INSPIRATION MILL SITE NO. IL 91	4.977

(This form bound on left side)

FEET	Acres
Total area, INSPIRATION MILL SITE NO. IL 92	4.972
Total area, INSPIRATION MILL SITE NO. IL 93	4.975
Total area, INSPIRATION MILL SITE NO. IL 94	4.980
Total area, INSPIRATION MILL SITE NO. IL 95	4.985
Total area, INSPIRATION MILL SITE NO. IL 96	4.981
Total area, INSPIRATION MILL SITE NO. IL 97	4.981
Total area, INSPIRATION MILL SITE NO. IL 98	4.973
Total area, INSPIRATION MILL SITE NO. IL 99	4.974
Total area, INSPIRATION MILL SITE NO. IL 100	4.970
Total area, INSPIRATION MILL SITE NO. IL 101	4.975
Total area, INSPIRATION MILL SITE NO. IL 102	4.966
Total area, INSPIRATION MILL SITE NO. IL 103	4.966
Total area, INSPIRATION MILL SITE NO. IL 106	4.992
Area in conflict with-- CROW No. 1 lode, uns.	1.191
Total area, INSPIRATION MILL SITE NO. IL 107	4.969
Area in conflict with-- CROW No. 1 lode, uns.	0.003
Total area, INSPIRATION MILL SITE NO. IL 108	4.878
Area in conflict with-- CROW No. 1 lode, uns.	2.944
Total area, INSPIRATION MILL SITE NO. IL 109	4.977
Area in conflict with-- CLAY No. 5 lode, uns.	2.675
Total area, INSPIRATION MILL SITE NO. IL 110	4.975
Area in conflict with-- CLAY No. 5 lode, uns.	0.073
Total area, INSPIRATION MILL SITE NO. IL 111	4.967
Area in conflict with-- CLAY No. 5 lode, uns.	3.619
Total area, INSPIRATION MILL SITE NO. IL 112	4.977
Total area, INSPIRATION MILL SITE NO. IL 113	4.963
Area in conflict with-- CLAY No. 5 lode, uns.	0.327
Total area, INSPIRATION MILL SITE NO. IL 114	4.977
Total area, INSPIRATION MILL SITE NO. IL 115	4.961
Total area, INSPIRATION MILL SITE NO. IL 116	4.978
Total area, INSPIRATION MILL SITE NO. IL 117	4.954

FEET		
	Total area, INSPIRATION MILL SITE NO.	
	IL 118	4.977
	Area in conflict with--	
	CLAY 16 lode, uns.	3.859
	Total area, INSPIRATION MILL SITE NO.	
	IL 119	4.980
	Area in conflict with--	
	Pat. No. 458733 Schulze Homestead	1.952
	CLAY 16 lode, uns.	0.836
	CLAY 16 lode, uns., exclusive of its conflict with	
	(1) Pat. No. 458733 Schulze Homestead	0.721
	Total area, INSPIRATION MILL SITE NO.	
	IL 120	4.949
	Total area, IL 121 Mill Site	3.972
	Total area, INSPIRATION MILL SITE NO.	
	IL 122	4.955
	Total area, IL 123 Mill Site	4.923
	Total area, INSPIRATION MILL SITE NO.	
	IL 124	4.947
	Total area, INSPIRATION MILL SITE NO.	
	IL 125	4.990
	Total area, INSPIRATION MILL SITE NO.	
	IL 126	4.951
	Total area, INSPIRATION MILL SITE NO.	
	IL 127	4.990
	Total area, INSPIRATION MILL SITE NO.	
	IL 128	4.941
	Total area, INSPIRATION MILL SITE NO.	
	IL 129	4.988
	Total area, INSPIRATION MILL SITE NO.	
	IL 130	4.950
	Total area, INSPIRATION MILL SITE NO.	
	IL 131	4.993
	Total area, INSPIRATION MILL SITE NO.	
	IL 132	4.947
	Total area, INSPIRATION MILL SITE NO.	
	IL 133	4.995
	Total area, INSPIRATION MILL SITE NO.	
	IL 134	4.947
	Total area, INSPIRATION MILL SITE NO.	
	IL 135	4.998
	Total area, INSPIRATION MILL SITE NO.	
	IL 136	4.993
	Total area, INSPIRATION MILL SITE NO.	
	IL 137	4.995
	Total area, INSPIRATION MILL SITE NO.	
	IL 138	4.998
	Total area, INSPIRATION MILL SITE NO.	
	IL 139	4.997
	Total area, IL 143 Mill Site	4.087
	Total area, IL 144 Mill Site	3.991
	Total area, IL 145 Mill Site	3.325
	Total area, INSPIRATION MILL SITE NO.	
	IL 146	4.989
	Total area, INSPIRATION MILL SITE NO.	
	IL 147	4.940
	Total area, INSPIRATION MILL SITE NO.	
	IL 148	4.990

FEET

Total area, INSPIRATION MILL SITE NO. IL 149	4.965
Total area, INSPIRATION MILL SITE NO. IL 150	4.979
Total area, INSPIRATION MILL SITE NO. IL 151	4.959
Total area, INSPIRATION MILL SITE NO. IL 152	4.988
Total area, INSPIRATION MILL SITE NO. IL 153	4.966
Total area, INSPIRATION MILL SITE NO. IL 154	4.990
Total area, INSPIRATION MILL SITE NO. IL 155	4.973
Total area, INSPIRATION MILL SITE NO. IL 156	4.986
Total area, INSPIRATION MILL SITE NO. IL 157	4.985
Total area, INSPIRATION MILL SITE NO. IL 158	4.980
Total area, INSPIRATION MILL SITE NO. IL 159	4.964
Total area, INSPIRATION MILL SITE NO. IL 160	4.985
Total area, INSPIRATION MILL SITE NO. IL 161	4.969
Total area, INSPIRATION MILL SITE NO. IL 162	4.986
Total area, INSPIRATION MILL SITE NO. IL 163	4.976
Total area, IL 168 Mill Site	2.829
Area in conflict with--	
Sur. No. 3950 Standard No. 14 lode	0.911
CLAY No. 3 lode, uns.	0.132
CLAY No. 3 lode, uns., exclusive of its conflict with:	
(1) Sur. No. 3950 Standard No. 14 lode	0.000
Total area, INSPIRATION MILL SITE NO. IL 170	4.992
Area in conflict with--	
Sur. No. 3950 Standard No. 14 lode	0.447
CLAY No. 3 lode, uns.	1.480
CLAY No. 3 lode, uns., exclusive of its conflict with:	
(1) Sur. No. 3950 Standard No. 14 lode	1.112
Total area, INSPIRATION MILL SITE NO. IL 172	4.992
Area in conflict with--	
CLAY No. 3 lode, uns.	1.971
Total area, INSPIRATION MILL SITE NO. IL 174	4.994
Area in conflict with--	
CLAY No. 3 lode, uns	0.022
Total area, INSPIRATION MILL SITE NO. IL 176	4.997
Total area, INSPIRATION MILL SITE NO. IL 178	4.999



FEET	
	Total area, INSPIRATION MILL SITE NO. IL 180 4.984
	Total area, INSPIRATION MILL SITE NO. IL 182 4.977
	Total area, INSPIRATION MILL SITE NO. IL 184 4.984
	Total area, INSPIRATION MILL SITE NO. IL 200 4.972
	Area in conflict with--
	CLAY No. 5 lode, uns. 1.981
	CLAY 16 lode, uns. 2.315
	Total area, INSPIRATION MILL SITE NO. IL 201 4.973
	Total area, INSPIRATION MILL SITE NO. IL 202 4.973
	Total area, INSPIRATION MILL SITE NO. IL 203 4.972
	Total area, INSPIRATION MILL SITE NO. IL 204 4.985
	Total area, INSPIRATION MILL SITE NO. IL 205 4.973
	Total area, INSPIRATION MILL SITE NO. IL 206 4.982
	Total area, INSPIRATION MILL SITE NO. IL 207 4.986
	Total area, INSPIRATION MILL SITE NO. IL 208 4.986
	Total area, INSPIRATION MILL SITE NO. IL 209 4.991
	Total area, INSPIRATION MILL SITE NO. IL 210 4.969
	Total area, INSPIRATION MILL SITE NO. IL 211 4.969
	Total area, INSPIRATION MILL SITE NO. IL 212 4.968
	Total area, INSPIRATION MILL SITE NO. IL 213 4.966
	Total area, INSPIRATION MILL SITE NO. IL 214 4.944
	Total area, INSPIRATION MILL SITE NO. IL 215 4.948
	Total area, INSPIRATION MILL SITE NO. IL 216 4.947
	Total area, INSPIRATION MILL SITE NO. IL 217 4.950
	Total area, INSPIRATION MILL SITE NO. IL 218 4.990
	Total area, INSPIRATION MILL SITE NO. IL 219 4.998
	Total area, IL 304 MILL SITE 4.983
	Area in conflict with--
	Pat. No. 458733 Schulze Homestead 2.355
	Total area, IL 305 MILL SITE 4.951
	Total area, IL 306 MILL SITE 4.976
	Total area, IL 307 MILL SITE 4.969
	Total area, IL 308 MILL SITE 4.985
	Total area, IL 309 MILL SITE 2.497
	Total area, IL 311 MILL SITE 4.890
	Total area, IL 312 MILL SITE 4.052
	Total area, IL 313 MILL SITE 4.974

FEET

## LOCATION

This survey is located in sec. 33, T. 1 N., R. 14 E., Unsurveyed, and in NW $\frac{1}{4}$ , NE $\frac{1}{4}$  and SE $\frac{1}{4}$  sec. 3, and NE $\frac{1}{4}$  sec. 4, T. 1 S., R. 14 E., Gila and Salt River Meridian, Gila County, Arizona

The survey of the one hundred nine (109) mill site claims embraced in this order for mineral survey and described herein is identical with the respective locations or amended locations as marked on the ground, except as limited by current mining activity.

## OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3950 Black Eagle lode: Cors. Nos. 1 and 2 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates; the top surface of the post marking Cor. No. 1 is altered by the addition of a brass tablet previously described herein for Cor. No. 4 of the IL 121 Mill Site, identical with Cor. No. 2 of the IL 311 MILL SITE of this survey. Line 1-2 was found to be N. 44° 39' 53" W., 1500.40 ft., instead of N. 44° 39' W., 1499.3 ft., as approved. From Cor. No. 1 the standard  $\frac{1}{4}$  sec. cor. of sec. 33, T. 1 N., R. 14 E., G.&S&R.M., bears S. 0° 00' 51" E., 4212.73 ft. dist., instead of SOUTH, 4209.6 ft. dist., as approved. Line 4-1 shown as approved.

Sur. No. 3950 Black Eagle No. 4 lode; Cors. Nos. 1 and 2 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates; the top surface of the post marking Cor. No. 1 is altered by the addition of a brass tablet previously described herein for Cor. No. 1 of the IL 143 Mill Site, identical with Cors. Nos. 1 of the IL 144 and IL 145 Mill Sites of this survey; and the top surface of the post marking Cor. No. 2 is altered as previously described in the preceding paragraph. Cor. No. 4 has been destroyed; I have replaced Cor. No. 4 by single proportionate measurement between Cor. No. 3 Sur. No. 3950 Standard No. 14 lode and Cor. No. 1 of this lode, and have remonumented Cor. No. 4 as previously described herein for Cor. No. 3 of the IL 143 Mill Site of this survey. Line 1-2 was found to be N. 44° 40' 13" W., 1499.85 ft., instead of N. 44° 39' W., 1498.9 ft., as approved; line 4-1 was found to be S. 45° 20' 42" W., 600.43 ft., instead of S. 45° 21' W., 600 ft., as approved. From Cor. No. 1 the stone marking the closing cor. of secs. 3 and 4, T. 1 S., R. 14 E., G.&S.R.M., bears S. 0° 02' 47" W., 3140.61 ft. dist., instead of S. 0° 03' 20" W., 3138.3 ft. dist., as approved. Lines 2-3 and 3-4 shown as approved.

FEET	
	<p>Sur. No. 3950 Standard No. 13 lode: Cor. No. 4 is a 4 ins. x 4 ins. wooden post, firmly set and properly marked with a galvanized identification plate. Cor. No. 1, identical with Cor. No. 4 Sur. No. 3950 Black Eagle No. 4 lode, and Cor. No. 2 Sur. No. 3950 Standard No. 14 lode, has been destroyed, and I have remonumented Cor. No. 1 as described in the preceeding paragraph. Line 4-1 was found to be S. 45° 20' 42" W., instead of S. 45° 21' W. as approved. Line 1-2 shown as approved.</p> <p>Sur. No. 3950 Standard No. 14 lode: Cors. Nos. 1, 3, and 4 are 4 ins. x 4 ins. wooden posts, firmly set and properly marked with galvanized identification plates. Cor. No. 2, identical with Cor. No. 4 Sur. No. 3950 Black Eagle No. 4 lode, and Cor. No. 1 Sur. No. 3950 Standard No. 13 lode, has been destroyed, and I have remonumented Cor. No. 2 as described in the preceeding paragraph. Line 1-2 was found to be N. 44° 37' 47" W., 1501.62 ft., instead of N. 44° 39' W., 1499.2 ft., as approved; line 4-1 was found to be S. 45° 18' 42" W., 600.63 ft., instead of S. 45° 21' W., 600 ft., as approved. Line 2-3 was found to be N. 45° 20' 42" E., instead of N. 45° 21' E. From Cor. No. 1 the standard cor. of secs. 33 and 34, T. 1 N., R. 14 E., G.&amp;S.R.M., bears S. 2° 22' 32" E., 2494.75 ft. dist., instead of S. 2° 21' 40" E., 2494.5 ft. dist., as approved.</p> <p>The following prior locations are subject to exclusion with respect to the mill site claims of this group, i.e., CLAY No. 3, CLAY No. 5, CLAY 16, and CROW No. 1 lodes; the corners of these unsurveyed locations were all marked by this surveyor in a claim monumentation survey executed in 1966 for Inspiration Consolidated Copper Company, and all were iron posts, 1 ins. diam., set in concrete foundations, and projecting 12 ins. above ground; to each pipe-post was attached a 2 ins. x 2 ins. pine post, 4 ft. long, bearing an aluminum plate stamped with the proper identification. However, it will be noted in the mill site descriptions appearing herein that the corners of these lodes are referred to be corner number. The reason for this is that the CLAY No. 3 lode and the INSPIRATION MILL SITE NOS. IL 175, IL 177, IL 179, IL 181, IL 183, IL 185, IL 195, and IL 196 Mill Site and IL 310 Mill Site are among those claims presently being surveyed by me under order for Mineral Survey Number 4693 A &amp; B; the CLAY No. 5 and CLAY 16 lodes are presently being surveyed by me under order for Mineral Survey Number 4692; and the CROW No. 1 lode is among those lodes presently being surveyed by me under order for Mineral Survey Number 4698. Since corner numbers have already been assigned to all the claims comprising these three mineral surveys, I have elected to refer to such corners by number rather than by general location. Since these surveys have not been finished, I have here-in referred to said claims as unsurveyed.</p> <p>Mining operations subsequent to the 1966 claim location survey have obliterated numerous corner monuments, in which cases my survey records from the 1966 survey have been used to verify positions of corners. Conditions at the time of this survey are as follows:</p>

(This form bound on left side)

FEET

CLAY No. 3 lode, uns.: Cor. No. 2 is in place; Cors. Nos. 1 and 4 have been destroyed. Line 1-2 bears N.  $14^{\circ} 49' 50''$  E., 1499.78 ft. dist.; line 4-1 bears N.  $75^{\circ} 11' 45''$  W., 599.14 ft. dist.

Clay No. 5 lode, uns.: All corners are in place. Line 2-3 bears WEST, 1148.00 ft. dist.; line 3-4 bears N.  $58^{\circ} 34' 36''$  W., 1498.59 ft. dist.; line 4-1 bears EAST, 1148.00 ft. dist.; line 1-2 bears S.  $58^{\circ} 34' 36''$  E., 1498.59 ft. dist.

CLAY 16 lode, uns.: All corners or witness corners in place. Line 1-2 bears EAST, 1498.58 ft. dist.; line 3-4 bears S.  $89^{\circ} 59'$  W., 1498.58 ft. dist.; line 4-1 bears NORTH, 598.00 ft. dist.

CROW No. 1 lode, uns.: All corners or witness corners in place. Line 2-3 bears S.  $30^{\circ} 29' 50''$  W., 598.80 ft. dist.; line 3-4 bears S.  $58^{\circ} 02' 03''$  E., 1485.76 ft. dist.

The INSPIRATION MILL SITE NO. IL 119 and the IL 304 MILL SITE of this survey conflict in part with Pat 458733, a homestead grant to Minnie Schulze under Act of Congress of May 20, 1862, (patent dated February 18, 1915), and currently owned, both surface and mineral rights, by private individuals. The portion of this homestead (referred to herein as the Schulze Homestead) situate in sec. 2, T. 1 S., R. 14 E., G.&S.R.M., has been the subject of a cadastral survey by the B.L.M. in the year 1967, at which time some of the corners of the homestead were re-monumented but only in said sec. 2. However, I am in possession of the records of a survey of the Schulze Homestead made by Oscar T. Smith, Ariz. Land Surveyor Regis. No. 2648, and a U.S. Mineral Surveyor. Mr. Smith made this survey in 1948 while an employee of Kenneth W. Hammes, Ariz. Civil Engineer Regis. No. 1038, and made the survey plat which is on file in the Gila County Courthouse as Official Map No. 96, Gila County Records. Iron drill steel pins were set by Mr. Smith at several positions along the borders of the Homestead, although he did not set a monument at the SW. corner in sec. 3. The position of the true point for said SW. cor. was calculated from recorded survey data, using found drill steel monuments as direct evidence for the establishment of bearings for the southerly and westerly boundaries of the Homestead. The NW. corner is a drill steel projecting 1 ins. above ground with a mound of stones alongside. The direction for the bearing of the northerly boundary of that part of the Homestead situate in sec. 3 was determined by connecting said NW. corner with the S-S-N  $1/256$  sec. cor. of sec. 2 and 3, mkd. by an

FEET

iron post with brass cap marked as described in the official record of the 1967 cadastral survey by the B.L.M. The westerly boundary of the Schulze Homestead in sec. 3 was found to bear N.  $0^{\circ} 08' 15''$  E., 986.08 ft. dist., instead of N.  $0^{\circ} 09' 10''$  E., 985.30 ft. dist., as recorded in the aforementioned Hammes survey plat. The northerly boundary of the Schulze Homestead in sec. 3 was found to bear S.  $89^{\circ} 32' 50''$  E., 996.96 ft. dist., instead of S.  $89^{\circ} 35' 20''$  E., no distance given, as recorded in said survey plat.

The line between the standard  $\frac{1}{4}$  sec. cor. of sec. 33 and the cor. of secs. 33 and 34, T. 1 N., R. 14 E., bears N.  $89^{\circ} 51' 04''$  E., 2638.82 ft. dist., instead of EAST, 2640 ft., as approved, 1906 Resurvey.

The line between the standard cor. of secs. 33 and 34 and the standard  $\frac{1}{4}$  sec. cor. of sec. 34, T. 1 N., R. 14 E., bears N.  $89^{\circ} 54' 46''$  E., 2635.92 ft. dist., instead of EAST, 2640 ft., as approved, 1906 Resurvey.

The line between the standard cor. of secs. 33 and 34, and the  $\frac{1}{4}$  sec. cor. of secs. 33 and 34, T. 1 N., R. 14 E., bears N.  $0^{\circ} 00' 53''$  E., 2635.57 ft. dist., instead of N.  $0^{\circ} 02' W.$ , 2640 ft., as approved, 1923 Survey.

The closing cor. of secs. 3 and 4, T. 1 S., R. 14 E., marked by a grooved and scribed stone as described in the official record, was found to be 2.75 ft. on the north side of the Gila and Salt River Base Line. The line connecting said closing cor. stone with the standard  $\frac{1}{4}$  sec. cor. of sec. 33, T. 1 N., R. 14 E., was found to bear S.  $89^{\circ} 42' 04''$  W., 1050.84 ft. dist., instead of WEST, 1052.7 ft. dist., as approved, 1906 subdivisional survey of T. 1 S., R. 14 E.

The line connecting the  $\frac{1}{4}$  sec. cor. of secs. 3 and 4, T. 1 S., R. 14 E., with the scribed stone marking the closing cor. of secs. 3 and 4 was found to bear N.  $1^{\circ} 34' 43''$  W., 2299.92 ft. dist., instead of N.  $0^{\circ} 02' W.$ , 2372.04 ft. dist., as approved, 1906 subdivisional survey of T. 1 S., R. 14 E.

The closing cor. of secs. 2 and 3, T. 1 S., R. 14 E., marked by an iron post with brass cap,  $2\frac{1}{2}$  ins. diam., mkd. as described in the record of the 1967 Dependent Resurvey of a portion of the South Boundary of T. 1 N., R. 14 E., was found to be 1.40 ft. on the north side of the Gila and Salt River Base Line. The line connecting said closing cor. brass cap with the standard  $\frac{1}{4}$  sec. cor. of sec. 34, T. 1 N., R. 14 E.,

FEET

was found to bear S. 89° 53' 52" W., 1059.90 ft. dist., instead of S. 89° 58' W., 1061.28 ft. dist., as approved, 1967 Dep. Resurvey.

The line connecting the S-S-N 1/256 sec. cor. of secs. 2 and 3, T. 1 S., R. 14 E., with the brass capped pipe marking the closing cor. of secs. 2 and 3, T. 1 S., R. 14 E., was found to bear N. 0° 37' 38" W., 2040.13 ft. dist., instead of N. 0° 42' W., 2040.72 ft. dist., as approved, 1967 Dep. Resurvey.

FIELD ASSISTANTS

Name	Capacity
Loren E. Bunney	Instrumentman
Joseph E. Cummings	Chainman

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date December 30, 1971
--	---------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated November 3, 1971, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company known as the ~~(lode, placer, or mill site)~~ \* (See attached sheet) situated in Secs. 3, 4, and 33, Township 1 S., 1 N., Range 14 East, Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4706, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the ~~(lode or placer)~~ location(s) embraced in the said mining claim by claimant(s) or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Globe, Arizona (Location)      Travis L. Gant (Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT

Office Arizona State Office
Location Phoenix, Arizona
Date April 13, 1972

The foregoing field notes of mineral survey number 4706, in Uns. Sec. 33, T. 1 N., R. 14 E., and Sections 3 and 4,  surveyed  unsurveyed Township 1 S., Range 14 E., Gila & Salt River Meridian, in the State of Arizona, executed by Travis L. Gant, Mineral Surveyor, under order dated November 3, 1971, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

[Signature] (Authorized Signature)      State Director (Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number \_\_\_\_\_ is a true copy of the original field notes.

\_\_\_\_\_  
(Authorized Signature)      \_\_\_\_\_ (Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

...  
 ...  
 ...

...  
 ...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...  
 ...  
 ...  
 ...  
 ...



CERTIFICATE OF SURVEYOR

MINERAL SURVEY NO. 4706

Page 2 of 2

- \* INSPIRATION MILL SITE NO. IL 88 thru IL 103
- INSPIRATION MILL SITE NO. IL 106 thru IL 120
- IL 121 Mill Site
- INSPIRATION MILL SITE NO. IL 122
- IL 123 Mill Site
- INSPIRATION MILL SITE NO. IL 124 thru IL 139
- IL 143 thru IL 145 Mill Site
- INSPIRATION MILL SITE NO. IL 146 thru IL 163
- IL 168 Mill Site
- INSPIRATION MILL SITE NO. IL 170
- INSPIRATION MILL SITE NO. IL 172
- INSPIRATION MILL SITE NO. IL 174
- INSPIRATION MILL SITE NO. IL 176
- INSPIRATION MILL SITE NO. IL 178
- INSPIRATION MILL SITE NO. IL 180
- INSPIRATION MILL SITE NO. IL 182
- INSPIRATION MILL SITE NO. IL 184
- INSPIRATION MILL SITE NO. IL 200 thru IL 219
- IL 304 thru IL 309 MILL SITE
- IL 311 thru IL 313 MILL SITE

INSPIRATION MINE SITE NO. 11 88 CHS IL 133

INSPIRATION MINE SITE NO. 11 88 CHS IL 133

IL 133 MINE SITE

INSPIRATION MINE SITE NO. 11 133

IL 133 MINE SITE

INSPIRATION MINE SITE NO. 11 133 CHS IL 133

IL 133 MINE SITE

INSPIRATION MINE SITE NO. 11 133 CHS IL 133

IL 133 MINE SITE

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133

INSPIRATION MINE SITE NO. 11 133 CHS IL 133

IL 133 MINE SITE

IL 133 MINE SITE