Form 3400–11
(September 1967)
(formerly 4–683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number: 4718
State: Arizona
Land District: Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Anamax Mining Company
P. O. Box 127
Sahuarita, Arizona 85629

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE LOCATED	DATE AMENDED
SANTA RITA # 4	8/29/63	
SANTA RITA # 5	8/29/63	
SANTA RITA # 6	8/29/63	
SANTA RITA # 8A	9/17/63	
SANTA RITA # 9	8/29/63	
SANTA RITA # 10	8/29/63	
SANTA RITA # 11	8/29/63	
SANTA RITA # 12	8/29/63	
SANTA RITA # 13	8/29/63	
SANTA RITA # 14	8/29/63	
SANTA RITA # 15	8/29/63	
SANTA RITA # 16	8/29/63	
SANTA RITA # 26	8/29/63	
SANTA RITA # 27	8/29/63	
SANTA RITA # 28	8/29/63	
SANTA RITA FRACTION	8/29/63	12/29/76
GUNSIGHT NO. 34	6/26/62	

Mining district: Helvetia
County: Pima
Section: 25,30 31 & 36
Township: 18 South
Range: 15 and 16 East
Meridian: G. & S.R.M.
Survey under order dated: 3/28/72 & 5/2/77
Survey commenced: 4/1/72
Survey completed: 9/1/78
Name of Mineral Surveyor: Harvey W. Smith

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to 10-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian determined by the following observation:

April 6, 1978 at Cor. No. 1 of the Santa Rita #16 lode, latitude 31°49'49"N., longitude 110°45'12"W., elevation 5,115 ft. above sea level, and temperature 75°F. ,make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 600 ft. southeastward SW. to the sun.

Mean time of observation, 105th meridian standard time	= $4^h19^m44^s$ p.m.
Declination of sun at mean time of observation	= 6°36'17.6"N.
Mean observed vertical angle to sun's center	= 25°29'50"
Mean horizontal angle from reference point to sun's center	= 140°25'05"
True bearing to reference point	= S.58°48'E.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared to an Invar standard tape at the beginning of the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13°30'E.

Mineral Survey No. 4718

2

FEET	
	GUNSIGHT NO. 34 LODE
	At Cor. No. 1 of the GUNSIGHT NO. 34 lode.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X G.34 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36, T.18S., Rs.15 & 16E., G.&S.R.M., bears N.17°04'34"W., 1,890.33 ft. dist.; monumented with an iron post, 2 ins. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.87°07'41"E.
82.91	Intersect line 1-2 SANTA RITA # 16 lode of this survey.
300.00	Lode line; discovery point bears S.2°52'30"W., 1,399.50 ft. dist.
520.	Center of unimproved dirt road, 16 ft. wide, bears N.16°E. and S.16°W.
600.00	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X G.34 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.2°52'30"W.
610.	Center of unimproved dirt road, 16 ft. wide, bears N.36°E. and S.45°W.
835.	Center of unimproved dirt road, 16 ft. wide, bears N.25°E. and S.25°W.
1,499.50	Cor. No. 3.

FEET	
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X G.34 3 U.S.M.S. 4718; from which A wood post, 4 X 4 ins in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available. Thence N.87°07'41"W.
300.00	Lode line; discovery point bears N.2°52'30"E., 100.00 ft. dist.
440.	Center of unimproved dirt road, 16 ft. wide, bears N.42°E. and S.42°W.
600.00	Cor. No. 4. Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X G.34 4 U.S.M.S. 4718; from which A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available. Thence N.2°52'30"E.
385.	Center of unimproved dirt road, 16 ft. wide, bears N.45°E. and S.45°W.
950.	Center of unimproved dirt road, 16 ft. wide, bears N.80°E. and S.80°W.
1,183.65	Intersect line 2-3 SANTA RITA # 16 lode of this survey.
1,499.50	Cor. No. 1, and place of beginning.
	SANTA RITA FRACTION LODE At Cor. No. 1 of the SANTA RITA FRACTION lode. Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.F. 1 U.S.M.S. 4718; from which The cor. of secs. 25, 30, 31 and 36 bears S.49°45'22"E., 720.82 ft. dist.; heretofore described.

FEET	
	A cairn sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.73°30'13"W.
3.84	Intersect line 3-4 SANTA RITA # 8A lode of this survey.
304.90	Intersect line 4-1 SANTA RITA # 12 lode of this survey.
417.54	Intersect line 4-1 M.S. No. 1297A Potomac lode, at a point from which Cor. No. 1 bears N.58°52'31"W., 319.12 ft. dist.
887.15	Intersect line 3-4 M.S. 1297A Erie lode at a point from which Cor. No. 3, identical with Cor. No. 4 of the SANTA RITA # 12 lode of this survey, bears N.7°52'26"E., 247.40 ft. dist.
887.25	Intersect line 3-4 SANTA RITA # 12 lode of this survey.
1,449.95	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.F. 2 U.S.M.S. 4718; from which
	Cor. No. 2 M.S. No. 1297A Erie lode, identical with Cor. No. 3 Chicago lode and Cor. No. 6 Cushing lode, both of the same survey, bears N.3°29'28"W., 297.57 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.16°27'24"W.
144.32	Intersect line 1-2 M.S. No. 1297A Erie lode, common with line 3-4 Chicago lode of the same survey, at a point from which Cor. No. 2, identical with Cor. No. 3 Chicago lode and Cor. No. 6 Cushing lode of the same survey., bears N.8°10'E., 160.24 ft. dist.
273.02	Intersect line 2-3 M.S. No. 1297A Chicago lode, common with line 6-1 Cushing lode of the same survey, at a point from which Cor. No. 3, identical with Cor. No. 6 Cushing lode and Cor. No. 2 Erie lode of the same survey, bears N.59°17'10"E., 68.89 ft. dist.
289.99	Lode line; discovery point bears N.73°30'13"E., 600.00 ft. dist.

FEET	
579.97	Cor. No. 3. Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.F. 3 U.S.M.S. 4718; from which A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post. No local bearing objects or bearing trees available. Thence N.73°30'13"E.
510.58	Intersect line 4-5 M.S. No. 1297A Cushing lode, common with line 1-2 Central lode of the same survey, at a point from which Cor. No. 5 bears S.16°31'56"E., 25.02 ft. dist.; thence S.16°42'55"E., 143.72 ft. to Cor. No. 1 Central lode.
895.20	Intersect line 3-4 M.S. No. 4792 (unapproved) Wedge lode at a point from which Cor. No. 3, identical with Cor. No. 4 M.S. No. 1297A Central lode, bears S.68°08'55"E., 271.65 ft. dist.
1,108.64	Intersect line 3-4 M.S. No. 1297A Central lode at a point from which Cor. No. 4, identical with Cor. No. 3 M.S. No. 4792 (unapproved) Wedge lode, bears S.16°31'52"E., 168.54 ft. dist.
1,246.12	Intersect line 1-2 M.S. No. 1297A Potomac lode at a point from which Cor. No. 1 bears S.34°46'26"W., 550.20 ft. dist.
1,313.13	Intersect line 2-3 M.S. No. 4792 (unapproved) Wedge lode at a point from which Cor. No. 3, identical with Cor. No. 4 M.S. No. 1297A Central lode, bears S.33°59'40"W., 264.91 ft. dist.
1,449.95	Cor. No. 4. Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.F. 4 U.S.M.S. 4718; from which Cor. No. 4 M.S. No. 1297A Central lode, identical with Cor. No. 3 M.S. No. 4792 (unapproved) Wedge lode, bears S.47°13'01"W., 380.57 ft. dist. Cor. No. 1 M.S. No. 1297A Potomac lode bears S.44°58'03"W., 720.58 ft. dist. A cairn sets adjacent to the iron post.

FEET	
	No local bearing objects or bearing trees available.
	Thence S.16°27'24"E.
289.98	Lode line; discovery point bears S.73°30'13"W., 849.95 ft. dist.
577.00	Intersect line 3-4 SANTA RITA # 8A lode of this survey.
579.97	Cor. No. 1, and place of beginning.
	SANTA RITA # 4 LODE
	At Cor. No. 1 of the SANTA RITA # 4 lode, identical with Cor. No. 1 of the SANTA RITA # 5 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.4 1 S.R.5 1 U.S.M.S. 4718; from which
	The cor. of secs. 19, 24, 25 and 30, T.18S., R.15 & 16E., G.&S.R.M., bears N.24°06'02"W., 3,185.09 ft. dist.; monumented with an iron post, 2 ins. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.27°13'41"W.
1,382.52	Cor. No. 2, identical with Cor. No. 4 of the SANTA RITA # 5 lode, Cor. No. 4 of the SANTA RITA # 9 lode, and Cor. No. 1 of the SANTA RITA # 8A lode, all of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.4 2 S.R.5 4 S.R.9 4 S.R.8A 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears S.30°23'23"W., 1,308.66 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.

FEET	
	Thence N.58°45'50"W.
300.00	Lode line; discovery point bears N.27°13'41"E., 1,242.52 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4 of the SANTA RITA # 8A lode of this survey, Cor. No. 3 M.S. No. 1297A Potomac lode and Cor. No. 4 Dan Webster lode of the same survey.
	Found the original post, 4 X 4 ins., 2 ft. above ground. I was able to partially identify the data inscribed on the post. To make a more permanent monument, I removed the post and
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.4 3 S.R.8A 4 U.S.M.S. 4718 P. 3 D.W. 4 U.S.M.S. 1297A; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.27°13'41"E.
1,382.52	Cor. No. 4, identical with Cor. No. 3 M.S. No. 1297A Dan Webster lode and Cor. No. 1 Patrick Henry lode of the same survey.
	Found the original wood post, 4 X 4 ins. 2 ft. above ground. I was able to partially identify the data inscribed on the post. To make a more permanent monument, I removed the post and
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.4 4 U.S.M.S. 4718 D.W. 3 P.H. 1 U.S.M.S. 1297A; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.58°45'50"E.
300.00	Lode line; discovery point bears S.27°13'41"W., 140.00 ft. dist.
600.00	Cor. No. 1, and place of beginning.

FEET	
	SANTA RITA # 5 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 5 lode, identical with Cor. No. 1 of the SANTA RITA # 4 lode of this survey.
	Thence S.58°45'50"E.
300.00	Lode line; discovery point bears S.27°13'41"W., 65.00 ft. dist.
600.80	Cor. No. 2, identical with Cor. No. 4 of the SANTA RITA # 6 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.5 2 S.R.6 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.27°13'41"W.
1,382.52	Cor. No. 3, identical with Cor. No. 3 of the SANTA RITA # 6 lode, Cor. No. 1 of the SANTA RITA # 10 lode and Cor. No. 1 of the SANTA RITA # 9 lode, all of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.5 3 S.R.6 3 S.R.9 1 S.R.10 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears S.55°11'43"W., 1,431.89 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°45'50"W.
300.80	Lode line; discovery point bears N.27°13'41"E., 1,317.52 ft. dist.
600.80	Cor. No. 4, identical with Cor. No. 4 of the SANTA RITA # 9 lode, Cor. No. 1 of the SANTA RITA # 8A lode, and Cor. No. 2 of the SANTA RITA #4 lode, all of this survey.
	Thence N.27°13'41"E.

FEET	
1,382.52	Cor. No. 1, and place of beginning.
	SANTA RITA # 6 LODE
	At Cor. No. 1 of the SANTA RITA # 6 lode.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.6 1 U.S.M.S. 4718; from which
	The 1/4 sec. cor. of secs. 30 and 31, T.18S., R.16E., G.&S.R.M., bears S.10°46'02"E., 1,782.34 ft. dist.; monumented with an iron post, 1 in. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.27°13'41"W.
1,240.	Center of unimproved dirt road, 16 ft. wide, bears N.81°E. and S.55°W.
1,382.52	Cor. No. 2, identical with Cor. No. 4 of the SANTA RITA # 11 lode and Cor. No. 2 of the SANTA RITA # 10 lode, both of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.6 2 S.R.11 4 S.R.10 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°48'W.
82.	Center of unimproved dirt road, 16 ft. wide, bears N.57°E. and S.70°W.
299.90	Lode line; discovery point bears N.27°13'41"E., 1,247.52 ft. dist.
599.90	Cor. No. 3, identical with Cor. No. 1 of the SANTA RITA # 10 lode, Cor. No. 1 of the SANTA RITA # 9 lode, and Cor. No. 3 of the SANTA RITA #5 lode, all of this survey.
	Thence N.27°13'41"E.

FEET	
1,382.52	Cor. No. 4, identical with Cor. No. 2 of the SANTA RITA # 5 lode of this survey.
	Thence S.58°48'E.
300.00	Lode line; discovery point bears S.27°13'41"W., 135.00 ft. dist.
599.90	Cor. No. 1, and place of beginning.
	SANTA RITA # 8A LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 8A lode, identical with Cor. No. 2 of the SANTA RITA # 4 lode, Cor. No. 4 of the SANTA RITA # 5 lode, and Cor. No. 4 of the SANTA RITA # 9 lode, all of this survey.
	Thence S.35°46'36"W.
475.	Center of unimproved dirt road, 16 ft. wide, bears N.86°W. and S.86°E.
608.	Center of unimproved dirt road, 16 ft. wide, bears N.55°W. and S.20°E.
1,157.28	Intersect line 4-1 SANTA RITA # 13 lode of this survey.
1,497.89	Cor. No. 2, identical with Cor. No. 3 of the SANTA RITA # 9 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.8A 2 S.R.9 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°45'50"W.
300.00	Lode line; discovery point bears N.35°46'36"E., 862.89 ft. dist.
576.21	Intersect line 3-4 M.S. No. 1297A Potomac lode at a point from which Cor. No. 4 bears S.34°52'08"W., 10.93 ft. dist.
600.00	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.8A 3 U.S.M.S. 4718; from which

FEET	
	Cor. No. 4 M.S. No. 1297A Potomac lode bears S.33°29'05"E., 25.54 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.35°46'36"E.
81.04	Intersect line 4-1 SANTA RITA # 13 lode of this survey.
295.62	Intersect line 1-2 SANTA RITA FRACTION lode of this survey.
302.62	Intersect line 4-1 SANTA RITA FRACTION lode of this survey.
815.	Center of unimproved dirt road, 16 ft. wide, bears N.26°W. and South.
900.	Center of unimproved dirt road, 16 ft. wide, bears N.60°E. and S.60°W.
1,022.	Center of unimproved dirt road, 16 ft. wide, bears N.60°W. and S.50°E.
1,497.89	Cor. No. 4, identical with Cor. No. 3 M.S. No. 1297A Potomac lode, Cor. No. 4 Dan Webster lode of the same survey, and Cor. No. 3 of the SANTA RITA # 4 lode, of this survey
	Thence S.58°45'50"E.
300.00	Lode line; discovery point bears S.35°46'36"W., 635.00 ft. dist.
600.00	Cor. No. 1, and place of beginning.
	SANTA RITA # 9 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 9 lode, identical with Cor. No. 3 of the SANTA RITA # 5 lode, Cor. No. 3 of the SANTA RITA # 6 lode, and Cor. No. 1 of the SANTA RITA # 10 lode, all of this survey.
	Thence S.35°46'36"W.
223.	Center of unimproved dirt road, 16 ft. wide, bears N.88°W. and S.88°E.
645.	Center of unimproved dirt road, 16 ft. wide, bears N.58°W. and S.58°E.
976.65	Intersect line 1-2 SANTA RITA # 13 lode of this survey.

12

FEET	
1,370.	Center of unimproved dirt road, 16 ft. wide, bears N.82°W. and N.86°E.
1,497.89	Cor. No. 2, identical with Cor. No. 4 of the SANTA RITA # 10 lode and Cor. No. 2 of the SANTA RITA # 15 lode, on line 4-1 of the SANTA RITA # 16 lode, all of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.9 2 S.R.10 4 S.R.15 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°45'50"W.
225.	Center of unimproved dirt road, 16 ft. wide, bears East and S.75°W.
300.80	Lode line; discovery point bears N.35°46'36"E., 710.00 ft. dist.
600.80	Cor. No. 3, identical with Cor. No. 2 of the SANTA RITA # 8A lode of this survey
	Thence N.35°46'36"E.
340.61	Intersect line 4-1 SANTA RITA # 13 lode of this survey.
892.	Center of unimproved dirt road, 16 ft. wide, bears N.55°W. and S.20°E.
1,025.	Center of unimproved dirt road, 16 ft. wide, bears N.86°W. and S.86°E.
1,497.89	Cor. No. 4, identical with Cor. No. 1 of the SANTA RITA # 8A lode, Cor. No. 2 of the SANTA RITA # 4 lode, and Cor. No. 4 of the SANTA RITA #5 lode, all of this survey.
	Thence S.58°45'50"E.
300.00	Lode line; discovery point bears S.35°46'36"W., 787.89 ft. dist.
600.80	Cor. No. 1, and place of beginning.
	SANTA RITA # 10 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 10 lode, identical with Cor. No. 1 of the SANTA RITA # 9 lode, Cor. No. 3 of the SANTA RITA # 5 lode, and Cor. No. 3 of the SANTA RITA # 6 lode, all of this survey.

FEET	
	Thence S.58°48'E.
300.00	Lode line; discovery point bears S.35°46'36"W., 837.89 ft. dist.
518.	Center of unimproved dirt road, 16 ft. wide, bears N.57°E. and S.70°W.
599.90	Cor. No. 2, identical with Cor. No. 2 of the SANTA RITA # 6 lode, and Cor. No. 4 of the SANTA RITA # 11 lode, both of this survey.
	Thence S.35°46'36"W.
960.	Center of unimproved dirt road, 16 ft. wide, bears N.63°W. and S.63°E.
1,105.	Center of unimproved dirt road, 16 ft. wide, bears N.67°W. and S.67°E.
1,497.89	Cor. No. 3, identical with Cor. No. 3 of the SANTA RITA # 11 lode and Cor. No. 1 of the SANTA RITA # 16 lode, both of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.10 3 S.R.11 3 S.R.16 1 U.S.M.S. 4718; from which
	The 1/4 sec. cor. of secs. 30 and 31 bears N.69°21'30"E., 1,967.55 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°48'W.
299.90	Lode line; discovery point bears N.35°46'36"E., 660.00 ft. dist.
470.27	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
599.90	Cor. No. 4, identical with Cor. No. 2 of the SANTA RITA # 15 lode and Cor. No. 2 of the SANTA RITA # 9 lode, on line 4-1 SANTA RITA # 16 lode, all of this survey.
	Thence N.35°46'36"E.
130.	Center of unimproved dirt road, 16 ft. wide, bears N.82°W. and N.86°E.
521.24	Intersect line 1-2 SANTA RITA # 13 lode of this survey.
855.	Center of unimproved dirt road, 16 ft. wide, bears N.58°W. and S.58°E.

FEET	
1,277.	Center of unimproved dirt road, 16 ft. wide, bears N.88°W. and S.88°E.
1,497.89	Cor. No.1, and place of beginning.

SANTA RITA # 11 LODE

At Cor. No. 1 of the SANTA RITA # 11 lode.

Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.11 1 U.S.M.S. 4718; from which

The 1/4 sec. cor. of secs. 30 and 31 bears S.65°00'31"E., 499.13 ft. dist.; heretofore described.

A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

No local bearing objects or bearing trees available.

Thence S.35°46'36"W.

1,013.	Center of unimproved dirt road, 16 ft. wide, bears N.41°W. and S.41°E.
1,497.89	Cor. No. 2.

Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.11 2 U.S.M.S. 4718; from which

A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

No local bearing objects or bearing trees available.

Thence N.58°48'W.

299.90	Lode line; discovery point bears N.35°46'36"E., 630.00 ft. dist.
599.90	Cor. No. 3, identical with Cor. No. 1 of the SANTA RITA # 16 lode and Cor. No. 3 of the SANTA RITA # 10 lode, both of this survey.

Thence N.35°46'36"E.

395.	Center of unimproved dirt road, 16 ft. wide, bears N.67°W. and S.67°E.
540.	Center of unimproved dirt road, 16 ft. wide, bears N.63°W. and S.63°E.

FEET	
1,497.89	Cor. No. 4, identical with Cor. No. 2 of the SANTA RITA # 10 lode and Cor. No. 2 of the SANTA RITA # 6 lode, both of this survey.
	Thence S.58°48'E.
300.00	Lode line; discovery point bears S.35°46'36"W., 867.89 ft. dist.
599.90	Cor. No. 1, and place of beginning.
	SANTA RITA # 12 LODE
	At Cor. No. 1 of the SANTA RITA # 12 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.12 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears S.64°50'53"E., 873.35 ft. dist.; heretofore described.
	Cor. No. 4 M.S. No. 1297A Potomac lode bears S.24°55'02"E., 184.96 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.7°53'45"W.
63.16	Intersect line 4-1 SANTA RITA # 13 lode of this survey.
112.43	Intersect line 4-1 M.S. No. 1297A Potomac lode at a point from which Cor. No. 4 bears S.58°52'31"E., 109.07 ft. dist.
619.81	Intersect line 4-1 SANTA RITA # 14 lode of this survey.
647.24	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
885.	Center of unimproved dirt road, 16 ft. wide, bears N.72°E. and S.72°W.
1,492.27	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.12 2 U.S.M.S. 4718; from which

FEET	
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.81°21'14"W.
32.16	Cor. No. 4 SANTA RITA # 26 lode of this survey.
283.02	Lode line; discovery point bears N.7°53'45"E., 50.00 ft. dist.
582.45	Intersect line 3-4 M.S. No. 1297A Erie lode at a point from which Cor. No. 4 bears S.7°52'26"W., 4.74 ft. dist.
583.02	Cor. No. 3, on line 3-4 of the SANTA RITA # 26 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 ins. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.12 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.7°53'45"E.
270.	Center of unimproved dirt road, 16 ft. wide, bears N.75°E. and S.62°W.
1,244.82	Intersect line 1-2 SANTA RITA FRACTION lode of this survey.
1,492.27	Cor. No. 4, identical with Cor. No. 3 M.S. No. 1297A Erie lode.
	Found the original wood post, 4 X 4 ins., 2 ft. above ground. I was able to partially identify the inscribed data. To make a more permanent monument, I removed the post and
	Set an iron post, 24 ins. long, 3/4 ins. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.12 4 U.S.M.S. 4718 E. 3 U.S.M.S. 1297A; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.

FEET	
	Thence S.81°21'14"E.
300.00	Lode line; discovery point bears S.7°53'45"W., 1,442.27 ft. dist.
312.80	Intersect line 4-1 M.S. No. 1297A Potomac lode, at a point from which Cor. No. 1 bears N.58°52'31"W., 193.96 ft. dist.
530.41	Intersect line 1-2 SANTA RITA FRACTION lode of this survey.
583.02	Cor. No. 1, and place of beginning.
	SANTA RITA # 13 LODE
	At Cor. No. 1 of the SANTA RITA # 13 lode.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.13 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears S.81°15'55"W., 622.97 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.8°58'20"W.
70.52	Intersect line 1-2 SANTA RITA # 9 lode, common with line 4-1 SANTA RITA # 10 lode, both of this survey.
300.00	Lode line; discovery point bears N.81°23'55"W., 1,009.68 ft. dist.
324.	Center of unimproved dirt road, 16 ft. wide, bears N.80°W. and S.80°E.
584.05	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.13 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.

FEET	
	Thence N.81°23'55"W.
115.06	Intersect line 3-4 SANTA RITA # 10 lode, common with line 4-1 SANTA RITA # 16 lode, both of this survey.
235.18	Intersect line 2-3 SANTA RITA # 15 lode of this survey.
244.37	Intersect line 3-4 SANTA RITA # 16 lode of this survey.
656.	Center of unimproved dirt road, 16 ft. wide, bears N.56°E. and S.56°W.
834.74	Intersect line 4-1 SANTA RITA #15 lode, common with line 1-2 SANTA RITA # 14 lode, both of this survey.
1,420.09	Intersect line 1-2 SANTA RITA # 12 lode of this survey.
1,434.28	Intersect line 3-4 SANTA RITA # 14 lode of this survey.
1,434.68	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.13 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.8°58'20"E.
284.05	Lode line; discovery point bears S.81°23'55"E., 425.00 ft. dist.
536.67	Intersect line 4-1 M.S. No. 1297A Potomac lode, at a point from which Cor. No. 4 bears S.58°52'31"E., 114.00 ft. dist.
584.05	Cor. No. 4.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.13 4 U.S.M.S. 4718; from which
	Cor. No. 4 M.S. No. 1297A Potomac lode bears S.40°28'05"E., 138.98 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

FEET	
	No local bearing objects or bearing trees available.
	Thence S.81°23'55"E.
3.64	Intersect line 1-2 SANTA RITA # 12 lode of this survey.
124.89	Intersect line 3-4 SANTA RITA # 8A lode of this survey.
149.93	Intersect line 3-4 M.S. No. 1297A Potomac lode at a point from which Cor. No. 4 bears S.34°52'08"W., 101.54 ft. dist.
797.23	Intersect line 1-2 SANTA RITA # 8A lode, common with line 3-4 SANTA RITA # 9 lode of this survey.
1,434.68	Cor. No. 1, and place of beginning.
	SANTA RITA # 14 LODE
	At Cor. No. 1 of the SANTA RITA # 14 lode, identical with Cor. No. 1 of the SANTA RITA # 15 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.14 1 S.R.15 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears N.42°40'54"E., 434.54 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.9°06'52"W.
38.50	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
229.	Center of unimproved dirt road, 16 ft. wide, bears N.63°E. and S.63°W.
1,499.65	Cor. No. 2, identical with Cor. No. 4 of the SANTA RITA # 15 lode, Cor. No. 1 of the SANTA RITA # 28 lode, and Cor. No. 1 of the SANTA RITA # 27 lode, all of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.14 2 S.R.15 4 S.R.27 1 S.R.28 1 U.S.M.S. 4718; from which

FEET	
	The cor. of secs. 25, 30, 31 and 36 bears N.16°28'05"E., 1,877.22 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.82°28'49"W.
299.75	Lode line; discovery point bears N.9°06'52"E., 605.00 ft. dist.
532.88	Intersect line 4-1 SANTA RITA # 26 lode of this survey.
580.	Center of unimproved dirt road, 16 ft. wide, bears N.25°W. and S.25°E.
599.75	Cor. No. 3, identical with Cor. No. 4 of the SANTA RITA # 27 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.14 3 S.R.27 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.9°06'52"E.
30.	Center of unimproved dirt road, 16 ft. wide, bears N.33°W. and S.33°E.
627.55	Cor. No. 4 SANTA RITA # 26 lode and intersect line 2-3 SANTA RITA # 12 lode, both of this survey.
1,227.	Center of unimproved dirt road, 16 ft. wide, bears N.83°E. and S.83°W.
1,472.48	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
1,499.65	Cor. No. 4.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.14 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

FEET	
	No local bearing objects or bearing trees available.
	Thence S.82°28'49"E.
13.61	Intersect line 1-2 SANTA RITA # 12 lode of this survey.
300.00	Lode line; discovery point bears S.9°06'52"W. 894.65 ft. dist.
599.75	Cor. No. 1, and place of beginning.
	SANTA RITA # 15 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 15 lode, identical with Cor. No. 1 of the SANTA RITA # 14 lode of this survey.
	Thence S.82°28'49"E.
270.	Center of unimproved dirt road, 16 ft. wide, bears N.51°E. and S.51°W.
300.00	Lode line; discovery point bears S.9°06'52"W., 859.65 ft. dist.
590.49	Intersect line 3-4 SANTA RITA # 16 lode of this survey.
599.75	Cor. No. 2, identical with Cor. No. 2 of the SANTA RITA # 9 lode and Cor. No. 4 of the SANTA RITA # 10 lode, on line 4-1 SANTA RITA # 16 lode, all of this survey.
	Thence S.9°06'52"W.
49.81	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
1,458.11	Intersect line 2-3 SANTA RITA # 16 lode of this survey.
1,499.65	Cor. No. 3, identical with Cor. No. 2 of the SANTA RITA # 28 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.15 3 S.R.28 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.82°28'49"W.
299.75	Lode line; discovery point bears N.9°06'52"E., 640.00 ft. dist.

FEET	
599.75	Cor. No. 4, identical with Cor. No. 1 of the SANTA RITA # 28 lode, Cor. No. 1 of the SANTA RITA # 27 lode, and Cor. No. 2 of the SANTA RITA # 14 lode, all of this survey.
	Thence N.9°06'52"E.
1,270.	Center of unimproved dirt road, 16 ft. wide, bears N.63°E. and S.63°W.
1,461.15	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
1,499.65	Cor. No. 1, and place of beginning.
	SANTA RITA # 16 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 16 lode, identical with Cor. No. 3 of the SANTA RITA # 10 lode and Cor. No. 3 of the SANTA RITA # 11 lode, both of this survey.
	Thence S.9°02'W.
1,116.29	Intersect line 1-2 GUNSIGHT NO. 34 lode of this survey.
1,459.00	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.16 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.58°48'W.
52.41	Intersect line 4-1 GUNSIGHT NO. 34 lode of this survey.
304.90	Lode line; discovery point bears N.9°02'E., 300.00 ft. dist.
602.15	Intersect line 2-3 SANTA RITA # 15 lode of this survey.
609.90	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.16 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

FEET	
	No local bearing objects or bearing trees available.
	Thence N.9°02'E.
1,405.34	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
1,454.98	Intersect line 1-2 SANTA RITA # 15 lode of this survey.
1,459.00	Cor. No. 4.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.16 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.58°48'E.
10.00	Cor. No. 2 SANTA RITA # 9 lode, identical with Cor. No. 4 of the SANTA RITA # 10 lode and Cor. No. 2 of the SANTA RITA # 15 lode, all of this survey.
139.63	Intersect line 2-3 SANTA RITA # 13 lode of this survey.
305.00	Lode line; discovery point bears S.9°02'W., 1,159.00 ft. dist.
609.90	Cor. No. 1, and place of beginning.
	SANTA RITA # 26 LODE
	At Cor. No. 1 of the SANTA RITA # 26 lode.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.26 1 U.S.M.S. 4718; from which
	The cor. of secs. 25, 30, 31 and 36 bears N.23°04'57"E., 2,821.10 ft. dist.; heretofore described.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.81°21'14"W.

FEET	
64.52	Intersect line 3-4 SANTA RITA # 27 lode of this survey.
301.40	Lode line; discovery point bears N.3°01'E., 1,435.23 ft. dist.
602.80	Cor. No. 2.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.26 2 U.S.M.S. 4718; from which
	Cor. No. 4 M.S. No. 1297A Oregon Copper lode bears N.4°10'49"E., 180.53 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.3°01'E.
179.63	Intersect line 4-1 M.S. No. 1297A Oregon Copper lode at a point from which Cor. No. 4 bears N.79°40'53"E., 3.77 ft. dist.
1,197.	Center of unimproved dirt road, 16 ft. wide, bears N.74°W. and S.74°E.
1,473.03	Intersect line 2-3 M.S. No. 1297A Oregon Copper lode, common with line 4-1 Erie lode of the same survey, at a point from which Cor. No. 3 of the Oregon Copper lode, bears N.79°50'E., 3.58 ft. dist.; From Cor. No. 3 of the Oregon Copper lode thence N.79°38'24"E., 49.72 ft. to Cor. No. 4 Erie lode.
1,495.23	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.26 3 U.S.M.S. 4718; from which
	Cor. No. 4 M.S. No. 1297A Erie lode bears S.76°11'46"E., 52.79 ft. dist.
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.81°21'14"E.
51.94	Cor. No. 4 SANTA RITA # 12 lode of this survey.

FEET	
52.51	Intersect line 3-4 M.S. No. 1297 A Erie lode at a point from which Cor. No. 4 bears S.7°52'26"W., 4.74 ft. dist.
301.40	Lode line; discovery point bears S.3°01'W. , 60.00 ft. dist.
602.80	Cor. No. 4, on line 3-4 SANTA RITA # 14 lode and line 2-3 SANTA RITA # 12 lode, both of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.26 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence S.3°01'W.
629.25	Intersect line 2-3 SANTA RITA # 14 lode, common with line 4-1 SANTA RITA # 27 lode, both of this survey.
1,495.23	Cor. No. 1, and place of beginning.
	SANTA RITA # 27 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 27 lode, identical with Cor. No. 2 of the SANTA RITA # 14 lode, Cor. No. 4 of the SANTA RITA # 15 lode, and Cor. No. 1 of the SANTA RITA # 28 lode, all of this survey.
	Thence S.2°51'15"W.
1,250.	Center of unimproved dirt road, 16 ft. wide, bears N.53°E. and S.53°W.
1,462.03	Cor. No. 2, on line 4-1 SANTA RITA # 28 lode of this survey.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.27 2 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.82°28'49"W.

FEET	
299.75	Lode line; discovery point bears N.2°51'15"E., 50.00 ft. dist.
515.	Center of unimproved dirt road, 16 ft. wide, bears N.44°E. and S.44°W.
599.75	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.27 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.2°51'15"E.
597.13	Intersect line 1-2 SANTA RITA # 26 lode of this survey.
1,462.03	Cor. No. 4, identical with Cor. No. 3 SANTA RITA # 14 lode of this survey.
	Thence S.82°28'49"E.
20.	Center of unimproved dirt road, 16 ft. wide, bears N.25°W. and S.25°E.
66.87	Intersect line 4-1 SANTA RITA # 26 lode of this survey.
300.00	Lode line; discovery point bears S.2°51'15"W., 1,412.03 ft. dist.
599.75	Cor. No. 1, and place of beginning.
	SANTA RITA # 28 LODE
	Beginning at Cor. No. 1 of the SANTA RITA # 28 lode, identical with Cor. No. 1 of the SANTA RITA # 27 lode, Cor. No. 2 of the SANTA RITA # 14 lode, and Cor. No. 4 of the SANTA RITA # 15 lode, all of this survey.
	Thence S.82°28'49"E.
300.00	Lode line; discovery point bears S.2°51'15"W., 1,409.50 ft. dist.
599.75	Cor. No. 2, identical with Cor. No. 3 of the SANTA RITA # 15 lode of this survey.
	Thence S.2°51'15"W.

FEET	
745.	Center of unimproved dirt road, 16 ft. wide, bears N.64°E. and S.64°W.
1,499.50	Cor. No. 3.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.28 3 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.82°28'49"W.
299.75	Lode line; discovery point bears N.2°51'15"E., 90.00 ft. dist.
599.75	Cor. No. 4.
	Set an iron post, 24 ins. long, 3/4 in. in diam., 12 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X S.R.28 4 U.S.M.S. 4718; from which
	A wood post, 4 X 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
	No local bearing objects or bearing trees available.
	Thence N.2°51'15"E.
37.47	Cor. No. 2 SANTA RITA # 27 lode of this survey.
250.	Center of unimproved dirt road, 16 ft. wide, bears N.53°E. and S.53°W.
1,499.50	Cor. No. 1, and place of beginning.

Mineral Survey No. 4718

AREAS	Acres
Total area, GUNSIGHT NO. 34 lode	20.654
Total area, SANTA RITA FRACTION lode	19.305
Area in conflict with ---	
M.S. No. 1297A Central lode	2.315
M.S. No. 1297A Potomac lode	6.148
M.S. No. 1297A Potomac lode exclusive of its conflict with M.S. No. 1297A Central lode	6.099

FEET

M.S. No. 1297A Cushing lode ---------- 2.063
M.S. No. 1297A Chicago lode ---------- 0.099
M.S. No. 1297A Erie lode ---------- 3.606
M.S. No. 4792 (unapproved) Wedge lode -- 0.808
M.S. No. 4792 (unapproved) Wedge lode exclusive of its conflict with ---
(1) M.S. No. 1297A Central lode --- 0.396
(2) M.S. No. 1297A Potomac lode --- 0.561
(3) M.S. No. 1297A Central and Potomac lodes ---------- 0.174
SANTA RITA # 12 lode of this survey ---- 1.506
SANTA RITA # 12 lode of this survey exclusive of its conflict with---
(1) M.S. No. 1297A Potomac lode -------- 1.387
(2) M.S. No. 1297A Erie lode ---------- 1.506
(3) M.S. No. 1297A Potomac and Erie lodes ---------- 1.387
Total area, SANTA RITA # 4 lode ---18.996
Total area, SANTA RITA # 5 lode ---19.022
Total area, SANTA RITA # 6 lode ---18.994
Total area, SANTA RITA # 8A lode --20.567
Area in conflict with ---
M.S. No. 1297A Potomac lode ---------- 0.408
SANTA RITA # 13 lode of this survey ---- 2.895
SANTA RITA # 13 lode exclusive of its conflict with M.S. No. 1297A Potomac lode ----- 2.850
SANTA RITA FRACTION lode of this survey 0.001
SANTA RITA FRACTION lode of this survey exclusive of its conflict with M.S. No. 1297A Potomac lode ---------- 0.000
Total area, SANTA RITA # 9 lode ---20.595
Total area, SANTA RITA # 10 lode --20.563
Total area, SANTA RITA # 11 lode --20.563
Total area, SANTA RITA # 12 lode --19.971
Area in conflict with ---
M.S. No. 1297A Potomac lode ---------- 0.349
M.S. No. 1297A Erie lode ---------- 0.010
Total area, SANTA RITA # 13 lode --19.236
Area in conflict with ---
M.S. No. 1297A Potomac lode ---------- 0.214
SANTA RITA # 9 lode of this survey ----- 6.441
SANTA RITA # 10 lode of this survey ---- 1.451
SANTA RITA # 12 lode of this survey ---- 0.122
SANTA RITA # 12 lode of this survey exclusive of its conflicts with M.S. No. 1297A Potomac lode ---------- 0.118
Total area, SANTA RITA # 14 lode --20.640
Area in conflict with ---
SANTA RITA # 12 lode of this survey ---- 0.458
SANTA RITA # 13 lode of this survey ---- 0.452
SANTA RITA # 13 lode of this survey exclusive of its conflicts with SANTA RITA # 12 lode, both of this survey ---------- 0.443
Total area, SANTA RITA # 15 lode --20.640
Area in conflict with ---
SANTA RITA # 13 lode of this survey ---- 0.608
Total area, SANTA RITA # 16 lode --18.918
Area in conflict with ---
GUNSIGHT NO. 34 lode of this survey ---- 0.492
SANTA RITA # 13 lode of this survey ---- 0.080
SANTA RITA # 15 lode of this survey ---- 0.275
SANTA RITA # 15 lode of this survey exclusive of its conflict with SANTA RITA # 13 lode, both of this survey ---------- 0.264
Total area, SANTA RITA # 26 lode --20.592
Area in conflict with ---
M.S. No. 1297A Oregon Copper lode ------ 0.106

	FEET	
		M.S. No. 1297A Erie lode ---------- 0.016 SANTA RITA # 14 lode of this survey ---- 0.482 Total area, SANTA RITA # 27 lode --20.063 Area in conflict with --- SANTA RITA # 26 lode of this survey ---- 1.300 Total area, SANTA RITA # 28 lode --20.577
		LOCATION
		This survey is located in the SE 1/4 sec. 25, SW 1/4 and NW 1/4 sec. 30, SW 1/4 and NW 1/4 sec. 31, and NE 1/4 and SE 1/4 sec. 36, T.18 S., Rs. 15 and 16 E., Gila and Salt River Meridian. The survey of the GUNSIGHT NO. 34, SANTA RITA FRACTION, SANTA RITA #s 4, 5, 6, 8A, 9, 10, 11, 12, 13, 14, 15, 16, 26, 27 and 28 lodes is identical with the respective location or amended location as marked on the ground.
		EXPENDITURES
		The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:
	No. 1	The discovery point of the GUNSIGHT NO. 34 lode is on the lode line, 100 ft. from a point on line 3-4, 300.00 ft. from Cor. No. 3. Value, None.
	No. 1	The discovery point of the SANTA RITA FRACTION lode is on the lode line, 600 ft. from a point on line 2-3, 289.99 ft. from Cor. No. 2. Value, None.
	No. 1	The discovery point of the SANTA RITA # 4 lode is on the lode line, 140 ft. from a point on line 4-1, 300.00 ft. from Cor. No. 4. Value, None.
	No. 1	The discovery point of the SANTA RITA # 5 lode is on the lode line, 65 ft. from a point on line 1-2, 300.00 ft. from Cor. No. 1. Value, None.
	No. 1	The discovery point of the SANTA RITA # 6 lode is on the lode line, 135 ft. from a point on line 4-1, 300.00 ft. from Cor. No. 4. Value, None.
	No. 1	The discovery point of the SANTA RITA # 8A lode is on the lode line, 635 ft. from a point on line 4-1, 300.00 ft. from Cor. No. 4. Value, None.
	No. 1	The discovery point of the SANTA RITA # 9 lode is on the lode line, 787.89 ft. from a point on line 4-1, 300.00 ft. from Cor. No. 4. Value, None.
	No. 1	The discovery point of the SANTA RITA # 10 lode is on the lode line, 837.89 ft. from a point on line 1-2, 300.00 ft. from Cor. No. 1. Value, None.

FEET	
No. 1	The discovery point of the SANTA RITA # 11 lode is on the lode line, 630 ft. from a point on line 2-3, 299.90 ft. from Cor. No. 2. Value, None.
No. 1	The discovery point of the SANTA RITA # 12 lode is on the lode line, 50 ft. from a point on line 2-3, 283.02 ft. from Cor. No. 2. Value, None.
No. 1	The discovery point of the SANTA RITA # 13 lode is on the lode line, 425 ft. from a point on line 3-4, 284.05 ft. from Cor. No. 3. Value, None.
No. 1	The discovery point of the SANTA RITA # 14 lode is on the lode line, 605 ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2. Value, None.
No. 1	The discovery point of the SANTA RITA # 15 lode is on the lode line, 640 ft. from a point on line 3-4, 299.75 ft. from Cor. No. 3. Value, None.
No. 1	The discovery point of the SANTA RITA # 16 lode is on the lode line, 300 ft. from a point on line 2-3, 304.90 ft. from Cor. No. 2. Value, None.
No. 1	The discovery point of the SANTA RITA # 26 lode is on the lode line, 60 ft. from a point on line 3-4, 301.40 ft. from Cor. No. 3. Value, None.
No. 1	The discovery point of the SANTA RITA # 27 lode is on the lode line, 50 ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2. Value, None.
No. 1	The discovery point of the SANTA RITA # 28 lode is on the lode line, 90 ft. from a point on line 3-4, 299.75 ft. from Cor. No. 3. Value, None.
	An interest in a common improvement described as follows: A drilling program to delineate a copper ore body underlying these claims. As the terrain is rather rugged and the potential ore at considerable depth, drilling is the only logical way to explore and delineate the ore horizon Following is a list of drill holes describing each and giving its location within a particular lode and its value:

	FEET		
		A drill hole, No.A860, bears S.55°27'W., 995. ft. from Cor. No. 1 SANTA RITA # 4 lode; NX in size, 1,545 ft. deep. Value $10,271.70	
		A drill hole, No.A882, bears S.13°40'W., 1,383. ft. from Cor. No. 1 SANTA RITA # 5 lode; BX in size, 222 ft. deep. Value $1,369.50	
		A drill hole, No.A820, bears S.62°09'W., 496. ft. from Cor. No. 1 SANTA RITA # 6 lode; NX in size, 1,442 ft. deep. Value $7,660.95	
		A drill hole, No.A806, bears S.61°39'W., 1,164. ft. from Cor. No. 1 SANTA RITA # 8A lode; NX-BX in size, 2,061 ft. deep. Value $12,106.80	
		A drill hole, No.A817, bears S.46°37'W., 1,340. ft. from Cor. No. 1 SANTA RITA # 8A lode; NX in size, 1,652 ft. deep. Value $9,944.25	
		A drill hole, No.A840, bears S.47°31'W., 785. ft. from Cor. No. 1 SANTA RITA # 8A lode; NX in size, 1,678 ft. deep. Value $10,204.63	
		A drill hole, No.A852, bears S.76°17'W., 582. ft. from Cor. No. 1 SANTA RITA # 8A lode; NX in size, 1,646 ft. deep. Value $10,989.71	
		A drill hole, No.A870, bears S.40°49'W., 696. ft. from Cor. No. 1 SANTA RITA # 8A lode; BX in size, 2,180 ft. deep. Value $14,880.21	
		A drill hole, No.A879, bears S.59°21'W., 1,389. ft. from Cor. No. 1 SANTA RITA # 8A lode; BX in size, 950 ft. deep. Value $7,056.35	
		A drill hole, No.A807, bears S.72°46'W., 725. ft. from Cor. No. 1 SANTA RITA # 9 lode; NX in size, 1,629 ft. deep. Value $9,796.53	
		A drill hole, No.A829, bears S.60°35'W., 1,235. ft. from Cor. No. 1 SANTA RITA # 9 lode; NX-BX in size, 1,742 ft. deep. Value $12,189.18	
		A drill hole, No.A837, bears S.46°23'W., 1,482. ft. from Cor. No. 1 SANTA RITA # 9 lode; NX in size, 1,627 ft. deep. Value $10,415.37	
		A drill hole, No.A851, bears S.48°25'W., 936. ft. from Cor. No. 1 SANTA RITA # 9 lode; BX in size, 1,674 ft. deep. Value $9,818.70	

FEET

A drill hole, No.A850, bears S.33°41'W., 1,232. ft. from Cor. No. 1 SANTA RITA # 10 lode; NX in size, 1,640 ft. deep.
Value $8,798.92

A drill hole, No.A816, bears S.25°44'E., 242. ft. from Cor. No. 1 SANTA RITA # 10 lode; NX in size, 1,476 ft. deep.
Value $9,513.59

A drill hole, No.A825, bears S.61°37'W., 1,274. ft. from Cor. No. 1 SANTA RITA # 11 lode; BX in size, 1,891 ft. deep.
Value $9,580.51

A drill hole, No.A886, bears N.70°38'W., 538. ft. from Cor. No. 1 SANTA RITA # 11 lode; BX in size, 1,124 ft. deep.
Value $8,726.00

A drill hole, No.A809, bears S.31°38'W., 1,252. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX-BX in size, 1,606 ft. deep.
Value $10,028.81

A drill hole, No.A827, bears S.63°54'W., 342. ft. from Cor. No. 1 SANTA RITA # 12 lode; BX in size, 1,648 ft. deep.
Value $10,256.10

A drill hole, No.A836, bears S.28°12'W., 668. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,952 ft. deep.
Value $12,665.25

A drill hole, No.A845, bears S.19°02'W., 1,012. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,873 ft. deep.
Value $10,872.44

A drill hole, No.A846, bears S.28°31'W., 1,541. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,606 ft. deep.
Value $9,348.25

A drill hole, No.A849, bears S.13°06'W., 1,490. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,580 ft. deep.
Value $8,333.43

A drill hole, No.A869, bears N.85°05'W., 515. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,562 ft. deep.
Value $9,961.05

A drill hole, No.A876, bears S.21°07'W., 1,316. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,535 ft. deep.
Value $9,883.00

A drill hole, No.A877, bears S.42°30'W., 750. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 876 ft. deep.
Value $5,005.25

	FEET		
		A drill hole, No.A878, bears S.63°36'W., 352. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,190 ft. deep. Value $6,867.00	
		A drill hole, No.A891, bears S.25°20'W., 835. ft. from Cor. No. 1 SANTA RITA # 12 lode; NX in size, 1,112 ft. deep. Value $10,707.40	
		A drill hole, No.A823, bears S.73°16'W., 958. ft. from Cor. No. 1 SANTA RITA # 13 lode; NX in size, 1,569 ft. deep. Value $9,124.50	
		A drill hole, No.A831, bears S.78°13'W., 1,381. ft. from Cor. No. 1 SANTA RITA # 13 lode; NX in size, 1,592 ft. deep. Value $9,627.58	
		A drill hole, No.A833, bears N.86°20'W., 1,334. ft. from Cor. No. 1 SANTA RITA # 13 lode; NX in size, 1,750 ft. deep. Value $10,925.77	
		A drill hole, No.A861, bears S.74°51'W., 1,093. ft. from Cor. No. 1 SANTA RITA # 13 lode; NX in size, 1,497 ft. deep. Value $9,954.50	
		A drill hole, No.A813, bears S.33°30'W., 787. ft. from Cor. No. 1 SANTA RITA # 14 lode; NX-BX in size, 1,803 ft. deep. Value $11,791.30	
		A drill hole, No.A834, bears S.60°10'W., 515. ft. from Cor. No. 1 SANTA RITA # 14 lode; NX in size, 1,847 ft. deep. Value $14,691.65	
		A drill hole, No.A842, bears S.22°17'W., 1,162. ft. from Cor. No. 1 SANTA RITA # 14 lode; NX in size, 1,238 ft. deep. Value $8,104.01	
		A drill hole, No.A873, bears S.65°01'W., 631. ft. from Cor. No. 1 SANTA RITA # 14 lode; NX in size, 1,390 ft. deep. Value $9,432.93	
		A drill hole, No.A821, bears S.28°56'E., 750. ft. from Cor. No. 1 SANTA RITA # 15 lode; NX-BX in size, 1,736 ft. deep. Value $10,425.95	
		A drill hole, No.A828, bears S.53°16'E., 461. ft. from Cor. No. 1 SANTA RITA # 15 lode; NX in size, 1,976 ft. deep. Value $14,153.28	
		A drill hole, No.A830, bears S.17°43'E., 1,143. ft. from Cor. No. 1 SANTA RITA # 15 lode; NX-BX in size, 1,529 ft. deep. Value $13,021.02	

FEET

A drill hole, No.A841, bears S.4°51'W., 271. ft. from Cor. No. 1 SANTA RITA # 15 lode; NX in size, 1,688 ft. deep.
Value $10,130.64

A drill hole, No.A848, bears S.2°54'W., 677. ft. from Cor. No. 1 SANTA RITA # 15 lode; NX in size, 1,672 ft. deep.
Value $9,990.62

A drill hole, No.A854, bears S.2°12'W., 1,086. ft. from Cor. No. 1 SANTA RITA # 15 lode; BX in size, 1,323 ft. deep.
Value $9,081.40

A drill hole, No.A885, bears S.3°16'W., 1,477. ft. from Cor. No. 1 SANTA RITA # 15 lode; BX in size, 690 ft. deep.
Value $4,758.00

A drill hole, No.A826, bears S.49°29'W., 450. ft. from Cor. No. 1 SANTA RITA # 16 lode; BX in size, 1,997 ft. deep.
Value $14,811.00

A drill hole, No.A847, bears N.70°52'W., 348. ft. from Cor. No. 1 SANTA RITA # 16 lode; NX in size, 1,705 ft. deep.
Value $8,498.21

A drill hole, No.A865, bears N.61°29'W., 223. ft. from Cor. No. 1 SANTA RITA # 16 lode; NX in size, 2,114 ft. deep.
Value $13,999.01

A drill hole, No.A819, bears N.0°28'W., 1,205. ft. from Cor. No. 1 SANTA RITA # 26 lode; NX in size, 1,470 ft. deep.
Value $8,383.05

A drill hole, No.A853, bears N.17°43'W., 1,305. ft. from Cor. No. 1 SANTA RITA # 26 lode; NX in size, 1,045 ft. deep.
Value $6,220.41

A drill hole, No.A880, bears N.7°39'W., 1,461. ft. from Cor. No. 1 SANTA RITA # 26 lode; BX in size, 134 ft. deep.
Value $945.80

A drill hole, No.A839, bears S.89°01'W., 210. ft. from Cor. No. 1 SANTA RITA # 27 lode; NX in size, 1,511 ft. deep.
Value $10,964.91

A drill hole, No.A863, bears S.27°12'W., 1,333. ft. from Cor. No. 1 SANTA RITA # 27 lode; NX in size, 672 ft. deep.
Value $4,540.75

A drill hole, No.1462, bears S.26°46'E., 283. ft. from Cor. No. 1 SANTA RITA # 28 lode; NX-BX in size, 1,050 ft. deep.
Value $8,868.10

FEET

A drill hole, No. A804, bears N.83°29'W., 974. ft. from Cor. No. 1 SANTA RITA FRACTION lode; NX in size, 1,550 ft. deep.
Value $13,613.35

A drill hole, No. A718, bears S.8°21'E., 1,401. ft. from Cor. No. 1 GUNSIGHT NO. 34 lode; NX-BX in size, 2,110 ft. deep.
Value $17,633.61

Value of drill holes: $530,942.23
Value of one-seventeenth interest: $31,231.90

Five hundred dollars or more has been expended in these improvements in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed, therefore, an undivided one-seventeenth interest in their value is hereby credited to each of the said lodes of this survey.

No portion of or interest in these improvements has been credited heretofore as patent expenditures to any lode claim.

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

M.S. No. 1297A Dan Webster lode: Cors. Nos. 1 and 2, identical with, respectively, Cor. No. 2 of the Potomac lode and Cor. No. 2 of the Patrick Henry lode, all of the same survey, are wood posts, 4 X 4 ins., 2 1/2 ft. above ground, with the inscribed data partially identifiable. Cor. No. 3, identical with Cor. No. 1 of the Patrick Henry lode of the same surve and Cor. No. 4 of the SANTA RITA # 4 lode of this survey, described above. Cor. No. 4, identical with Cor. No. 3 of the SANTA RITA # 4 lode and Cor. No. 4 of the SANTA RITA # 8A lode, both of this survey and Cor. No. 3 of the Potomac lode of the same survey, described above. Line 1-2, in part common with line 1-2, M.S. No. 4792 (unapproved), Merchant Mine lode, was found to be N.27°12'35"E., 1,385.12 ft. instead of N.27°30'E., 1,380.00 ft. as approved. Line 2-3, common with line 1-2 Patrick Henry lode of the same survey, was found to be S.58°45'34"E., 600.27 ft. instead of S.58°35'E., 600.00 ft. as approved. Line 3-4, common with line 3-4 SANTA RITA # 4 lode of this survey, was found to be S.27°13'41"W., 1,382.52 ft. instead of S.27°30'W., 1,380.00 ft. as approved. Line 4-1, common with line 2-3 Potomac lode of the same survey, was found to be N.59°00'15"W., 599.66 ft. instead of N.58°35'W., 600.00 ft. as approved.

FEET

M.S. No. 1297A Potomac lode: Cor. No. 1 is a wood post, 4 X 4 ins., 2 1/2 ft. above ground, with the inscribed data partially identifiable. Cor. No. 2, identical with Cor. No. 1 of the Dan Webster lode of the same survey, described above. Cor. No. 3, identical with Cor. No. 4 of the Dan Webster lode of the same survey and Cor. Nos. 3 and 4 respectively of the SANTA RITA #s 4 and 8A lodes of this survey, described above. Cor. No. 4 could not be found. Line 1-2 was found to be N.34°46'26"E., 1,505.62 ft. instead of N.35°10'E., 1,500.00 ft. as approved. Line 2-3, common with line 4-1 of the Dan Webster lode, described above. Lines 3-4 and 4-1 were calcu-lated by the broken boundary method and were determined to be as follows: Line 3-4 S.34°52'08"W., 1,507.13 ft. instead of S.35°10'W., 1,500.00 ft. as approved. Line 4-1 was found to be N.58°52'31"W., 597.07 ft. instead of N.58°35'W., 600.00 ft. as approved.

M.S. No. 1297A Erie lode: Cor. No. 1 identical with Cor. No. 2 of the Oregon Copper lode, Cor. No. 4 of the Coconino lode and Cor. No. 4 of the Chicago lode, all of the same survey, could not be found. Cor. No. 2, identical with Cor. No. 3 of the Chicago lode and Cor. No. 6 of the Cushing lode, all of the same survey, is a wood post, 4 X 4 ins., 2 1/2 ft. above ground, loosely set in a mound of stones. The inscribed data are partially identifiable. Cor. No. 3, identical with Cor. No. 4 of the SANTA RITA # 12 lode of this survey, described above. Cor. No. 4 is a wood post, 4 X 4 ins., 2 1/2 ft. above ground, loosely set in a mound of stones. The inscribed data are partially identifiable. Line 1-2 is shown as approved. Line 2-3 was found to be N.79°40'05"E., 601.40 ft. instead of N.79°50'E., 600.00 ft. as approved. Line 3-4 was found to be S.7°52'26"W., 1,497.02 ft. instead of S.8°10'W., 1,500.00 ft. as approved. Line 4-1 from Cor. No. 4 to Cor. No. 3 of the Oregon Copper lode of the same survey was found to be S.79°38'24"W., 49.72 ft. instead of S.79°50'W., 50.00 ft. as approved. From Cor. No. 3 of the Oregon Copper lode to Cor. No. 1, line 4-1 is shown as approved.

M.S. No. 1297A Oregon Copper lode: Cor. Nos. 1, 3 and 4 are wood posts, 4 X 4 ins., 2 1/2 ft. above ground, loosely set in a mound of stones. Cor. No. 1 is identical with Cor. No. 5 of the Coconino lode of the same survey, Cor. No. 2 described above. The inscribed data are partially identifiable. Line 2-3, common with line 4-1 of the Erie lode of the same survey, described above. Line 3-4 was found to be S.3°00'32"W., 1,293.36 ft. instead of S.3°15'W., 1,300.00 ft. as approved. Line 4-1 was found to be S.79°40'53"W., 543.16 ft. instead of S.79°50'W., 550.00 ft. as approved.

FEET

M.S. No. 1297A Central lode: Cor. Nos. 1 and 3 are wood posts, 4 X 4 ins., 2 1/2 ft. above ground, loosely set in the ground. The inscribed data are partially identifiable. Cor. No. 4, identical with Cor. No. 3 M.S. No. 4792 (unapproved) Wedge lode is an iron post, 3/4 in. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd. Line 1-2 was found to be as follows: From Cor. No. 1 to Cor. No. 5 of the Cushing lode of the same survey was found to be N.16°42'55'W., 143.72 ft. instead of N.16°30'W., 141.30 ft. as approved. From Cor. No. 5 of the Cushing lode to Cor. No. 4 of the Cushing lode, identical with Cor. No. 5 of the Franklin lode of the same survey, was found to be N.16°31'56"W., 682.67 ft. instead of N.16°30'W., 682.00 ft. as approved. Line 3-4 was found to be S.16°31'52'E., 1,298.81 ft. instead of S.16°30'E., 1,300.00 ft. as approved. Line 4-1 was found to be S.73°29'08"W., 597.60 ft. instead of S.73°30'W., 600.00 ft. as approved.

M.S. No. 1297A Cushing lode: Cor. Nos. 1, 4, 5 and 6 are wood posts, 4 X 4 ins., 2 1/2 ft. above ground, loosely set in a mound of stones. Cor. No. 1 is identical with Cor. No. 2 of the Chicago lode of the same survey. Cor. No. 4 is identical with Cor. No. 5 of the Franklin lode of the same survey. Cor. No. 6 is identical with Cor. No. 3 of the Chicago lode and Cor. No. 2 of the Erie lode of the same survey. Line 4-5, common with line 4-1 of the Central lode of the same survey, described above. Line 5-6 was found to be S.42°40'24"W., 517.10 ft. instead of S.42°15'W., 518.40 ft. as approved. Line 6-1, common with line 2-3 of the Chicago lode of the same survey, was found to be S.59°17'10"W., 598.53 ft. instead of S.59°45'W., 600.00 ft. as approved.

M.S. No. 1297A Chicago lode: Cor. Nos. 2, 3 and 4 described above. Lines 2-3 and 3-4 described above.

M.S. No. 4792 (unapproved) Wedge lode: Cor. No. 3, identical with Cor. No. 4 M.S. No. 1297A Central lode, described above. Cor. Nos. 2 and 4 are iron posts, 3/4 in. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd. Line 2-3 was found to be S.33°59'40"W., 1,327.03 ft. Line 3-4 was found to be N.68°55'W., 600.00ft.

The Cors. of secs. 25, 30, 31 and 36, 19, 24, 25 and 30, and the 1/4 sec. cor. of secs. 30 and 31, T.18S., Rs. 15 & 16E., G.& S.R.M., described above. The 1/4 sec. cor. of secs. 25 and 36 is an iron post, 1 in. in diam., 12 ins. above ground, firmly set, with a brass cap properly mkd. The line between secs. 25 and 30 was found to be S.0°03'56"E., 5,265.63 ft. instead of South, 5,280.00 ft. The East one-half of the line between secs. 25 and 36 was found to be S.89°55'37"E., 2,650.37 ft. instead of East, 2,637.36 ft. as approved. The West one-half of the line between secs. 30 and 31 was found to be S.89°40'26"E., 2,654.43 ft. instead of N.89°50'E., 2,638.68 ft. as approved. The line between secs. 31 and 36 is shown as approved.

38

FEET

MEMORANDUM

None

FIELD ASSISTANTS

Name	Capacity
Kent Miller	Assistant Instrumentman
Joe Foran	Chainman- Axeman

Form 3860–7
(November 1976)
(formerly 3400–8)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

39

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
Harvey W. Smith	Sept. 1, 1978

I HEREBY CERTIFY That in pursuance of an order received from the Chief, Branch of Cadastral Survey, Bureau of Land Management, at Phoenix, Arizona, dated Mar. 28, 1972 and May 2, 1977, I have carefully executed the survey of the claim of Anamax Mining Company, known as the *(lode, placer, or mill site)* (See back of page) lodes, situated in Pima County, Secs. 25,30,31 and 36, Township 18 South Range s 15 & 16 East, G. & S. R. Meridian, in the State of Arizona.

This survey, designated as number 4718, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the *(lode or placer)* lode location(s) embraced in the said mining claim by claimant(s) or their grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Paradise Valley, Arizona
(Location)

Harvey W. Smith
(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office	Arizona State Office
Location	Phoenix, Arizona
Date	October 15, 1979

The foregoing field notes of mineral survey number 4718, in Secs. 25, 30, 31 & 36, [X] surveyed [ ] unsurveyed Township 18 S., Range 15&16 E. Gila and Salt River Meridian, in the State of Arizona, executed by Harvey W. Smith & Amended, Mineral Surveyor, under order dated Mar. 28, 1972 May 2, 1977, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Boyd S. Owens
Boyd S. Owens (Authorized Signature)

~~Chief, Br. of Cadastral Survey~~
(Title)

~~CERTIFICATE OF TRANSCRIPT~~

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature) (Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

GPO 838-009

40

4/18

Arizona

Arizona

Anamax Mining Company
P. O. Box 127
Sahuarita, Arizona 85629

SANTA RITA # 4	8/29/63	
SANTA RITA # 5	8/29/63	
SANTA RITA # 6	8/29/63	
SANTA RITA # 8A	9/17/63	
SANTA RITA # 9	8/29/63	
SANTA RITA # 10	8/29/63	
SANTA RITA # 11	8/29/63	
SANTA RITA # 12	8/29/63	
SANTA RITA # 13	8/29/63	
SANTA RITA # 14	8/29/63	
SANTA RITA # 15	8/29/63	
SANTA RITA # 16	8/29/63	
SANTA RITA # 26	8/29/63	
SANTA RITA # 27	8/29/63	
SANTA RITA # 28	8/29/63	
SANTA RITA FRACTION	8/29/63	12/29/76
GUNSIGHT NO. 34	6/26/62	

Helvetia Pima

31 & 36	25,30	18 South	15 and 16 East	G. & S.R.M.	3/28/72 & 5/2/77
4/1/72			9/1/78	Harvey W. Smith	

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4718
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The GUNSIGHT NO.34 lode, Mineral Survey No. 4718, located in section 31, Township 18 South, Range 16 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"GUNSIGHT NO.34 lode, M.S. 4718 was canceled July 12, 2012, by memo 9605 (956) M.S. 4718, which is now a part of the original field notes."

July 12, 2012
Date

Chief Cadastral Surveyor of Arizona