

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4727
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Exxon Company, U.S.A.
c/o Law Offices, Twitty, Sievright & Mills
1905 Townehouse Tower, 100 West Clarendon
Phoenix, Arizona 85013

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
SEE ATTACHMENT		

Mining district		Bunker Hill		County		Pinal	
Section 1, 2, 10, 11, 12, 13, 14 & 15		Township 8 South		Range 18 East		Meridian Gila & Salt River	
Survey commenced 7/1/72		Survey completed 1/27/77		Survey under order dated 6/30/72 and 1/25/77			
Name of Mineral Surveyor Harvey W. Smith							

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Section number	
Page	
Field Number	
Date	

The following is a description of the land area shown on the map of the State of California, and is intended to be used as a guide in the field.

STATE AND COUNTY - THIS NOTE IS FOR RECORDS AS FOLLOWS:

DATE	
LOCALITY	

NAME OF LOCALITY

Section number	Page	Field Number	Date
Name of Mountain Range	County	State	Section
Name of Mountain Range	County	State	Section

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number 2
4727

Page 1 of 2

FIELD NOTES

Name of Location	Date			Amended Recording
	Located	Recorded	Amended	
"Kimbros"	4/9/05	7/14/05		
"Kimbros Eastern"	9/10/06	11/10/06		
"Velasquez"	9/10/06	11/10/06		
Granite Hill	12/1/06	2/16/07		
Velasquez Wedge	12/1/06	2/16/07		
CLARK No. 1	9/1/34	9/25/34		
Mary #1	2/1/35	4/24/35		
AURORA	7/10/35	7/20/35		
VENUS	7/10/35	7/20/35		
MARS	7/10/35	7/20/35		
Jupiter	7/10/35	7/20/35		
American Eagle	4/22/37	5/1/37		
Paloma	4/23/37	5/1/37		
Jay Bird	4/23/37	5/1/37		
Center Star	4/23/37	5/1/37	4/5/74	4/22/74
Middle March	4/23/37	5/1/37		
Redondo	4/23/37	5/1/37		
Minnesota	4/23/37	5/1/37		
Copper Cliff	4/23/37	5/1/37		
Copper Ridge	4/23/37	5/1/37		
Lone Trail	4/23/37	3/20/43		
Whippoorwill	1/15/43	3/20/43		
Hercules	3/15/43	3/20/43		
Fraction	3/22/47	6/18/47		
North Star	3/22/47	6/18/47		
Morningside	3/22/47	6/18/47		
CAMINO LODE	5/20/56	5/22/56	5/29/56	8/21/56
ANGUSTO LODE	5/20/56	5/22/56	5/29/56	8/21/56
Copper Reef No ②	10/1/58	12/5/58		
North Star No 1	1/14/61	2/23/61		
North Star No 2	1/14/61	2/23/61		
North Star No 3	1/14/61	2/23/61		
Paloma Fraction	3/17/61	7/6/61		
Velasquez Fraction	3/17/61	7/6/61		
Copper Trail #1	12/5/63	12/9/63	4/5/74	4/22/74
Copper Trail #2	12/5/63	12/9/63		
Copper trail #3	12/5/63	12/9/63		
Copper Trail No. 4	12/5/63	12/9/63	4/5/74	4/22/74
Copper Reef No 3	2/2/64	2/13/64		
Copper Reef No 4	2/18/64	2/26/64		
Copper Reef No 5	2/18/64	3/4/64		
Moose #2	11/12/64	11/19/64		
Moose #4	11/12/64	11/19/64		
Moose #6	11/12/64	11/19/64		
Moose #8	11/12/64	11/19/64		
Siskon No. 36	3/23/66	6/17/66		
Siskon No. 39	3/23/66	6/17/66		
Siskon No. 41	3/23/66	6/17/66		
Siskon No. 34	3/24/66	6/17/66		
Siskon No 35	3/24/66	6/17/66		
Siskon No. 37	3/24/66	6/17/66		
Siskon No. 38	3/24/66	6/17/66		
Siskon No. 40	3/24/66	6/17/66		
Siskon No. 42	3/24/66	6/17/66		
Siskon No. 44	3/24/66	6/17/66		
Siskon No. 46	3/24/66	6/17/66		
Siskon No. 52	3/24/66	6/17/66		

(Continued on Page 2)

1875
1876
1877

1878
1879
1880

1881
1882
1883

1884
1885
1886

1887
1888
1889

1890
1891
1892

1893
1894
1895

1896
1897
1898

1899
1900
1901

1902
1903
1904

1905
1906
1907

1908
1909
1910

1911
1912
1913

1914
1915
1916

1917
1918
1919

1920
1921
1922

1923
1924
1925

1926
1927
1928

1929
1930
1931

1932
1933
1934

1935
1936
1937

1938
1939
1940

1941
1942
1943

1944
1945
1946

1947
1948
1949

1950
1951
1952

1953
1954
1955

1956
1957
1958

1959
1960
1961

1962
1963
1964

1965
1966
1967

1968
1969
1970

1971
1972
1973

1974
1975
1976

1977
1978
1979

1980
1981
1982

1983
1984
1985

1986
1987
1988

1989
1990
1991

1992
1993
1994

1995
1996
1997

1998
1999
2000

2001
2002
2003

2004
2005
2006

2007
2008
2009

2010
2011
2012

2013
2014
2015

2016
2017
2018

2019
2020
2021

2022
2023
2024

2025
2026
2027

2028
2029
2030

2031
2032
2033

2034
2035
2036

2037
2038
2039

2040
2041
2042

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey Number 3
4727

Page 2 of 2

FIELD NOTES

Name of Location	Date			Amended Recording
	Located	Recorded	Amended	
Albatross No. 1	8/30/67	9/6/67		
Albatross No. 2	8/30/67	9/6/67		
Albatross No. 3	8/30/67	9/6/67		
Albatross No. 4	8/30/67	9/6/67		
Albatross No. 5	8/30/67	9/6/67		
Albatross No. 6	8/30/67	9/6/67		
Albatross No. 7	8/30/67	9/6/67		
Albatross No. 8	8/30/67	9/6/67		
Albatross No. 17	8/30/67	9/6/67		
Albatross No. 9	8/31/67	9/6/67		
Siskon No. 56	9/2/67	9/6/67		
Siskon No. 57	9/2/67	9/6/67		
Siskon No. 53	9/5/67	9/6/67		
Siskon No. 54	9/5/67	9/6/67		
Siskon No. 55	9/5/67	9/6/67		
Buzzard No. 1	9/6/67	9/6/67		
Buzzard No. 2	9/6/67	9/6/67		
Buzzard No. 3	9/6/67	9/6/67		
Buzzard No. 4	9/6/67	9/6/67		
Buzzard No. 5	9/6/67	9/6/67		
Buzzard No. 6	9/6/67	9/6/67		
Buzzard No. 7	9/6/67	9/6/67		
Siskon #58	1/10/68	1/18/68		
Siskon #59	1/10/68	1/18/68		
Siskon #84	1/10/68	1/18/68		
Siskon #85	1/10/68	1/18/68		
Siskon #83	1/11/68	1/18/68		
Siskon #88	1/11/68	1/18/68		
Siskon #82	1/13/68	1/18/68		
Siskon #87	1/15/68	1/18/68		

1858

THE ...

...

...

...

...

...

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to 10-second accuracy and estimating to 1-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 3:17 p.m. on October 4, 1973, at Cor. No. 1 of the American Eagle lode, latitude $32^{\circ}44'49''$ N. and longitude $110^{\circ}28'24''$ W., turning from a reference point about 1,500 ft. southwesterly clockwise to the sun in a southwesterly direction.

True bearing of reference point:
S. $61^{\circ}22'25''$ W.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. One additional foot at the zero end is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ}30'$ E.

SURVEY NO. 4727

North Star LODE

At Cor. No. 1 of the North Star lode, identical with Cor. No. 1 of Sur. No. 4179 SILVER SADDLE lode and Cor. No. 1 of Sur. No. 4179 GRANDVIEW lode and on line 4-1 MARS lode of this survey.

Found a granite stone, firmly set and properly marked. I removed the stone and

FEET

	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 8 ins. in the ground, with a brass cap 2 ins. diam., firmly secured to the iron post, mkd. X N. S. 1 U. S. M. S. 4727 G. V. 1 S. S. 1 4179; from which</p> <p>The 1/4 cor. of secs. 11 and 14, T. 8 S., R. 18 E., G. & S. R. M., bears N. 61° 19' 45" W., 398.44 ft. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 87° 46' W.</p>
490	Unimproved dirt road, bears N. 40° E. and S. 70° W.
525	Unimproved dirt road, bears North and S. 70° W.
785	Unimproved dirt road, bears N. 30° E. and S. 30° W.
1,459.85	Intersect line 2-3 Siskon No. 39 lode of this survey.
1,499.68	<p>Cor. No. 2, identical with Cor. No. 1 of the Morningside lode and Cor. No. 1 of the AURORA lode both of this survey and on line 4-1 Sur. No. 4179 GRAND VIEW lode.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 8 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N. S. 2 A. 1 MORN. 1 U. S. M. S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 14 bears N. 83° 24' 40" E., 1,156.58 ft. dist.; previously described.</p> <p>Cor. No. 4, Sur. No. 4179 GRAND VIEW lode, bears N. 87° 46' W., 1.45 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 2° 59' E.</p>
132.97	Intersect line 1-2 Siskon No. 39 lode of this survey.
269.02	Lode line; discovery point bears S. 88° 25' 15" E., 749.99 ft. dist. and Cor. No. 1 Siskon No. 36 lode of this survey.

FEET	
486.81	Intersect line 1-2 American Eagle lode of this survey.
507	Unimproved dirt road, bears N. 30° E. and S. 30° W.
527.20	Cor. No. 4 AURORA lode of this survey.
565.95	Cor. No. 3.
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 3 U.S.M.S. 4727; from which
	A mound of stones sets adjacent to the iron post.
	Thence S. 88° 20' 15" E.
35	Unimproved dirt road, bears N. 65° E. and S. 40° W.
75	Unimproved dirt road, bears S. 50° E. and N. 60° W.
123.90	Intersect line 2-3 Fraction lode of this survey.
133.63	Intersect line 1-2 American Eagle lode of this survey.
355	Unimproved dirt road, bears N. 15° W. and S. 15° E.
630	Unimproved dirt road, bears N. 55° E. and S. 45° W.
790.26	Intersect line 1-2 Moose #2 lode of this survey.
1,499.93	Cor. No. 4, identical with Cor. No. 1 of the Fraction lode of this survey.
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 4 F. 1 U.S.M.S. 4727; from which
	The 1/4 cor. of secs. 11 and 14 bears S. 44° 19' 15" W., 543.65 ft. dist.; previously described.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence S. 2° 59' W.

FEET	
245.	Unimproved road bears N. 85° E. and S. 85° W.
280.50	Cor. No. 1 MARS lode of this survey.
294.76	Lode line; discovery point bears N. 88° 25' 15" W., 749.99' ft. dist.
531.42	Intersect line 4-1 Moose #2 lode of this survey.
580.90	Cor. No. 1, and place of beginning.
Fraction LODE	
Beginning at Cor. No. 1 of the Fraction Lode, identical with Cor. No. 4 of the North Star lode of this survey.	
Thence N. 88° 23' 20" W.	
709.68	Intersect line 1-2 Moose #2 lode of this survey.
869.93	Unimproved road, bears N. 55° E. and S. 45° W.
1,144.96	Unimproved road, bears N. 15° W. and S. 15° E.
1,368.42	Intersect line 1-2 American Eagle lode of this survey.
1,376.06	Cor. No. 2.
Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X F. 2 U. S. M. S. 4727; from which	
A wood post, 4 x 4 ins., 4 ft. long stands adjacent to the iron post.	
Thence N. 2° 59' E.	
1.24	Intersect line 3-4 North Star lode of this survey.
294.31	Lode line; discovery point bears S. 88° 01' 40" E., 625.87 ft. dist.
591.82	Cor. No. 3.

FEET	
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X F. 3 U.S.M.S. 4727; from which</p> <p>A mound of stones sets adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 88° 07' 50" E.</p>
10	Unimproved road, bears S. 5° E. and N. 5° E.
644.37	Intersect line 1-2 Moose #4 lode of this survey.
1,000.36	Intersect line 1-2 American Eagle lode of this survey.
1,375.92	Cor. No. 4.
	<p>This point falls in the center of an unimproved road where a permanent monument would be obliterated. Road bears N. 67° W. and S. 67° E.</p> <p style="text-align: center;">Thence S. 2° 59' W.</p>
7.78	Point for witness Cor. No. 4.
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X W.C. F. 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>
300.0	Lode line; discovery point bears N. 88° 01' 40" W., 750.0 ft. dist.
517.27	Intersect line 4-1 Moose #4 lode identical with line 2-3 Moose #2 lode, both of this survey.
585.64	Cor. No. 1, and place of beginning.
<p>AURORA LODGE</p>	
<p>Beginning at Cor. No. 1 of the AURORA lode identical with Cor. No. 2 of the North Star and Cor. No. 1 of the Morningside lodes, of this survey, and on line 4-1 Sur. No. 4179 GRAND VIEW lode.</p> <p style="text-align: center;">Thence N. 85° 50' 30" W.</p>	

FEET	
860	Unimproved dirt road, bears N. 60° W. and S. 60° E.
950	Unimproved dirt road, bears N. 74° E. and S. 74° W.
1,463.97	Intersect line 4-1 Siskon No. 39 lode, common with line 1-2 Siskon No. 38 lode, both of this survey.
1,481.76	<p>Cor. No. 2.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound-concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 2 U.S.M.S. 4727; from which</p> <p>A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 2° 59' E.</p>
24.82	Intersect line 4-1 Siskon No. 38 lode, common with line 1-2 Siskon No. 37 lode, both of this survey.
264.31	Lode line; discovery point bears S. 85° 14' 10" E., 1,252.15 ft. dist.
315.95	Intersect line 1-2 Siskon No. 36 lode of this survey.
341.62	Intersect line 4-1 Siskon No. 37 lode of this survey.
562.43	<p>Cor. No. 3.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 3-U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 84° 28' 50" E.</p>
85.08	Intersect line 1-2 VENUS lode of this survey.
636.36	Intersect line 4-1 VENUS lode of this survey.
726.60	Intersect line 2-3 Granite Hill lode of this survey.

FEET	
1,355.32	Intersect line 4-1 Granite Hill lode common with line 2-3 American Eagle lode, both of this survey.
1,385	Unimproved dirt road, bears N. 8° W. and S. 8° E.
1,469.07	Intersect line 4-1 Siskon No. 36 lode of this survey.
1,482.90	Cor. No. 4 and on line 2-3 North Star lode of this survey. Set an iron post, ½ in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 2° 59' W.
20	Unimproved dirt road, bears N. 30° E. and S. 30° W.
40.39	Intersect line 1-2 American Eagle lode of this survey.
258.18	Cor. No. 1 Siskon No. 36 lode of this survey.
278.55	Lode line; discovery point bears N. 85° 14' 10" W., 230.0 ft. dist.
394.23	Intersect line 1-2 Siskon No. 39 lode of this survey.
527.20	Cor. No. 1, and place of beginning.
<p>Siskon No. 36 LODE</p> <p>At Cor. No. 1 of the Siskon No. 36 lode and on line 4-1 AURORA lode, identical with line 2-3 North Star lode, both of this survey.</p> <p>Set an iron post, ½ in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 36 1 U.S.M.S. 4727; from which</p> <p>The ¼ cor. of secs. 11 and 14 bears S. 83° 10' 10" E., 1,143.07 ft. dist.; previously described.</p>	

FEET	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 84° 01' 45" W.</p>
1,482.11	Intersect line 4-1 Siskon No. 37 lode of this survey.
1,483.46	Intersect line 2-3 AURORA lode of this survey.
1,483.47	Cor. No. 2
	<p>Set an iron post, ½ in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 36 2 U.S.M.S. 4727; from which</p> <p>A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 04' 20" W.</p>
300.0	Lode line; discovery point bears S. 83° 54' 40" E., 50.0 ft. dist.
308.74	Intersect line 3-4 Siskon No. 37 lode, identical with line 1-2 Siskon No. 35 lode, both of this survey.
599.49	Intersect line 1-2 VENUS lode of this survey.
599.85	Cor. No. 3.
	<p>Set an iron post, ½ in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 36 3 U.S.M.S. 4727; from which</p> <p>A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 83° 45' 35" E.</p>
2.12	Intersect line 4-1 Siskon No. 35 lode of this survey.
644.54	Intersect line 3-4 VENUS lode, common with line 2-3 Granite Hill lode, both of this survey.
1,276.30	Intersect line 4-1 Granite Hill lode, identical with line 2-3 American Eagle lode, both of this survey.
1,484.22	Cor. No. 4.

FEET		
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 36 4 U. S. M. S. 4727; from which</p> <p>A mound of stones sets adjacent to the iron post.</p> <p>Thence S. 0° 04' 20" E.</p>	
295.90	Lode line; discovery point bears N. 83° 54' 40" W., 1,433.81 ft. dist.	
333.67	Intersect line 3-4 AURORA lode of this survey.	
381.67	Intersect line 1-2 American Eagle lode of this survey.	
385	Unimproved dirt road, bears N. 30° E. and S. 35° W.	
592.83	Cor. No. 1, and place of beginning.	
American Eagle LODE		
At Cor. No. 1 of the American Eagle Lode.		
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X A. E. 1 U. S. M. S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 14 bears S. 5° 14' 40" W., 1,022.27 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 61° 22' 25" W.</p>	
66.70	Intersect line 3-4 Fraction lode of this survey.	
474.59	Intersect line 1-2 Moose #4 lode of this survey.	
635	Unimproved dirt road, bears S. 65° E. and N. 70° W.	
1,229.77	Intersect line 3-4 North Star lode of this survey.	
1,232.22	Intersect line 1-2 Fraction lode of this survey.	
1,260	Unimproved dirt road, bears S. 40° E. and N. 40° W.	

(This form bound on left side)

FEET	
1,386.64	Intersect line 2-3 North Star lode identical with line 4-1 AURORA lode, both of this survey.
1,399.86	Intersect line 4-1 Siskon No. 36 lode of this survey.
1,405	Unimproved dirt road, bears N. 30° E. and S. 35° W.
1,475	Unimproved dirt road, bears N. 40° W. and S. 70° E.
1,496.36	<p>Cor. No. 2.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. E. 2 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 15° 12' 30" W.</p>
86.89	Cor. No. 1 Granite Hill lode of this survey.
108.98	Intersect line 3-4 AURORA lode of this survey.
300.0	Lode line; discovery point bears N. 61° 22' 25" E., 450.0 ft. dist.
466.85	Intersect line 3-4 Siskon No. 36 lode of this survey.
600.0	<p>Cor. No. 3, identical with Cor. No. 2 of the Velasquez lode and on line 4-1 Granite Hill lode, both of this survey.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground with a brass cap, 2 ins. diam., firmly secured to the iron post mkd. X A. E. 3 V. 2 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 61° 22' 25" E.</p>
305	Unimproved road, bears N. 80° W. and S. 80° E.
345	Unimproved road, bears N. 10° W. and S. 20° W.

FEET	
570.	Unimproved road, bears N. 5° W. and S. 20° W.
876.63	Intersect line 1-2 Velasquez Fraction lode of this survey.
1,140	Unimproved dirt road, bears N. 44° W. and S. 44° E.
1,206.34	Intersect line 1-2 Moose #6 lode of this survey.
1,210.67	Intersect line 4-1 Velasquez Fraction lode of this survey.
1,496.36	<p>Cor. No. 4, identical with Cor. No. 1 of the "Velasquez" lode and Cor. No. 3 of the Copper Ridge lode, both of this survey.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A.E. 4 V. 1 C.R. 3 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 14 bears S. 2° 17' 35" E., 1,598.26 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 15° 12' 30" E.</p>
300.0	Lode line; discovery point bears S. 61° 22' 25" W., 1,046.36 ft. dist.
460	Unimproved road, bears N. 15° E. and S. 15° W.
530	Unimproved road, bears N. 50° W. and S. 60° E.
549.71	Intersect line 4-1 Moose #6 lode identical with line 2-3 Moose #4 lode, both of this survey.
590	Unimproved dirt road, bears S. 80° W. and N. 80° E.
600.0	Cor. No. 1, and place of beginning.
<p><u>"Velasquez" LODE</u></p> <p>Beginning at Cor. No. 1 of the "<u>Velasquez</u>" Lode identical with Cor. No. 4 of the American Eagle lode and Cor. No. 3 of the Copper Ridge lode, both of this survey.</p>	

FEET	
	Thence S. 61° 22' 25" W.
285.69	Intersect line 4-1 Velasquez Fraction lode of this survey.
290.02	Intersect line 1-2 Moose #6 lode of this survey.
356.36	Unimproved dirt road, bears N. 44° W. and S. 44° E.
619.73	Intersect line 1-2 Velasquez Fraction lode of this survey.
926.36	Unimproved road, bears N. 5° W. and S. 20° W.
1,151.36	Unimproved road, bears N. 10° W. and S. 20° W.
1,191.36	Unimproved road, bears N. 80° W. and S. 80° E.
1,496.36	Cor. No. 2, identical with Cor. No. 3 of the American Eagle lode and on line 4-1 Granite Hill lode, both of this survey.
	Thence N. 15° 12' 30" W.
195	Unimproved road, bears S. 50° W. and N. 60° E.
300.0	Lode line; discovery point bears N. 61° 22' 25" E., 746.36 ft. dist.
504.37	Intersect line 1-2 Velascoquez Wedge lode of this survey.
600.0	Cor. No. 3 and on line 4-1 Granite Hill lode of this survey.
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. 3 U.S.M.S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 61° 22' 25" E.
398	Unimproved road, bears N. 40° W. and S. 30° E.
592.87	Intersect line 1-2 " <u>Kimbro Eastern</u> " lode of this survey.

FEET	
610.42	Intersect line 3-4 Velascoquez Wedge lode of this survey.
810.87	Intersect line 2-3 Velasquez Fraction lode of this survey.
882.48	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
1,390.06	Intersect line 3-4 Moose #8 lode of this survey.
1,495.38	Intersect line 3-4 Copper Ridge lode of this survey.
1,496.36	Cor. No. 4. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 15° 12' 30" E.
127.7	Intersect line 4-1 Velasquez Fraction lode of this survey.
300.0	Lode line; discovery point bears S. 61° 22' 25" W., 750.0 ft. dist.
518.6	Intersect line 2-3 Moose #6 lode, identical with line 2-3 Moose #8 lode, both of this survey.
600.0	Cor. No. 1, and place of beginning.
Granite Hill LODE	
At Cor. No. 1 of the Granite Hill lode and on line 2-3 American Eagle lode of this survey. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X G.H. 1 U.S.M.S. 4727; from which The 1/4 cor. of secs. 11 and 14 bears S. 72° 47' 50" E., 1,300.90 ft. dist.; previously described. A mound of stones sets adjacent to the iron post.	

(This form bound on left side)

FEET	
	Thence S. 85° 57' W.
300.0	Lode line; discovery point bears N. 15° 12' 30" W., 750.0 ft. dist.
600.0	Cor. No. 2. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X G. H. 1 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence N. 15° 12' 30" W.
128.74	Intersect line 3-4 AURORA lode of this survey.
160.0	Cor. No. 4 VENUS lode of this survey.
494.48	Intersect line 3-4 Siskon No. 36 lode of this survey.
1,492.46	Intersect line 1-2 Velascoquez Wedge lode of this survey.
1,500.0	Cor. No. 3 and on line 3-4 VENUS lode of this survey. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X G. H. 3 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence N. 85° 57' E.
300.0	Lode line; discovery point bears S. 15° 12' 30" E., 750.0 ft. dist.
600.0	Cor. No. 4. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X G. H. 4 U. S. M. S. 4727; from which A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 15° 12' 30" E.

FEET	
386.89	Cor. No. 3 " <u>Velasquez</u> " lode of this survey.
482.52	Intersect line 1-2 Velascoquez Wedge lode of this survey.
791.89	Unimproved road, bears N. 60° E. and S. 50° W.
986.89	Cor. No. 2 " <u>Velasquez</u> " lode, identical with Cor. No. 3 American Eagle lode, both of this survey.
1,120.04	Intersect line 3-4 Siskon No. 36 lode of this survey.
1,477.91	Intersect line 3-4 AURORA lode of this survey.
1,500.0	Cor. No. 1, and place of beginning.
<p>Velascoquez Wedge LODGE</p> <p>At Cor. No. 1 of the Velascoquez Wedge Lode.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. W. 1 U. S. M. S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 14 bears S. 43° 37' 05" E., 1,518.57 ft. dist., previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 60° 05' 25" W.</p>	
70	Unimproved road, bears N. 40° W. and S. 35° E.
534.82	Intersect line 2-3 " <u>Velasquez</u> " lode, common with line 4-1 Granite Hill lode, both of this survey.
1,369.38	Intersect line 2-3 Granite Hill lode, common with line 3-4 VENUS lode, both of this survey.
1,468.57	Cor. No. 2.
<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mks. X V. W. 2 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	

FEET	
	Thence N. 18° 17' E.
95.12	Intersect line 3-4 ANGUSTO lode of this survey.
116.62	Intersect line 2-3 VENUS lode of this survey.
300.0	Lode line; discovery point bears S. 60° 04' 50" E., 500.0 ft. dist.
367.68	Intersect line 2-3 Sur. No. 3263 LONGSTREET lode at a point from which Cor. No. 3 bears N. 76° 51' 55" E., 296.87 ft. dist.
378.79	Intersect line 2-3 ANGUSTO lode of this survey.
420.	Unimproved road, bears S. 75° W. and N. 65° E.
578	Center of Copper Creek, 30 ft. wide, course S. 80° W.
600.0	Cor. No. 3. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. W. 3 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Cor. No. 3 Sur. No. 3263 Longstreet lode bears S. 54° 39' 08" E., 265.25 ft. dist. Thence S. 60° 04' 50" E.
20	Center of Copper Creek, 30 ft. wide, course S. 75° W.
80	Unimproved road, bears S. 40° W. and N. 40° E.
261.72	Intersect line 2-3 "Kimbrow" lode of this survey.
262.21	Intersect line 3-4 Sur. No. 3263 LONGSTREET lode at a point from which Cor. No. 3 bears S. 25° 42' 15" W., 25.16 ft. dist.
863.64	Intersect line 4-1 "Kimbrow" lode, identical with line 2-3 " <u>Kimbrow Eastern</u> " lode, both of this survey.
1,190	Unimproved road, bears S. 85° W. and N. 80° E.
1,305.54	Intersect line 3-4 " <u>Velasquez</u> " lode of this survey.

FEET	
1,465.57	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
1,466.61	Intersect line 2-3 Velasquez Fraction lode of this survey.
1,468.62	Cor. No. 4. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. W. 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 18° 17' W.
15.97	Intersect line 2-3 Velasquez Fraction lode of this survey.
300.0	Lode line; discovery point bears N. 60° 04' 50" W., 968.62 ft. dist.
512	Unimproved road bears N. 86° W. and S. 86° E.
599.76	Cor. No. 1, and place of beginning.
"Kimbro" LODGE	
	At Cor. No. 1 of the "Kimbro" lode, identical with Cor. No. 2 of the " <u>Kimbro Eastern</u> " lode of this survey. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K. 1 K. E. 2 U.S.M.S. 4727; from which The 1/4 cor. of secs. 11 and 14 bears S. 36° 06' 15" E., 2,382.11 ft. dist.; previously described. A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence N. 65° 07' 05" W.
300.0	Lode line; discovery point bears N. 25° 18' 43" E., 750.0 ft. dist.
600.0	Cor. No. 2.

(This form bound on left side)

FEET	
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K. 2 U. S. M. S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 3263 LONGSTREET lode bears N. 25° 26' 06" E., 80.15 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 25° 18' 43" E.</p>
80.01	Intersect line 2-3 Sur. No. 3263 LONGSTREET lode at a point from which Cor. No. 3 bears N. 76° 51' 55" E., 0.22 ft. dist.
105.81	Intersect line 3-4 Velascoquez Wedge lode of this survey.
280.0	Unimproved road, bears N. 75° W. and S. 70° E.
300.	Center of Copper Creek, 30 ft. wide, course N. 75° W.
846.30	Intersect line 4-1 Sur. No. 3263 LONGSTREET lode, identical with line 2-3 ALDWINKLE lode of the same survey, at a point from which Cor. No. 4 of the LONGSTREET lode, identical with Cor. No. 3 of the ALDWINKLE lode, bears N. 76° 47' E., 6.76 ft. dist.
1,322.13	Intersect line 3-4 Paloma Fraction lode of this survey.
1,487.55	Intersect line 3-4 Paloma lode of this survey.
1,490.66	<p>Cor. No. 3.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K. 3 U. S. M. S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 3263 ALDWINKLE lode bears N. 29° 32' E., 130.54 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 65° 07' 05" E.</p>

FEET	
8.88	Intersect line 3-4 Sur. No. 3263 ALDWINKLE lode at a point from which Cor. No. 3, identical with Cor. No. 4 LONGSTREET lode of the same survey bears S. 25° 38' W., 640.23 ft. dist.
300.0	Lode line; discovery point bears S. 25° 18' 43" W., 740.66 ft. dist.
563.32	Cor. No. 3 Paloma lode of this survey and point for witness Cor. No. 4 "Kimbro" lode, identical with Cor. No. 3 of the " <u>Kimbro Eastern</u> " lode of this survey. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K. 4 W.C. K.E. 3 W.C. P. 3 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
600.0	Cor. No. 4, identical with Cor. No. 3 of the " <u>Kimbro Eastern</u> " lode of this survey. This corner falls on a loose talus slope where a permanent monument cannot be established. Thence S. 25° 18' 43" W.
154.90	Intersect line 3-4 Paloma Fraction lode of this survey.
230.0	Center of Copper Creek, 40 ft. wide, course West.
400.0	Unimproved road, bears N. 35° W. and South.
1,437.71	Intersect line 3-4 Velasquez Wedge lode of this survey.
1,490.66	Cor. No. 1, and place of beginning.
	<u>"Kimbro Eastern"</u> LODE At Cor. No. 1 of the " <u>Kimbro Eastern</u> " lode. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K.E. 1 U. S. M. S. 4727; from which

(This form bound on left side)

FEET	
	<p>The 1/4 cor. of secs. 11 and 14 bears S. 27° 13' 15" E., 1,879.53 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 65° 07' 05" W.</p>
170.48	Intersect line 3-4 " <u>Velasquez</u> " lode of this survey.
300.0	Lode line; discovery point bears N. 25° 18' 43" E., 750.0 ft. dist. and unimproved road bears N. 85° E. and West.
600.0	Cor. No. 2, identical with Cor. No. 1 of the "Kimbrow" lode of this survey.
	Thence N. 25° 18' 43" E.
52.95	Intersect line 3-4 Velascoquez Wedge lode of this survey.
1,090.66	Unimproved road, bears N. 35° W. and South.
1,260.66	Center of Copper Creek, 40 ft. wide, course West.
1,335.76	Intersect line 3-4 Paloma Fraction lode of this survey.
1,490.66	Cor. No. 3, identical with Cor. No. 4 of the "Kimbrow" lode of this survey.
	Thence S. 65° 07' 05" E.
300.0	Lode line, discovery point bears S. 25° 18' 43" W., 740.66 ft. dist.
308.94	Intersect line 3-4 Minnesota lode of this survey.
334.56	Intersect line 2-3 Paloma Fraction lode of this survey.
600.0	Cor. No. 4.
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X K. E. 4 U. S. M. S. 4727; from which</p> <p>A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 25° 18' 43" W.</p>
279.41	Intersect line 2-3 Minnesota lode, identical with line 3-4 Copper Cliff lode, both of this survey.

FEET	
295.33	Intersect line 3-4 Velasquez Fraction lode of this survey.
341.62	Intersect line 2-3 Copper Cliff lode of this survey.
540	Unimproved road, bears N. 60° E. and S. 65° W.
620	Unimproved road, bears N. 60° W. and S. 20° E.
625	Center of Copper Creek, 30 ft. wide, course S. 75° W.
695	Unimproved road, bears N. 50° E. and S. 55° W.
1,257.82	Intersect line 3-4 " <u>Velasquez</u> " lode of this survey.
1,486.44	Intersect line 2-3 Velasquez Fraction lode of this survey.
1,490.56	Intersect line 3-4 Velascoquez Wedge lode of this survey.
1,490.66	Cor. No. 1, and place of beginning.

Velasquez Fraction LODE

At Cor. No. 1 of the Velasquez Fraction lode.

Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. F. 1 U. S. M. S. 4727; from which

The 1/4 cor. of secs. 11 and 14 bears S. 15° 06' 55" E., 1,343.44 ft. dist.; previously described.

A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.

Thence N. 89° 21' 06" W.

258.34	Intersect line 3-4 American Eagle lode, identical with line 1-2 " <u>Velasquez</u> " lode, both of this survey.
295.32	Lode line; discovery point bears N. 11° 54' 22" E., 983.98 ft. dist.
583.56	Cor. No. 2.

FEET	
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. F. 2 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 11° 26' 35" E.</p>
358.15	Intersect line 4-1 Velascoquez Wedge lode of this survey.
374.64	Intersect line 3-4 Velascoquez Wedge lode of this survey.
378.97	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
554.82	Intersect line 3-4 " <u>Velasquez</u> " lode of this survey.
1,055	Unimproved road, bears N. 85° E. and N. 85° W.
1,135	Center of Copper Creek, 40 ft. wide, course West.
1,230	Unimproved road, bears N. 50° W. and S. 55° E.
1,280	Unimproved road, bears N. 80° W. and S. 60° E.
1,480.92	Cor. No. 3.
	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. F. 3 U. S. M. S. 4727; from which</p> <p>A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 21' 06" E.</p>
259.31	Intersect line 2-3 Copper Cliff lode of this survey.
290.65	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
300.0	Lode line; discovery point bears S. 11° 54' 22" W., 500.0 ft. dist.

FEET	
310	Unimproved road, bears N. 13° E. and S. 13° W.
336.60	Point for witness Cor. No. 4. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X V. F. 4 W. C. U. S. M. S. 4727; from which A mound of stones sets adjacent to the iron post.
500	Center of Copper Creek, 150 ft. wide, course S. 45° W.
600.0	Cor. No. 4. This cor. falls in Copper Creek where a monument would be obliterated. Thence S. 12° 05' W.
481.06	Intersect line 4-1 Moose #8 lode of this survey.
565.71	Intersect line 1-2 Copper Cliff lode, identical with line 4-1 Copper Ridge lode, both of this survey.
711.92	Intersect line 4-1 " <u>Velasquez</u> " lode of this survey.
713.55	Intersect line 3-4 Copper Ridge lode of this survey.
1,087.68	Intersect line 2-3 Moose #8 lode, identical with line 2-3 Moose #6 lode, both of this survey.
1,318.25	Intersect line 1-2 " <u>Velasquez</u> " lode, identical with line 3-4 American Eagle lode, both of this survey.
1,336.72	Intersect line 1-2 Moose #6 lode of this survey.
1,390	Unimproved dirt road, bears N. 48° W. and S. 50° E.
1,484.90	Cor. No. 1, and place of beginning.
MARS LODGE	
At Cor. No. 1 of the MARS Lode and on line 4-1 North Star lode of this survey.	

(This form bound on left side)

FEET	
776.93	<p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 14 bears S. 73° 24' 25" W., 381.10 ft. dist.; previously described,</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 87° 38' E.</p>
1,489.62	<p>Intersect line 3-4 Moose #2 lode, identical with line 3-4 Copper Trail #3 lode, both of this survey.</p> <p>Cor. No. 2.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 2 U.S.M.S. 4727, from which</p> <p>Cor. No. 4 Sur. No. 4179 VULCAN lode bears S. 57° 30' 20" W., 358.39 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 2° 59' W.</p>
202.41	<p>Intersect line 4-1 Sur. No. 4179 VULCAN lode at a point from which Cor. No. 4 bears N. 88° 06' 55" W., 291.91 ft. dist.</p>
224.72	<p>Intersect line 2-3 Copper Trail #3 lode of this survey.</p>
290.68	<p>Lode line; discovery point bears N. 87° 34' 40" W., 889.60 ft. dist.</p>
577.55	<p>Cor. No. 3.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 87° 06' 30" W.</p>

SURVEY NO. 4727

FEET	
298.39	Intersect line 3-4 Sur. No. 4179 VULCAN lode, common with line 2-3 GOLDEN SPUR lode of the same survey, at a point from which Cor. No. 4 of the VULCAN lode bears N. 2° 13' E., 22.08 ft. dist.; thence N. 4° 06' 30" E., 348.01 ft. dist. and Cor. No. 2 of the GOLDEN SPUR lode bears N. 2° 13' E., 22.08 ft. dist.
885.12	Intersect line 4-1 Sur. No. 4179 GOLDEN SPUR lode, common with line 2-3 SILVER SADDLE lode of the same survey at a point from which Cor. No. 1 of the GOLDEN SPUR lode bears N. 2° 13' E., 28.64 ft. dist. and Cor. No. 2 of the SILVER SADDLE lode bears N. 2° 13' E., 28.64 ft. dist.; thence N. 2° 15' 50" E., 242.13 ft. dist.
1,486.0	Intersect line 4-1 Sur. No. 4179 SILVER SADDLE lode, identical with line 1-2 GRAND VIEW lode of the same survey, at a point from which Cor. No. 1 of the SILVER SADDLE lode, identical with Cor. No. 1 of the GRAND VIEW lode, bears N. 2° 13' E., 263.47 ft. dist.
1,489.53	<p>Cor. No. 4</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 2 Sur. No. 4179 SILVER SADDLE lode bears N. 68° 39' 20" E., 659.55 ft. dist.</p> <p>Cor. No. 1 Sur. No. 4179 GOLDEN SPUR lode bears S. 89° 49' 15" E., 604.75 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 2° 59' E.</p>
263.45	Cor. No. 1 North Star lode of this survey, identical with Cor. No. 1 Sur. No. 4179 GRAND VIEW lode and Cor. No. 1 SILVER SADDLE lode of the same survey.
274.64	Lode line; discovery point bears S. 87° 34' 40" E., 600.0 ft. dist.
312.93	Intersect line 4-1 Moose #2 lode of this survey.

(This form bound on left side)

FEET	Cor. No. 1, and place of beginning.
563.85	Cor. No. 1, and place of beginning.
	Moose #6 LODE
	At Cor. No. 1 of the Moose #6 lode, identical with Cor. No. 2 of the Moose #4 lode of this survey.
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 6 1 M. 4 2 U.S.M.S. 4727; from which
	The 1/4 cor. of secs. 11 and 14 bears S. 15° 33' 59" E., 1,129.87 ft. dist.; previously described.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 0° 12' 15" E.
300.0	Lode line; discovery point bears S. 86° 49' 29" E., 1,433.48 ft. dist., and unimproved dirt road, bears N. 50° W. and S. 55° E.
353.33	Intersect line 4-1 Velasquez Fraction lode of this survey.
369.32	Intersect line 3-4 American Eagle lode, identical with line 1-2 " <u>Velasquez</u> " lode, both of this survey.
599.70	Cor. No. 2, identical with Cor. No. 3 Moose #8 lode of this survey.
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 6 2 M. 8 3 U.S.M.S. 4727; from which
	A mound of stones sets adjacent to the iron post.
	Thence S. 86° 49' 37" E.
51.33	Intersect line 4-1 Velasquez Fraction lode of this survey.
232.62	Intersect line 3-4 Copper Ridge lode of this survey.

FEET	
232.75	Intersect line 4-1 " <u>Velasquez</u> " lode of this survey.
467.87	Intersect line 2-3 Copper Ridge lode of this survey.
1,483.46	<p>Cor. No. 3, identical with Cor. No. 2 of the Moose #8 lode, Cor. No. 4 of the Copper Trail #1 lode and Cor. No. 2 of the Copper Trail No. 4 lode, all of this survey.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 6 3 M. 8 2 C. T. I 4 C. T. 4 2 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 12' 15" W.</p>
299.75	Lode line; discovery point bears N. 86° 49' 29" W., 50.0 ft. dist.
599.75	<p>Cor. No. 4, identical with Cor. No. 3 of the Moose #4 lode, Cor. No. 3 of the Copper Trail #1 lode and Cor. No. 3 of the Copper Trail #2 lode, all of this survey.</p> <p>Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 6 4 M. 4 3 C. T. 1 3 C. T. 2 3 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 86° 49' 29" W.</p>
550.0	Unimproved dirt road, bears N. 34° W. and S. 34° E.
1,030.0	Unimproved dirt road, bears N. 60° W. and S. 60° E.
1,082.77	Intersect line 4-1 American Eagle lode of this survey.
1,260.	Unimproved dirt road, bears N. 10° E. and S. 10° E.
1,483.48	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET

Moose #4 LODE

At Cor. No. 1 of the Moose #4 lode, identical with Cor. No. 2 of the Moose #2 lode of this survey.

Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X M. 4 1 M. 2 2 U. S. M. S. 4727; from which

The 1/4 cor. of secs. 11 and 14 bears S. 33° 43' 04" E., 588.11 ft. dist.; previously described.

A wood post, 2 x 2 ins., 4 ft. long, stands adjacent to the iron post.

Thence N. 0° 37' 55" E.

125. Unimproved dirt road, bears East and N. 60° W.
- 299.70 Lode line; discovery point bears S. 86° 49' 29" E., 1433.48 ft. dist.
- 301.58 Intersect line 1-2 American Eagle lode of this survey.
- 508.65 Intersect line 3-4 Fraction lode of this survey.
- 599.70 Cor. No. 2, identical with Cor. No. 1 of the Moose #6 lode of this survey.
- Thence S. 86° 49' 29" E.
- 223.48 Unimproved dirt road, bears N. 10° E. and S. 10° E.
- 400.71 Intersect line 4-1 American Eagle lode of this survey.
- 453.48 Unimproved road, bears N. 60° W. and S. 60° E.
- 933.48 Unimproved road, bears N. 34° W. and S. 34° E.
- 1,483.48 Cor. No. 3, identical with Cor. No. 4 of the Moose #6 lode, Cor. No. 3 of the Copper Trail #1 lode and Cor. No. 3 of the Copper Trail #2 lode, all of this survey.
- Thence S. 0° 37' 55" W.
245. Unimproved dirt road, bears S. 65° E. and N. 80° W.

FEET		
300.0	Lode line; discovery point bears N. 86° 49' 29" W., 50.0 ft. dist.	
583.93	Cor. No. 4, identical with Cor. No. 3 of the Moose #2 lode, Cor. No. 2 of the Copper Trail #2 lode and Cor. No. 4 of the Copper Trail #3 lode, all of this survey.	
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 4 4 M. 2 3 C. T. 2 2 C. T. 3 4 U. S. M. S. 4727; from which	
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
	Thence N. 87° 26' 02" W.	
505	Unimproved dirt road, bears N. 30° E. and S. 30° W.	
772.31	Intersect line 4-1 Fraction lode of this survey.	
1,392.87	Unimproved dirt road, bears N. 15° E. and S. 15° W.	
1,482.87	Cor. No. 1, and place of beginning.	
Moose #2 LODE		
At Cor. No. 1 of the Moose #2 lode.		
	Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 2 1 U. S. M. S. 4727; from which	
	The 1/4 cor. of secs. 11 and 14 bears N. 72° 31' 45" E., 366.63 ft. dist.; previously described.	
	A mound of stones sets adjacent to the iron post.	
	Thence N. 2° 13' 20" E.	
70	Unimproved road, bears N. 10° E. and S. 30° W.	
125	Unimproved road, bears N. 40° W. and S. 5° E.	

(This form bound on left side)

FEET	
300.0	Lode line; discovery point bears S. 87° 25' 35" E., 1,432.86 ft. dist.
519.50	Intersect line 1-2 Fraction lode of this survey.
520.14	Intersect line 3-4 North Star lode of this survey.
552	Unimproved road, bears N. 70° W. and S. 70° E.
599.70	Cor. No. 2, identical with Cor. No. 1 of the Moose #4 lode of this survey. Thence S. 87° 26' 02" E.
90	Unimproved road, bears N. 15° E. and S. 15° W.
710.56	Intersect line 4-1 Fraction lode of this survey.
977.87	Unimproved dirt road, bears N. 30° E. and S. 30° W.
1,482.87	Cor. No. 3, identical with Cor. No. 4 of the Moose #4 lode, Cor. No. 2 of the Copper Trail #2 lode and Cor. No. 4 of the Copper Trail #3 lode, all of this survey. Thence S. 2° 13' 20" W.
299.89	Lode line; discovery point bears N. 87° 25' 35" W., 50.0 ft. dist.
346.16	Intersect line 1-2 MARS lode of this survey.
599.89	Cor. No. 4, identical with Cor. No. 3 of the Copper Trail #3 lode of this survey. Set an iron post, 1/2 in. diam., 18 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 2 4 C. T. 3 3 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence N. 87° 25' 35" W.
780.28	Intersect line 4-1 MARS lode, common with line 4-1 North Star lode, both of this survey.
1,225	Unimproved dirt road, bears N. 40° E. and S. 40° W.

FEET	
1,290	Unimproved dirt road, bears North and S. 5° W.
1,482.86	Cor. No. 1, and place of beginning.
	Moose #8 LODE
	At Cor. No. 1 of the Moose #8 lode, identical with Cor. No. 3 of the Albatross No. 17 lode and Cor. No. 3 of the Copper Trail No. 4 lode, all of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 8 1 A. 17 3 C. T. 4 3 U. S. M. S. 4727; from which
	The 1/4 cor. of secs. 11 and 12, T. 8 S., R. 18 E., G. & S. R. M., bears N. 73° 29' 08" E., 1,522.99 ft. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence S. 0° 24' W.
231.34	Intersect line 2-3 Copper Ridge lode of this survey.
299.75	Lode line; discovery point bears N. 86° 49' 37" W., 50.0 ft. dist.
599.75	Cor. No. 2, identical with Cor. No. 3 of the Moose #6 lode, Cor. No. 4 of the Copper Trail #1 lode and Cor. No. 2 of the Copper Trail No. 4 lode, all of this survey.
	Thence N. 86° 49' 37" W.
1,015.59	Intersect line 2-3 Copper Ridge lode of this survey.
1,250.71	Intersect line 4-1 " <u>Velasquez</u> " lode of this survey.
1,250.84	Intersect line 3-4 Copper Ridge lode of this survey.
1,432.13	Intersect line 4-1 Velasquez Fraction lode of this survey.
1,483.46	Cor. No. 3, identical with Cor. No. 2 of the Moose #6 lode of this survey.

(This form bound on left side)

FEET	
	Thence N. 0° 24' E.
300.0	Lode line; discovery point bears S. 86° 49' 37" E., 1,433.46 ft. dist.
436.63	Intersect line 3-4 " <u>Velasquez</u> " lode of this survey.
599.70	Cor. No. 4. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 8 4 U.S.M.S. 4727; from which A rock cairn sets adjacent to the iron post. Thence S. 86° 49' 42" E.
61.52	Intersect line 2-3 Copper Cliff lode of this survey.
174.26	Intersect line 4-1 Velasquez Fraction lode of this survey.
387.93	Intersect line 1-2 Copper Cliff lode, identical with line 4-1 Copper Ridge lode, both of this survey.
1,483.47	Cor. No. 1, and place of beginning.
	Copper Ridge LODE
	At Cor. No. 1 of the Copper Ridge lode, identical with Cor. No. 1 of the Copper Cliff lode and on line 2-3 Redondo lode, both of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X. C.R. 1 C.C. 1 U.S.M.S. 4727; from which The 1/4 cor. of secs. 11 and 12 bears N. 88° 58' 45" E., 1,424.47 ft. dist.; previously described. A rock cairn sets adjacent to the iron post. Thence S. 15° 18' E.
300.0	Lode line; discovery point bears S. 72° 55' 45" W., 700 ft. dist.

FEET	
422.57	Intersect line 2-3 Albatross No. 17 lode, identical with line 3-4 Copper Trail No. 4 lode, both of this survey.
513	Unimproved dirt road, bears N. 62° W. and S. 62° E.
600.0	Cor. No. 2, identical with Cor. No. 2 of the Redondo lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. R. 2 R. 2 U. S. M. S. 4727; from which A rock cairn sets adjacent to the iron post. Thence S. 72° 55' 45" W.
204.83	Intersect line 2-3 Copper Trail No. 4 lode, identical with line 1-2 Moose #8 lode, both of this survey.
1,268.36	Intersect line 2-3 Moose #8 lode, identical with line 2-3 Moose #6 lode, both of this survey.
1,491.60	Cor. No. 3, identical with Cor. No. 1 " <u>Velasquez</u> " lode and Cor. No. 4 American Eagle lode, both of this survey. Thence N. 15° 18' W.
81.44	Intersect line 2-3 Moose #6 lode, identical with line 2-3 Moose #8 lode, both of this survey.
300.0	Lode line; discovery point bears N. 72° 55' 45" E., 791.60 ft. dist.
470.83	Intersect line 4-1 Velasquez Fraction lode of this survey.
599.77	Intersect line 3-4 <u>Velasquez</u> " lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Copper Cliff lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. R. 4 C. C. 2 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

(This form bound on left side)

FEET	
	Thence N. 72° 55' 45" E.
68.03	Intersect line 4-1 Velasquez Fraction lode of this survey.
309.74	Intersect line 4-1 Moose #8 lode of this survey.
980	Unimproved dirt road, bears N. 64° W. and S. 64° E.
1,456.92	Intersect line 3-4 Albatross No. 17 lode of this survey.
1,491.60	Cor. No. 1, and place of beginning.
Copper Cliff LODE	
Beginning at Cor. No. 1 of the Copper Cliff lode, identical with Cor. No. 1 of the Copper Ridge lode and on line 2-3 Redondo lode, both of this survey.	
Thence S. 72° 55' 45" W.	
34.68	Intersect line 3-4 Albatross No. 17 lode of this survey.
511.6	Unimproved dirt road, bears N. 64° W. and S. 64° E.
1,181.86	Intersect line 4-1 Moose #8 lode of this survey.
1,423.57	Intersect line 4-1 Velasquez Fraction lode of this survey.
1,491.60	Cor. No. 2, identical with Cor. No. 4 of the Copper Ridge lode of this survey.
Thence N. 15° 18' W.	
112.99	Intersect line 4-1 Moose #8 lode of this survey.
300.0	Lode line; discovery point bears N. 72° 55' 45" E., 1,091.60 ft. dist.
380	Center of Copper Creek, 100 ft. wide, course S. 55° W.
510	Unimproved dirt road, bears N. 25° E. and S. 25° W.
554.03	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.

597.77	Intersect line 3-4 Velasquez Fraction lode of this survey.
600.0	<p>Cor. No. 3, identical with Cor. No. 3 of the Minnesota lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.C. 3 M. 3 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 72° 55' 45" E.</p>
40.51	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
70	Unimproved dirt road, bears N. 50° E. and S. 20° W.
375	Center of Copper Creek, 225 ft. wide, course S. 60° W.
1,221	Unimproved dirt road, bears N. 34° E. and S. 34° W.
1,340	Unimproved dirt road, bears N. 46° W. and S. 46° E.
1,491	Center of Copper Creek, 225 ft. wide, course N. 70° W.
1,491.60	<p>Cor. No. 4, identical with Cor. No. 2 of the Minnesota lode and on line 2-3 Redondo lode of this survey.</p> <p>This cor. falls in Copper Creek, where a monument would soon be obliterated.</p> <p>Unimproved dirt road, bears N. 70° W. and East.</p> <p>Thence S. 15° 18' E.</p>
83.65	<p>Point for witness Cor. No. 4, identical with Cor. No. 2 of the Minnesota lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.C. 4 W.C. M. 2 W.C. U.S.M.S. 4727; from which</p>

(This form bound on left side)

FEET	
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
100	Unimproved dirt road, bears N. 42° E. and S. 42° W.
300.0	Lode line; discovery point bears S. 72° 55' 45" W., 400.0 ft. dist.
477.74	Intersect line 3-4 Albatross No. 17 lode of this survey.
600.0	Cor. No. 1, and place of beginning.
Minnesota LODE	
	At Cor. No. 1 of the Minnesota lode, identical with Cor. No. 1 of the Whippoorwill lode and on line 3-4 Hercules lode, both of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 W. 1 U.S.M.S. 4727; from which
	The 1/4 cor. of secs. 11 and 12 bears S. 56° 57' 50" E., 2,076.61 ft. dist.; previously described.
	A rock cairn sets adjacent to the iron post.
	Thence S. 15° 18' E.
300.0	Cor. No. 3 Hercules lode, identical with Cor. No. 3 Redondo lode, both of this survey and lode line; discovery point bears S. 72° 55' 45" W., 1,191.60 ft. dist.
600.0	Cor. No. 2, identical with Cor. No. 4 of the Copper Cliff lode and on line 2-3 Redondo lode, all of this survey.
	This cor. falls in Copper Creek where a monument would soon be obliterated.
	Unimproved dirt road, bears N. 70° W. and East.
	Thence S. 72° 55' 45" W.
0.60	Center of Copper Creek, 225 ft. wide, course N. 70° W.
151.6	Unimproved dirt road, bears N. 46° W. and S. 46° E.

FEET	
270.6	Unimproved dirt road, bears N. 34° E. and S. 34° W.
1,116.6	Center of Copper Creek, 225 ft. wide, course S. 60° W.
1,421.6	Unimproved dirt road, bears N. 50° E. and S. 20° W.
1,451.09	Intersect line 4-1 " <u>Kimbro Eastern</u> " lode of this survey.
1,491.60	Cor. No. 3, identical with Cor. No. 3 of the Copper Cliff lode of this survey. Thence N. 15° 18' W.
300.0	Lode line; discovery point bears N. 72° 55' 45" E., 300.0 ft. dist.
361.01	Intersect line 2-3 Paloma Fraction lode of this survey.
401.16	Intersect line 3-4 " <u>Kimbro Eastern</u> " lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Whippoorwill lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 4 W. 2 U.S.M.S. 4727; from which A rock cairn sets adjacent to the iron post. Thence N. 72° 55' 45" E.
203.30	Intersect line 2-3 Paloma Fraction lode of this survey.
1,424	Unimproved dirt road, bears N. 32° W. and S. 32° E.
1,491.60	Cor. No. 1, and place of beginning.
	Whippoorwill LODE Beginning at Cor. No. 1 of the Whippoorwill lode, identical with Cor. No. 1 of the Minnesota lode and on line 3-4 Hercules lode, both of this survey. Thence S. 72° 55' 45" W.

(This form bound on left side)

FEET	
67.6	Unimproved dirt road, bears N. 32° W. and S. 32° E.
1,288.30	Intersect line 2-3 Paloma Fraction lode of this survey.
1,491.60	Cor. No. 2, identical with Cor. No. 4 of the Minnesota lode of this survey.
	Thence N. 15° 18' W.
300.0	Lode line; discovery point bears N. 72° 55' 45" E., 691.6 ft. dist.
300.63	Intersect line 2-3 Paloma lode of this survey.
345.82	Intersect line 1-2 Paloma Fraction lode of this survey.
481.65	Intersect line 2-3 Buzzard No. 4 lode of this survey.
561.76	Intersect line 1-2 Paloma lode of this survey.
600.0	Cor. No. 3.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X W. 3 U.S.M.S. 4727; from which
	A rock cairn sets adjacent to the iron post.
	Thence N. 72° 55' 45" E.
518.05	Intersect line 1-2 Buzzard No. 4 lode, identical with line 4-1 Buzzard No. 5 lode, both of this survey.
970	Unimproved dirt road, bears N. 5° W. and S. 1° E.
1,145.08	Intersect line 2-3 Buzzard No. 5 lode, identical with line 3-4 Buzzard No. 6 lode, both of this survey.
1,491.60	Cor. No. 4 and on line 2-3 Jay Bird lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X W. 4 U.S.M.S. 4727; from which
	A rock cairn sets adjacent to the iron post.
	Thence S. 15° 18' E.

FEET	
300.0	Cor. No. 2 Jay Bird lode, identical with Cor. No. 4 Hercules lode, both of this survey and lode line; discovery point bears S. $72^{\circ} 55' 45''$ W., 800 ft. dist.
573.70	Intersect line 2-3 Buzzard No. 6 lode of this survey.
600.0	Cor. No. 1, and place of beginning.
<p>Redondo LODE</p> <p>At Cor. No. 1 of the Redondo lode.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X R. 1 U. S. M. S. 4727; from which</p> <p>The $1/4$ cor. of secs. 11 and 12 bears N. $58^{\circ} 27' 54''$ E., 813.26 ft. dist., previously described.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Thence S. $72^{\circ} 40'$ W.</p>	
26.20	Intersect line 2-3 Albatross No. 17 lode, identical with Line 3-4 Copper Trail No. 4 lode, both of this survey.
300.0	Lode line; discovery point bears N. $15^{\circ} 18'$ W., 1,200 ft. dist.
335	Unimproved dirt road, bears N. 68° W. and S. 65° E.
600.0	Cor. No. 2, identical with Cor. No. 2 of the Copper Ridge lode of this survey.
<p>Thence N. $15^{\circ} 18'$ W.</p>	
87	Unimproved dirt road, bears N. 62° W. and S. 62° E.
177.43	Intersect line 3-4 Copper Trail No. 4 lode, identical with line 2-3 Albatross No. 17 lode, both of this survey.
600.0	Cor. No. 1 Copper Ridge lode, identical with Cor. No. 1 Copper Cliff lode, both of this survey.
722.26	Intersect line 3-4 Albatross No. 17 lode of this survey.

FEET		
1,100	Unimproved dirt road, bears N. 42° E. and S. 42° W.	
1,116.35	Point for witness Cor. No. 4 Copper Cliff lode, identical with Cor. No. 2 Minnesota lode, both of this survey.	
1,200.0	Cor. No. 4 Copper Cliff lode, identical with Cor. No. 2 of the Minnesota lode, both of this survey. Unimproved dirt road bears N. 70° W. and East.	
1,201	Center of Copper Creek, 225 ft. wide, course N. 70° W.	
1,500.0	<p>Cor. No. 3, identical with Cor. No. 3 of the Hercules lode and on line 1-2 Minnesota lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X R. 3 H. 3 U. S. M. S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 72° 40' E.</p>	
215	Center of Copper Creek, 200 ft. wide, course South.	
300.0	Lode line; discovery point bears S. 15° 18' E., 300 ft. dist.	
385	Center of Copper Creek, 200 ft. wide, course N. 58° W.	
600.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X R. 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 15° 18' E.</p>	
0.96	Cor. No. 3 Lone Trail lode and intersect line 2-3 Hercules lode, both of this survey.	
150	Center of Copper Creek, 150 ft. wide, course N. 88° W.	
600.96	Cor. No. 2 Lone Trail lode, identical with Cor. No. 4 Middle March lode, both of this survey.	
886.00	Intersect line 4-1 Albatross No. 17 lode of this survey.	

FEET	
1,200.96	Cor. No. 3 Middle March lode of this survey.
1,500.0	Cor. No. 1, and place of beginning.
<p>Paloma Fraction LODE</p>	
<p>At Cor. No. 1 of the Paloma Fraction lode.</p>	
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. F. 1 U. S. M. S. 4727; from which</p>	
<p>The cor. of secs. 2, 3, 10 and 11, T. 8 S., R. 18 E., G. & S. R. M., bears N. 40° 28' 52" W., 1,563.95 ft. dist., an iron post 2 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed as described in the official record.</p>	
<p>A rock cairn sets adjacent to the iron post.</p>	
<p>Thence S. 65° 26' 40" E.</p>	
209.24	Intersect line 1-2 Buzzard No. 2 lode, identical with line 4-1 Buzzard No. 3 lode, both of this survey.
741.39	Intersect line 3-4 Buzzard No. 3 lode of this survey.
1,057.19	Intersect line 2-3 Whippoorwill lode of this survey.
1,088.47	Intersect line 2-3 Paloma lode of this survey.
1,430.29	Cor. No. 2.
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. F. 2 U. S. M. S. 4727; from which</p>	
<p>A wood post, 4 x 4 ins. in size, 4 ft. long, stands adjacent to the iron post.</p>	
<p>Thence S. 24° 20' 30" W.</p>	
130.41	Intersect line 1-2 Whippoorwill lode, identical with line 4-1 Minnesota lode, both of this survey.
265.51	Lode line; discovery point bears N. 66° 25' 09" W., 350 ft. dist.

(This form bound on left side)

FEET	
418.25	Intersect line 3-4 " <u>Kimbro Eastern</u> " lode of this survey.
448.92	Intersect line 3-4 Minnesota lode of this survey.
565.51	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. F. 3 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 66° 25' 09" W.</p>
337.20	Intersect line 2-3 " <u>Kimbro Eastern</u> " lode, identical with line 4-1 " <u>Kimbro</u> " lode, both of this survey.
929.51	Intersect line 3-4 Sur. No. 3263 ALDWINKLE lode at a point from which Cor. No. 4 bears N. 25° 38' E., 298.48 ft. dist.
937.45	Intersect line 2-3 " <u>Kimbro</u> " lode of this survey.
1,295.56	Intersect line 3-4 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 3 bears N. 45° 08' E., 157.79 ft. dist.
1,317.59	Intersect line 4-1 Sur. No. 3263 ALDWINKLE lode at a point from which Cor. No. 4 bears N. 76° 47' E., 498.0 ft. dist.
1,430.41	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. F. 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 3263 CHILDS lode bears N. 76° 18' 17" E., 242.31 ft. dist.</p> <p>Cor. No. 4 Sur. No. 3263 ALDWINKLE lode bears N. 83° 20' 08" E., 592.21 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 24° 20' 30" E.</p>
173.88	Intersect line 3-4 Paloma lode of this survey.

FEET	
252.46	Intersect line 2-3 Buzzard No. 2 lode of this survey.
258.16	Intersect line 2-3 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 3 bears S. 35° 57' 30" E., 219.71 ft. dist.
300.0	Lode line; discovery point bears S. 66° 25' 09" E., 1,080.41 ft. dist.
589.84	Cor. No. 1, and place of beginning.
<p>Paloma LODE</p> <p>At Cor. No. 1 of the Paloma lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 2, 3, 10 and 11 bears N. 36° 58' 26" W., 1,184.42 ft. dist.; previously described.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. 68° 42' 22" E.</p>	
525.09	Intersect line 1-2 Buzzard No. 2 lode, identical with line 4-1 Buzzard No. 3 lode, both of this survey.
1,169.25	Intersect line 2-3 Buzzard No. 3 lode, identical with line 3-4 Buzzard No. 4 lode, both of this survey.
1,291.92	Intersect line 2-3 Whippoorwill lode of this survey.
1,473.67	Cor. No. 2.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. 2 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. 28° 23' 03" W.</p>
12.95	Intersect line 2-3 Buzzard No. 4 lode of this survey.

(This form bound on left side)

FEET	
176.51	Intersect line 1-2 Paloma Fraction lode of this survey.
211.27	Intersect line 2-3 Whippoorwill lode of this survey.
293.60	Lode line; discovery point bears N. 65° 26' W., 1,165.70 ft. dist.
593.60	Cor. No. 3, identical with point for witness Cor. No. 4 "Kimbrow" lode and Cor. No. 3 " <u>Kimbrow Eastern</u> " lode and on line 3-4 "Kimbrow" lode, both of this survey. Thence N. 65° 26' W.
554.48	Intersect line 3-4 Sur. No. 3263 ALDWINKLE lode at a point from which Cor. No. 4 bears N. 25° 38' E., 133.19 ft. dist.
563.32	Intersect line 2-3 "Kimbrow" lode of this survey.
723.78	Intersect line 4-1 Sur. No. 3263 ALDWINKLE lode at a point from which Cor. No. 4 bears N. 76° 47' E., 217.35 ft. dist.
910.29	Intersect line 2-3 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 3 bears S. 35° 57' 30" E., 48.42 ft. dist.
1,059.07	Intersect line 4-1 Paloma Fraction lode of this survey.
1,231.66	Intersect line 2-3 Buzzard No. 2 lode of this survey.
1,320.36	Intersect line 3-4 Buzzard No. 2 lode, identical with line 2-3 Buzzard No. 1 lode, both of this survey.
1,465.70	Cor. No. 4. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X P. 4 U. S. M. S. 4727; from which Cor. No. 4 Sur. No. 3263 ALDWINKLE lode bears S. 73° 43' 31" E., 923.35 ft. dist. Cor. No. 3 Sur. No. 3263 CHILDS lode bears S. 63° 09' 01" E., 598.04 ft. dist. A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

FEET	
	Thence N. 28° 23' 03" E.
276.86	Intersect line 2-3 Buzzard No. 1 lode, identical with line 3-4 Buzzard No. 2 lode, both of this survey.
300.0	Lode line; discovery point bears S. 65° 26' E., 300.0 ft. dist.
303.19	Intersect line 2-3 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 3 bears S. 35° 57' 30" E., 663.23 ft. dist.
509.27	Cor. No. 1, and place of beginning.
	Buzzard No. 1 LODE
	Beginning at Cor. No. 1 of the Buzzard No. 1 lode, identical with the cor. of secs. 2, 3, 10 and 11, T. 8 S., R. 18 E., G. & S. R. M.
	Found an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed as described in the official record to which I add marks B. 1 1 U. S. M. S. 4727; from which
	Cor. No. 3 Sur. No. 2620 Copper Prince Mine lode, identical with Cor. No. 4 Copper Giant Mine lode of the same survey, bears S. 7° 37' 40" E., 512.43 ft. dist.
	Cor. No. 4 Sur. No. 3118 Dorothy lode bears S. 85° 38' 07" E., 253.83 ft. dist.
	Cor. No. 2 Sur. No. 3263 CHILDS lode bears S. 15° 16' 52" E., 466.66 ft. dist.
	A rock cairn sets adjacent to the iron post.
	Thence S. 89° 57' E.
208.16	Intersect line 4-1 Sur. No. 3118 Dorothy lode at a point from which Cor. No. 4 bears S. 66° 56' E., 48.84 ft. dist.
257.0	Intersect line 3-4 Sur. No. 3118 Dorothy lode at a point from which Cor. No. 4 bears S. 37° 06' W., 19.68 ft. dist.
300.0	Lode line, discovery point bears S. 0° 06' 24" E., 400 ft. dist.

(This form bound on left side)

FEET	
403.66	Intersect line 2-3 Sur. No. 2620 Copper Giant Mine lode at a point from which Cor. No. 3 bears S. 67° 05' E., 129.78 ft. dist.
599.75	<p>Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 2 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 1 2 B. 2 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 06' 24" E.</p>
0.35	Intersect the line between secs. 2 and 11, T. 8 S., R. 18 E., G.&S.R.M. at a point from which the cor. of secs. 2, 3, 10 and 11 bears N. 89° 55' 01" W., 599.75 ft. dist.
1,109.66	Intersect line 2-3 Sur. No. 3263 CHILDS lode, at a point from which Cor. No. 2 bears N. 35° 57' 30" W., 815.42 ft. dist.
1,150.19	Intersect line 4-1 Paloma lode of this survey.
1,454.19	Intersect line 3-4 Paloma lode of this survey.
1,491.0	<p>Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 2 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 1 3 B. 2 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' W.</p>
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,091. ft. dist.
465.54	Intersect line 4-1 Sur. No. 3263 CHILDS lode, common with line 2-3 CHILDS No. 2 lode of the same survey, at a point from which Cor. No. 4 CHILDS lode bears S. 35° 57' E., 743.33 ft. dist., and Cor. No. 3 CHILDS No. 2 lode bears S. 35° 57' E., 473.28 ft. dist.

FEET	
599.75	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 1 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 3263 CHILDS No. 2 lode bears S. 47° 04' 28" E., 562.74 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 06' 24" W.</p>
175.43	<p>Intersect line 2-3 Sur. No. 3263 CHILDS No. 2 lode, common with line 4-1 CHILDS lode of the same survey at a point from which Cor. No. 3 CHILDS No. 2 lode bears S. 35° 57' E., 702.48 ft. dist. and Cor. No. 4 CHILDS lode bears S. 35° 57' E., 972.53 ft. dist.</p>
916.46	<p>Intersect line 3-4 Sur. No. 2620 Copper Prince Mine lode at a point from which Cor. No. 3, identical with Cor. No. 4 Copper Giant Mine lode of the same survey, bears N. 45° 02' E., 94.46 ft. dist.</p>
919.48	<p>Intersect line 1-2 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 2 bears N. 45° 08' E., 172.03 ft. dist.</p>
1,011.48	<p>Intersect line 2-3 Sur. No. 2620 Copper Prince Mine lode, identical with Line 4-1 Copper Giant Mine lode of the same survey at a point from which Cor. No. 3 Copper Prince Mine lode, identical with Cor. No. 4 Copper Giant Mine lode, bears S. 67° 05' E., 72.88 ft. dist.</p>
1,491.0	<p>Cor. No. 1, and place of beginning.</p>
<p style="text-align: center;">Buzzard No. 2 LODE</p> <p>At Cor. No. 1 of the Buzzard No. 2 lode, identical with Cor. No. 1 of the Buzzard No. 3 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 2 1 B. 3 1 U.S.M.S. 4727; from which</p>	

(This form bound on left side)

FEET		
	<p>The cor. of secs. 2, 3, 10 and 11 bears N. 89° 57' W., 1,199.50 ft. dist., previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 06' 24" E.</p>	
0.69	<p>Intersect the line between secs. 2 and 11 at a point from which the cor. of secs. 2, 3, 10 and 11 bears N. 89° 55' 01" W., 1,199.50 ft. dist.</p>	
1,135.89	<p>Intersect line 1-2 Paloma lode of this survey.</p>	
1,270.28	<p>Intersect line 1-2 Paloma Fraction lode of this survey.</p>	
1,491.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 3 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 2 2 B. 3 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 3263 CHILDS lode bears S. 49° 53' W., 267.48 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' W.</p>	
299.75	<p>Lode line; discovery point bears N. 0° 06' 24" W., 1,441.0 ft. dist.</p>	
323.67	<p>Intersect line 2-3 Sur. No. 3263 CHILDS lode at a point from which Cor. No. 3 bears S. 35° 57' 30" E., 213.28 ft. dist.</p>	
329.79	<p>Intersect line 4-1 Paloma Fraction lode of this survey.</p>	
519.60	<p>Intersect line 3-4 Paloma lode of this survey.</p>	
599.75	<p>Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 1 lode of this survey.</p> <p>Thence N. 0° 06' 24" W.</p>	
36.81	<p>Intersect line 3-4 Paloma lode of this survey.</p>	
340.81	<p>Intersect line 4-1 Paloma lode of this survey.</p>	

FEET	
381.34	Intersect line 2-3 Sur. No. 3263 CHILDS lode, at a point from which Cor. No. 3 bears S. 35° 57' 30" E., 684.68 ft. dist.
1,490.65	Intersect the line between secs. 2 and 11 at a point from which the cor. of secs. 2, 3, 10 and 11 bears N. 89° 55' 01 " W., 599.75 ft. dist.
1,491.0	Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 1 lode of this survey. Thence S. 89° 57' E.
300.0	Lode line; discovery point bears S. 0° 06' 24" E., 50.0 ft. dist.
599.75	Cor. No. 1, and place of beginning.
Buzzard No. 3 LODE	
	Beginning at Cor. No. 1 of the Buzzard No. 3 lode, identical with Cor. No. 1 of the Buzzard No. 2 lode of this survey. Thence S. 89° 57' E.
300.0	Lode line; discovery point bears S. 0° 06' 24" E., 50.0 ft. dist.
599.75	Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 4 lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 3 2 B. 4 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. above ground, stands adjacent to the iron post. Thence S. 0° 06' 24" E.
1.04	Intersect the line between secs. 2 and 11 at a point from which the cor. of secs. 2, 3, 10 and 11 bears N. 89° 55' 01" W., 1,799.25 ft. dist.
1,369.28	Intersect line 1-2 Paloma lode of this survey.
1,491.0	Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 4 lode of this survey.

(This form bound on left side)

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 3 3 B. 4 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' W.</p>
116.14	Intersect line 1-2 Paloma Fraction lode of this survey.
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,441.0 ft. dist.
599.75	Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 2 lode of this survey.
	Thence N. 0° 06' 24" W.
220.72	Intersect line 1-2 Paloma Fraction lode of this survey.
355.11	Intersect line 1-2 Paloma lode of this survey.
1,490.31	Intersect the line between secs. 2 and 11 at a point from which the cor. of secs. 2, 3, 10 and 11 bears N. 89° 55' 01" W., 1,199.50 ft. dist.
1,491.0	Cor. No. 1, and place of beginning.
<p>Buzzard No. 4 LODE</p>	
	<p>At Cor. No. 1 of the Buzzard No. 4 lode, identical with Cor. No. 1 of the Buzzard No. 5 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 4 1 B. 5 1 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 2 and 11, T. 8 S., R. 18 E., G. & S. R. M., bears S. 89° 33' 33" E., 221.81 ft. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>Cor. No. 1 Sur. No. 4123 REDBIRD No. 2 lode, bears S. 42° 45' 07" E., 237.94 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>

FEET	
	Thence S. 0° 06' 24" E.
1.39	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears S. 89° 55' 01" E., 221.80 ft. dist.
1,224.36	Intersect line 3-4 Whippoorwill lode of this survey.
1,491.0	Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 5 lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 4 2 B. 5 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 89° 57' W.
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,441.0 ft. dist.
322.45	Intersect line 2-3 Paloma lode of this survey.
464.49	Intersect line 2-3 Whippoorwill lode of this survey.
599.75	Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 3 lode of this survey.
	Thence N. 0° 06' 24" W.
121.72	Intersect line 1-2 Paloma lode of this survey.
1,489.96	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears S. 89° 55' 01" E., 821.55 ft. dist.
1,491.0	Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 3 lode of this survey.
	Thence S. 89° 57' E.
300.0	Lode line, discovery point bears S. 0° 06' 24" E., 50.0 ft. dist.
599.75	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	<p>Buzzard No. 5 LODE</p> <p>Beginning at Cor. No. 1 of the Buzzard No. 5 lode, identical with Cor. No. 1 of the Buzzard No. 4 lode of this survey.</p> <p>Thence S. 89° 57' E.</p>
44.73	Intersect line 1-2 Sur. No. 4123 REDBIRD No. 2 lode at a point from which Cor. No. 1 bears S. 33° 46' E., 210.13 ft. dist.
145	Unimproved dirt road, bears N. 10° W. and S. 10° E.
300.0	Lode line; discovery point bears S. 0° 06' 24" E., 300.0 ft. dist.
431.62	Intersect line 5-1 Sur. No. 4123 REDBIRD No. 2 lode at a point from which Cor. No. 1 bears S. 57° 09' 30" W., 321.48 ft. dist.
599.75	<p>Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 6 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 5 2 B. 6 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 06' 24" E.</p>
2.63	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears N. 89° 46' 50" W., 377.96 ft. dist.
1,039.78	Intersect line 3-4 Whippoorwill lode of this survey.
1,349	Unimproved dirt road, bears N. 64° W. and S. 64° E.
1,491.0	<p>Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 6 lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 5 3 B. 6 3 U.S.M.S. 4727; from which</p>

FEET	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 89° 57' W.</p>
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,191.0 ft. dist.
599.75	Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 4 lode of this survey.
	Thence N. 0° 06' 24" W.
266.64	Intersect line 3-4 Whipporwill lode of this survey.
1,489.61	Intersect line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears S. 89° 55' 01" E., 221.80 ft. dist.
1,491.0	Cor. No. 1, and place of beginning.
<p>Buzzard No. 6 LODE</p> <p>At Cor. No. 1 of the Buzzard No. 6 lode, identical with Cor. No. 1 of the Buzzard No. 7 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 6 1 B. 7 1 U.S.M.S. 4727; from which</p> <p style="text-align: center;">The 1/4 cor. of secs. 2 and 11 bears S. 89° 57' 41" W., 977.70 ft. dist.</p> <p style="text-align: center;">The NW. Cor. of the Copper King lode (unsurveyed) bears S. 6° 28' 52" W., 404.86 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 0° 06' 24" E.</p>	
4.41	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears N. 89° 46' 50" W., 977.72 ft. dist.
368.02	Intersect the North Side Line of the Copper King lode (unsurveyed) at a point from which the NW. Cor. bears S. 53° 33' 29" W., 57.66 ft. dist.

(This form bound on left side)

FEET		
476.97	Intersect the West End Line of the Copper King lode (unsurveyed) at a point from which the NW. Cor. bears N. 31° 57' W., 88.04 ft. dist.	
540.56	Intersect line 3-4 Jay Bird lode of this survey.	
1,168.07	Intersect line 1-2 Jay Bird lode, identical with line 4-1 Hercules lode, both of this survey.	
1,491.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Buzzard No. 7 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 6 2 B. 7 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' W.</p>	
117.95	Intersect line 3-4 Hercules lode, common with line 4-1 Whippoorwill lode, both of this survey.	
258.	Unimproved dirt road, bears N. 58° W. and S. 58° E.	
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,441.0 ft. dist.	
599.75	<p>Cor. No. 3, identical with Cor. No. 3 of the Buzzard No. 5 lode of this survey.</p> <p>Thence N. 0° 06' 24" W.</p>	
150.	Unimproved dirt road, bears N. 64° W. and S. 64° E.	
451.22	Intersect line 3-4 Whippoorwill lode of this survey.	
1,488.37	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears N. 89° 46' 50" W., 377.96 ft. dist.	
1,491.0	<p>Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 5 lode of this survey.</p> <p>Thence S. 89° 57' E.</p>	
300.0	Lode line; discovery point bears S. 0° 06' 24" E., 50.0 ft. dist.	

FEET	
599.75	Cor. No. 1, and place of beginning.
<p>Buzzard No. 7 LODE</p>	
<p>Beginning at Cor. No. 1 of the Buzzard No. 7 lode, identical with Cor. No. 1 of the Buzzard No. 6 lode of this survey.</p>	
<p>Thence S. 89° 57' E.</p>	
300.0	Lode line; discovery point bears S. 0° 06' 24" E., 50.0 ft. dist.
498.50	Intersect the North Side Line of the Copper King lode (unsurveyed) at a point from which the NW. Cor. bears S. 53° 33' 29" W., 676.47 ft. dist.
599.75	Cor. No. 2.
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 7 2 U.S.M.S. 4727; from which</p>	
<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	
<p>Thence S. 0° 06' 24" E.</p>	
6.18	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears N. 89° 46' 50" W., 1,677.48 ft. dist.
354.01	Intersect line 3-4 Jay Bird lode of this survey.
630.42	Intersect the South Side Line, Copper King lode (unsurveyed) at a point from which the SW. Cor. bears S. 49° 04' 42" W., 432.95 ft. dist.
981.52	Intersect line 1-2 Jay Bird lode, identical with line 4-1 Hercules lode, both of this survey.
1,491.0	Cor. No. 3.
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X B. 7 3 U.S.M.S. 4727; from which</p>	

(This form bound on left side)

FEET	
	<p>The SW. Cor. Copper King lode (unsurveyed) bears N. 29° 40' 21" W., 664.07 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' W.</p>
299.75	Lode line; discovery point bears N. 0° 06' 24" W., 1,441.0 ft. dist.
599.75	Cor. No. 4, identical with Cor. No. 2 of the Buzzard No. 6 lode of this survey.
	Thence N. 0° 06' 24" W.
322.93	Intersect line 4-1 Hercules lode, identical with line 1-2 Jay Bird lode, both of this survey.
950.44	Intersect line 3-4 Jay Bird lode of this survey.
1,014.03	Intersect the West End Line ^{of the} / Copper King lode (unsurveyed) at a point from which the SW. Cor. bears S. 31° 57' E., 515.69 ft. dist.
1,122.98	Intersect the North Side Line ^{of the} / Copper King lode (unsurveyed) at a point from which the NW. Cor. bears S. 53° 33' 29" W., 57.66 ft. dist.
1,486.59	Intersect the line between secs. 2 and 11 at a point from which the 1/4 cor. of secs. 2 and 11 bears N. 89° 46' 50" W., 977.72 ft. dist.
1,491.0	Cor. No. 1, and place of beginning.
<p>Center Star LODE</p> <p>At Cor. No. 1 of the Center Star lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. S. 1 U. S. M. S. 4727; from which</p> <p>The cor. of secs. 1, 2, 11 and 12, T. 8 S., R. 18 E. G. & S. R. M. bears S. 10° 28' 38" E., 278.60 ft. dist.; an iron post 2 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p>	

FEET		
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	
	<p>Thence S. 15° 18' E.</p>	
192.97	<p>Intersect the line between secs. 1 and 2 at a point from which the cor. of secs. 1, 2, 11 and 12 bears S. 0° 09' W., 87.92 ft. dist.</p>	
1,301.63	<p>Intersect line 2-3 Albatross No. 9 lode of this survey.</p>	
1,346.46	<p>Intersect line 1-2 Mary #1 lode of this survey.</p>	
1,450	<p>Center of Copper Creek, 80 ft. wide, course West.</p>	
1,500.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Lone Trail lode of this survey.</p>	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. S. 2 L. T. 4 U. S. M. S. 4727; from which</p>	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	
	<p>Thence S. 72° 45' 30" W.</p>	
300.0	<p>Lode line; discovery point bears N. 15° 18' W., 700.0 ft. dist.</p>	
305.27	<p>Intersect line 1-2 Albatross No. 9 lode of this survey.</p>	
582.83	<p>Intersect line 3-4 Mary #1 lode of this survey.</p>	
600.0	<p>Cor. No. 3, identical with Cor. No. 2 of the Hercules lode and on line 3-4 Lone Trail lode, both of this survey.</p>	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. S. 3 H. 2 U. S. M. S. 4727; from which</p>	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	
	<p>Thence N. 15° 18' W.</p>	
17.35	<p>Intersect line 3-4 Mary #1 lode of this survey.</p>	

FEET	
179.09	Intersect line 4-1 Mary #1 lode of this survey.
410	Center of Copper Creek, 100 ft. wide, course S. 62° W.
600.0	Cor. No. 1 Hercules lode, identical with Cor. No. 1 Jay Bird lode, both of this survey.
1,194.52	Intersect the South Side Line of the Copper King lode (unsurveyed) at a point from which the SE. Cor. bears N. 49° 04' 42" E., 289.12 ft. dist.
1,200.0	Cor. No. 4 Jay Bird lode of this survey.
1,402.62	Intersect the line between secs. 2 and 11 at a point from which the cor. of secs. 1, 2, 11 and 12 bears S. 89° 46' 50" E., 598.04 ft. dist.
1,500.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.S. 4 U.S.M.S. 4727; from which</p> <p>The SE. Cor. Copper King lode (unsurveyed) bears S. 70° 36' 28" E., 317.06 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 72° 45' 30" E.</p>
295.99	Intersect the East End Line of the Copper King lode (unsurveyed) at a point from which the SE. Cor. bears S. 4° 51' 06" E., 193.70 ft. dist.
300.0	Lode line; discovery point bears S. 15° 18' E., 800.0 ft. dist.
600.0	Cor. No. 1, and place of beginning.
Jay Bird LODGE	
<p>At Cor. No. 1 of the Jay Bird lode, identical with Cor. No. 1 of the Hercules lode and on line 3-4 Center Star lode, both of this survey.</p>	

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J.B. 1 H. 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 1, 2, 11 and 12 bears N. 26° 34' 59" E., 863.13 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 72° 45' 30" W.</p>	
673.12	Intersect line 2-3 Buzzard No. 7 lode of this survey.	
1,300.72	Intersect line 4-1 Buzzard No. 7 lode, identical with line 1-2 Buzzard No. 6 lode, both of this survey.	
1,499.22	Cor. No. 2, identical with Cor. No. 4 of the Hercules lode and on line 4-1 Whippoorwill lode, both of this survey.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J.B. 2 H. 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 15° 18' W.</p>	
300.0	Cor. No. 4 Whippoorwill lode of this survey and lode line; discovery point bears N. 72° 45' 30" E., 200.0 ft. dist.	
600.0	Cor. No. 3.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J.B. 3 U.S.M.S. 4727; from which</p> <p>The SW. Cor. of the Copper King lode (un-surveyed) bears S. 66° 44' 03" E., 674.35 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 72° 45' 30" E.</p>	

(This form bound on left side)

FEET	
363.05	Intersect line 1-2 Buzzard No. 6 lode, identical with line 4-1 Buzzard No. 7 lode, both of this survey.
397.74	Intersect the West End Line of the Copper King lode (unsurveyed) at a point from which the SW. Cor. bears S. 31° 57' E., 452.86 ft. dist.
990.65	Intersect line 2-3 Buzzard No. 7 lode of this survey.
1,499.22	Cor. No. 4 and on line 3-4 Center Star lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J. B. 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 15° 18' E.
5.48	Intersect the South Side Line of the Copper King lode (unsurveyed) at a point from which the SW. Cor. bears S. 49° 04' 42" W., 1,076.99 ft. dist.
300.0	Lode line; discovery point bears S. 72° 45' 30" W., 1,299.22 ft. dist.
600.0	Cor. No. 1, and place of beginning.
Hercules LODGE	
Beginning at Cor. No. 1 of the Hercules lode, identical with Cor. No. 1 of the Jay Bird lode and on line 3-4 Center Star lode, both of this survey. Thence S. 15° 18' E.	
190	Center of Copper Creek, 100 ft. wide, course S. 62° W.
300.0	Lode line; discovery point bears S. 72° 45' 30" W., 850.0 ft. dist.
420.91	Intersect line 4-1 Mary #1 lode of this survey.
582.65	Intersect line 3-4 Mary #1 lode of this survey.

FEET	
600.0	Cor. No. 2, identical with Cor. No. 3 of the Center Star lode and on line 3-4 Lone Trail lode, both of this survey. Thence S. 72° 45' 30" W.
370	Center of Copper Creek, 150 ft. wide, course S. 25° W.
899.25	Intersect line 4-1 Redondo lode of this survey.
1,114.22	Center of Copper Creek, 200 ft. wide, course N. 58° W.
1,284.22	Center of Copper Creek, 200 ft. wide, course South.
1,499.22	Cor. No. 3, identical with Cor. No. 3 of the Redondo lode and on line 1-2 Minnesota lode, both of this survey. Thence N. 15° 18' W.
300.0	Cor. No. 1 Minnesota lode, identical with Cor. No. 1 Whippoorwill lode, both of this survey and lode line; discovery point bears N. 72° 45' 30" E., 649.22 ft. dist.
326.30	Intersect line 2-3 Buzzard No. 6 lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Jay Bird lode and on line 4-1 Whippoorwill lode, both of this survey. Thence N. 72° 45' 30" E.
198.50	Intersect line 1-2 Buzzard No. 6 lode, identical with line 4-1 Buzzard No. 7 lode, both of this survey.
826.10	Intersect line 2-3 Buzzard No. 7 lode of this survey.
1,499.22	Cor. No. 1, and place of beginning.

Lone Trail LODE

At Cor. No. 1 of the Lone Trail lode, identical with Cor. No. 1 of the Middle March lode of this survey.

Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X L. T. 1 M.M. 1 U.S.M.S. 4727; from which

(This form bound on left side)

FEET	
475.66	<p>The 1/4 cor. of secs. 11 and 12 bears S. 29° 30' 14" W., 1,018.24 ft. dist., previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 72° 45' 30" W.</p>
1,499.22	<p>Intersect line 4-1 Albatross No. 7 lode of this survey.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Middle March lode and on line 4-1 Redondo lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X L. T. 2 M. M. 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 15° 18' W.</p>
300.0	<p>Lode line; discovery point bears N. 72° 45' 30" E. 699.22 ft. dist.</p>
450	<p>Center of Copper Creek, 150 ft. wide, course N. 88° W.</p>
600.0	<p>Cor. No. 3 and on line 2-3 Hercules lode and line 4-1 Redondo lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X L. T. 3 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 72° 45' 30" E.</p>
529.22	<p>Center of Copper Creek, 150 ft. wide, course S. 25° W.</p>
899.22	<p>Cor. No. 2 Hercules lode, identical with Cor. No. 3 Center Star lode, both of this survey.</p>
916.39	<p>Intersect line 3-4 Mary #1 lode of this survey.</p>
1,193.95	<p>Intersect line 1-2 Albatross No. 9 lode of this survey.</p>

FEET		
1,499.22	Cor. No. 4, identical with Cor. No. 2 of the Center Star lode of this survey.	
	Thence S. 15° 18' E.	
300.0	Lode line; discovery point bears S. 72° 45' 30" W., 800.0 ft. dist.	
423.52	Intersect line 4-1 Albatross No. 9 lode, identical with line 1-2 Albatross No. 7 lode, both of this survey.	
568.50	Intersect line 3-4 Mary #1 lode of this survey.	
600.0	Cor. No. 1, and place of beginning.	
	Middle March LODE	
	Beginning at Cor. No. 1 of the Middle March lode, identical with Cor. No. 1 of the Lone Trail lode of this survey.	
	Thence S. 15° 18' E.	
300.0	Lode line; discovery pt. bears S. 72° 45' 30" W., 800.0 ft. dist.	
445.15	Intersect line 3-4 Albatross No. 7 lode, identical with line 2-3 Albatross No. 5 lode, both of this survey.	
600.0	Cor. No. 2.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. M. 2 U. S. M. S. 4727; from which	
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
	Thence S. 72° 45' 30" W.	
646.03	Intersect line 1-2 Albatross No. 5 lode, common with line 1-2 Albatross No. 17 lode, both of this survey.	
1,499.22	Cor. No. 3 and on line 4-1 Redondo lode of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. M. 3 U. S. M. S. 4727; from which	

(This form bound on left side)

FEET		
	A rock cairn sets adjacent to the iron post.	
	Thence N. 15° 18' W.	
300.0	Lode line; discovery point bears N. 72° 45' 30" E., 699.22 ft. dist.	
314.96	Intersect line 4-1 Albatross No. 17 lode of this survey.	
600.0	Cor. No. 4, identical with Cor. No. 2 of the Lone Trail lode and on line 4-1 Redondo lode, both of this survey.	
	Thence N. 72° 45' 30" E.	
1,023.56	Intersect line 4-1 Albatross No. 7 lode of this survey.	
1,499.22	Cor. No. 1, and place of beginning.	
Albatross No. 17 LODE		
At Cor. No. 1 of the Albatross No. 17 lode and on line 1-2 Albatross No. 5 lode of this survey.		
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25-pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 17 1 U.S.M.S. 4727; from which		
The 1/4 cor. of secs. 11 and 12 bears S. 14° 31' 37" W., 172.09 ft. dist., previously described.		
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.		
Thence S. 0° 24' W.		
50.61	Intersect line 2-3 Middle March lode of this survey.	
300.0	Lode line; discovery point bears N. 89° 58' 54" W., 50.0 ft. dist.	
310.25	Cor. No. 1 Albatross No. 5 lode, identical with Cor. No. 1 Albatross No. 3 lode, both of this survey.	
600.0	Cor. No. 2, identical with Cor. No. 4 of the Copper Trail No. 4 lode and on line 4-1 Albatross No. 3 lode, both of this survey.	

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 17 2 C. T. 4 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 58' 54" W.</p>	
757.15	Intersect line 1-2 Redondo lode of this survey.	
1,351.71	Intersect line 2-3 Redondo lode, common with line 1-2 Copper Ridge lode, both of this survey.	
1,459.	Unimproved dirt road, bears N. 50° W. and S. 50° E.	
1,499.14	Cor. No. 3, identical with Cor. No. 3 of the Copper Trail No. 4 lode and Cor. No. 1 of the Moose #8 lode, both of this survey.	
	Thence N. 0° 24' E.	
28.	Unimproved dirt road, bears N. 50° W. and S. 50° E.	
300.0	Lode line; discovery point bears S. 89° 58' 54" E., 1,449.14 ft. dist.	
397.36	Intersect line 4-1 Copper Ridge lode, identical with line 1-2 Copper Cliff lode, both of this survey.	
525.47	Intersect line 4-1 Copper Cliff lode, common with line 2-3 Redondo lode, both of this survey.	
600.0	Cor. No. 4.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 17 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 58' 54" E.</p>	
600.82	Intersect line 4-1 Redondo lode, common with line 3-4 Middle March lode, both of this survey.	

(This form bound on left side)

FEET	
1,499.14	Cor. No. 1, and place of beginning.
	Copper Trail No. 4 LODE
	At Cor. No. 1 of the Copper Trail No. 4 lode, identical with Cor. No. 1 of the Copper Trail #1 lode and on line 4-1 Albatross No. 1 lode, both of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. T. 4 1 C. T. 1 1 U. S. M. S. 4727; from which
	The 1/4 cor. of secs. 11 and 12 bears N. 1° 55' 37" W., 1,033.96 ft. dist.; previously described.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 89° 58' 19" W.
559	Unimproved dirt road, bears N. 55° W. and S. 55° E.
1,499.14	Cor. No. 2, identical with Cor. No. 3 of the Moose #6 lode, Cor. No. 2 of the Moose #8 lode and Cor. No. 4 of the Copper Trail #1 lode, all of this survey.
	Thence N. 0° 24' E.
300.0	Lode line; discovery point bears S. 89° 58' 19" E., 1,449.14 ft. dist.
368.41	Intersect line 2-3 Copper Ridge lode of this survey.
599.75	Cor. No. 3, identical with Cor. No. 1 of the Moose #8 lode and Cor. No. 3 of the Albatross No. 17 lode, both of this survey.
	Thence S. 89° 58' 54" E.
40.14	Unimproved dirt road, bears N. 50° W. and S. 50° E.
147.43	Intersect line 1-2 Copper Ridge lode, common with line 2-3 Redondo lode, both of this survey.
741.99	Intersect line 1-2 Redondo lode of this survey.

FEET	
1,499.14	<p>Cor. No. 4, identical with Cor. No. 2 of the Albatross No. 17 lode and on line 4-1 Albatross No. 3 lode, both of this survey.</p> <p style="text-align: center;">Thence S. 0° 24' W.</p>
300.0	<p>Lode line; discovery point bears N. 89° 58' 19" W., 50.0 ft. dist.</p>
310.0	<p>Cor. No. 4 Albatross No. 3 lode, identical with Cor. No. 1 Albatross No. 1 lode, both of this survey.</p>
600.0	<p>Cor. No. 1, and place of beginning.</p>
<p>Copper Trail #1 LODE</p>	
<p>Beginning at Cor. No. 1 of the Copper Trail #1 lode, identical with Cor. No. 1 of the Copper Trail No. 4 lode and on line 4-1 Albatross No. 1 lode, both of this survey.</p> <p style="text-align: center;">Thence S. 0° 12' 15" W.</p>	
292.34	<p>Intersect the calculated south 1/16 section line of section 12 at a point from which the point for the south 1/16 sec. cor. of secs. 11 and 12 bears N. 89° 46' 33" W., 32.38 ft. dist.</p>
299.50	<p>Lode line; discovery point bears N. 89° 58' 55" W., 50.0 ft. dist.</p>
309.99	<p>Intersect line 3-4 Albatross No. 1 lode of this survey.</p>
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Copper Trail #2 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. T. 1 2 C. T. 2 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 89° 58' 55" W.</p>
30.75	<p>Intersect the line between secs. 11 and 12 at a point from which the cor. of secs. 11, 12, 13 and 14 bears S. 0° 03' 30" E., 1,018.52 ft. dist.</p>

(This form bound on left side)

FEET		
391	Unimproved dirt road, bears N. 11° W. and S. 11° E.	
1,499.14	Cor. No. 3, identical with Cor. No. 4 of the Moose #6 lode, Cor. No. 3 of the Moose #4 lode and Cor. No. 3 of the Copper Trail #2 lode, all of this survey. Thence N. 0° 12' 15" E.	
300.0	Lode line; discovery point bears S. 89° 58' 55" E., 1,449.14 ft. dist.	
599.75	Cor. No. 4, identical with Cor. No. 3 of the Moose #6 lode, Cor. No. 2 of the Moose #8 lode and Cor. No. 2 of the Copper Trail No. 4 lode, all of this survey. Thence S. 89° 58' 19" E.	
940.14	Unimproved dirt road, bears N. 55° W. and S. 55° E.	
1,499.14	Cor. No. 1, and place of beginning.	
Copper Trail #2 LODE		
At Cor. No. 1 of the Copper Trail #2 lode, identical with Cor. No. 1 of the Copper Trail #3 lode of this survey.		
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.T. 2 1 C.T. 3 1 U.S.M.S. 4727; from which		
The cor. of secs. 11, 12, 13 and 14, T. 8 S., R. 18 E., G.&S.R.M., bears S. 3° 03' 51" W., 435.18 ft. dist.; an iron post 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.		
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.		
Thence N. 89° 58' 45" W.		
23.71	Intersect the line between secs. 11 and 12 at a point from which the cor. of secs. 11, 12, 13 and 14 bears S. 0° 03' 30" E., 434.56 ft. dist.	

FEET	
361	Unimproved dirt road, bears N. 1° E. and S. 1° W.
1,499.14	Cor. No. 2, identical with Cor. No. 4 of the Moose #4 lode, Cor. No. 3 of the Moose #2 lode and Cor. No. 4 of the Copper Trail #3 lode, all of this survey. Thence N. 0° 37' 55" E.
283.93	Lode line; discovery point bears S. 89° 58' 55" E., 949.14 ft. dist.
338.93	Unimproved dirt road, bears S. 65° E. and N. 80° W.
583.93	Cor. No. 3, identical with Cor. No. 3 of the Moose #4 lode, Cor. No. 4 of the Moose #6 lode and Cor. No. 3 of the Copper Trail #1 lode, all of this survey. Thence S. 89° 58' 55" E.
1,108.14	Unimproved dirt road, bears N. 11° W. and S. 11° E.
1,468.39	Intersect the line between secs. 11 and 12 at a point from which the cor. of secs. 11, 12, 13 and 14 bears S. 0° 03' 30" E., 1,018.52 ft. dist.
1,499.14	Cor. No. 4, identical with Cor. No. 2 of the Copper Trail #1 lode of this survey. Thence S. 0° 37' 55" W.
300.0	Lode line; discovery point bears N. 89° 58' 55" W., 550.0 ft. dist.
584.0	Cor. No. 1, and place of beginning.
Copper Trail #3 LODE	
	Beginning at Cor. No. 1 of the Copper Trail #3 lode, identical with Cor. No. 1 of the Copper Trail #2 lode of this survey. Thence S. 2° 13' 20" W.
300.0	Lode line; discovery point bears N. 89° 58' 30" W., 300.0 ft. dist.
434.90	Intersect the line between secs. 12 and 13 at a point from which the cor. of secs. 11, 12, 13 and 14 bears N. 89° 49' W., 6.40 ft. dist.

FEET	
588.49	Intersect line 1-2 Jupiter lode of this survey.
591.90	Intersect line between secs. 13 and 14 at a point from which the cor. of secs. 11, 12, 13 and 14 bears N. $0^{\circ} 06' 53''$ W., 156.90 ft. dist.
600.0	<p>Cor. No. 2.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. T. 3 2 U. S. M. S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 4179 VULCAN lode bears N. $88^{\circ} 31' 22''$ W., 474.99 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. $89^{\circ} 58' 30''$ W.</p>
400	Unimproved dirt road, bears N. 23° E. and S. 23° W.
475.31	Intersect line 1-2 Sur. No. 4179 VULCAN lode at a point from which Cor. No. 1 bears N. $2^{\circ} 17' 25''$ E., 12.04 ft. dist.
599.52	Intersect line 3-4 Jupiter lode of this survey.
788.91	Intersect line 2-3 MARS lode of this survey.
1,081.77	Intersect line 3-4 Sur. No. 4179 VULCAN lode at a point from which Cor. No. 4 bears N. $4^{\circ} 06' 30''$ E., 31.84 ft. dist.
1,499.13	<p>Cor. No. 3, identical with Cor. No. 4 of the Moose #2 lode of this survey.</p> <p style="text-align: center;">Thence N. $2^{\circ} 13' 20''$ E.</p>
253.73	Intersect line 1-2 MARS lode of this survey.
300.0	Lode line; discovery point bears S. $89^{\circ} 58' 30''$ E., 1,199.14 ft. dist.
599.89	<p>Cor. No. 4, identical with Cor. No. 4 of the Moose #4 lode, Cor. No. 3 of the Moose #2 lode and Cor. No. 2 of the Copper Trail #2 lode of this survey.</p> <p style="text-align: center;">Thence S. $89^{\circ} 58' 45''$ E.</p>
1,138.14	Unimproved dirt road, bears N. 1° E. and S. 1° W.
1,475.43	Intersect the line between secs. 11 and 12 at a point from which the cor. of secs. 11, 12, 13 and 14 bears S. $0^{\circ} 03' 30''$ E., 434.56 ft. dist.

8574

FEET	
1,499.14	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Jupiter LODE</p> <p>Beginning at Cor. No. 1 of the Jupiter lode, identical with the cor. of secs. 11, 12, 13 and 14, T. 8 S., R. 18 E., G. & S. R. M.</p> <p>Found an iron post, previously described, to which I add marks J. 1 U. S. M. S. 4727; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 0° 10' E.</p>
153.49	Intersect line 1-2 Copper Trail #3 lode of this survey.
1,025	Unimproved dirt road, bears N. 25° W. and East.
1,414.99	Intersect line 3-4 Sur. No. 3564 Gem lode, identical with line 3-4 Sur. No. 4179 JEWEL lode at a point from which Cor. No. 4 Gem lode, identical with Cor. No. 3 JEWEL lode, bears N. 75° 22' 40" W., 495.93 ft. dist.
1,500.0	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J. 2 U. S. M. S. 4727; from which</p> <p style="padding-left: 40px;">A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence West.</p>
300.0	Lode line; discovery point bears N. 0° 10' W., 1,300.0 ft. dist.
533.07	Intersect line 1-2 Sur. No. 4179 VULCAN lode at a point from which Cor. No. 1 bears N. 2° 17' 25" E., 1,348.31 ft. dist.
534.86	Intersect line 4-1 Sur. No. 3564 Gem lode, identical with line 2-3 Sur. No. 4179 JEWEL lode at a point from which Cor. No. 4 Gem lode, identical with Cor. No. 3 JEWEL lode bears N. 14° 35' 45" E., 217.17 ft. dist.
600.0	Cor. No. 3.

(This form bound on left side)

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J. 3 U.S.M.S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 3564 Gem lode, identical with Cor. No. 3 Sur. No. 4179 JEWEL lode, bears N. 29° 41' 54" E., 241.96 ft. dist.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 0° 10' W.</p>	
345	Unimproved dirt road, bears N. 60° W. and S. 75° E.	
948	Unimproved dirt road, bears N. 40° E. and S. 40° W.	
1,335.26	Intersect line 2-3 Copper Trail #3 lode of this survey.	
1,351.34	Intersect line 4-1 Sur. No. 4179 VULCAN lode at a point from which Cor. No. 1 bears S. 88° 06' 55" E., 124.81 ft. dist.	
1,500.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X J. 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 4179 VULCAN lode bears S. 39° 19' 50" E., 197.49 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence East.</p>	
250	Unimproved dirt road, bears N. 21° E. and S. 21° W.	
300.0	Lode line; discovery point bears S. 0° 10' E., 200.0 ft. dist.	
600.0	Cor. No. 1, and place of beginning.	
<p>Albatross No. 1 LODE</p> <p>At Cor. No. 1 of the Albatross No. 1 lode, identical with Cor. No. 4 of the Albatross No. 3 lode and on line 4-1 Copper Trail No. 4 lode, both of this survey.</p>		

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 1 1 A. 3 4 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 2° 50' 02" W., 744.30 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' E.</p>
1,350.0	<p>Cor. No. 2, identical with Cor. No. 1 of the Albatross No. 2 lode, Cor. No. 3 of the Albatross No. 3 lode and Cor. No. 4 of the Albatross No. 4 lode, all of this survey.</p>
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 1 2 A. 2 1 A. 3 3 A. 4 4 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 61° 50' 39" W., 1,572.92 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 24" W.</p>
300.0	<p>Lode line; discovery point bears S. 89° 57' W., 50.0 ft. dist.</p>
588.79	<p>Intersect the calculated south 1/16 section line of section 12 at a point from which the point for the south 1/16 sec. cor. of secs. 11 and 12 bears N. 89° 46' 33" W., 1,381.34 ft. dist.</p>
600.0	<p>Cor. No. 3, identical with Cor. No. 4 of the Albatross No. 2 lode of this survey.</p>
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 1 3 A. 2 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 57' W.</p>
1,348.94	<p>Intersect line 1-2 Copper Trail #1 lode of this survey.</p>
1,350.0	<p>Cor. No. 4.</p>

(This form bound on left side)

FEET	
17.66	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 1 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 24' E.</p>
300.0	Intersect the calculated south 1/16 section line of section 12 at a point from which the point for the south 1/16 sec. cor. of secs. 11 and 12 bears N. 89° 46' 33" W., 33.04 ft. dist.
310.0	Lode line; discovery point bears N. 89° 57' E., 1,300 ft. dist.
600.0	Cor. No. 1 Copper Trail #1 lode, identical with Cor. No. 1 Copper Trail No. 4 lode, both of this survey.
600.0	Cor. No. 1, and place of beginning.
1,259.82	<p style="text-align: center;">Albatross No. 2 LODE</p> <p>Beginning at Cor. No. 1 of the Albatross No. 2 lode, identical with Cor. No. 2 of the Albatross No. 1 lode, Cor. No. 3 of the Albatross No. 3 lode and Cor. No. 4 of the Albatross No. 4 lode, all of this survey.</p> <p>Thence N. 89° 57' E.</p>
1,446.45	Intersect the calculated north-south center section line of sec. 12, bears N. 0° 01' 31" W. and S. 0° 01' 31" E.
1,485.39	Intersect line 4-1 CLARK No. 1, lode of this survey.
1,499.0	Intersect line 3-4 CLARK No. 1, lode of this survey.
1,499.0	Cor. No. 2, identical with Cor. No. 3 of the Albatross No. 4 lode of this survey.
300.0	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 2 2 A. 4 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins. 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 24' W.</p>
300.0	Lode line; discovery point bears S. 89° 57' W., 1,449.0 ft. dist.

FEET	
595.96	Intersect the calculated south 1/16 section line of section 12 at a point from which the point for the south 1/16 sec. cor. of secs. 11 and 12 bears N. 89° 46' 33" W., 2,880.30 ft. dist.
600.0	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 2 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 57' W.</p>
234.73	Intersect the calculated north-south center line of sec. 12, bears S. 0° 01' 31" E., and N. 0° 01' 31" W.
1,499.0	<p>Cor. No. 4, identical with Cor. No. 3 of the Albatross No. 1 lode of this survey.</p> <p>Thence N. 0° 24' E.</p>
11.21	Intersect the calculated south 1/16 section line of section 12 at a point from which the point for the south 1/16 sec. cor. of secs. 11 and 12 bears N. 89° 46' 33" W., 1,381.34 ft. dist.
300.0	Lode line; discovery point bears N. 89° 57' E., 50.0 ft. dist.
600.0	Cor. No. 1, and place of beginning.
Albatross No. 3 LODE	
<p>At Cor. No. 1 of the Albatross No. 3 lode, identical with Cor. No. 1 of the Albatross No. 5 lode and on line 1-2 Albatross No. 17 lode, both of this survey.</p>	
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 3 1 A. 5 1 U.S.M.S. 4727; from which</p>	
<p>The 1/4 cor. of secs. 11 and 12 bears N. 15° 55' 19" W., 149.38 ft. dist.; previously described.</p>	

FEET	
1,350.0	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 57' E.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Albatross No. 5 lode, Cor. No. 1 of the Albatross No. 6 lode and Cor. No. 1 of the Albatross No. 4 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 3 2 A. 4 1 A. 5 4 A. 6 1 U.S.M.S. 4727; from which</p> <p>The ¼ cor. of secs. 11 and 12 bears N. 84° 09' 05" W., 1,398.26 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 24' W.</p>
299.75	Lode line; discovery point bears S. 89° 57' W., 50.0 ft. dist.
599.75	<p>Cor. No. 3, identical with Cor. No. 4 of the Albatross No. 4 lode, Cor. No. 1 of the Albatross No. 2 lode and Cor. No. 2 of the Albatross No. 1 lode; all of this survey.</p> <p>Thence S. 89° 57' W.</p>
1,350.0	<p>Cor. No. 4, identical with Cor. No. 1 of the Albatross No. 1 lode and on line 4-1 Copper Trail No. 4 lode, both of this survey.</p> <p>Thence N. 0° 24' E.</p>
300.0	Lode line; discovery point bears N. 89° 57' E., 1,300.0 ft. dist.
310.0	Cor. No. 4 Copper Trail No. 4 lode, identical with Cor. No. 2 Albatross No. 17 lode, both of this survey.
599.75	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">Albatross No. 4 LODE</p> <p>Beginning at Cor. No. 1 of the Albatross No. 4 lode, identical with Cor. No. 2 of the Albatross No. 3 lode, Cor. No. 4 of the Albatross No. 5 lode, and Cor. No. 1 of the Albatross No. 6 lode, all of this survey.</p> <p style="text-align: center;">Thence N. 89° 57' E.</p>
535.96	Intersect line 4-1 CLARK No. 1, lode of this survey.
1,256.37	Intersect the calculated north-south center line, bears S. 0° 01' 31" E. and N. 0° 01' 31" W.
1,499.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Albatross No. 6 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 4 2 A. 6 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 0° 24' W.</p>
299.75	Lode line; discovery point bears S. 89° 57' W., 1,449.0 ft. dist.
578.81	Intersect line 3-4 CLARK No. 1, lode of this survey.
599.75	<p>Cor. No. 3, identical with Cor. No. 2 of the Albatross No. 2 lode of this survey.</p> <p style="text-align: center;">Thence S. 89° 57' W.</p>
13.61	Intersect line 3-4 CLARK No. 1, lode of this survey.
52.55	Intersect line 4-1 CLARK No. 1, lode of this survey.
239.18	Intersect the calculated north-south center line of sec. 12, bears S. 0° 01' 31" E. and N. 0° 01' 31" W.
1,499.0	Cor. No. 4, identical with Cor. No. 1 of the Albatross No. 2 lode, Cor. No. 2 of the Albatross No. 1 lode and Cor. No. 3 of the Albatross No. 3 lode, all of this survey.

(This form bound on left side)

81

FEET		
	Thence N. 0° 24' E.	
300.0	Lode line; discovery point bears N. 89° 57' E., 50.0 ft. dist.	
599.75	Cor. No. 1, and place of beginning.	
Albatross No. 5 LODE		
Beginning at Cor. No. 1 of the Albatross No. 5 lode, identical with Cor. No. 1 of the Albatross No. 3 lode and on line 1-2 Albatross No. 17 lode, both of this survey.		
Thence N. 0° 24' E.		
259.64	Intersect line 2-3 Middle March lode of this survey.	
300.0	Lode line; discovery point bears N. 89° 57' E., 1,300.0 ft. dist.	
310.25	Cor. No. 1 Albatross No. 17 lode of this survey.	
600.0	Cor. No. 2, identical with Cor. No. 4 of the Albatross No. 7 lode of this survey.	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 5 2 A. 7 4 U.S.M.S. 4727; from which		
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.		
Thence N. 89° 57' E.		
573.76	Intersect line 1-2 Middle March lode of this survey.	
1,350.0	Cor. No. 3, identical with Cor. No. 3 of the Albatross No. 7 lode, Cor. No. 1 of the Albatross No. 8 lode and Cor. No. 2 of the Albatross No. 6 lode, all of this survey.	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 5 3 A. 6 2 A. 7 3 A. 8 1 U.S.M.S. 4727; from which		
The 1/4 sec. cor. of secs. 11 and 12 bears S. 71° 50' 39" W., 1,468.27 ft. dist.; previously described.		

FEET		
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 24' W.</p>	
300.0	Lode line; discovery point bears S. 89° 57' W., 50.0 ft. dist.	
600.0	<p>Cor. No. 4, identical with Cor. No. 1 of the Albatross No. 6 lode, Cor. No. 1 of the Albatross No. 4 lode and Cor. No. 2 of the Albatross No. 3 lode, all of this survey.</p> <p>Thence S. 89° 57' W.</p>	
1,350.0	Cor. No. 1, and place of beginning.	
Albatross No. 6 LODE		
	<p>Beginning at Cor. No. 1 of the Albatross No. 6 lode, identical with Cor. No. 2 of the Albatross No. 3 lode, Cor. No. 1 of the Albatross No. 4 lode, and Cor. No. 4 of the Albatross No. 5 lode, all of this survey.</p> <p>Thence N. 0° 24' E.</p>	
300.0	Lode line; discovery point bears N. 89° 57' E., 50.0 ft. dist.	
600.0	<p>Cor. No. 2, identical with Cor. No. 3 of the Albatross No. 5 lode, Cor. No. 3 of the Albatross No. 7 lode and Cor. No. 1 of the Albatross No. 8 lode, all of this survey.</p> <p>Thence N. 89° 57' E.</p>	
513.02	Intersect line 1-2 CLARK No. 1, lode of this survey.	
663.92	Intersect line 2-3 CLARK No. 1, lode of this survey.	
1,250.93	Intersect the calculated north-south center line of sec. 12, bears S. 0° 01' 31" E. and N. 0° 01' 31" W.	
1,499.0	<p>Cor. No. 3, identical with Cor. No. 4 of the Albatross No. 8 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 6 3 A. 8 4 U.S.M.S. 4727; from which</p>	

(This form bound on left side)

FEET	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. $0^{\circ} 24'$ W.</p>
300.0	Lode line; discovery point bears S. $89^{\circ} 57'$ W., 1,449.0 ft. dist.
472.19	Intersect the ^{calculated} east-west center section line of sec. 12, at a point from which the 1/4 cor. of secs. 11 and 12 bears N. $89^{\circ} 44' 07''$ W., 2,890.89 ft. dist.
526.83	Intersect line 2-3 CLARK No. 1, lode of this survey.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Albatross No. 4 lode of this survey.
	Thence S. $89^{\circ} 57'$ W.
243.63	Intersect the calculated north-south center section line of sec. 12, bears S. $0^{\circ} 01' 31''$ E. and N. $0^{\circ} 01' 31''$ W.
963.04	Intersect line 4-1 CLARK No. 1, lode of this survey.
1,499.0	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Albatross No. 7 LODE</p> <p>At Cor. No. 1 of the Albatross No. 7 lode, identical with Cor. No. 1 of the Albatross No. 9 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 7 1 A. 9 1 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears S. $2^{\circ} 40' 33''$ W., 1,057.22 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. $89^{\circ} 57'$ E.</p>
181.41	Intersect line 3-4 Mary #1 lode of this survey.

FEET	
405.53	Intersect line 4-1 Lone Trail lode of this survey.
1,078.29	Intersect line 2-3 Mary #1 lode of this survey.
1,350.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Albatross No. 9 lode and Cor. No. 2 of the Albatross No. 8 lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 7 2 A. 8 2 A. 9 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 0° 24' W.</p>
299.75	Lode line; discovery point bears S. 89° 57' W., 50.0 ft. dist.
599.75	<p>Cor. No. 3, identical with Cor. No. 1 of the Albatross No. 8 lode, Cor. No. 2 of the Albatross No. 6 lode and Cor. No. 3 of the Albatross No. 5 lode, all of this survey.</p> <p style="text-align: center;">Thence S. 89° 57' W.</p>
776.24	Intersect line 1-2 Middle March lode of this survey.
1,350.0	<p>Cor. No. 4, identical with Cor. No. 2 of the Albatross No. 5 lode of this survey.</p> <p style="text-align: center;">Thence N. 0° 24' E.</p>
288.89	Intersect line 4-1 Middle March lode, identical with line 1-2 Lone Trail lode, both of this survey.
300.0	Lode line; discovery point bears N. 89° 57' E., 1,300.0 ft. dist.
599.75	Cor. No. 1, and place of beginning.
<p>Albatross No. 8 LODE</p> <p>Beginning at Cor. No. 1 of the Albatross No. 8 lode, identical with Cor. No. 2 of the Albatross No. 6 lode, Cor. No. 3 of the Albatross No. 5 lode and Cor. No. 3 of the Albatross No. 7 lode, all of this survey.</p> <p style="text-align: center;">Thence N. 0° 24' E.</p>	

(This form bound on left side)

FEET	
300.0	Lode line; discovery point bears N. $89^{\circ} 57'$ E., 50.0 ft. dist.
599.75	Cor. No. 2, identical with Cor. No. 2 of the Albatross No. 7 lode and Cor. No. 4 of the Albatross No. 9 lode, all of this survey. Thence N. $89^{\circ} 57'$ E.
1,246.49	Intersect the calculated north-south center line of sec. 12, bears S. $0^{\circ} 01' 31''$ E. and N. $0^{\circ} 01' 31''$ W.
1,499.0	Cor. No. 3. Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 8 3 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. $0^{\circ} 24'$ W.
299.75	Lode line; discovery point bears S. $89^{\circ} 57'$ W., 1,449.0 ft. dist.
599.75	Cor. No. 4, identical with Cor. No. 3 of the Albatross No. 6 lode of this survey. Thence S. $89^{\circ} 57'$ W.
248.07	Intersect the calculated north-south center line of sec. 12, bears S. $0^{\circ} 01' 31''$ E. and N. $0^{\circ} 01' 31''$ W.
835.08	Intersect line 2-3 CLARK No. 1, lode of this survey.
985.98	Intersect line 1-2 CLARK No. 1, lode of this survey.
1,499.0	Cor. No. 1, and place of beginning.
Albatross No. 9 LODE	
Beginning at Cor. No. 1 of the Albatross No. 9 lode, identical with Cor. No. 1 of the Albatross No. 7 lode of this survey.	

FEET	
	Thence N. 0° 24' E.
96.54	Intersect line 3-4 Mary #1 lode of this survey.
300.0	Lode line; discovery point bears N. 89° 57' E., 1,300.0 ft. dist.
318.38	Intersect line 3-4 Lone Trail lode, common with line 2-3 Center Star lode, both of this survey.
490	Center of Copper Creek, 50 ft. wide, course N. 69° W.
600.0	Cor. No. 2. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 9 2 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence N. 89° 57' E.
150.84	Intersect line 1-2 Mary #1 lode of this survey.
237.25	Intersect line 1-2 Center Star lode of this survey.
390	Center of Copper Creek, 170 ft. wide, course S. 10° E.
1,350.0	Cor. No. 3. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 9 3 U. S. M. S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 0° 24' W.
300.0	Lode line; discovery point bears S. 89° 57' W., 50.0 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Albatross No. 8 lode and Cor. No. 2 of the Albatross No. 7 lode, both of this survey. Thence S. 89° 57' W.
271.71	Intersect line 2-3 Mary #1 lode of this survey.

(This form bound on left side)

FEET	
944.47	Intersect line 4-1 Lone Trail lode of this survey.
1,168.59	Intersect line 3-4 Mary #1 lode of this survey.
1,350.0	Cor. No. 1, and place of beginning.
Mary #1 LODE	
At Cor. No. 1 of the Mary #1 lode.	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 1 U. S. M. S. 4727; from which	
The cor. of secs. 1, 2, 11 and 12 bears N. 8° 05' 10" E., 846.93 ft. dist.; previously described.	
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
Thence S. 66° 16' 12" E.	
355.52	Intersect line 2-3 Albatross No. 9 lode of this survey.
462.82	Intersect line 1-2 Center Star lode of this survey.
625	Center of Copper Creek, 130 ft. wide, course S. 5° W.
1,444.82	Cor. No. 2.
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 2 U. S. M. S. 4727; from which	
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
Thence S. 24° 41' 39" W.	
177.22	Intersect line 4-1 Albatross No. 9 lode, identical with line 1-2 Albatross No. 7 lode, both of this survey.
300.0	Lode line; discovery point bears N. 64° 07' W., 750.0 ft. dist.
600.0	Cor. No. 3.

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 61° 58' W.</p>	
518.67	Intersect line 4-1 Lone Trail lode of this survey.	
815.91	Intersect line 1-2 Albatross No. 7 lode, identical with line 4-1 Albatross No. 9 lode, both of this survey.	
1,020.64	Intersect line 1-2 Albatross No. 9 lode of this survey.	
1,318.51	Intersect line 3-4 Lone Trail lode, common with line 2-3 Center Star lode, both of this survey.	
1,342.93	Intersect line 3-4 Center Star lode, common with line 1-2 Hercules lode, both of this survey.	
1,447.06	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X M. 1 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 24° 41' 39" E.</p>	
117.87	Intersect line 1-2 Hercules lode, common with line 3-4 Center Star lode, both of this survey.	
245.69	Lode line; discovery point bears S. 64° 07' E., 694.92 ft. dist.	
390	Center of Copper Creek, 70 ft. wide, course N. 70° W.	
491.38	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET	
	<p style="text-align: center;">CLARK No. 1, LODE</p> <p>At Cor. No. 1 of the CLARK No. 1, lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 1 1 U.S.M.S. 4727; from which</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears S. 88° 19' 02" W., 1,639.88 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 33° 17' E.</p>
285.51	Lode line; discovery point bears S. 57° 06' 30" E., 963.82 ft. dist.
490.21	Intersect line 2-3 Albatross No. 6 lode, identical with line 4-1 Albatross No. 8 lode, both of this survey.
571.02	Cor. No. 2.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 1 2 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 57° 40' 32" E.</p>
126.09	Intersect line 4-1 Albatross No. 8 lode, identical with line 2-3 Albatross No. 6 lode, both of this survey.
820.92	Intersect the ^{calculated} north-south center line of sec. 12, bears S. 0° 01' 31" E. and N. 0° 01' 31" W.
1,007.01	Intersect the calculated east-west center line of sec. 12, bears N. 89° 44' 07" W. and S. 89° 44' 07" E.
1,109.96	Intersect line 3-4 Albatross No. 6 lode of this survey.
1,463.99	Cor. No. 3.

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 1 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 33° 17' W.</p>
300.0	Lode line; discovery point bears N. 57° 06' 30" W., 500.0 ft. dist.
553.44	Intersect line 2-3 Albatross No. 4 lode of this survey.
578.50	Intersect line 3-4 Albatross No. 4 lode, identical with line 1-2 Albatross No. 2 lode, both of this survey.
600.0	Cor. No. 4.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 1 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 56° 32' 29" W.</p>
32.53	Intersect line 1-2 Albatross No. 2 lode, identical with line 3-4 Albatross No. 4 lode, both of this survey.
223.76	Intersect the calculated north-south center line of sec. 12, bears S. 0° 01' 31" E. and N. 0° 01' 31" W.
1,118.86	Intersect line 1-2 Albatross No. 4 lode, identical with line 4-1 Albatross No. 6 lode, both of this survey.
1,463.79	Cor. No. 1, and place of beginning.
	<p>VENUS LODGE</p> <p>At Cor. No. 1 of the VENUS lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X VEN. 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears S. 23° 21' 42" W., 371.32 ft. dist.; an iron post, 2 ins. diam., 12 ins. above</p>

(This form bound on left side)

FEET	
	<p>ground, firmly set, marked and witnessed as described in the official record.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. $15^{\circ} 12' 30''$ W.</p>
194.66	Intersect line 3-4 AURORA lode of this survey.
561.30	Intersect line 4-1 Siskon No. 35 lode of this survey.
569.31	Intersect line 2-3 Siskon No. 36 lode of this survey.
578.90	Intersect line 1-2 Siskon No. 34 lode of this survey.
889.38	Intersect line 3-4 Siskon No. 35 lode of this survey.
1,148.16	Intersect line 4-1 ANGUSTO lode of this survey.
1,200.38	Intersect line 3-4 Siskon No. 34 lode of this survey.
1,500.0	<p>Cor. No. 2.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X VEN. 2 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. $74^{\circ} 50' 30''$ E.</p>
300.0	Lode line; discovery point bears S. $15^{\circ} 12' 30''$ E., 1,350.0 ft. dist.
594.36	Intersect line 2-3 Velascoquez Wedge lode of this survey.
600.0	<p>Cor. No. 3.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X VEN. 3 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. $15^{\circ} 12' 30''$ E.</p>
0.15	Intersect line 3-4 ANGUSTO lode of this survey.

FEET	
160.0	Cor. No. 3 Granite Hill lode of this survey.
167.54	Intersect line 1-2 Velascoquez Wedge lode of this survey.
1,165.52	Intersect line 3-4 Siskon No. 36 lode of this survey.
1,500.0	<p>Cor. No. 4 and on line 2-3 Granite Hill lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X VEN. 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 74° 50' 30" W.</p>
84.40	Intersect line 3-4 AURORA lode of this survey.
300.0	Lode line; discovery point bears N. 15° 12' 30" W., 150.0 ft. dist.
600.0	Cor. No. 1, and place of beginning.
<p>ANGUSTO LODE</p> <p>At Cor. No. 1 of the ANGUSTO lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears S. 50° 00' 43" E., 1,806.67 ft. dist.; previously described.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 30° 10' 55" E.</p>	
46.05	Intersect line 3-4 Siskon No. 35 lode of this survey.
223.0	Cor. No. 1 CAMINO lode of this survey.
392.83	Intersect line 3-4 Siskon No. 34 lode of this survey.

(This form bound on left side)

FEET	
411.50	Lode line, discovery point bears N. 76° 56' 55" E., 25. ft. dist.
703.13	Intersect line 3-4 Sur. No. 3263 CHILDS No. 3 lode at a point from which Cor. No. 3 bears S. 89° 44' 54" E., 198.08 ft. dist.
709.95	Point for witness Cor. No. 2, identical with Cor. No. 4 of the CAMINO lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 2 W.C. C. 4 W.C. U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
760	Unimproved dirt road, bears S. 80° W. and N. 80° E.
823.0	Cor. No. 2, identical with Cor. No. 4 of the CAMINO lode of this survey. This cor. falls in leaching facilities of the Old Reliable Mine operations where a permanent point cannot be established. From this point Cor. No. 4 Sur. No. 3263 CHILDS No. 3 lode, identical with Cor. No. 3 MOGUL lode of the same survey, bears S. 79° 04' 31" W., 535.96 ft. dist. Thence N. 76° 56' 55" E.
217.62	Intersect line 2-3 Sur. No. 3263 CHILDS No. 3 lode, common with line 1-2 LONGSTREET lode of the same survey at a point from which Cor. No. 2 LONGSTREET lode bears S. 25° 38' W., 15.09 ft. dist., thence S. 25° 47' 12" W., 155.51 ft. dist. to Cor. No. 3 of the CHILDS No. 3 lode.
840	Unimproved dirt road, bears N. 38° E. & S. 38° W.
1,416.79	Intersect line 2-3 Velascoquez Wedge lode of this survey.
1,497.18	Cor. No. 3.

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 30° 10' 55" W.</p>	
13.07	Intersect line 2-3 Sur. No. 3263 LONGSTREET lode at a point from which Cor. No. 2 bears S. 76° 51' 56" W., 1,279.79 ft. dist.	
307.17	Intersect line 3-4 VENUS lode of this survey.	
332.73	Intersect line 2-3 Velascoquez Wedge lode of this survey.	
411.50	Lode line; discovery point bears S. 76° 56' 55" W., 1,472.18 ft. dist.	
823.0	Cor. No. 4.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X A. 4 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. 76° 56' 55" W.</p>	
75.45	Intersect line 4-1 Siskon No. 34 lode of this survey.	
232.94	Intersect line 1-2 VENUS lode of this survey.	
1,321.78	Intersect line 3-4 Siskon No. 35 lode of this survey.	
1,497.18	Cor. No. 1, and place of beginning.	
CAMINO LODGE		
	At Cor. No. 1 of the CAMINO lode and on line 1-2 ANGUSTO lode of this survey.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears S. 43° 13' 07" E., 1,857.69 ft. dist.; previously described.</p> <p>A rock cairn sets adjacent to the iron post.</p>	

FEET		
	Thence N. 64° 51' 17" W.	
247.72	Intersect line 2-3 Siskon No. 34 lode, identical with line 4-1 Siskon No. 54 lode, both of this survey.	
346.81	Intersect line 3-4 Siskon No. 54 lode, identical with line 1-2 Siskon No. 53 lode, both of this survey.	
610	Unimproved dirt road, bears East and West.	
655	Unimproved dirt road, bears N. 40° W. and S. 40° E.	
1,045	Unimproved dirt road, bears N. 82° W. and S. 82° E.	
1,160	Center of Copper Creek, 80 ft. wide, course N. 80° W.	
1,305.17	Point for witness Cor. No. 2. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 2 W.C. U.S.M.S. 4727; from which A rock cairn sets adjacent to the iron post.	
1,495.17	Cor. No. 2. This cor. falls in the leaching facilities of the Old Reliable Mine operations where a permanent monument cannot be established.	
	Thence N. 30° 10' 55" E.	
130.85	Intersect line 3-4 Siskon No. 53 lode of this survey.	
300.0	Lode line; discovery point bears S. 64° 51' 17" E., 1,470.17 ft. dist.	
556.0	Intersect line 3-4 Sur. No. 4059 GULCH lode at a point from which Cor. No. 3 bears N. 69° 32' W., 10.37 ft. dist.	
600.0	Cor. No. 3. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. 3 U.S.M.S. 4727; from which	

FEET	Cor. No. 3 Sur. No. 4059 GULCH lode bears S. 42° 48' W., 46.88 ft. dist.
	Thence S. 64° 51' 17" E.
488.99	Intersect line 3-4 Sur. No. 3263 MOGUL lode at a point from which Cor. No. 3, identical with Cor. No. 4, CHILDS No. 3 lode of the same survey, bears S. 36° 00' E., 654.11 ft. dist.
531.73	Intersect line 3-4 Sur. No. 4059 GULCH lode at a point from which Cor. No. 4 bears S. 69° 32' E., 54.76 ft. dist.
1,064.64	Intersect line 2-3 Sur. No. 3263 MOGUL lode identical with line 4-1 CHILDS No. 3 lode of the same survey at a point from which Cor. No. 3 MOGUL lode, identical with Cor. No. 4 CHILDS No. 3 lode bears S. 25° 38' W., 315.57 ft. dist.
1,450	Center of Copper Creek, 40 ft. wide, course S. 78° W.
1,495.17	Cor. No. 4, identical with Cor. No. 2 of the ANGUSTO lode. Thence S. 30° 10' 55" W.
63	Unimproved dirt road, bears S. 80° W. and N. 80° E.
113.05	Point for witness Cor. No. 4, identical with Cor. No. 2 of the ANGUSTO lode.
119.87	Intersect line 3-4 Sur. No. 3263 CHILDS No. 3 lode at a point from which Cor. No. 4, identical with Cor. No. 3 of the MOGUL lode of the same survey bears N. 89° 44' 54" W., 466.0 ft. dist.
300.0	Lode line; discovery point bears N. 64° 51' 17" W., 25.0 ft. dist.
430.17	Intersect line 3-4 Siskon No. 34 lode of this survey.
600.0	Cor. No. 1, and place of beginning.

Siskon No. 34 LODE

At Cor. No. 1 of the Siskon No. 34 lode and on line 4-1 Siskon No. 35 lode of this survey.

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 34 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears South, 899.50 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 89° 55' 24" W.</p>	
4.62	Intersect line 1-2 VENUS lode of this survey.	
1,496.36	<p>Cor. No. 2, identical with Cor. No. 1 of the Siskon No. 54 lode, Cor. No. 1 of the Siskon No. 55 lode and on line 2-3 Siskon No. 35 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 34 2 S. 54 1 S. 55 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14, and 15 bears S. 58° 55' 57" E., 1,746.94 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence North.</p>	
299.50	Cor. No. 3 Siskon No. 35 lode of this survey.	
300.0	Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.	
557.54	Intersect line 1-2 CAMINO lode of this survey.	
599.50	<p>Cor. No. 3, identical with Cor. No. 1 of the Siskon No. 53 lode and Cor. No. 4 of the Siskon No. 54 lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 34 3 S. 53 1 S. 54 4 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears S. 44° 54' 40" E., 2,119.46 ft. dist., previously described.</p>	

FEET	
	<p>Cor. No. 4 Sur. No. 3263 CHILDS No. 3 lode, identical with Cor. No. 3 MOGUL lode of the same survey, bears N. 0° 04' 35" W., 269.87 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 55' 24" E.</p>
309.62	Intersect line 4-1 CAMINO lode, common with line 1-2 ANGUSTO lode, both of this survey.
1,328.71	Intersect line 1-2 VENUS lode of this survey.
1,496.36	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 34 4 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence South.</p>
16.55	Intersect line 4-1 ANGUSTO lode of this survey.
299.50	Lode line; discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.
300.0	Cor. No. 4 Siskon No. 35 lode of this survey.
599.50	Cor. No. 1, and place of beginning.
<p>Siskon No. 35 LODE</p> <p>At Cor. No. 1 of the Siskon No. 35 lode, identical with Cor. No. 4 of the Siskon No. 37 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 35 1 S. 37 4 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 & 15 bears South, 599.50 ft. dist.; previously described.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 89° 55' 24" W.</p>	

(This form bound on left side)

FEET	
1.74	Intersect line 2-3 Siskon No. 36 lode of this survey.
1,496.36	<p>Cor. No. 2, identical with Cor. No. 3 of the Siskon No. 37 lode, Cor. No. 2 of the Siskon No. 55 lode and Cor. No. 4 of the Siskon No. 56 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 35 2 S. 37 3 S. 55 2 S. 56 4 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence North.</p>
300.0	<p>Cor. No. 2 Siskon No. 34 lode, identical with Cor. No. 1 of the Siskon No. 54 lode, and Cor. No. 1 of the Siskon No. 55 lode, all of this survey; and lone line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.</p>
599.50	<p>Cor. No. 3 and on line 2-3 Siskon No. 34 lode identical with line 4-1 Siskon No. 54 lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 35 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 89° 55' 24" E.</p>
135.28	Intersect line 1-2 ANGUSTO lode of this survey.
283.0	Intersect line 4-1 ANGUSTO lode of this survey.
1,410.29	Intersect line 1-2 VENUS lode of this survey.
1,496.36	<p>Cor. No. 4 and on line 4-1 Siskon No. 34 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 35 4 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p>

SURVEY NO. 4727

97

FEET	
	Thence South.
299.50	Cor. No. 1 Siskon No. 34 lode of this survey and lode line; discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.
308.62	Intersect line 3-4 Siskon No. 36 lode of this survey.
316.97	Intersect line 1-2 VENUS lode of this survey.
599.50	Cor. No. 1, and place of beginning.
Siskon No. 37 LODE	
	Beginning at Cor. No. 1 of the Siskon No. 37 lode, identical with Cor. No. 1 of the Siskon No. 38 lode, Cor. No. 1 of the Siskon No. 39 lode and the cor. of secs. 10, 11, 14 & 15; previously described to which I add marks S. 37 1 S. 38 1 S. 39 1 U.S.M.S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 89° 55' 24" W.
16.49	Intersect line 2-3 AURORA lode of this survey.
1,496.36	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 38 lode, Cor. No. 1 of the Siskon No. 56 lode and Cor. No. 1 of the Siskon No. 57 lode, all of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 37 2 S. 38 4 S. 56 1 S. 57 1 U.S.M.S. 4727; from which
	The cor. of secs. 10, 11, 14 & 15 bears S. 89° 55' 24" E., 1,496.36 ft. dist.; previously described.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence North.
300.0	Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.

(This form bound on left side)

FEET	
599.50	Cor. No. 3, identical with Cor. No. 2 of the Siskon No. 35 lode, Cor. No. 2 of the Siskon No. 55 lode and Cor. No. 4 of the Siskon No. 56 lode, all of this survey. Thence S. 89° 55' 24" E.
1,494.62	Intersect line 2-3 Siskon No. 36 lode of this survey.
1,496.36	Cor. No. 4, identical with Cor. No. 1 of the Siskon No. 35 lode of this survey. Thence South.
283.10	Intersect line 2-3 AURORA lode of this survey.
299.50	Lode line; discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.
308.88	Intersect line 1-2 Siskon No. 36 lode of this survey.
599.50	Cor. No. 1, and place of beginning.
Siskon No. 38 LODE	
Beginning at Cor. No. 1 of the Siskon No. 38 lode, identical with Cor. No. 1 of the Siskon No. 37 lode, Cor. No. 1 of the Siskon No. 39 lode and the cor. of secs. 10, 11, 14 & 15. Thence S. 0° 05' 24" W.	
26.05	Intersect line 1-2 AURORA lode of this survey.
299.50	Lode line, discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.
599.50	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 39 lode, Cor. No. 4 of the Siskon No. 40 lode and Cor. No. 2 of the Siskon No. 41 lode, all of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 38 2 S. 39 4 S. 40 4 S. 41 2 U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

FEET		
1,496.36	<p style="text-align: center;">Thence N. 89° 55' 24" W.</p> <p>Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 40 lode, Cor. No. 4 of the Siskon No. 58 lode and Cor. No. 2 of the Siskon No. 57 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 38 3 S. 40 3 S. 57 2 S. 58 4 U. S. M. S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p>	
300.0	<p style="text-align: center;">Thence N. 0° 05' 24" E.</p> <p>Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.</p>	
599.50	<p>Cor. No. 4, identical with Cor. No. 1 of the Siskon No. 57 lode, Cor. No. 1 of the Siskon No. 56 lode, and Cor. No. 2 of the Siskon No. 37 lode, all of this survey.</p> <p style="text-align: center;">Thence S. 89° 55' 24" E.</p>	
1,479.87	Intersect line 2-3 AURORA lode of this survey.	
1,496.36	Cor. No. 1, and place of beginning.	
	Siskon No. 39 LODE	
	<p>Beginning at Cor. No. 1 of the Siskon No. 39 lode, identical with Cor. No. 1 of the Siskon No. 38 lode, Cor. No. 1 of the Siskon No. 37 lode and the cor. of secs. 10, 11, 14 and 15.</p> <p style="text-align: center;">Thence East.</p>	
1,466.91	Intersect line 4-1 AURORA lode, common with line 2-3 North Star lode, both of this survey.	
1,500.0	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 39 2 U. S. M. S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 4179 GRAND VIEW lode bears S. 17° 21' 35" W., 139.05 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>	

(This form bound on left side)

FEET		
	Thence S. 0° 05' 24" W.	
134.33	Intersect line 1-2 of the North Star lode of this survey, common with line 4-1 Sur. No. 4179 GRAND VIEW lode at a point from which Cor. No. 4 bears N. 87° 46' W., 41.31 ft. dist.	
299.50	Lode line; discovery point bears West, 1,450 ft. dist.	
584.0	Point for witness Cor. No. 3, identical with witness Cor. No. 3 of the Siskon No. 41 lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 39 3 W.C. S. 41 3 W.C. U.S.M.S. 4727; from which A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
599.50	Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 41 lode of this survey. This cor. falls in the center of an unimproved dirt drill road where a permanent monument cannot be established. Road bears N. 85° E. and S. 85° W. Cor. No. 3 Sur. No. 4179 GRAND VIEW lode, identical with Cor. No. 4 VETA RICA lode of the same survey, bears S. 22° 43' 05" W., 154.12 ft. dist.	
	Thence West.	
54.17	Intersect line 1-2 Morningside lode of this survey.	
55.09	Intersect line 3-4 Sur. No. 4179 GRAND VIEW lode at a point from which Cor. No. 4 bears N. 1° 47' 03" E., 467.0 ft. dist.	
643.02	Intersect line 3-4 Morningside lode of this survey.	
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 41 lode, Cor. No. 4 of the Siskon No. 40 lode and Cor. No. 2 of the Siskon No. 38 lode, all of this survey. Thence N. 0° 05' 24" E.	
300.0	Lode line; discovery point bears East, 50.0 ft. dist.	

FEET	
573.45	Intersect line 1-2 AURORA lode of this survey.
599.50	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Siskon No. 40 LODE</p> <p>At Cor. No. 1 of the Siskon No. 40 lode, identical with Cor. No. 1 of the Siskon No. 41 lode, Cor. No. 1 of the Siskon No. 42 lode and Cor. No. 1 of the Siskon #82 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mks. X S. 40 1 S. 41 1 S. 42 1 S. 82 1 U. S. M. S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears N. 0° 05' 24" E., 1,199.0 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 89° 55' 24" W.</p>
1,496.36	<p>Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 42 lode, Cor. No. 1 of the Siskon #58 lode and Cor. No. 1 of the Siskon #59 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 40 2 S. 42 4 S. 58 1 S. 59 1 U. S. M. S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 and 15 bears N. 51° 22' 20" E., 1,917.83 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 0° 05' 24" E.</p>
300.0	Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 38 lode, Cor. No. 2 of the Siskon No. 57 lode, and Cor. No. 4 of the Siskon #58 lode, all of this survey.</p> <p style="text-align: center;">Thence S. 89° 55' 24" E.</p>
1,496.36	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 38 lode, Cor. No. 4 of the Siskon

(This form bound on left side)

FEET	
	<p>No. 39 lode and Cor. No. 2 of the Siskon No. 41 lode, all of this survey.</p> <p style="text-align: center;">Thence S. 0° 05' 24" W.</p>
299.50	Lode line; discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.
599.50	Cor. No. 1, and place of beginning.
	<p>Siskon No. 41 LODE</p>
	<p>Beginning at Cor. No. 1 of the Siskon No. 41 lode, identical with Cor. No. 1 of the Siskon #82 lode, Cor. No. 1 of the Siskon No. 42 lode and Cor. No. 1 of the Siskon No. 40 lode, all of this survey.</p> <p style="text-align: center;">Thence N. 0° 05' 24" E.</p>
300.0	Lode line; discovery point bears East, 50.0 ft. dist.
599.50	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 40 lode, Cor. No. 2 of the Siskon No. 38 lode and Cor. No. 4 of the Siskon No. 39 lode, all of this survey.
	Thence East.
856.98	Intersect line 3-4 Morningside lode of this survey.
1,444.91	Intersect line 3-4 Sur. No. 4179 GRAND VIEW lode at a point from which Cor. No. 3, identical with Cor. No. 4 VETA RICA lode of the same survey, bears S. 1° 47' 03" W., 142.23 ft. dist.
1,445.83	Intersect line 1-2 Morningside lode of this survey.
1,500.00	Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 39 lode of this survey.
	Thence S. 0° 05' 24" W.
20	Unimproved dirt road bears N. 65° E. and S. 55° W.
144.46	Intersect line 2-3 Sur. No. 4179 GRAND VIEW lode, identical with line 4-1 VETA RICA lode of the same survey, at a point from which Cor. No. 3 GRAND VIEW lode, identical with Cor. No. 4 VETA RICA lode, bears N. 87° 47' W., 59.34 ft. dist.
225	Unimproved dirt road bears N. 55° W. and S. 50° E.

FEET	
299.50	Lode line; discovery point bears West, 1,450.0 ft. dist.
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Siskon #82 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post. mkd. XS. 41 4 S. 82 2 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 4179 VETA RICA lode bears S. 27° 05' 35" W., 170.27 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence West.</p>
72.60	Intersect line 1-2 Morningside lode of this survey.
72.83	Intersect line 3-4 Sur. No. 4179 VETA RICA lode at a point from which Cor. No. 4, identical with Cor. No. 3 GRAND VIEW lode of the same survey, bears N. 1° 47' 03" E., 457.37 ft. dist.
649.21	Intersect line 3-4 Morningside lode of this survey.
1,147.57	Intersect line 1-2 Copper Reef No 5 lode of this survey.
1,168.60	Intersect line 4-1 Copper Reef No 5 lode of this survey.
1,500.0	Cor. No. 1, and place of beginning.
Siskon No. 42 LODE	
<p>Beginning at Cor. No. 1 of the Siskon No. 42 lode, identical with Cor. No. 1 of the Siskon No. 40 lode, Cor. No. 1 of the Siskon No. 41 lode and Cor. No. 1 of the Siskon #82 lode, all of this survey.</p> <p style="text-align: center;">Thence S. 0° 05' 24" W.</p>	
198.75	Intersect line 4-1 Copper Reef No 4 lode of this survey.

(This form bound on left side)

FEET	
299.50	Lode line; discovery point bears N. $89^{\circ} 55' 24''$ W., 1,446.36 ft. dist.
599.50	<p>Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 44 lode, Cor. No. 4 of the Siskon #82 lode and Cor. No. 2 of the Siskon #83 lode, all of this survey.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 42 2 S. 44 4 S. 82 4 S. 83 2 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. $89^{\circ} 55' 24''$ W.</p>
437.72	Intersect line 3-4 Copper Reef No 4 lode of this survey.
481.22	Intersect line 3-4 Copper Reef No 3 lode of this survey.
573.52	Intersect line 2-3 Copper Reef No 3 lode of this survey.
1,496.36	<p>Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 44 lode and Cor. No. 2 of the Siskon #59 lode, all of this survey.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 42 3 S. 44 3 S. 59 2 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. $0^{\circ} 05' 24''$ E.</p>
300.0	Lode line; discovery point bears S. $89^{\circ} 55' 24''$ E., 50.0 ft. dist.
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 40 lode, Cor. No. 1 of the Siskon #58 lode and Cor. No. 1 of the Siskon #59 lode, all of this survey.</p> <p style="text-align: center;">Thence S. $89^{\circ} 55' 24''$ E.</p>
1,496.36	Cor. No. 1, and place of beginning.

FEET		
	<p style="text-align: center;">Siskon No. 44 LODE</p> <p>At Cor. No. 1 of the Siskon No. 44 lode, identical with Cor. No. 1 of the Siskon No. 46 lode, Cor. No. 1 of the Siskon #83 lode and Cor. No. 1 of the Siskon #84 lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. XS. 44 1 S. 46 1 S. 83 1 S. 84 1 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 14 and 15, T. 8 S., R. 18 E., G.&S.R.M., bears S. 0° 27' 57" E., 234.07 ft. dist.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>The NW. Cor. of the Chappo lode (unsurveyed) bears S. 74° 49' 45" E., 620.99 ft. dist.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 89° 55' 24" W.</p>	
650.71	Intersect line 1-2 Copper Reef No 3 lode, common with line 4-1 North Star No 3 lode, both of this survey.	
1,051.93	Intersect line 3-4 North Star No 3 lode of this survey.	
1,496.36	<p>Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 46 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. XS. 44 2 S. 46 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 0° 05' 24" E.</p>	
300.0	Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.	
599.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 42 lode and Cor. No. 2 of the Siskon #59 lode, both of this survey.</p> <p style="text-align: center;">Thence S. 89° 55' 24" E.</p>	
922.84	Intersect line 2-3 Copper Reef No 3 lode of this survey.	

FEET		
1,015.14	Intersect line 3-4 Copper Reef No 3 lode of this survey.	
1,058.64	Intersect line 3-4 Copper Reef No 4 lode of this survey.	
1,496.36	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 42 lode, Cor. No. 4 of the Siskon #82 lode and Cor. No. 2 of the Siskon #83 lod, all of this survey. Thence S. 0° 05' 24" W.	
299.50	Lode line, discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.	
318.98	Intersect line 2-3 Copper Reef No 4 lode, common with line 3-4 Copper Reef No 3 lode, both of this survey.	
599.50	Cor. No. 1, and place of beginning.	
Siskon No. 46 LODE		
Beginning at Cor. No. 1 of the Siskon No. 46 lode, identical with Cor. No. 1 of the Siskon No. 44 lode, Cor. No. 1 of the Siskon #83 lode and Cor. No. 1 of the Siskon #84 lode, all of this survey. Thence S. 0° 05' 24" W.		
299.50	Lode line; discovery point bears N. 89° 55' 24" W., 1,446.36 ft. dist.	
419.92	Intersect line 1-2 Copper Reef No 3 lode, common with line 4-1 North Star No 3 lode, both of this survey.	
599.50	Cor. No. 2, identical with Cor. No. 4 of the Siskon #84 lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. XS. 46 2 S. 84 4 U.S.M.S. 4727; from which A rock cairn sets adjacent to the iron post. Thence N. 89° 55' 24" W.	
753.07	Intersect line 2-3 North Star No 3 lode of this survey.	

FEET		
1,496.36	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 46 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 05' 24" E.</p>	
300.0	<p>Lode line; discovery point bears S. 89° 55' 24" E., 50.0 ft. dist.</p>	
599.50	<p>Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 44 lode of this survey.</p> <p>Thence S. 89° 55' 24" E.</p>	
444.43	<p>Intersect line 3-4 North Star No 3 lode of this survey.</p>	
845.65	<p>Intersect line 4-1 North Star No 3 lode, identical with line 1-2 Copper Reef No 3 lode, both of this survey.</p>	
1,496.36	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">Siskon No. 52 LODE</p> <p>At Cor. No. 1 of the Siskon No. 52 lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 52 1 U.S.M.S. 4727; from which</p> <p>The cor. of secs. 10, 11, 14 & 15 bears N. 43° 40' 38" W., 1,925.68 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 89° 49' 22" E.</p>	
89.40	<p>Intersect line 1-2 Morningside lode of this survey.</p>	
167.95	<p>Intersect line 2-3 Siskon #82 lode of this survey.</p>	

(This form bound on left side)

FEET	
265	Unimproved dirt road, bears N. 6° W. and S. 6° E.
295.58	Lode line; discovery pt. bears S. 0° 02' 39" E., 50.0 ft. dist.
398.50	Intersect line 3-4 Sur. No. 4179 RUSSET DYKE lode at a point from which Cor. No. 3, identical with Cor. No. 2 RAINBOW LEDGE lode of the same survey, bears S. 2° 14' 25" W., 569.19 ft. dist.
534.33	Intersect line 2-3 Siskon #88 lode of this survey.
595.58	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. XS.52 2 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 4179 RUSSET DYKE lode, identical with Cor. No. 2 RAINBOW LEDGE lode of the same survey, bears S. 21° 06' 32" W., 609.01 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 0° 02' 39" E.</p>
512	Unimproved dirt road, bears S. 78° E. and N. 78° W.
576.65	Intersect line 2-3 Sur. No. 4179 RUSSET DYKE lode, identical with line 2-3 RAINBOW LEDGE lode of the same survey at a point from which Cor. No. 3 RUSSET DYKE lode, identical with Cor. No. 2 RAINBOW LEDGE lode, bears N. 87° 47' W., 219.94 ft. dist.
1,176.38	Intersect line 4-1 Sur. No. 4179 RAINBOW LEDGE lode, identical with line 1-2 MINERAL HILL lode of the same survey, at a point from which Cor. No. 1 RAINBOW LEDGE lode, identical with Cor. No. 1 MINERAL HILL lode bears N. 87° 47' W., 244.44 ft. dist.
1,232.75	Intersect line 1-2 Copper Reef No ② lode of this survey.

FEET	
1,499.14	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 52 3 U.S.M.S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 4179 MINERAL HILL lode, identical with Cor. No. 1 RAINBOW LEDGE lode of the same survey, bears N. 36° 21' 12" W., 412.49 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 49' 22" W.</p>
244.37	Intersect line 2-3 Siskon #85 lode of this survey.
257.59	Intersect line 4-1 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 1, identical with Cor. No. 1 RAINBOW LEDGE lode of the same survey, bears N. 2° 15' 36" E., 331.67 ft. dist.
300.0	Lode line; discovery point bears N. 0° 02' 39" W., 1,449.14 ft. dist.
431.14	Intersect line 2-3 Siskon #84 lode of this survey.
595.58	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 52 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 02' 39" W.</p>
46.40	Intersect line 1-2 Siskon #85 lode of this survey.
88.96	Intersect line 3-4 Siskon #88 lode of this survey
430	Unimproved dirt road, bears N. 49° E., and S. 49° W.
493.87	Intersect line 1-2 Siskon #84 lode, identical with line 4-1 Siskon #83 lode, both of this survey.

FEET	
628.50	Intersect line 1-2 Copper Reef No. ② lode of this survey.
714	Unimproved dirt road, bears N. 31° W. and S. 31° E.
825	Unimproved dirt road, bears N. 89° E. and S. 89° W.
861.79	Intersect line 3-4 Copper Reef No. 5 lode of this survey.
1,093.37	Intersect line 2-3 Siskon #83 lode, identical with line 3-4 Siskon #82 lode, both of this survey.
1,256.32	Intersect line 2-3 Morningside lode of this survey.
1,422.06	Intersect line 1-2 Copper Reef No. 5 lode of this survey.
1,499.14	Cor. No. 1, and place of beginning.
Siskon No. 53 LODE	
Beginning at Cor. No. 1 of the Siskon No. 53 lode, identical with Cor. No. 3 of the Siskon No. 34 lode and Cor. No. 4 of the Siskon No. 54 lode, both of this survey.	
Thence N. 89° 54' 28" W.	
89.70	Intersect line 1-2 CAMINO lode of this survey.
485	Unimproved dirt road, bears N. 20° W. and South.
1,499.31	Cor. No. 2, identical with Cor. No. 3 of the Siskon No. 54 lode of this survey.
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 53 2 S. 54 3 U. S. M. S. 4727; from which	
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
Thence North.	
300.0	Lode line; discovery point bears S. 89° 54' 28" E., 600.0 ft. dist.

FEET	
599.50	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 53 3 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 89° 54' 28" E.</p>
125	Unimproved dirt road, bears N. 30° W. and S. 30° E.
185	Center of Copper Creek, 80 ft. wide, course N. 30° W.
435.85	Intersect line 2-3 CAMINO lode of this survey.
1,259.08	Intersect line 3-4 Sur. No. 3263 MOGUL lode at a point from which Cor. No. 3, identical with Cor. No. 4 CHILDS No. 3 lode of the same survey, bears S. 36° 00' E., 407.98 ft. dist.
1,499.31	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 53 4 U. S. M. S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p style="text-align: center;">Thence South.</p>
299.50	Lode line; discovery point bears N. 89° 54' 28" W., 899.31 ft. dist.
328.88	Intersect line 2-3 Sur. No. 3263 MOGUL lode, identical with line 4-1 CHILDS No. 3 lode of the same survey, at a point from which Cor. No. 3 MOGUL lode, identical with Cor. No. 4 CHILDS No. 3 lode, bears S. 25° 38' W., 0.83 ft. dist.
329.63	Intersect line 3-4 Sur. No. 3263 CHILDS No. 3 lode at a point from which Cor. No. 4, identical with Cor. No. 3 MOGUL lode of the same survey, bears N. 89° 44' 54" W., 0.36 ft. dist.
330	Center of Copper Creek, 30 ft. wide, course West.
480	Unimproved dirt road, bears N. 88° W. and S. 88° E.
599.50	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	Siskon No. 54 LODE
	Beginning at Cor. No. 1 of the Siskon No. 54 lode, identical with Cor. No. 2 of the Siskon No. 34 lode, Cor. No. 1 of the Siskon No. 55 lode and on line 2-3 Siskon No. 35 lode, all of this survey.
	Thence N. 89° 54' 28" W.
1,499.31	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 55 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 54 2 S. 55 4 U.S.M.S. 4727; from which
	A rock cairn sets adjacent to the iron post.
	Thence North.
300.0	Lode line; discovery point bears S. 89° 54' 28" E., 1,449.31 ft. dist.
599.50	Cor. No. 3, identical with Cor. No. 2 of the Siskon No. 53 lode of this survey.
	Thence S. 89° 54' 28" E.
1,014.31	Unimproved dirt road, bears N. 20° W. and South.
1,409.61	Intersect line 1-2 CAMINO lode of this survey.
1,499.31	Cor. No. 4, identical with Cor. No. 3 of the Siskon No. 34 lode and Cor. No. 1 of the Siskon No. 53 lode, both of this survey.
	Thence South.
41.96	Intersect line 1-2 CAMINO lode of this survey.
299.50	Lode line; discovery point bears N. 89° 54' 28" W., 50.0 ft. dist.
300.0	Cor. No. 3 Siskon No. 35 lode of this survey.
599.50	Cor. No. 1, and place of beginning.
	Siskon No. 55 LODE
	Beginning at Cor. No. 1 of the Siskon No. 55 lode, identical with Cor. No. 2 of the Siskon No. 34 lode, Cor. No. 1 of the Siskon No. 54 lode and on line 2-3 Siskon No. 35 lode, all of this survey.

FEET	
	Thence South.
150.0	Lode line; discovery point bears N. 89° 54' 28" W., 50.0 ft. dist.
300.0	Cor. No. 2, identical with Cor. No. 2 of the Siskon No. 35 lode, Cor. No. 3 of the Siskon No. 37 lode and Cor. No. 4 of the Siskon No. 56 lode, all of this survey.
	Thence N. 89° 54' 28" W.
1,499.31	Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 56 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 55 3 S. 56 3 U.S. M. S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence North.
150.0	Lode line; discovery point bears S. 89° 54' 28" E., 1,449.31 ft. dist.
300.0	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 54 lode of this survey.
	Thence S. 89° 54' 28" E.
1,499.31	Cor. No. 1, and place of beginning.
Siskon No. 56 LODE	
	Beginning at Cor. No. 1 of the Siskon No. 56 lode, identical with Cor. No. 2 of the Siskon No. 37 lode, Cor. No. 4 of the Siskon No. 38 lode and Cor. No. 1 of the Siskon No. 57 lode, all of this survey.
	Thence N. 89° 54' 28" W.
1,499.31	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 57 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 56 2 S. 57 4 U.S. M. S. 4727; from which

FEET	
	<p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence North.</p>
300.0	Lode line; discovery point bears S. 89° 54' 28" E., 1,449.31 ft. dist.
599.50	Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 55 lode of this survey.
	Thence S. 89° 54' 28" E.
1,499.31	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 35 lode, Cor. No. 3 of the Siskon No. 37 lode and Cor. No. 2 of the Siskon No. 55 lode, all of this survey.
	Thence South.
299.50	Lode line; discovery point bears N. 89° 54' 28" W., 50.0 ft. dist.
599.50	Cor. No. 1, and place of beginning.
Siskon No. 57 LODE	
	Beginning at Cor. No. 1 of the Siskon No. 57 lode, identical with Cor. No. 2 of the Siskon No. 37 lode, Cor. No. 4 of the Siskon No. 38 lode and Cor. No. 1 of the Siskon No. 56 lode, all of this survey.
	Thence S. 0° 05' 24" W.
299.50	Lode line; discovery point bears N. 89° 54' 28" W., 50.0 ft. dist.
599.50	Cor. No. 2, identical with Cor. No. 3 of the Siskon No. 38 lode, Cor. No. 3 of the Siskon No. 40 lode and Cor. No. 4 of the Siskon #58 lode, all of this survey.
	Thence N. 89° 54' 28" W.
1,499.31	Cor. No. 3, identical with Cor. No. 3 of the Siskon #58 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 57 3 S. 58 3 U.S.M.S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

FEET	
	Thence N. 0° 05' 24" E.
300.0	Lode line; discovery point bears S. 89° 54' 28" E., 1,449.31 ft. dist.
599.50	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 56 lode of this survey.
	Thence S. 89° 54' 28" E.
1,499.31	Cor. No. 1, and place of beginning.
Siskon #58 LODE	
	Beginning at Cor. No. 1 of the Siskon #58 lode, identical with Cor. No. 2 of the Siskon No. 40 lode, Cor. No. 4 of the Siskon No. 42 lode and Cor. No. 1 of the Siskon #59 lode, all of this survey.
	Thence N. 89° 54' 28" W.
1,499.31	Cor. No. 2, identical with Cor. No. 4 of the Siskon #59 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 58 2 S. 59 4 U.S.M.S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence N. 0° 05' 24" E.
300.0	Lode line; discovery pt. bears S. 89° 54' 28" E., 1,449.31 ft. dist.
599.50	Cor. No. 3, identical with Cor. No. 3 of the Siskon No. 57 lode of this survey.
	Thence S. 89° 54' 28" E.
1,499.31	Cor. No. 4, identical with Cor. No. 3 of the Siskon No. 38 lode, Cor. No. 3 of the Siskon No. 40 lode and Cor. No. 2 of the Siskon No. 57 lode, all of this survey.
	Thence S. 0° 05' 24" W.
299.50	Lode line; discovery pt. bears N. 89° 54' 28" W., 50.0 ft. dist.
599.50	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET

Siskon #59 LODE

Beginning at Cor. No. 1 of the Siskon #59 lode, identical with Cor. No. 2 of the Siskon No. 40 lode, Cor. No. 4 of the Siskon No. 42 lode and Cor. No. 1 of the Siskon #58 lode, all of this survey.

Thence S. 0° 05' 24" W.

299.50 Lode line; discovery point bears N. 89° 54' 28" W., 50.0 ft. dist.

599.50 Cor. No. 2, identical with Cor. No. 3 of the Siskon No. 42 lode and Cor. No. 3 of the Siskon No. 44 lode, both of this survey.

Thence N. 89° 54' 28" W.

1,499.31 Cor. No. 3.

Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 59 3 U.S.M.S. 4727; from which

A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

Thence N. 0° 05' 24" E.

300.0 Lode line; discovery point bears S. 89° 54' 28" E., 1,449.31 ft. dist.

599.50 Cor. No. 4, identical with Cor. No. 2 of the Siskon #58 lode of this survey.

Thence S. 89° 54' 28" E.

1,499.31 Cor. No. 1, and place of beginning.

FEET	Siskon #82 LODE
	Beginning at Cor. No. 1 of the Siskon #82 lode, identical with Cor. No. 1 of the Siskon No. 40 lode, Cor. No. 1 of the Siskon No. 41 lode and Cor. No. 1 of the Siskon No. 42 lode, all of this survey.
	Thence East.
331.40	Intersect line 4-1 Copper Reef No. 5 lode of this survey.
352.43	Intersect line 1-2 Copper Reef No. 5 lode of this survey.
850.79	Intersect line 3-4 Morningside lode of this survey.
1,427.17	Intersect line 3-4 Sur. No. 4179 VETA RICA lode at a point from which Cor. No. 3 bears S. 1° 47' 03" W., 151.66 ft. dist.
1,427.40	Intersect line 1-2 Morningside lode of this survey.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Siskon No. 41 lode of this survey.
	Thence S. 0° 05' 24" W.
104.38	Intersect line 1-2 Siskon #88 lode of this survey.
154.58	Intersect line 2-3 Sur. No. 4179 VETA RICA lode at a point from which Cor. No. 3 bears N. 87° 47' W., 77.36 ft. dist.
194.25	Intersect line 1-2 Siskon No. 52 lode of this survey.
299.50	Lode line; discovery point bears West, 1,220.0 ft. dist.
317.18	Intersect line 1-2 Copper Reef No. 5 lode of this survey.
599.50	Cor. No. 3, identical with Cor. No. 3 of the Siskon #83 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 82 3 S. 83 3 U.S.M.S. 4727; from which
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.

(This form bound on left side)

F E E T

FEET		
	Thence West.	
166.99	Intersect line 4-1 Siskon No. 52 lode of this survey.	
230.35	Intersect line 4-1 Siskon #88 lode of this survey.	
896.60	Intersect line 4-1 Copper Reef No 4 of this survey.	
1,004.32	Intersect line 3-4 Copper Reef No 5 of this survey.	
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 42 lode, Cor. No. 4 of the Siskon No. 44 lode and Cor. No. 2 of the Siskon #83 lode, all of this survey.	
	Thence N. 0° 05' 24" E.	
300.0	Lode line; discovery point bears East, 280.0 ft. dist.	
400.75	Intersect line 4-1 Copper Reef No 4 lode of this survey.	
599.50	Cor. No. 1, and place of beginning.	
	Siskon #83 LODE	
	Beginning at Cor. No. 1 of the Siskon #83 lode, identical with Cor. No. 1 of the Siskon No. 44 lode, Cor. No. 1 of the Siskon No. 46 lode and Cor. No. 1 of the Siskon #84 lode, all of this survey.	
	Thence N. 0° 05' 24" E.	
280.52	Intersect line 3-4 Copper Reef No 3 lode, identical with line 2-3 Copper Reef No 4 lode, both of this survey.	
300.0	Lode line; discovery point bears East, 1,200.0 ft. dist.	
599.50	Cor. No. 2, identical with Cor. No. 2 of the Siskon No. 42 lode, Cor. No. 4 of the Siskon No. 44 lode and Cor. No. 4 of the Siskon #82 lode, all of this survey.	
	Thence East.	
495.68	Intersect line 3-4 Copper Reef No 5 lode of this survey.	

(This form bound on left side)

FEET	
603.40	Intersect line 4-1 Copper Reef No 4 lode of this survey.
1,269.65	Intersect line 4-1 Siskon #88 lode of this survey.
1,333.01	Intersect line 4-1 Siskon No. 52 lode of this survey.
1,500.0	Cor. No. 3, identical with Cor. No. 3 of the Siskon #82 lode of this survey.
	Thence S. $0^{\circ} 05' 24''$ W.
205	Unimproved dirt road, bears N. 50° E. and S. 50° W.
277.59	Intersect line 3-4 Copper Reef No 5 lode of this survey.
299.50	Lode line; discovery point bears West, 300.0 ft. dist.
566.10	Intersect line 1-2 Copper Reef No (2) lode of this survey.
599.50	Cor. No. 4, identical with Cor. No. 2 of the Siskon #84 lode of this survey.
	Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X.S. 83 4 S. 84 2 U.S.M.S. 4727; from which
	A rock cairn sets adjacent to the iron post.
	Thence West.
100	Unimproved dirt road, bears N. 41° E. and S. 41° W.
165.60	Intersect line 4-1 Siskon No. 52 lode of this survey.
228.35	Intersect line 4-1 Siskon # 88 lode of this survey.
790.71	Intersect line 4-1 Copper Reef No (2) lode, identical with line 1-2 Copper Reef No 4 lode, both of this survey.
1,077.66	Intersect line 2-3 Copper Reef No 4 lode, common with line 3-4 Copper Reef No 3 lode, both of this survey.
1,500.0	Cor.No. 1, and place of beginning.

FEET		
	Siskon #84 LODE	
	Beginning at Cor. No. 1 of the Siskon #84 lode, identical with Cor. No. 1 of the Siskon No. 44 lode, Cor. No. 1 of the Siskon No. 46 lode and Cor. No. 1 of the Siskon #83 lode, all of this survey.	
	Thence East.	
422.34	Intersect line 3-4 Copper Reef No 3 lode, common with line 2-3 Copper Reef No 4 lode, both of this survey.	
709.29	Intersect line 1-2 Copper Reef No 4 lode, identical with line 4-1 Copper Reef No ② lode, both of this survey.	
1,271.65	Intersect line 4-1 Siskon #88 lode of this survey.	
1,334.40	Intersect line 4-1 Siskon No. 52 lode of this survey.	
1,400	Unimproved dirt road, bears N. 41° E. and S. 41° W.	
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Siskon #83 lode of this survey.	
	Thence S. 0° 05' 24" W.	
299.50	Lode line; discovery point bears West, 620 ft. dist.	
405.15	Intersect line 3-4 Siskon #88 lode of this survey.	
447.82	Intersect line 1-2 Siskon #85 lode of this survey.	
494.38	Intersect line 3-4 Siskon No. 52 lode of this survey.	
599.50	Cor. No. 3.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 84 3 U.S.M.S. 4727; from which	
	A rock cairn sets adjacent to the iron post.	
	Thence West.	

(This form bound on left side)

FEET	
109.44	Intersect line 3-4 Copper Reef No ② lode of this survey.
283.71	Intersect the North Side Line of the Chappo lode (unsurveyed) at a point from which the NW. Cor. bears N. 54° 38' 54" W., 755.28 ft. dist.
925	Unimproved dirt road, bears N. 52° E. and S. 52° W.
1,200.77	Intersect the West End Line Chappo lode (unsurveyed) common with line 4-1 Copper Reef No 3 lode of this survey at a point from which the NW. Cor. of the Chappo lode bears N. 34° 33' 49" E., 530.65 ft. dist.
1,222.30	Intersect line 1-2 Copper Reef No 3 lode, common with line 4-1 North Star No 3 lode, both of this survey.
1,307.37	Intersect line 4-1 Siskon #85 lode of this survey.
1,500.00	Cor. No. 4, identical with Cor. No. 2 of the Siskon No. 46 lode of this survey. Thence N. 0° 05' 24" E.
179.58	Intersect line 4-1 North Star No 3 lode, common with line 1-2 Copper Reef No 3 lode, both of this survey.
300.0	Lode line; discovery point bears East, 880.0 ft. dist.
599.50	Cor. No. 1, and place of beginning.
Siskon #85 LODE	
At Cor. No. 1 of the Siskon #85 lode.	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 85 1 U.S.M.S. 4727; from which	
The 1/4 cor. of secs. 14 and 15 bears N. 41° 44' 32" W., 282.73 ft. dist.; previously described.	
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
Thence S. 89° 52' 38" E.	

FEET		
214.26	Intersect line 4-1 Copper Reef No 3 lode of this survey, common with the West End Line Chappo lode (unsurveyed) at a point from which the SW. Cor. of the Chappo lode, identical with Cor. No. 1 of the North Star No 2 lode, Cor. No. 1 of the North Star No 3 lode and Cor. No. 1 of the Copper Reef No 3 lode, all of this survey, bears S. 34° 33' 49" W., 198.72 ft. dist.	
638	Unimproved dirt road, bears N. 69° E. and S. 69° W.	
719	Unimproved dirt road, bears N. 70° W. and S. 70° E.	
810.0	Intersect the North Side Line Chappo lode (unsurveyed) at a point from which the NW. Cor. bears N. 54° 38' 54" W., 491.29 ft. dist.	
945.	Unimproved dirt road, bears N. 46° E. and S. 46° W.	
948.89	Intersect line 3-4 Copper Reef No (2) lode of this survey.	
1,144.60	Intersect line 4-1 Siskon No. 52 lode of this survey.	
1,309.16	Intersect line 2-3 Siskon #84 lode of this survey.	
1,484.47	Intersect line 4-1 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 4 bears S. 2° 15' 36" W., 316.80 ft. dist.	
1,495.38	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X.S.85 2 U.S.M.S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 4179 MINERAL HILL lode bears S. 4° 13' 40" W., 317.39 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 34' 30" E.</p>	
46.74	Intersect line 3-4, Siskon #52 lode of this survey.	
282.18	Intersect line 1-2 Siskon #87 lode of this survey.	

(This form bound on left side)

FEET	
296.75	Lode line; discovery point bears N. $89^{\circ} 52' 38''$ W., 135.0 ft. dist.
317.58	Intersect line 3-4 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 4 bears N. $87^{\circ} 46' 13''$ W., 26.61 dist.
318.18	Intersect line 1-2 North Star No 1 lode of this survey.
333.25	Intersect line 3-4 Copper Reef No (2) lode of this survey.
488.32	Intersect the North Side Line Chappo lode (unsurveyed) at a point from which the NE. Cor. bears S. $54^{\circ} 38' 54''$ E., 131.66 ft. dist.
596.75	<p>Cor. No. 3</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 85 3 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. $89^{\circ} 52' 38''$ W.</p>
50.06	Intersect line 4-1 Siskon #87 lode of this survey.
138.35	Intersect line 4-1 North Star No 1 lode of this survey.
796.39	Intersect the South Side Line Chappo lode (unsurveyed) common with line 1-2 North Star No 2 lode of this survey at a point from which the SW. Cor. Chappo lode, identical with Cor. No. 1 North Star No 2 lode, Cor. No. 1 North Star No 3 lode and Cor. No. 1 Copper Reef No 3 lode, all of this survey, bears N. $54^{\circ} 16' 15''$ W., 740.81 ft. dist.
1,350	Unimproved dirt road, bears N. 58° W. and S. 58° E.
1,495.38	<p>Cor. No. 4.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 85 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p>

FEET	
	Thence N. 0° 34' 30" W.
285.54	Intersect line 4-1 North Star No 2 lode, identical with line 1-2 North Star No 3 lode, both of this survey.
300.0	Lode line; discovery point bears S. 89° 52' 38" E., 1,360.38 ft. dist.
442.26	Intersect line 3-4 Siskon #84 lode of this survey.
499.93	Intersect line 4-1 North Star No 3 lode, common with line 1-2 Copper Reef No 3 lode, both of this survey.
596.75	Cor. No. 1, and place of beginning.
	Siskon #87 LODE
	At Cor. No. 1 of the Siskon #87 lode.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 87 1 U.S.M.S. 4727; from which
	The 1/4 cor. of secs. 14 and 15 bears N. 73° 10' 41" W., 1,713.40 ft. dist.; previously described.
	The NE. cor. of Chappo lode (unsurveyed) bears S. 28° 51' 16" E., 322.87 ft. dist.
	A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.
	Thence S. 89° 24' 44" E.
21.49	Intersect line 4-1 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 4 bears S. 2° 15' 36" W., 47.35 ft. dist.
46.36	Intersect line 2-3 Siskon #85 lode of this survey.
300.0	Lode line; discovery point bears S. 0° 05' 57" W., 968.93 ft. dist.
379.74	Intersect line 2-3 Copper Reef No (2) lode of this survey.
600.0	Cor. No. 2.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 87 2 U.S.M.S. 4727; from which

(This form bound on left side)

FEET		
	<p>Cor. No. 4 Sur. No. 4179 MINERAL HILL lode bears S. $87^{\circ}10' 01''$ W., 580.56 ft. dist.</p> <p>The true point for Cor. No. 2 Sur. No. 3564 Carbonate lode, identical with Cor. No. 2 Sur. No. 4179 FOUR METALS lode bears S. $59^{\circ} 13' 46''$ W., 94.04 ft. dist.</p> <p>A wood post, 4 x 4 ins. 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. $0^{\circ} 05' 57''$ W.</p>	
51.24	<p>Intersect line 3-4 Sur. No. 4179 MINERAL Hill lode, common with line 2-3 Sur. No. 3564 Carbonate lode, identical with line 2-3 Sur. No. 4179 FOUR METALS lode, at a point from which the true point for Cor. No. 2 Carbonate lode, identical with Cor. No. 2 FOUR METALS lode bears N. $87^{\circ} 47' W.$, 80.77 ft. dist., thence N. $87^{\circ} 46' 13'' W.$, 499.43 ft. dist., to Cor. No. 4 MINERAL HILL lode.</p>	
651.0	<p>Intersect line 4-1 Sur. No. 3564 Carbonate lode identical with line 4-1 Sur. No. 4179 FOUR METALS lode, common with line 2-3 Sur. No. 3564 Red Oxide lode, identical with line 2-3 Sur. No. 4179 CUPRITE lode at a point from which Cor. No. 1 Carbonate lode, identical with Cor. No. 1 FOUR METALS lode bears N. $87^{\circ} 47' W.$, 75.07 ft. dist. and Cor. No. 2 Red Oxide lode, identical with Cor. No. 2 CUPRITE lode bears N. $87^{\circ} 47' W.$, 125.36 ft. dist.</p>	
1,119.17	<p>Intersect line 2-3 Sur. No. 3601 BAGDAD lode at a point from which Cor. No. 2, identical with Cor. No. 3 Sur. No. 3602 GRANITE BOULDER lode, bears N. $73^{\circ} 57' W.$, 237.42 ft. dist.</p>	
1,251.63	<p>Intersect line 4-1 Sur. No. 3564 Red Oxide lode, identical with line 4-1 Sur. No. 4179 CUPRITE lode, at a point from which Cor. No. 1 Red Oxide lode, identical with Cor. No. 1 CUPRITE lode, bears N. $87^{\circ} 47' W.$, 147.88 ft. dist.</p>	
1,493.93	<p>Cor. No. 3.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 87 3 U.S.M.S. 4727; from which</p>	

FEET	
	<p>Cor. No. 1 Sur. No. 3564 Red Oxide lode, identical with Cor. No. 1 Sur. No. 4179 CUPRITE lode, bears N. 30° 42' 53" W., 288.49 ft. dist.</p> <p>Cor. No. 2 Sur. No. 3601 BAGDAD lode, identical with Cor. No. 3 Sur. No. 3602 GRANITE BOULDER lode, bears N. 27° 19' 18" W., 495.70 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 24' 44" W.</p>
300.0	Lode line; discovery point bears N. 0° 05' 57" E., 525.0 ft. dist.
437.02	Intersect line 1-2 Sur. No. 3601 BAGDAD lode, common with line 4-1 Sur. No. 3602 TUESDAY lode at a point from which Cor. No. 4 TUESDAY lode, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey, bears N. 23° 28' E., 100.29 ft. dist., thence N. 26° 14' 29" E., 383.49 ft. dist. to Cor. No. 2 BAGDAD lode, identical with Cor. No. 3 GRANITE BOULDER lode.
600.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 87 4 U. S. M. S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 3602 TUESDAY lode, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey bears N. 66° 00' 19" E., 222.10 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 05' 57" E.</p>
88.16	Intersect line 2-3 North Star No. I lode of this survey.
142.06	Intersect line 4-1 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 4, identical with Cor. No. 4 TUESDAY lode of the same survey, bears S. 75° 40' 36" E., 209.16 ft. dist.

(This form bound on left side)

FEET	
148.38	Intersect line 3-4 Sur. No. 3602 TUESDAY lode at a point from which Cor. No. 4, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey, bears S. 74° 05' E., 210.73 ft. dist.
380.64	Intersect line 2-3 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 3601 BAGDAD lode, bears N. 81° 47' 47" E., 375.64 ft. dist.
929.29	Intersect the East End Line Chappo lode (unsurveyed) at a point from which the NE. Cor. bears N. 29° 05' 11" E., 322.53 ft. dist.
1,179.0	Intersect line 3-4 Siskon #85 lode of this survey.
1,321.89	Intersect the North Side Line Chappo lode (unsurveyed) at a point from which the NE. Cor. bears S. 54° 38' 54" E., 191.40 ft. dist.
1,407.01	Intersect line 4-1 North Star No I lode of this survey.
1,470.99	Intersect line 3-4 Copper Reef No ② lode of this survey.
1,493.93	Cor. No. 1, and place of beginning.
Siskon #88 LODGE	
At Cor. No. 1 of the Siskon #88 lode.	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 88 1 U. S. M. S. 4727; from which	
The cor. of secs. 10, 11, 14 & 15 bears N. 44° 10' 20" W., 1,816.71 ft. dist.; previously described.	
A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.	
Thence S. 89° 54' 49" E.	
156.12	Intersect line 3-4 Sur. No. 4179 VETA RICA lode at a point from which Cor. No. 3 bears S. 1° 47' 03" W., 47.35 ft. dist.

FEET	
156.23	Intersect line 1-2 Morningside lode of this survey.
232.03	Intersect line 2-3 Siskon #82 lode of this survey.
298.10	Lode line; discovery point bears S. 0° 06' 08" E., 85.0 ft. dist.
315	Unimproved dirt road, bears N. 7° W. and S. 7° E.
598.10	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X S. 88 2 U.S.M.S. 4727; from which</p> <p>Cor. No. 3 Sur. No. 4179 VETA RICA lode bears S. 83° 59' 36" W., 446.91 ft. dist.</p> <p>Cor. No. 4 Sur. No. 4179 RUSSET DYKE lode bears S. 66° 26' 28" W., 146.66 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 0° 06' 08" E.</p>
63.83	Intersect line 2-3 Sur. No. 4179 VETA RICA lode common with line 4-1 RUSSET DYKE lode of the same survey, at a point from which Cor. No. 4 RUSSET DYKE lode bears N. 87° 47' W., 134.66 ft. dist., thence N. 87° 47' W., 309.25 ft. dist. to Cor. No. 3 VETA RICA lode.
90.45	Intersect line 1-2 Siskon No. 52 lode of this survey.
597	Unimproved dirt road, bears S. 82° E. and N. 82° W.
664.94	Intersect line 2-3 Sur. No. 4179 RUSSET DYKE lode, identical with line 2-3 RAINBOW LEDGE lode of the same survey at a point from which Cor. No. 3 RUSSET DYKE lode, identical with Cor. No. 2 RAINBOW LEDGE lode, bears N. 87° 47' W., 159.22 ft. dist.
1,264.70	Intersect line 4-1 Sur. No. 4179 RAINBOW LEDGE lode, identical with line 1-2 MINERAL HILL lode of the same survey, at a point from which Cor. No. 1 RAINBOW LEDGE lode, identical with Cor. No. 1 MINERAL HILL lode, bears N. 87° 47' W., 184.34 ft. dist.

(This form bound on left side)

FEET	
1,286.71	Intersect line 1-2 Copper Reef No. ② lode of this survey.
1,499.78	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 88 3 U. S. M. S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 4179 MINERAL HILL lode, identical with Cor. No. 1 RAINBOW LEDGE lode, bears N. 37° 18' 56" W., 304.55 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 89° 54' 49" W.</p>
194.17	<p>Intersect line 4-1 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 1, identical with Cor. No. 1 RAINBOW LEDGE lode, of the same survey, bears N. 2° 15' 36" E., 242.11 ft. dist.</p>
300.0	<p>Lode line; discovery point bears N. 0° 06' 08" W., 1,414.78 ft. dist.</p>
371.11	<p>Intersect line 2-3 Siskon #84 lode of this survey.</p>
535.79	<p>Intersect line 4-1 Siskon No. 52 lode of this survey.</p>
598.10	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. X S. 88 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 0° 06' 08" W.</p>
86	<p>Unimproved dirt road, bears N. 52° E. and S. 52° W.</p>
180	<p>Unimproved dirt road, bears N. 88° W. and S. 88° E.</p>
278	<p>Unimproved dirt road, bears N. 51° E. and S. 51° W.</p>

SURVEY NO. 4727

129

FEET	
404.31	Intersect line 1-2 Siskon #84 lode, identical with line 4-1 Siskon #83 lode, both of this survey.
577.89	Intersect line 1-2 Copper Reef No ② lode of this survey.
790.20	Intersect line 3-4 Copper Reef No 5 lode of this survey.
1,003.81	Intersect line 2-3 Siskon #83 lode, identical with line 3-4 Siskon #82 lode, both of this survey.
1,162.28	Intersect line 2-3 Morningside lode of this survey.
1,350.62	Intersect line 1-2 Copper Reef No 5 lode of this survey.
1,499.78	Cor. No. 1, and place of beginning.
<p>North Star No 1 LODE</p> <p>At Cor. No. 1 of the North Star No 1 lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. I 1 U.S.M.S. 4727; from which</p> <p>The 1/4 cor. of secs. 14 and 15 bears N. 72° 17' 32" W., 1,742.77 ft. dist.; previously described.</p> <p>The NE. cor. of the Chappo lode (unsurveyed) bears S. 28° 41' 58" E., 282.60 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. 86° 28' 24" E.</p>	
26.65	Intersect line 2-3 Siskon #85 lode of this survey.
250.09	Lode line; discovery point bears S. 21° 16' 07" W., 1,107.76 ft. dist.
325.67	Intersect line 2-3 Copper Reef No ② lode of this survey.
500.09	Cor. No. 2, identical with point for witness Cor. No. 2 Sur. No. 3564 Carbonate lode, identical with point for witness Cor. No. 2 Sur. No. 4179 FOUR METALS lode and on line 1-2 Carbonate lode, identical with line 1-2 FOUR METALS lode.

(This form bound on left side)

FEET	
1,105.69	<p>Found an iron post, 1 in. diam., with brass cap, firmly set, marked and witnessed as described in the official record to which I add marks N.S. 1 2 U.S.M.S. 4727; from which</p> <p>The true point for Cor. No. 2 Sur. No. 3564 Carbonate lode, identical with Cor. No. 2 Sur. No. 4179 FOUR METALS lode, bears N. $0^{\circ} 26' 41''$ W., 11.33 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence S. $21^{\circ} 16' 07''$ W.</p>
1,380.19	<p>Intersect line 2-3 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 2 bears S. $81^{\circ} 47' 47''$ W., 676.24 ft. dist.</p>
1,385.48	<p>Intersect line 3-4 Sur. No. 3602 TUESDAY lode at a point from which Cor. No. 4, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey, bears S. $74^{\circ} 05' E.$, 188.98 ft. dist.</p>
1,438.15	<p>Intersect line 4-1 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 4 identical with Cor. No. 4 TUESDAY lode of the same survey, bears S. $75^{\circ} 40' 36'' E.$, 189.55 ft. dist.</p>
1,482.76	<p>Intersect line 4-1 Siskon #87 lode of this survey.</p> <p>Cor. No. 3.</p> <p>Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 1 3 U.S.M.S. 4727; from which</p> <p>Cor. No. 4 Sur. No. 3602 TUESDAY lode, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey, bears N. $78^{\circ} 42' 40'' E.$, 223.24 ft. dist.</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. $86^{\circ} 28' 24'' W.$</p>
250.0	<p>Lode line; discovery point bears N. $21^{\circ} 16' 07'' E.$, 375.0 ft. dist.</p>
500.09	<p>Cor. No. 4.</p>

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 1 4 U.S.M.S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 3602 GRANITE BOULDER lode bears N. 11° 11' 20" W., 210.73 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Thence N. 21° 16' 07" E.</p>
191.59	Intersect line 4-1 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 1 bears N. 75° 40' 36" W., 113.93 ft. dist.
210.28	Intersect line 3-4 Sur. No. 3602 TUESDAY lode at a point from which Cor. No. 4, identical with Cor. No. 4 GRANITE BOULDER lode of the same survey, bears S. 74° 05' E., 667.37 ft. dist.
221.37	Intersect line 3-4 North Star No 2 lode of this survey.
260.23	Intersect line 2-3 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 2 bears S. 81° 47' 47" W., 129.14 ft. dist.
786.81	Intersect line 1-2 North Star No 2 lode of this survey, common with the South Side Line Chappo lode (unsurveyed), at a point from which the SE. Cor. Chappo lode bears S. 54° 16' 15" E., 145.41 ft. dist.
1,182.35	Intersect line 3-4 Siskon #85 lode of this survey.
1,355.27	Intersect the North Side Line Chappo lode (unsurveyed) at a point from which the NE. Cor. bears S. 54° 38' 54" E., 223.09 ft. dist.
1,426.82	Intersect line 4-1 Siskon #87 lode of this survey.
1,482.32	Intersect line 3-4 Copper Reef No (2) lode of this survey.
1,482.76	Cor. No. 1, and place of beginning.

FEET		
	North Star No 2 LODE	
	<p>At Cor. No. 1 of the North Star No 2 lode, identical with Cor. No. 1 of the North Star No 3 lode, Cor. No. 1 of the Copper Reef No 3 lode, all of this survey and the SW. Cor. of the Chappo lode (unsurveyed).</p>	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 2 1 N.S. 3 1 C.R. 3 1 U.S.M.S. 4727; from which</p>	
	<p>The 1/4 cor. of secs. 14 and 15 bears N. 37° 41' 09" W., 473.96 ft. dist.; previously described.</p>	
	<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>	
	Thence S. 54° 16' 15" E.	
395	Unimproved dirt road, bears N. 17° W. and S. 17° E.	
740.81	Intersect line 3-4 Siskon #85 lode of this survey.	
1,377.19	Intersect line 4-1 North Star No 1 lode of this survey.	
1,500.0	Cor. No. 2 and on the South Side Line Chappo lode (unsurveyed).	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground; with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 2 2 U.S.M.S. 4727; from which</p>	
	<p>A rock cairn sets adjacent to the iron post.</p>	
	Thence S. 33° 46' 52" W.	
274.89	Lode line; discovery pt. bears N. 55° 13' 04" W., 1,099.37 ft. dist.	
501.98	<p>Intersect line 2-3 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 2 bears S. 81° 47' 47" W., 140.08 ft. dist.</p>	
547.72	Cor. No. 3.	

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 2 3 U.S.M.S. 4727; from which</p> <p>Cor. No. 2 Sur. No. 3602 GRANITE BOULDER lode bears N. 81° 03' 22" W., 115.33 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 55° 13' 04" W.</p>
0.25	Intersect line 4-1 North Star No 1 lode of this survey.
49.87	Intersect line 2-3 Sur. No. 3602 GRANITE BOULDER lode at a point from which Cor. No. 2 bears S. 81° 47' 47" W., 73.72 ft. dist.
1,418	Unimproved dirt road, bears N. 81° E. and S. 81° W.
1,499.37	Cor. No. 4, identical with Cor. No. 2 of the North Star No 3 lode of this survey.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 2 4 N.S. 3 2 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 33° 46' 52" E.</p>
272.83	Lode line; discovery pt. bears S. 55° 13' 04" E., 400.0 ft. dist.
395.88	Intersect line 4-1 Siskon #85 lode of this survey.
572.83	Cor. No. 1, and place of beginning.
	<p>North Star No 3 LODE</p> <p>Beginning at Cor. No. 1 of the North Star No 3 lode, identical with Cor. No. 1 of the North Star No 2 lode, Cor. No. 1 of the Copper Reef No 3 lode, both of this survey,</p>

(This form bound on left side)

FEET	
	and the SW. Cor. of the Chappo lode (unsurveyed). Thence S. $33^{\circ} 46' 52''$ W.
176.95	Intersect line 4-1 Siskon #85 lode of this survey.
300.0	Lode line; discovery pt. bears N. $56^{\circ} 12' 04''$ W., 300.0 ft. dist.
572.83	Cor. No. 2, identical with Cor. No. 4 of the North Star No 2 lode of this survey. Thence N. $56^{\circ} 12' 04''$ W.
875.04	Intersect line 2-3 Siskon No. 46 lode of this survey.
1,456.22	Cor. No. 3. Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 3 3 U.S.M.S. 4727; from which A rock cairn sets adjacent to the iron post. Thence N. $33^{\circ} 46' 52''$ E.
272.83	Lode line; discovery pt. bears S. $56^{\circ} 12' 04''$ E., 1,156.22 ft. dist.
332.80	Intersect line 4-1 Siskon No. 46 lode, identical with line 1-2 Siskon No. 44 lode, both of this survey.
550.40	Cor. No. 4. Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X N.S. 3 4 U.S.M.S. 4727; from which A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post. Thence S. $57^{\circ} 05' 02''$ E.
57.99	Cor. No. 2 Copper Reef No 3 lode of this survey.
333.82	Intersect line 1-2 Siskon No. 44 lode, identical with line 4-1 Siskon No. 46 lode, both of this survey.

FEET	
1,108.17	Intersect line 1-2 Siskon No. 46 lode, identical with line 4-1 Siskon #84 lode, both of this survey.
1,335.39	Intersect line 4-1 Siskon #85 lode of this survey.
1,438.64	Intersect line 3-4 Siskon #84 lode of this survey.
1,456.38	Cor. No. 1, and place of beginning.
<p>Copper Reef No. ②LODE</p> <p>At Cor. No. 1 of the Copper Reef No. ②lode, identical with Cor. No. 1 of the Copper Reef No. 4 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C. R. 2 1 C. R. 4 1 U. S. M. S. 4727; from which</p> <p>The 1/4 cor. of secs. 14 and 15 bears S. 57° 49' 59" W., 1,126.80 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>Thence S. 58° 34' 59" E.</p>	
369.82	Intersect line 4-1 Siskon #88 lode of this survey.
443.60	Intersect line 4-1 Siskon No. 52 lode of this survey.
510	Unimproved dirt road, bears S. 5° E. and N. 5° W.
637.83	Intersect line 3-4 Siskon #83 lode of this survey.
859.37	Intersect line 1-2 Sur. No. 4179 RAINBOW LEDGE lode at a point from which Cor. No. 1, identical with Cor. No. 1 MINERAL HILL lode of the same survey bears S. 2° 17' 53" W., 81.47 ft. dist.
1,026.46	Intersect line 4-1 Sur. No. 4179 RAINBOW LEDGE lode, identical with line 1-2 MINERAL HILL lode of the same survey at a point from which Cor. No. 1 RAINBOW LEDGE lode, identical with Cor. No. 1 MINERAL HILL lode, bears N. 87° 47' W., 145.88 ft. dist.

(This form bound on left side)

FEET	
1,071.43	Intersect line 2-3 Siskon #88 lode of this survey.
1,141.82	Intersect line 2-3 Siskon No. 52 lode of this survey.
1,499.96	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 2 2 U.S.M.S. 4727; from which</p> <p>Cor. No. 1 Sur. No. 4179 MINERAL HILL lode, identical with Cor. No. 1 RAINBOW LEDGE lode of the same survey, bears N. 65° 20' 14" W., 605.14 ft. dist.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. 33° 57' 54" W.</p>
297.05	Lode line; discovery pt. bears N. 58° 41' 55" W., 1,100.0 ft. dist.
383.25	Intersect line 1-2 Siskon #87 lode of this survey.
436.06	Intersect line 3-4 Sur. No. 4179 MINERAL HILL lode at a point from which Cor. No. 4 bears N. 87° 46' 13" W., 330.35 ft. dist.
444.65	Intersect line 1-2 North Star No. I lode of this survey.
597.05	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 2 3 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 58° 41' 55" W.</p>
249.71	Intersect line 2-3 Siskon #85 lode of this survey.
281.17	Intersect line 4-1 North Star No. I lode of this survey.

FEET	
317.15	Intersect line 4-1 Siskon #87 lode of this survey.
599.93	Intersect line 3-4 Siskon #84 lode of this survey.
895.16	Intersect line 1-2 Siskon #85 lode of this survey.
900	Unimproved dirt road, bears N. 46° E. and S. 46° W.
1,500.0	<p>Cor. No. 4, identical with Cor. No. 4 of the Copper Reef No 3 lode and Cor. No. 2 of the Copper Reef No 4 lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 2 4 C.R. 3 4 C.R. 4 2 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 33° 57' 54" E.</p>
158.88	Intersect line 1-2 Siskon #84 lode, identical with line 4-1 Siskon #83 lode, both of this survey.
300.0	Lode line; discovery pt. bears S. 58° 41' 55" E. 400.0 ft. dist.
600.0	Cor. No. 1, and place of beginning.
<p>Copper Reef No 3 LODE</p> <p>Beginning at Cor. No. 1 of the Copper Reef No 3 lode, identical with Cor. No. 1 of the North Star No 2 lode, Cor. No. 1 of the North Star No 3 lode, both of this survey and the SW. Cor. of the Chappo lode (unsurveyed).</p> <p style="text-align: center;">Thence N. 57° 05' 02" W.</p>	
17.74	Intersect line 3-4 Siskon #84 lode of this survey.
120.99	Intersect line 4-1 Siskon #85 lode of this survey.
348.21	Intersect line 4-1 Siskon #84 lode, identical with line 1-2 Siskon No. 46 lode, both of this survey.

(This form bound on left side)

FEET	
1,122.56	Intersect line 4-1 Siskon No. 46 lode; identical with line 1-2 Siskon No. 44 lode, both of this survey.
1,398.39	Cor. No. 2 and on line 4-1 North Star No 3 lode of this survey. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 3 2 U.S.M.S. 4727: from which A rock cairn sets adjacent to the iron post. Thence N. 34° 33' 49" E.
300.0	Lode line; discovery pt. bears S. 57° 05' 02" E., 1,373.39 ft. dist.
545.88	Intersect line 3-4 Siskon No. 44 lode, identical with line 2-3 Siskon No. 42 lode, both of this survey.
596.89	Cor. No. 3. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 3 3 U.S.M.S. 4727; from which A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post. Thence S. 56° 22' 49" E.
76:09	Intersect line 2-3 Siskon No. 42 lode, identical with line 3-4 Siskon No. 44 lode, both of this survey.
112.18	Cor. No. 3 Copper Reef No 4 lode of this survey.
653.36	Intersect line 4-1 Siskon No. 44 lode, identical with line 1-2 Siskon #83 lode, both of this survey.
1,160.01	Intersect line 4-1 Siskon #83 lode, identical with line 1-2 Siskon #84 lode, both of this survey.
1,398.0	Cor. No. 4, identical with Cor. No. 4 of the Copper Reef No ② lode and Cor. No. 2 of the Copper Reef No 4 lode, both of this survey.

FEET	
	Thence S. 34° 33' 49" W.
37.33	NW. Cor. Chappo lode (unsurveyed).
279.69	Lode line; discovery pt. bears N. 57° 05' 02" W., 25.0 ft. dist.
380.95	Intersect line 1-2 Siskon #85 lode of this survey.
567.98	Intersect line 3-4 Siskon #84 lode of this survey.
579.69	Cor. No. 1, and place of beginning.
Copper Reef No 4 LODE	
	Beginning at Cor. No. 1 of the Copper Reef No 4 lode, identical with Cor. No. 1 of the Copper Reef No ② lode of this survey.
	Thence S. 33° 57' 54" W.
300.0	Lode line; discovery point bears N. 56° 22' 49" W., 885.82 ft. dist.
441.12	Intersect line 4-1 Siskon #83 lode, identical with line 1-2 Siskon #84 lode, both of this survey.
600.0	Cor. No. 2, identical with Cor. No. 4 of the Copper Reef No ② lode and Cor. No. 4 of the Copper Reef No 3 lode, both of this survey.
	Thence N. 56° 22' 49" W.
237.99	Intersect line 1-2 Siskon #84 lode, identical with line 4-1 Siskon #83 lode, both of this survey.
744.64	Intersect line 1-2 Siskon #83 lode, identical with line 4-1 Siskon No. 44 lode, both of this survey.
1,285.82	Cor. No. 3 and on line 3-4 Copper Reef No 3 lode of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 4 3 U.S.M.S. 4727; from which
	A rock cairn sets adjacent to the iron post.
	Thence N. 33° 57' 54" E.

(This form bound on left side)

FEET	
24.06	Intersect line 3-4 Siskon No. 44 lode, common with line 2-3 Siskon No. 42 lode, both of this survey.
300.0	Lode line; discovery point, bears S. 56° 22' 49" E. 400.0 ft. dist.
600.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 4 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 56° 22' 49" E.</p>
139.99	Intersect line 1-2 Siskon No. 42 lode, identical with line 4-1 Siskon #82 lode, both of this survey.
473.69	Intersect line 4-1 Copper Reef No 5 lode of this survey.
863.84	Intersect line 3-4 Siskon #82 lode, identical with line 2-3 Siskon #83 lode, both of this survey.
955.77	Intersect line 3-4 Copper Reef No 5 lode of this survey.
1,285.82	Cor. No. 1, and place of beginning.
Copper Reef No 5 LODE	
At Cor. No. 1 of the Copper Reef No 5 lode.	
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 5 1 U.S.M.S. 4727; from which</p>	
<p>The cor. of secs. 10, 11, 14 and 15 bears N. 15° 28' 15" W., 1,238.26 ft. dist.; previously described.</p>	
<p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>	
Thence S. 74° 32' 34" E.	
21.01	Intersect line 4-1 Siskon No. 41 lode, identical with line 1-2 Siskon #82 lode, both of this survey.

FEET	
536.37	Intersect line 3-4 Morningside lode of this survey.
971.01	Intersect line 4-1 Siskon #88 lode of this survey.
1,037.12	Intersect line 4-1 Siskon No. 52 lode of this survey.
1,126.44	Intersect line 1-2 Morningside lode of this survey.
1,211.11	Intersect line 2-3 Siskon #82 lode of this survey.
1,229	Unimproved dirt road, bears N. 11° W. and S. 11° E.
1,443.04	Intersect line 3-4 Sur. No. 4179 RUSSET DYKE lode at a point from which Cor. No. 3, identical with Cor. No. 2 RAINBOW LEDGE lode of the same survey, bears S. 2° 14' 25" W., 385.01 ft. dist.
1,483.95	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 5 2 U.S.M.S. 4727; from which</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence S. 7° 59' 32" W.</p>
272.25	Lode line; discovery point bears N. 74° 32' 34" W., 1,458.95 ft. dist.
295	Center of unimproved dirt road, bears S. 87° W. and S. 87° E.
377.55	Intersect line 2-3 Sur. No. 4179 RUSSET DYKE lode, identical with line 2-3 RAINBOW LEDGE lode of the same survey, at a point from which Cor. No. 3 RUSSET DYKE lode, identical with Cor. No. 2 RAINBOW LEDGE lode, bears N. 87° 47' W., 1.99 ft. dist.
397.61	Intersect line 1-2 Sur. No. 4179 RAINBOW LEDGE lode at a point from which Cor. No. 2, identical with Cor. No. 3 RUSSET DYKE lode of the same survey, bears N. 2° 17' 53" E., 19.95 ft. dist.
544.51	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 5 3 U.S.M.S. 4727; from which</p>

FEET		
	<p>Cor. No. 2 Sur. No. 4179 RAINBOW LEDGE lode, identical with Cor. No. 3 RUSSET DYKE lode of the same survey, bears N. 7° 18' 49" E., 166.77 ft. dist.</p> <p>A rock cairn sets adjacent to the iron post.</p> <p>Thence N. 74° 32' 34" W.</p>	
195.21	Intersect line 3-4 Siskon #83 lode of this survey.	
231	Unimproved dirt road, bears N. 69° E. and S. 69° W.	
367.84	Intersect line 4-1 Siskon No. 52 lode of this survey.	
433.36	Intersect line 4-1 Siskon #88 lode of this survey.	
1,045.58	Intersect line 4-1 Copper Reef No 4 lode of this survey.	
1,236.76	Intersect line 2-3 Siskon #83 lode, identical with line 3-4 Siskon #82 lode, both of this survey.	
1,483.95	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X C.R. 5 4 U.S.M.S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p>Thence N. 7° 59' 32" E.</p>	
151.58	Intersect line 4-1 Copper Reef No 4 lode of this survey.	
272.26	Lode line; discovery point bears S. 74° 32' 34" E., 25.0 ft. dist.	
538.85	Intersect line 1-2 Siskon #82 lode, identical with line 4-1 Siskon No. 41 lode, both of this survey.	
544.51	Cor. No. 1, and place of beginning.	

FEET	
	Morningside LODE
	Beginning at Cor. No. 1 of the Morningside lode, identical with Cor. No. 2 of the North Star lode and Cor. No. 1 of the AURORA lode, all of this survey, and on line 4-1 Sur. No. 4179 GRAND VIEW lode.
	Thence S. 1° 50' 59" W.
466.96	Intersect line 3-4 Siskon No. 39 lode common with line 2-3 Siskon No. 41 lode, both of this survey.
480	Unimproved dirt road, bears N. 85° E. and S. 85° W.
535	Unimproved dirt road, bears N. 45° E. and S. 40° W.
609.23	Intersect line 2-3 Sur. No. 4179 GRAND VIEW lode, identical with line 4-1 VETA RICA lode of the same survey at a point from which Cor. No. 3 GRAND VIEW lode, identical with Cor. No. 4 VETA RICA lode, bears N. 87° 47' W., 0.75 ft. dist.
655	Unimproved dirt road, bears S. 47° E. and N. 35° W.
1,066.78	Intersect line 4-1 Siskon No. 41 lode, identical with line 1-2 Siskon #82 lode, both of this survey.
1,161.10	Intersect line 1-2 Siskon #88 lode of this survey.
1,218.46	Intersect line 2-3 Sur. No. 4179 VETA RICA lode at a point from which Cor. No. 3 bears N. 87° 47' W., 0.06 ft. dist.
1,260.91	Intersect line 1-2 Siskon No. 52 lode of this survey.
1,361.55	Intersect line 1-2 Copper Reef No. 5 lode of this survey.
1,498.45	Cor. No. 2. Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X MORN. 2 U. S. M. S. 4727; from which Cor. No. 3 Sur. No. 4179 VETA RICA lode bears N. 1° 50' 16" E., 280.0 ft. dist. A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post. Thence S. 86° 25' 15" W.

(This form bound on left side)

FEET	
81.70	Intersect line 4-1 Siskon No. 52 lode of this survey.
145.34	Intersect line 4-1 Siskon #88 lode of this survey.
300.0	Lode line; discovery point bears N. 1° 50' 59" E., 748.45 ft. dist.
569.34	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X MORN. 3 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 0° 40' 50" E.</p>
329.66	Intersect line 1-2 Copper Reef No. 5 lode of this survey.
467.03	Intersect line 1-2 Siskon #82 lode, identical with line 4-1 Siskon No. 41 lode, both of this survey.
1,066.57	Intersect line 2-3 Siskon No. 41 lode, identical with line 3-4 Siskon No. 39 lode, both of this survey.
1,495.86	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 9 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. X MORN. 4 U. S. M. S. 4727; from which</p> <p>A wood post, 4 x 4 ins., 4 ft. long, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 86° 25' 15" E.</p>
300.0	Lode line; discovery point bears S. 1° 50' 59" W., 750.0 ft. dist.
598.54	Intersect line 3-4 Sur. No. 4179 GRAND VIEW lode at a point from which Cor. No. 3, identical with Cor. No. 4 VETA RICA lode of the same survey, bears S. 1° 47' 03" W., 609.0 ft. dist.
600.0	Cor. No. 1, and place of beginning.

FEET	Mineral Survey No. 4727
	AREAS
	<u>Acres</u>
	Total area "Kimbrow" lode 20.532
	Area in conflict with
	Sur. No. 3263 Longstreet lode 0.047
	Sur. No. 3263 Aldwinkle lode 0.104
	Total area " <u>Kimbrow Eastern</u> " lode 20.532
	Total area " <u>Velasquez</u> " lode 20.048
	Area in conflict with
	" <u>Kimbrow Eastern</u> " lode of this survey 0.456
	Total area Granite Hill lode 20.271
	Total area Velascoquez Wedge lode 19.809
	Area in conflict with
	Sur. No. 3263 Longstreet lode 0.753
	"Kimbrow" lode of this survey 1.093
	"Kimbrow" lode of this survey exclusive
	of its conflict with Sur. No. 3263
	Longstreet lode 1.093
	" <u>Kimbrow Eastern</u> " lode of this survey 0.365
	" <u>Velasquez</u> " lode of this survey 5.355
	" <u>Velasquez</u> " lode exclusive of its
	conflict with the " <u>Kimbrow Eastern</u> "
	lode, both of this survey 5.334
	Granite Hill lode of this survey 3.311
	Total area CLARK No. 1 lode 19.675
	Area in conflict with
	SW 1/4 NE 1/4 Sec. 12. 0.178
	Total area Mary #1 lode 18.097
	Total area AURORA lode 18.529
	Area in conflict with
	VENUS lode of this survey 1.152
	Granite Hill lode of this survey 1.019
	Total area VENUS lode 20.661
	Area in conflict with
	Velascoquez Wedge lode of this survey 0.141
	Total area MARS lode 19.515
	Area in conflict with
	Sur. No. 4179 Grandview lode 0.011
	Sur. No. 4179 Silver Saddle lode 3.685
	Sur. No. 4179 Golden Spur lode 0.342
	Sur. No. 4179 Vulcan lode 2.527
	Total area Jupiter lode 20.661
	Area in conflict with
	NW 1/4 Sec. 13, T. 8 S., R. 18 E.,
	G. & S. R. M. 0.023

(This form bound on left side)

FEET	
	Sur. No. 4179 Vulcan lode 2.970
	Sur. No. 4179 Jewel lode identical with Sur. No. 3564 Gem lode 1.758
	Sur. No. 4179 Jewel lode identical with Sur. No. 3564 Gem lode exclusive of its conflict with NW 1/4 Sec. 13 and Sur. No. 4179 Vulcan lode 1.756
	Total area American Eagle lode 20.048
	Area in conflict with AURORA lode of this survey 0.193
	Total area Paloma lode. 18.513
	Area in conflict with Sur. No. 3263 Childs lode 1.926
	Sur. No. 3263 Aldwinkle lode. 0.259
	"Kimbro" lode of this survey. 0.020
	"Kimbro" lode of this survey exclusive of its conflict with Sur. No. 3263 Aldwinkle lode. 0.019
	Total area Jay Bird lode 20.639
	Area in conflict with Copper King lode (unsurveyed). 5.599
	Total area Center Star 20.649
	Area in conflict with Mary #1 lode of this survey 4.273
	Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 2.602
	Copper King lode (unsurveyed). 1.557
	Copper King lode (unsurveyed) exclu- sive of its conflict with Sec. 2, T. 8 S., R. 18 E., G. & S. R. M.. . . . 0.522
	Total area Middle March lode 20.639
	Total area Redondo lode 20.648
	Total area Minnesota lode 20.536
	Area in conflict with "Kimbro Eastern" lode of this survey 1.120
	Total area Copper Cliff lode 20.536
	Area in conflict with "Kimbro Eastern" lode of this survey 0.021
	Total area Copper Ridge lode 20.536
	Area in conflict with "Velasquez" lode of this survey 0.007
	Total area Lone Trail lode 20.639
	Area in conflict with Mary #1 lode of this survey. 3.797
	Total area Whippoorwill lode 20.536
	Area in conflict with

SURVEY NO. 4727

FEET	
	Paloma lode of this survey. 0.437
	Total area Hercules lode 20.634
	Area in conflict with
	Mary #1 lode of this survey 0.141
	Redondo lode of this survey 0.007
	Total area Fraction lode 18.593
	Area in conflict with
	American Eagle lode of this survey 6.846
	North Star lode of this survey 0.020
	North Star lode exclusive of its
	conflict with the American Eagle
	lode, both of this survey 0.020
	Total area North Star lode 19.740
	Area in conflict with
	American Eagle lode of this survey 0.121
	Total area Morningside lode 20.022
	Area in conflict with
	Sur. No. 4179 Grandview lode 0.015
	Sur. No. 4179 Veta Rica lode 0.005
	Total area CAMINO lode 20.515
	Area in conflict with
	Sur. No. 3263 Childs No. 3 lode 2.115
	Sur. No. 3263 Mogul lode 2.085
	Sur. No. 4059 Gulch lode 0.268
	Sur. No. 4059 Gulch lode exclusive
	of its conflict with Sur. No. 3263
	Mogul lode 0.266
	Total area ANGUSTO lode 20.609
	Area in conflict with
	Sur. No. 3263 Childs No. 3 lode 0.568
	Sur. No. 3263 Longstreet lode 0.307
	Velascoquez Wedge lode of this survey 0.224
	Velascoquez Wedge lode of this survey
	exclusive of its conflict with Sur.
	No. 3263 Longstreet lode 0.206
	VENUS lode of this survey 3.445
	VENUS lode exclusive of its conflict
	with the Velascoquez Wedge lode
	both of this survey 3.441
	Total area Copper Reef No ② lode 20.588
	Area in conflict with
	Sur. No. 4179 Rainbow Ledge lode 0.136
	Sur. No. 4179 Mineral Hill lode 5.658
	Total area North Star No 1 lode 16.212
	Area in conflict with
	Chappo lode (unsurveyed) 2.333
	Copper Reef No ② lode of this survey 0.492
	Sur. No. 3602 Granite Boulder lode 1.904
	Sur. No. 3602 Tuesday lode 1.710

(This form bound on left side)

FEET	
	Sur. No. 3602 Tuesday lode exclusive of its conflict with the Granite Boulder lode of the same survey . . . 1.583
	Total area North Star No 2 lode . . . 19.282
	Area in conflict with
	Sur. No. 3602 Granite Boulder lode . . . 0.026
	North Star No 1 lode of this survey . . . 0.773
	North Star No 1 lode of this survey exclusive of its conflict with
	Sur. No. 3602 Granite Boulder lode 0.769
	Total area North Star No 3 lode . . . 18.774
	Total area Paloma Fraction lode . . . 18.968
	Area in conflict with
	Sur. No. 3263 Childs lode 0.793
	Sur. No. 3263 Aldwinkle lode 1.329
	Sur. No. 3263 Aldwinkle lode exclusive of its conflict with the Childs lode of the same survey 1.323
	"Kimbrow" lode of this survey 2.227
	"Kimbrow" lode of this survey exclusive of its conflict with Sur. No. 3263 Aldwinkle lode 2.195
	"Kimbrow Eastern" lode of this survey . . . 1.165
	Paloma lode of this survey 10.256
	Paloma lode of this survey exclusive of its conflict with Sur. No. 3263 Childs and Aldwinkle lodes and
	"Kimbrow" lode of this survey . . . 9.834
	Minnesota lode of this survey 0.557
	Minnesota lode exclusive of its conflict with the "Kimbrow Eastern" lode, both of this survey 0.548
	Whippoorwill lode of this survey 1.365
	Whippoorwill lode exclusive of its conflict with the Paloma lode, both of this survey 1.353
	Total area Velasquez Fraction lode 19.765
	Area in conflict with
	"Kimbrow Eastern" lode of this survey . . . 3.611
	"Velasquez" lode of this survey 9.281
	"Velasquez" lode exclusive of its conflict with the "Kimbrow Eastern" lode, both of this survey 9.165
	Velasquez Wedge lode of this survey . . . 0.0003
	Velasquez Wedge exclusive of its conflict with the Velasquez lode, both of this survey 0.000
	American Eagle lode of this survey . . . 0.484
	Copper Ridge lode of this survey 0.101
	Copper Ridge lode exclusive of its conflict with the "Velasquez" lode, both of this survey 0.098

FEET		
	Copper Cliff lode of this survey	2.639
	Copper Cliff lode exclusive of its conflict with the " <u>Kimbro Eastern</u> " lode, both of this survey	2.624
	Total area Copper Trail #1 lode	20.637
	Area in conflict with S 1/2 SW 1/4 Sec. 12, T. 8 S., R. 18 E., G. & S. R. M.	0.222
	Total area Copper Trail #2 lode	20.096
	Area in conflict with SW 1/4 SW 1/4 Sec. 12, T. 8 S., R. 18 E., G. & S. R. M.	0.365
	Total area Copper Trail #3 lode	20.632
	Area in conflict with SW 1/4 SW 1/4 Sec. 12 T. 8 S., R. 18 E., G. & S. R. M.	0.150
	NW 1/4 NW 1/4 Sec. 13 T. 8 S., R. 18 E., G. & S. R. M.	0.012
	Sur. No. 4179 Vulcan lode.	0.304
	MARS lode of this survey	3.905
	MARS lode of this survey exclusive of its conflict with Sur. No. 4179 Vulcan lode.	3.724
	Jupiter lode of this survey.	2.271
	Jupiter lode of this survey exclusive of its conflict with NW 1/4 Sec. 13 T. 8 S., R. 18 E., G. & S. R. M. and Sur. No. 4179 Vulcan lode	2.230
	Total area Copper Trail No. 4 lode.	20.644
	Area in conflict with Copper Ridge lode of this survey.	0.809
	Redondo lode of this survey	1.168
	Total area Copper Reef No. 3 lode	18.877
	Total area Copper Reef No. 4 lode	17.710
	Total area Copper Reef No. 5 lode	18.392
	Area in conflict with Sur. No. 4179 Russet Dyke lode	0.185
	Sur. No. 4179 Rainbow Ledge lode.	0.000
	Morningside lode of this survey	3.050
	Copper Reef No. 4 lode of this survey.	0.756
	Total area Moose #2 lode.	20.418
	Area in conflict with MARS lode of this survey	4.510
	North Star lode of this survey	8.522
	Fraction lode of this survey	1.211
	Fraction lode exclusive of its conflict with the North Star lode, both of this survey.	1.206

(This form bound on left side)

FEET	
	Total area Moose #4 lode 20.135
	Area in conflict with
	American Eagle lode of this survey. . . 1.636
	Fraction lode of this survey 8.489
	Fraction lode exclusive of its conflict
	with the American Eagle lode, both
	of this survey 7.643
	Total area Moose #6 lode 20.396
	Area in conflict with
	"Velasquez" lode of this survey. 0.878
	American Eagle lode of this survey. . . 3.476
	Copper Ridge lode of this survey 0.209
	Copper Ridge lode exclusive of its
	conflict with "Velasquez" lode,
	both of this survey. 0.208
	Velasquez Fraction lode of this survey . 0.145
	Velasquez Fraction lode exclusive of
	its conflict with the "Velasquez"
	and American Eagle lodes, all of
	this survey 0.000
	Total area Moose #8 lode 20.400
	Area in conflict with
	"Velasquez" lode of this survey 1.781
	Copper Ridge lode of this survey 13.688
	Copper Cliff lode of this survey 0.402
	Velasquez Fraction lode of this survey . 1.551
	Velasquez Fraction lode exclusive
	of its conflict with the "Velasquez",
	Copper Ridge and Copper Cliff lodes,
	all of this survey 0.248
	Total area Siskon No. 36 lode 20.196
	Area in conflict with
	Granite Hill lode of this survey. 5.913
	VENUS lode of this survey 6.227
	AURORA lode of this survey 8.541
	American Eagle lode of this survey. . . 1.408
	American Eagle lode exclusive of its
	conflict with the AURORA lode,
	both of this survey. 1.229
	AURORA lode exclusive of its conflict
	with the Granite Hill, VENUS and
	American Eagle lodes, all of this
	survey 6.193
	Total area Siskon No. 39 lode 20.644
	Area in conflict with
	Sur. No. 4179 Grandview lode 0.515
	AURORA lode of this survey 2.672
	North Star lode of this survey 0.111
	Morningside lode of this survey. 6.103
	Morningside lode of this survey exclu-
	sive of its conflict with Sur. No.
	4179 Grandview lode. 6.090

SURVEY NO. 4727

	FEET		
		Total area Siskon No. 41 lode . . .	20.644
		Area in conflict with	
		Sur. No. 4179 Grandview lode	0.188
		Sur. No. 4179 Veta Rica lode	0.692
		Morningside lode of this survey . . .	8.020
		Morningside lode of this survey exclu- sive of its conflict with Sur. No. 4179	
		Grandview and Veta Rica lodes . .	8.012
		Copper Reef No 5 lode of this survey .	0.001
		 Total area Siskon No. 34 lode . . .	 20.594
		Area in conflict with	
		VENUS lode of this survey	1.185
		CAMINO lode of this survey	0.630
		ANGUSTO lode of this survey	4.883
		ANGUSTO lode exclusive of its conflict with the VENUS lode, both of this survey	4.754
		 Total area Siskon No. 35 lode . . .	 20.594
		Area in conflict with	
		VENUS lode of this survey	0.313
		ANGUSTO lode of this survey	0.068
		Siskon No. 36 lode of this survey . . .	0.013
		Siskon No. 36 lode exclusive of its conflict with the VENUS lode, both of this survey	0.013
		Siskon No. 34 lode of this survey . . .	10.309
		Siskon No. 34 lode exclusive of its conflict with the ANGUSTO and VENUS lode, all of this survey . .	9.909
		 Total area Siskon No. 37 lode . . .	 20.594
		Area in conflict with	
		AURORA lode of this survey	0.060
		Siskon No. 36 lode of this survey . . .	0.011
		Siskon No. 36 lode exclusive of its conflict with the AURORA lode, both of this survey	0.011
		 Total area Siskon No. 38 lode . . .	 20.594
		Area in conflict with	
		AURORA lode of this survey	0.010
		 Total area Siskon No. 40 lode . . .	 20.594
		 Total area Siskon No. 42 lode . . .	 20.594
		Area in conflict with	
		Copper Reef No 3 lode of this survey .	0.044
		Copper Reef No 4 lode of this survey .	2.938
		 Total area Siskon No. 44 lode . . .	 20.594
		Area in conflict with	
		North Star No 3 lode of this survey . .	0.833
		Copper Reef No 3 lode of this survey .	8.390
		Copper Reef No 4 lode of this survey .	1.752

(This form bound on left side)

FEET	
	Total area Siskon No. 46 lode . . . 20,594
	Area in conflict with
	North Star No 3 lode of this survey . . 11.504
	Copper Reef No 3 lode of this survey . . 3.136
	Total area Siskon No. 52 lode . . . 20,497
	Area in conflict with
	Sur. No. 4179 Russet Dyke lode . . . 2,741
	Sur. No. 4179 Rainbow Ledge lode . . . 3,194
	Sur. No. 4179 Mineral Hill lode . . . 1,884
	Morningside lode of this survey. . . . 0,471
	Copper Reef No ② lode of this survey . . 6,118
	Copper Reef No ② lode of this survey exclusive of its conflict with Sur. No. 4179, Rainbow Ledge and Mineral Hill lodes 4,160
	Copper Reef No 5 lode of this survey . . 5,048
	Copper Reef No 5 lode of this survey exclusive of Sur. No. 4179, Russet Dyke and Rainbow Ledge lodes, and the Morningside lode of this survey. . 4,571
	Total area Albatross No. 1 lode . . 18,594
	Area in conflict with
	S 1/2 SW 1/4 Sec. 12, T. 8 S., R. 18 E., G.&S.R.M. 0,618
	Copper Trail No. 1 lode of this survey . 0,004
	Copper Trail No. 1 lode of this survey exclusive of its conflict with the S 1/2 SW 1/4 Sec. 12, T. 8 S., R. 18 E., G.&S.R.M. 0,003
	Total area Albatross No. 2 lode . . 20,647
	Area in conflict with
	S 1/2 SW 1/4 Sec. 12, T. 8 S., R. 18 E., G.&S.R.M. 0,694
	S 1/2 SE 1/4 Sec. 12, T. 8 W., R. 18 E., G.&S.R.M. 0,141
	CLARK No. 1, lode of this survey. . . . 0,008
	Total area Albatross No. 3 lode . . 18,587
	Total area Albatross No. 4 lode . . 20,638
	Area in conflict with
	CLARK No. 1, lode of this survey . . . 6,988
	Total area Albatross No. 5 lode . . 18,594
	Area in conflict with
	Middle March lode of this survey. . . . 3,389
	Total area Albatross No. 6 lode . . 20,647
	Area in conflict with
	SW 1/4 NE 1/4 Sec. 12, T. 8 S., R. 18 E., G.&S.R.M. 2,672
	CLARK No. 1, lode of this survey . . . 10,314

SURVEY NO. 4727

	FEET		
		CLARK No. 1, lode of this survey exclusive of its conflict with SW 1/4 NE 1/4 Sec. 12, T. 8S., R. 18 E., G. & S. R. M.	10.136
		Total area Albatross No. 7 lode . .	18.587
		Area in conflict with	
		Mary #1 lode of this survey	3.953
		Middle March lode of this survey . . .	4.332
		Lone Trail lode of this survey	2.410
		Lone Trail lode of this survey exclu- sive of its conflict with the Mary #1 lode, both of this survey.	2.050
		Total area Albatross No. 8 lode. . .	20.638
		Area in conflict with	
		CLARK No. 1 lode of this survey . . .	0.117
		SW 1/4 NE 1/4 Sec. 12, T. 8 S., R. 18 E., G. & S. R. M.	3.446
		Total area Albatross No. 9 lode . .	18.594
		Area in conflict with	
		Mary #1 lode of this survey	10.468
		Center Star lode of this survey	1.462
		Center Star lode exclusive of its conflict with the Mary #1 lode of this survey	0.043
		Lone Trail lode of this survey	2.965
		Lone Trail lode exclusive of its conflict with the Mary #1 lode of this survey.	0.201
		Total area Albatross No. 17 lode . .	20.649
		Area in conflict with	
		Redondo lode of this survey	8.556
		Middle March lode of this survey. . . .	3.604
		Copper Ridge lode of this survey. . . .	0.841
		Copper Cliff lode of this survey	0.049
		Total area Siskon No. 56 lode	20.634
		Total area Siskon No. 57 lode	20.634
		Total area Siskon No. 54 lode	20.634
		Area in conflict with	
		CAMINO lode of this survey	0.043
		Total area Siskon No. 55 lode. . . .	10.326
		Total area Buzzard No. 1 lode	20.529
		Area in conflict with	
		Sur. No. 2620 Copper Giant lode. . . .	3.613
		Sur. No. 2620 Copper Prince lode . . .	0.073
		Sur. No. 3118 Dorothy lode	0.009
		Sur. No. 3118 Dorothy lode exclusive of its conflict with Sur. No. 2620 Copper Giant lode.	0.000

(This form bound on left side)

FEET	
	Sur. No. 3263 Childs lode 10.260
	Sur. No. 3263 Childs lode exclusive of its conflict with Sur. No. 2620 Copper Giant and Copper Prince lodes 10.252
	Sur. No. 3263 Childs No. 2 lode 0.286
	Paloma lode of this survey 0.461
	Paloma lode of this survey exclusive of its conflict with Sur. No. 3263 Childs lode 0.000
	SW 1/4 Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 0.002
	SW 1/4 Sec. 2, T. 8 S., R. 18 E., exclusive of its conflict with Sur. No. 2620 Copper Giant lode and Sur. No. 3118 Dorothy lode 0.001
	Total area Buzzard No. 2 lode. 20.529
	Area in conflict with SW 1/4 Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 0.007
	Sur. No. 3263 Childs lode 1.208
	Paloma lode of this survey 6.147
	Paloma Fraction lode of this survey 1.646
	Paloma lode of this survey exclusive of its conflict with Sur. No. 3263 Childs lode 4.978
	Paloma Fraction lode exclusive of its conflict with the Paloma lode, both of this survey 0.000
	Total area Buzzard No. 3 lode. 20.529
	Area in conflict with Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 0.012
	Paloma lode of this survey 3.283
	Paloma Fraction lode of this survey 1.225
	Paloma Fraction lode exclusive of its conflict with the Paloma lode, both of this survey 0.000
	Total area Buzzard No. 4 lode 20.529
	Area in conflict with Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 0.017
	Paloma lode of this survey 0.432
	Whippoorwill lode of this survey 2.125
	Whippoorwill lode exclusive of its conflict with the Paloma lode, both of this survey 1.972
	Total area Buzzard No. 5 lode. 20.529
	Area in conflict with Sur. No. 4123 Red Bird No. 2 lode 0.775
	Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. 0.025
	Sec. 2, T. 8 S., R. 18 E., G. & S. R. M. exclusive of its conflict with Sur. No. 4123 Red Bird No. 2 lode 0.011

SURVEY NO. 4727

155

FEET		
	Whippoorwill lode of this survey	4.942
	Total area Buzzard No. 6 lode . . .	20.529
	Area in conflict with	
	Sec. 2, T. 8 S., R. 18 E., G. & S. R. M.	0.049
	Copper King lode (unsurveyed)	0.058
	Jay Bird lode of this survey	3.865
	Whippoorwill lode of this survey	4.776
	Hercules lode of this survey	1.060
	Total area Buzzard No. 7 lode . . .	20.529
	Area in conflict with	
	Sec. 2, T. 8 S., R. 18 E., G. & S. R. M.	0.073
	Copper King lode (unsurveyed)	8.049
	Copper King lode (unsurveyed) exclu-	
	sive of its conflict with Sec. 2,	
	T. 8 S., R. 18 E.	8.035
	Jay Bird lode of this survey	8.640
	Jay Bird lode of this survey exclusive	
	of its conflict with the Copper King	
	lode (unsurveyed)	4.619
	Hercules lode of this survey	5.730
	Total area Siskon #58 lode	20.634
	Total area Siskon #59 lode	20.634
	Total area Siskon #84 lode	20.644
	Area in conflict with	
	Chappo lode (unsurveyed)	4.600
	North Star No 3 lode of this survey	0.572
	Copper Reef No ② lode of this survey	7.833
	Copper Reef No 3 lode of this survey	5.944
	Copper Reef No 4 lode of this survey	0.429
	Siskon No. 52 lode of this survey	1.871
	Siskon No. 52 lode exclusive of its	
	conflict with the Copper Reef	
	No ② lode, both of this survey	0.000
	Total area Siskon #85 lode	20.484
	Area in conflict with	
	Sur. No. 4179 Mineral Hill lode	0.136
	Chappo lode (unsurveyed)	12.083
	Copper Reef No ② lode of this survey	2.090
	Copper Reef No ② lode of this survey	
	exclusive of its conflict with Sur.	
	No. 4179 Mineral Hill lode	1.954
	Siskon No. 52 lode of this survey	0.375
	Siskon No. 52 lode exclusive of its	
	conflict with Sur. No. 4179 Mineral	
	Hill lode and Copper Reef No ②	
	lode of this survey	0.000
	North Star No I lode of this survey	0.298
	North Star No I lode of this survey	
	exclusive of its conflict with the	
	Chappo lode (unsurveyed) and the	
	Copper Reef No ② lode of this	
	survey	0.177

(This form bound on left side)

FEET		
	North Star No 2 lode of this survey . . .	3.787
	North Star No 3 lode of this survey . . .	0.245
	Copper Reef No 3 lode of this survey . . .	0.514
	Siskon #84 lode of this survey.	4.597
	Siskon #84 lode exclusive of its conflict with the Copper Reef No (2), Copper Reef No 3 and North Star No 3 lodes, all of this survey and exclusive of its conflict with the Chappo lode (unsurveyed).	0.547
	Total area Siskon #83 lode	20.644
	Area in conflict with	
	Copper Reef No (2) lode of this survey . . .	3.529
	Copper Reef No 3 lode of this survey. . .	1.359
	Copper Reef No 4 lode of this survey. . .	9.809
	Copper Reef No 5 lode of this survey. . .	3.200
	Copper Reef No 5 lode exclusive of its conflict with the Copper Reef No 4 lode, both of this survey.	3.136
	Siskon No. 52 lode of this survey	2.288
	Siskon No. 52 lode exclusive of its conflict with the Copper Reef No 5 lode and Copper Reef No (2) lode, all of this survey.	0.995
	Total area Siskon #88 lode	20.592
	Area in conflict with	
	Sur. No. 4179 Veta Rica lode.	0.565
	Sur. No. 4179 Russet Dyke lode.	2.026
	Sur. No. 4179 Rainbow Ledge lode	2.363
	Sur. No. 4179 Mineral Hill lode.	1.036
	Morningside lode of this survey.	1.147
	Morningside lode of this survey exclusive of its conflict with Sur. No. 4179 Veta Rica lode.	1.147
	Copper Reef No (2) lode of this survey . . .	5.430
	Copper Reef No (2) lode of this survey exclusive of its conflict with Sur. No. 4179 Rainbow Ledge and Mineral Hill lodes.	4.267
	Copper Reef No 5 lode of this survey . . .	5.864
	Copper Reef No 5 lode of this survey exclusive of its conflict with Sur. No. 4179 Russet Dyke and Rainbow Ledge lodes, and Morningside lode of this survey.	5.130
	Siskon No. 52 lode of this survey	17.316
	Siskon No. 52 lode of this survey exclusive of its conflict with Sur. No. 4179 Russet Dyke, Rainbow Ledge and Mineral Hill lodes, and exclusive of its conflict with Morningside, Copper Reef No (2) and Copper Reef No 5 lodes of this survey	3.474

SURVEY NO. 4727

	FEET		
		Siskon #84 lode of this survey	2.116
		Siskon #84 lode exclusive of its conflict with Copper Reef No ② and Siskon No. 52 lode, both of this survey	0.000
		Siskon #83 lode of this survey	3.156
		Siskon #83 lode of this survey exclusive of its conflict with the Copper Reef No ②, Copper Reef No 5 and Siskon No. 52 lode, all of this survey	0.323
		Total area Siskon #82 lode	20.644
		Area in conflict with	
		Sur. No. 4179 Veta Rica lode	0.263
		Morningside lode of this survey	5.899
		Morningside lode of this survey exclusive of its conflict with	
		Sur. No. 4179 Veta Rica lode	5.899
		Copper Reef No 4 lode of this survey	2.775
		Copper Reef No 5 lode of this survey	12.290
		Copper Reef No 5 lode exclusive of its conflict with Morningside and Copper Reef No 4 lodes, all of this survey	8.548
		Siskon No. 52 lode of this survey	1.559
		Siskon No. 52 lode of this survey exclusive of its conflict with the Morningside and Copper Reef No 5 lodes, all of this survey	0.206
		Siskon #88 lode of this survey	2.628
		Siskon #88 lode of this survey exclu- sive of its conflict with Sur. No. 4179 Veta Rica lode and exclusive of its conflict with the Morningside, Copper Reef No 5 and Siskon No. 52 lodes, all of this survey	0.073
		Total area Siskon #87 lode :	20.576
		Area in conflict with	
		Sur. No. 3601 Bagdad lode	3.201
		Sur. No. 3602 Granite Boulder lode	1.918
		Sur. No. 3602 Tuesday lode	0.517
		Sur. No. 3602 Tuesday lode exclusive of the conflict with the Granite Boulder lode of the same survey.	0.503
		Sur. No. 4179 Mineral Hill lode	0.571
		Sur. No. 4179 Four Metals lode identical with Sur. No. 3564 Carbonate lode	1.072
		Sur. No. 4179 Cuprite lode identical with Sur. No. 3564 Red Oxide lode	1.882
		Sur. No. 4179 Cuprite lode identical with Sur. No. 3564 Red Oxide lode exclusive of its conflict with Sur. No. 3601 Bagdad lode	1.383
		Chappo lode (unsurveyed)	0.704
		North Star No I lode of this survey	8.168

(This form bound on left side)

FEET	
	North Star No I lode of this survey exclusive of its conflict with Sur. No. 3602 Granite Boulder and Tuesday lodes and exclusive of its conflict with the Chappo lode (unsurveyed) and Copper Reef No (2) lode of this survey.
6.568	
	Copper Reef No (2) lode of this survey.
0.847	
	Copper Reef No (2) lode of this survey exclusive of its conflict with Sur. No. 4179 Mineral Hill lode
0.534	
	Siskon #85 lode of this survey
0.348	
	Siskon #85 lode of this survey exclusive of its conflict with Sur. No. 4179 Mineral Hill lode and exclusive of its conflict with the Chappo lode (unsurveyed) and the Copper Reef No (2) and North Star No I lodes of this survey.
0.015	
	Total area Siskon No. 53 lode
20.634	
	Area in conflict with
	Sur. No. 3263 Mogul lode
0.910	
	Sur. No. 3263 Childs No. 3 lode
0.000	
	CAMINO lode of this survey
9.653	
	CAMINO lode of this survey exclusive of its conflict with Sur. No. 3263 MOGUL and Childs No. 3 lodes.
8.743	
	LOCATION
	This survey is located in the SW 1/4 Sec. 1, SE 1/4 & SW 1/4 Sec. 2, SW 1/4 & SE 1/4 Sec. 10, NW 1/4, NE 1/4, SE 1/4 & SW 1/4 Sec. 11, NW 1/4 NE 1/4, SE 1/4 & SW 1/4 Sec. 12, NW 1/4 Sec. 13, NE 1/4, NW 1/4 & SW 1/4 Sec. 14, and NW 1/4, NE 1/4 & SE 1/4 Sec. 15, T. 8 S., R. 18 E., G.&S.R.M.
	The survey of the Albatross Nos. 1 through 9, 17, American Eagle, ANGUSTO, AURORA, Buzzard Nos. 1 through 7, CAMINO, Center Star, CLARK No. 1, Copper Cliff, Copper Reef Nos (2), 3, 4 & 5, Copper Ridge, Copper Trail #s 1, 2 & 3 and No. 4, Fraction, Granite Hill, Hercules, Jay Bird, Jupiter, "Kimbrow", "Kimbrow Eastern", Lone Trail, MARS, Mary #1, Middle March, Minnesota, Moose #s 2, 4, 6 & 8, Morningside, North Star, North Star Nos I, 2 & 3, Paloma, Paloma Fraction, Redondo, Siskon Nos. 34 through 42, 44, 46, Nos. 52 through 57, #s 58, 59, 82 through 85, 87 & 88 "Velasquez", Velasquez Fraction, Velascoquez Wedge, VENUS and Whippoorwill lodes is identical with the respective location or amended location as marked on the ground.

FEET	EXPENDITURES
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or their grantors are as follows:</p>
No. 1	<p>The discovery point of the AURORA lode is on the lode line, 230.0 ft. from a point on line 4-1, 278.55 ft. from Cor. No. 4. Value: None</p>
No. 2	<p>A cut, the SE. cor. of which bears N. 42° W., 365 ft. from Cor. No. 1 of the AURORA lode; 6 ft. wide running N. 60° W., 6 ft. to a 6 ft. face. Value: \$100.00</p>
No. 3	<p>A cut, the remnant of a caved adit, the SE. cor. of which bears S. 56° W., 218 ft. from Cor. No. 4 of the AURORA lode; 4 ft. wide, running N. 55° W., 10 ft. to a 4 ft. face. Value: \$100.00</p>
No. 4	<p>A partially caved adit, the portal of which bears S. 62° W., 190 ft. from Cor. No. 4 of the AURORA lode; 4 x 5 ft. in size, running N. 55° W., 15+ ft. Value: \$300.00</p>
No. 1	<p>The discovery point of the Siskon No. 36 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None</p>
No. 2	<p>A cut, the NW. cor. of which bears S. 5° E., 300.0 ft. from Cor. No. 3 of the Siskon No. 36 lode; 5 ft. wide, running S. 40° W., 15 ft. to a 7 ft. face. Value: \$200.00</p>
No. 1	<p>The discovery point of the Granite Hill lode is on the lode line, 750.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None</p>
No. 1	<p>The discovery point of the American Eagle lode is on the lode line, 450.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None</p>
No. 2	<p>A shaft, the NW. cor. of the collar bears N. 86° E., 443.0 ft. from Cor. No. 3 American Eagle lode; 8 x 20 ft. in size; 50+ ft. deep. Value: \$10,000.00</p>

(This form bound on left side)

FEET			
No. 3		An adit, 8 x 8 ft. in size, the portal of which bears S. 87° 30' E., 535.0 ft. from Cor. No. 3 American Eagle lode, and runs East 4 ft., thence one drift, 4 x 6 ft. in size runs East 70 ft. and a second drift, 4 x 7 ft. in size runs N. 75° E., 50+ ft.	Value: \$2,000.00
No. 1		The discovery point of the " <u>Velasquez</u> " lode is on the lode line 750.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	Value: None
No. 1		The discovery point of the Velascoquez Wedge lode is on the lode line, 500.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2.	Value: None
No. 1		The discovery point of the " <u>Kimbro</u> " lode is on the lode line, 750.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1.	Value: None
No. 2		A cut, the NW. cor. of which bears N. 27° E., 25 ft. from Cor. No. 2 " <u>Kimbro</u> " lode; 4 ft. wide, running S. 20° E., 15 ft. to a 6 ft. face.	Value: \$100.00
No. 1		The discovery point of the " <u>Kimbro Eastern</u> " lode is on the lode line, 750.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1.	Value: None
No. 2		An adit, 4 x 6 ft. in size, the portal of which bears S. 86° E., 290.0 ft. from Cor. No. 2 " <u>Kimbro Eastern</u> " lode, and runs S. 17° E., 50+ ft.	Value: \$1,000.00
No. 1		The discovery point of the Velasquez Fraction lode is on the lode line, 500.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1		The discovery point of the North Star lode is on the lode line, 750.0 ft. from a point on line 4-1, 294.76 ft. from Cor. No. 4.	Value: None
No. 1		The discovery point of the Fraction lode is on the lode line, 750.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	Value: None
No. 1		The discovery adit of the MARS lode is on the lode line, 600.0 ft. from a point on line 4-1, 274.64 ft. from Cor. No. 4; 4 x 5 ft. in size, running N. 35° E., 20+ ft.	Value: \$300.00

FEET	
No. 2	An adit, the portal of which bears S. 65° E., 632 ft. from Cor. No. 1 MARS lode; 4 x 5 ft. in size, running N. 35° E., 20+ ft. Value: \$300.00
No. 3	A pit, the NW cor. of which bears S. 67° E., 610 ft. from Cor. No. 1 MARS lode; 6 x 6 ft. in size, 2-1/2 ft. deep. Value: \$50.00
No. 1	The discovery point of the Moose #2 lode is on the lode line, 50.0 ft. from a point on line 3-4, 299.89 ft. from Cor. No. 3. Value: None
No. 2	A cut, the NE cor. of which bears S. 11° 30' W., 275.0 ft. from Cor. No. 3 Moose #2 lode; 4 ft. wide, running S. 20° W., 10 ft. to a 6 ft. face. Value: \$100.00
No. 1	The discovery point of the Moose #4 lode is on the lode line, 50.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None
No. 2	A cut, the NE cor. of which bears S. 17° 30' W., 290.0 ft. from Cor. No. 3 Moose #4 lode; 4 ft. wide, running S. 10° W., 15.0 ft. to a 6 ft. face. Value: \$150.00
No. 1	The discovery point of the Moose #6 lode is on the lode line, 50.0 ft. from a point on line 3-4, 299.75 ft. from Cor. No. 3. Value: None
No. 2	An adit, the portal of which bears S. 3° W., 35.0 ft. from Cor. No. 3 Moose #6 lode; 4 x 4 ft. in size, running West, 40+ ft. Value: \$500.00
No. 1	The discovery point of the Moose #8 lode is on the lode line 50.0 ft. from a point on line 1-2, 299.75 ft. from Cor. No. 1. Value: None
No. 1	The discovery point of the Paloma Fraction lode is on the lode line, 350.0 ft. from a point on line 2-3, 265.51 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Paloma lode is on the lode line, 300.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None

(This form bound on left side)

FEET		
No. 1	The discovery point of the Copper Ridge lode is on the lode line, 700.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Copper Cliff lode is on the lode line, 400.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Minnesota lode is on the lode line, 300 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None	
No. 1	The discovery point of the Whippoorwill lode is on the lode line, 800.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Buzzard No. 1 lode is on the lode line, 400.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Buzzard No. 2 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Buzzard No. 3 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Buzzard No. 4 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Buzzard No. 5 lode is on the lode line, 300.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Buzzard No. 6 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Buzzard No. 7 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	

FEET		
No. 1	The discovery point of the Jay Bird lode is on the lode line, 200.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None	
No. 1	The discovery point of the Hercules lode is on the lode line, 850.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Center Star lode is on the lode line, 700.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None	
No. 1	The discovery point of the Lone Trail lode is on the lode line, 800.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Middle March lode is on the lode line, 800.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Albatross No. 17 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Copper Trail #1 lode is on the lode line, 50.0 ft. from a point on line 1-2, 299.50 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Copper Trail #2 lode is on the lode line, 550.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Copper Trail #3 lode is on the lode line, 300.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Copper Trail No. 4 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Mary #1 lode is on the lode line, 750.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None	

(This form bound on left side)

FEET		
No. 1	The discovery point of the CLARK No. 1 lode is on the lode line, 500.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1	The discovery point of the Albatross No. 1 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2.	Value: None
No. 1	The discovery point of the Albatross No. 2 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	Value: None
No. 1	The discovery point of the Albatross No. 3 lode is on the lode line, 50.0 ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2.	Value: None
No. 1	The discovery point of the Albatross No. 4 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	Value: None
No. 1	The discovery point of the Albatross No. 5 lode is on the lode line, 50.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1	The discovery point of the Albatross No. 6 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1.	Value: None
No. 1	The discovery point of the Albatross No. 7 lode is on the lode line, 50.0 ft. from a point on line 2-3, 299.75 ft. from Cor. No. 2.	Value: None
No. 1	The discovery point of the Albatross No. 8 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1.	Value: None
No. 1	The discovery point of the Albatross No. 9 lode is on the lode line, 50.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1	The discovery point of the Jupiter lode is on the lode line, 200 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.	Value: None

FEET	
No. 1	The discovery point of the CAMINO lode is on the lode line, 25.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the ANGUSTO lode is on the lode line, 25.0 ft. from a point on line 1-2, 411.50 ft. from Cor. No. 1. Value: None
No. 1	The discovery point of the VENUS lode is on the lode line, 150.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the Siskon No. 34 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon No. 35 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon No. 37 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon No. 38 lode is on the lode line, 50 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None
No. 1	The discovery point of the Siskon No. 39 lode is on the lode line, 50.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the Siskon No. 40 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon No. 41 lode is on the lode line, 50.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None
No. 1	The discovery point of the Siskon No. 42 lode is on the lode line, 50.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None

(This form bound on left side)

FEET		
No. 1	The discovery point of the Siskon No. 44 lode is on the lode line, 50.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None	
No. 1	The discovery point of the Siskon No. 46 lode is on the lode line, 50.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None	
No. 1	The discovery point of the Siskon No. 52 lode is on the lode line, 50.0 ft. from a point on line 1-2, 295.58 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Siskon No. 53 lode is on the lode line, 600.0 ft. from a point on line 2-3, 300.0 ft. from Cor. No. 2. Value: None	
No. 1	The discovery point of the Siskon No. 54 lode is on the lode line, 50.0 ft. from a point on line 4-1, 299.50 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Siskon No. 55 lode is on the lode line, 50.0 ft. from a point on line 1-2, 150.0 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Siskon No. 56 lode is on the lode line, 50.0 ft. from a point on line 4-1, 299.50 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Siskon No. 57 lode is on the lode line, 50.0 ft. from a point on line 1-2, 299.50 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Siskon #58 lode is on the lode line, 50.0 ft. from a point on line 4-1, 299.50 ft. from Cor. No. 4. Value: None	
No. 1	The discovery point of the Siskon #59 lode is on the lode line, 50.0 ft. from a point on line 1-2, 299.50 ft. from Cor. No. 1. Value: None	
No. 1	The discovery point of the Siskon #82 lode is on the lode line, 280.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None	

FEET	
No. 1	The discovery point of the Siskon #83 lode is on the lode line, 300.0 ft. from a point on line 3-4, 299.50 ft. from Cor. No. 3. Value: None
No. 1	The discovery point of the Siskon #84 lode is on the lode line, 620.0 ft. from a point on line 2-3, 299.50 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon #85 lode is on the lode line, 135.0 ft. from a point on line 2-3, 296.75 ft. from Cor. No. 2. Value: None
No. 1	The discovery point of the Siskon #87 lode is on the lode line, 525.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None
No. 1	The discovery point of the Siskon #88 lode is on the lode line, 85.0 ft. from a point on line 1-2, 298.10 ft. from Cor. No. 1. Value: None
No. 1	The discovery point of the North Star No 1 lode is on the lode line, 375.0 ft. from a point on line 3-4, 250.0 ft. from Cor. No. 3. Value: None
No. 1	The discovery point of the North Star No 2 lode is on the lode line, 400.0 ft. from a point on line 4-1, 272.83 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the North Star No 3 lode is on the lode line, 300.0 ft. from a point on line 1-2, 300.0 ft. from Cor. No. 1. Value: None
No. 1	The discovery point of the Copper Reef No ② lode is on the lode line, 400.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the Copper Reef No 3 lode is on the lode line, 25.0 ft. from a point on line 4-1, 279.69 ft. from Cor. No. 4. Value: None
No. 1	The discovery point of the Copper Reef No 4 lode is on the lode line, 400.0 ft. from a point on line 3-4, 300.0 ft. from Cor. No. 3. Value: None

(This form bound on left side)

FEET					
No. 1	<p>The discovery point of the Copper Reef No 5 lode is on the lode line, 25.0 ft. from a point on line 4-1, 272.26 ft. from Cor. No. 4. Value: None</p>				
No. 1	<p>The discovery point of the Morningside lode is on the lode line, 750.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4. Value: None</p>				
No. 1	<p>The discovery point of the Redondo lode is on the lode line, 300.0 ft. from a point on the line 3-4, 300.0 ft. from Cor. No. 3. Value: None</p> <p>An interest in a common improvement described as follows:</p> <p>An unimproved road that traverses most of the locations of this group to provide access for an extended diamond core drilling program.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding-right: 20px;">Value of unimproved road</td> <td style="text-align: right;">\$39,380.00</td> </tr> <tr> <td style="padding-right: 20px;">Value of one-eighty-seventh interest</td> <td style="text-align: right;">\$ 452.64</td> </tr> </table> <p>This improvement has been constructed for the development of the eighty-seven lodes of this survey which are all contiguous and owned in common and within range of benefit of said road.</p> <p>Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-eighty-seventh (1/87) interest in its value is hereby credited to each lode of this survey.</p> <p>No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p> <p>An interest in a common improvement described as follows:</p> <p>A surface drilling program to outline an ore body on these claims. Drilling completed at the time of the survey is as follows:</p>	Value of unimproved road	\$39,380.00	Value of one-eighty-seventh interest	\$ 452.64
Value of unimproved road	\$39,380.00				
Value of one-eighty-seventh interest	\$ 452.64				

FEET	
	<p>A drill hole, No. SK 4, bears N. 68° 30' W., 290 ft. from Cor. No. 1 North Star lode; NX-BX in size, 3243 ft. deep. Value, \$23,008.43</p>
	<p>A drill hole, No. SK 3, bears N. 60° 30' W., 740 ft. from Cor. No. 1 North Star lode; NX-BX in size, 3454 ft. deep. Value, \$27,268.20</p>
	<p>A drill hole, No. Cu 6, bears S. 41° E., 325 ft. from Cor. No. 3 North Star lode; NX- BX in size, inclined at -60° and bearing N. 70° W., 1736 ft. deep. Value, \$8,680.00</p>
	<p>A drill hole, No. SK 6, bears S. 40° 30' E., 335 ft. from Cor. No. 3 North Star lode; NX-BX in size, 3028 ft. deep. Value, \$25,103.64</p>
	<p>A drill hole, No. S 15, bears N. 48° W., 222 ft. from Cor. No. 1 Fraction lode; NX-BX in size, 3202 ft. deep. Value, \$24,530.00</p>
	<p>A drill hole, No. Cu 12, bears N. 60° W., 520 ft. from Cor. No. 1 Fraction lode, NX-BX in size, inclined at -74° and bearing N. 16° E., 1786 ft. deep. Value, \$ 8,930.00</p>
	<p>A drill hole, No. Cu 5, bears N. 65° W., 655 ft. from Cor. No. 1 Fraction lode; NX-BX in size, 3165 ft. deep. Value, \$ 7,109.21</p>
	<p>A drill hole, No. S 17, bears N. 88° E., 380 ft. from Cor. No. 2 Fraction lode; NX-BX in size, 3333 ft. deep. Value, \$24,722.83</p>
	<p>A drill hole, No. SK 1, bears S. 10° E., 288 ft. from Cor. No. 3 Fraction lode; NX-BX in size, 3436 ft. deep. Value, \$28,237.29</p>
	<p>A drill hole, No. Cu 7, bears S. 65° E., 295 ft. from Cor. No. 3 Fraction lode; NX-BX in size, inclined at -60° and bearing N. 16° E., 2080 ft. deep. Value, \$10,400.00</p>
	<p>A drill hole, No. S 18, bears S. 29° E., 210 ft. from Cor. No. 3 American Eagle lode, NX-BX in size, 3422 ft. deep. Value, \$26,059.75</p>

(This form bound on left side)

FEET	
	<p>A drill hole, No. S 16, bears N. 62° E., 349 ft. from Cor. No. 3 American Eagle lode; NX-BX in size, 3068 ft. deep. Value, \$21,525.87</p>
	<p>A drill hole, No. S14, bears N. 83° 30' W., 570 Ft. from Cor. No. 1 American Eagle lode; NX-BX in size, 3295 ft deep. Value, \$26,252.19</p>
	<p>A drill hole, No. Cu 2, bears N. 69° 30' E., 415 ft. from Cor. No. 3 "<u>Velasquez</u>" lode, NX-BX in size inclined -58° and bearing S. 25° 30' E., 2110 ft. deep. Value, \$10,550.00</p>
	<p>A drill hole, No. SK2, bears S. 57° E., 302 ft. from Cor. No. 3 "<u>Velasquez</u>" lode; NX-BX in size, 3013 ft. deep. Value, \$25,116.76</p>
	<p>A drill hole, No. Cu 9, bears S. 12° W., 348 ft. from Cor. No. 3 Velasquez Fraction lode; NX-BX in size, inclined at -60° and bearing S. 25° W., 1986 ft. deep. Value, \$ 9,930.00</p>
	<p>A drill hole, No. Cu 1, bears N. 57° 30' E., 330 ft. from Cor. No. 2 "Kimbrow" lode; NX-BX in size, 2461 ft. deep. Value, \$12,305.00</p>
	<p>A drill hole, No. Cu 4, bears S. 8° 30' E., 775 ft. from Cor. No. 4 Granite Hill lode, NX-BX in size, 3145 ft. deep. Value, \$11,762.82</p>
	<p>A drill hole, No. Cu 8, bears S. 21° 30' W., 630 ft. from Cor. No. 4 Granite Hill lode, NX-BX in size, inclined at -60° and bearing S. 30° W., 812 ft. deep. Value, \$ 4,060.00</p>
	<p>A drill hole, No. D8, bears S. 87° 30' W., 570 ft. from Cor. No. 3 Moose #2 lode; NX-BX in size, 3702 ft. deep. Value, \$23,260.04</p>
	<p>A drill hole, No. D5, bears S. 75° 30' W., 535 ft. from Cor. No. 3 Moose #4 lode; NX-BX in size, 3661 ft. deep. Value, \$27,626.18</p>
	<p>A drill hole, No. D13, bears N. 87° 15' W., 982 ft. from Cor. No. 3 Moose #4 lode; NX-BX in size, 3156 ft. deep. Value, \$22,143.07</p>

FEET		
	A drill hole, No. D9, bears N. 70° W., 700 ft. from Cor. No. 4 Moose #6 lode; NX-BX in size, 3,444 ft. deep. Value, \$32,848.90	
	A drill hole, No. S-58, bears S. 57° 48' W., 278 ft. from Cor. No. 4 Siskon #58 lode; 3 7/8 in. diam., 220 ft. deep. Value, \$ 600.00	
	A drill hole, No. S-21, bears S. 66° 26' W., 853 ft. from Cor. No. 4 "Kimbrow Eastern" lode; NX-BX in size, 3,571 ft. deep. Value, \$29,515.10	
	A drill hole, No. M-22, bears S. 22° 31' W., 494 ft. from Cor. No. 2 Buzzard No. 1 lode; NX-BX in size, 2,717 ft. deep. Value, \$20,207.61	
	A drill hole, No. S-23, bears S. 14° 56' W., 109 ft. from Cor. No. 1 Minnesota lode; NX-BX in size, 3,325 ft. deep. Value, \$26,297.75	
	A drill hole, No. D-26, bears S. 55° 51' W., 105 ft. from Cor. No. 3 Moose #2 lode; 3 7/8" diam., 120 ft. deep. Value, \$ 1,014.80	
	A drill hole, No. B-30, bears N. 9° 59' E., 364 ft. from Cor. No. 4 Buzzard No. 1 lode; NX-BX in size, 2,954 ft. deep. Value, \$21,911.11	
	A drill hole, No. A-11, bears N. 28° 06' E., 217 ft. from Cor. No. 4 Albatross No. 3 lode; NX-BX in size, 1,450 ft. deep. Value, \$11,306.54	
	A drill hole, No. L-19, bears S. 34° 57' E., 138 ft. from Cor. No. 3 Copper Trail #2 lode; NX-BX in size, 3,355 ft. deep. Value, \$26,187.27	
	A drill hole, No. L-27, bears N. 39° 39' W., 235 ft. from Cor. No. 1 Copper Trail No. 4 lode; 3 7/8 in. diam., 70 ft. deep. Value, \$ 657.20	
	A drill hole, No. M-28, bears N. 18° 09' W., 125 ft. from Cor. No. 3 Albatross No. 3 lode; NX-BX in size, 2,882 ft. deep. Value, \$21,296.78	
	A drill hole, No. L-10, bears N. 69° E., 665 ft. from Cor. No. 3 Copper Trail #1 lode; NX-BX in size, 3,465 ft. deep. Value, \$24,081.65	
	A drill hole, No. L-12, bears N. 55° E., 300 ft. from Cor. No. 2 Copper Trail #2 lode;	

FEET		
	NX-BX in size, 3,203 ft. deep.	Value, \$17,970.00
	A drill hole, No. L-25, bears N. 88° 16' E., 564 ft. from Cor. No. 4 North Star lode; 3 7/8 in. diam., 170 ft. deep.	Value, \$ 1,177.80
	A drill hole, No. HN-1, bears N. 87° 25' E., 554 ft. from Cor. No. 2 North Star lode; NX-BX in size, 3,693 ft. deep.	Value, \$50,802.00
	A drill hole, No. HN-2, bears N. 2° 52' W., 140 ft. from Cor. No. 2 American Eagle lode; NX-BX in size, 3,250 ft. deep.	Value, \$38,030.00
	A drill hole, No. HN-3, bears N. 89° 21' W., 349 ft. from Cor. No. 1 " <u>Velasquez</u> " lode; NX-BX in size, 3,432 ft. deep.	Value, \$38,621.00
	A drill hole, No. HN-5, bears N. 59° 36' W., 334 ft. from Cor. No. 4 Moose #6 lode; NX-BX in size, 3,440 ft. deep.	Value, \$37,656.00
	A drill hole, No. HN-6, bears N. 52° W., 151 ft. from Cor. No. 1 AURORA lode; NX-BX in size, 3,462 ft. deep.	Value, \$39,001.00
	A drill hole, No. HN-7, bears N. 39° W., 529 ft. from Cor. No. 1 AURORA lode; NX-BX in size, 3,373 ft. deep.	Value, \$42,510.00
	A drill hole, No. HN-8, bears N. 67° 26' E., 308 ft. from Cor. No. 2 " <u>Kimbrow Eastern</u> " lode; NX-BX in size, 4,018 ft. deep.	Value, \$47,431.00
	A drill hole, No. HN-10, bears N. 85° 35' W., 817 ft. from Cor. No. 1 AURORA lode; NX- BX in size, 3,950 ft. deep.	Value, \$46,331.00
	A drill hole, No. HN-11, bears N. 67° 15' W., 336 ft. from Cor. No. 4 Moose #2 lode; NX- BX in size, 4,327 ft. deep.	Value, \$54,765.00
	A drill hole, No. HN-19, bears N. 59° 44' W., 614 ft. from Cor. No. 1 Granite Hill lode; NX-BX in size, 4,280 ft. deep.	Value, \$57,238.00
	Value of diamond core drilling	\$1,096,039.09
	Value of one-eighty- seventh interest	\$ 12,598.15

FEET		
	<p>This improvement is being continued with additional holes being drilled.</p> <p>Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each lode of the survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-eighty-seventh (1/87) interest in its value is hereby credited to each lode of this survey.</p> <p>No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p> <p style="text-align: center;">OTHER IMPROVEMENTS None</p> <p style="text-align: center;">OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA</p> <p>Sur. No. 2620 COPPER GIANT Mine Lode: Cor. No. 3 is a 4 x 4 ins., 4 ft. post with a steel rebar. Cor. No. 4, identical with Cor. No. 3 COPPER PRINCE Mine Lode of the same survey, is a rock monument with a steel rebar. Line 2-3 is shown as approved. Line 3-4 was found to be S. 44° 46' 53" W., 645.42 ft. instead of S. 45° 02' W., 647.60 ft. as approved. Line 4-1, identical with line 2-3 COPPER PRINCE Mine Lode, is shown as approved.</p> <p>Sur. No. 2620 COPPER PRINCE Mine Lode: Cor. No. 3 described above. Line 2-3 described above. Line 3-4 is shown as approved.</p> <p>Sur. No. 3118 DOROTHY Lode: Cor. No. 4 is a 4 x 4 ins., 4 ft post with a steel rebar. Lines 3-4 and 4-1 are shown as approved.</p> <p>Sur. No. 3263 CHILDS Lode: Cor. No. 2 is an iron post, 1 in. diam., 3 ft. above ground, firmly set, marked and witnessed as described in the official records. Cor. No. 3 apparently has been obliterated. Cor. No. 4 of the ALDWINKLE Lode of the same survey was found, however, and based on the approved tie between Cor. No. 4 of the ALDWINKLE Lode and Cor. No. 3 of the CHILDS Lode, line 2-3 of the CHILDS Lode was calculated by proportional methods between Cor. No. 2 of the CHILDS Lode and Cor. No. 4 of the ALDWINKLE Lode. Line 2-3 was established as S. 35° 57' 30" E., 1,500.10 ft. instead of S. 35° 57' E., 1,500.0 ft. as approved. Lines 3-4 and 4-1 are shown as approved. Line 1-2 is shown as approved.</p>	

(This form bound on left side)

FEET

Sur. No. 3263 CHILDS NO. 2 Lode: Line 2-3 is shown as approved.

Sur. No. 3263 ALDWINKLE Lode: Cor. No. 4 is an iron post, 1 in. diam., 30 ins. above ground, with a brass cap firmly set, marked and witnessed as described in the official record. Cor. No. 3, identical with Cor. No. 4 LONGSTREET Lode of the same survey, is an iron post, 1 in. diam., 30 ins. above ground, with a brass cap, firmly set, marked and witnessed as described in the official record. Line 2-3, identical with line 4-1 LONGSTREET Lode, is shown as approved. Line 3-4 was found to be N. $25^{\circ} 38'$ E., 770.35 ft. instead of N. $25^{\circ} 38'$ E., 770.42 ft. as approved. Line 4-1 is shown as approved.

Sur. No. 3263 LONGSTREET Lode: Cors. Nos. 2 and 3 are iron posts, 1 in. diam., 30 ins. above ground, with a brass cap, firmly set, marked and witnessed as described in the official record. Cor. No. 4, identical with Cor. No. 3 ALDWINKLE Lode of the same survey, described above. Line 2-3 was found to be N. $76^{\circ} 51' 55''$ E., 1,499.50 ft. instead of N. $76^{\circ} 47'$ E., 1,500.0 ft. as approved. Line 3-4 was found to be N. $25^{\circ} 42' 15''$ E., 770.50 ft. instead of N. $25^{\circ} 38'$ E., 770.42 ft. as approved. Line 1-2, common with line 2-3 of the CHILDS NO. 3 lode of the same survey, is shown as approved. Line 4-1, identical with line 2-3 ALDWINKLE Lode, described above.

Sur. No. 3263 CHILDS NO. 3 Lode: The Witness Cors. for Cors. Nos. 3 and 4 apparently have been obliterated. Cor. No. 4 is identical with Cor. No. 3 MOGUL Lode of the same survey. Cor. No. 4 MOGUL Lode is an iron post, 1 in. diam., 30 ins. above ground, with a brass cap, firmly set, marked and witnessed as described in the official record. Line 2-3 is shown as approved from Cor. No. 2 to Cor. No. 2 of the LONGSTREET Lode of the same survey. From Cor. No. 2 of the LONGSTREET Lode to Cor. No. 3, the proportional distance was found to be S. $25^{\circ} 47' 12''$ W., 155.51 ft. instead of S. $25^{\circ} 38'$ W., 154.72 ft. as approved. Line 3-4 was found to be N. $89^{\circ} 44' 54''$ W., 664.08 ft. instead of N. $89^{\circ} 45'$ W., 664.1 ft. as approved. Line 4-1, identical with line 2-3 MOGUL Lode, is shown as approved. The above bearings and distances were calculated by prescribed methods using Cor. No. 4 MOGUL Lode and Cor. No. 2 LONGSTREET Lode.

Sur. No. 3263 MOGUL Lode: Cors. Nos. 3 and 4 described above. Cor. No. 3 is identical

FEET	
	<p>with Cor. No. 4 CHILDS NO. 3 Lode of the same survey. Line 2-3 identical with line 4-1 CHILDS NO. 3 Lode described above. Line 3-4 was found to be N. $36^{\circ} 00'$ W., 682.17 ft. instead of N. $35^{\circ} 57'$ W., 682.17 ft. as approved. The calculation of this line described above. Line 4-1 is shown as approved.</p> <p>Sur. No. 3601 BAGDAD Lode: Cor. No. 2, identical with Cor. No. 3 Sur. No. 3602 GRANITE BOULDER Lode, is an iron post, $3/4$ in. diam., with a brass cap, firmly set and properly marked. Line 1-2, common with line 3-4 Sur. No. 3602 GRANITE BOULDER Lode and line 4-1 Sur. No. 3602 TUESDAY Lode is described as follows: That portion of the line common with line 3-4 GRANITE BOULDER Lode was found to be N. $26^{\circ} 14' 29''$ E., 383.49 ft. instead of N. $23^{\circ} 28'$ E., 377 ft. as approved. That portion of the line common with line 4-1 TUESDAY Lode is shown as approved. Line 2-3 is shown as approved.</p> <p>Sur. No. 3602 TUESDAY Lode: Cor. No. 4, identical with Cor. No. 4 of the GRANITE BOULDER Lode of the same survey, is an iron post, $3/4$ in. diam., with a brass cap, firmly set and properly marked. Lines 3-4 and 4-1 are shown as approved.</p> <p>Sur. No. 3602 GRANITE BOULDER Lode: Cors. Nos. 1 and 2 are iron posts, $3/4$ in. diam., with brass caps, firmly set and marked. Cors. Nos. 3 and 4 described above. Line 1-2 was found to be N. $23^{\circ} 16' 57''$ E., 18.90 ft. instead of N. $23^{\circ} 28'$ E., 18.87 ft. as approved. Line 2-3 was found to be N. $81^{\circ} 47' 47''$ E., 930.54 ft. instead of N. $81^{\circ} 40'$ E., 909.94 ft. as approved. Line 3-4 was found to be S. $26^{\circ} 14' 29''$ W., 383.49 ft. instead of S. $23^{\circ} 28'$ W., 377.0 ft. as approved. Line 4-1 was found to be N. $75^{\circ} 40' 36''$ W., 783.30 ft. instead of N. $75^{\circ} 27'$ W., 782.83 ft. as approved.</p> <p>Sur. No. 4059 GULCH Lode: Cors. Nos. 3 and 4 are iron posts, $1\ 1/2$ ins. diam., 30 ins. above ground, firmly set and properly marked. Line 2-3 is shown as approved. Line 3-4 was found to be S. $69^{\circ} 32'$ E., 602.51 ft. instead of S. $69^{\circ} 15'$ E., 605.0 ft. as approved. Line 4-1 is shown as approved.</p> <p>Sur. No. 4123 RED BIRD NO. 2 Lode: Cor. No. 1 is an iron post, 2 ins. diam., with a cap, firmly set, marked and witnessed as described in the official record. Lines 1-2 and 5-1 are shown as approved.</p> <p>Sur. No. 4179 JEWEL Lode, identical with Sur. No. 3564, Gem Lode: Cors. Nos. 1, 2, 3 and 4 are iron posts, $3/4$ in. diam., 16 ins. above ground, with a brass cap, firmly set, marked and witnessed as described in the official record. Line 2-3 was found to be N. $14^{\circ} 35' 45''$ E., instead of N. $14^{\circ} 37'$ E. as approved. Line 3-4 was found to be S. $75^{\circ} 22' 40''$ E., 600.21 ft. instead of S. $75^{\circ} 23'$ E., 600.0 ft. as approved. Line 4-1 was found to be S. $14^{\circ} 36' 30''$ W., instead of S. $14^{\circ} 37'$ W., as approved.</p>

(This form bound on left side)

FEET

Sur. No. 4179 VULCAN Lode: Cor. No. 1 is a dacite rock. Cors. Nos. 2 and 4 are porphyry rocks, firmly set, marked and witnessed as described in the official record. Line 1-2 was found to be S. $2^{\circ} 17' 25''$ W., 1,536.34 ft. instead of S. $2^{\circ} 13'$ W., 1,500.0 ft, as approved. Line 3-4, common with line 2-3 Golden Spur Lode of the same survey, is shown as approved from Cor. No. 3 to Cor. No. 2 of the GOLDEN SPUR Lode. From Cor. No. 2 GOLDEN SPUR Lode to Cor. No. 4, Line 3-4 was found to be N. $4^{\circ} 06' 30''$ E., 348.01 ft. instead of N. $2^{\circ} 13'$ E., 338.47 ft. as approved. Line 4-1 was found to be S. $88^{\circ} 06' 55''$ E., 604.95 ft. instead of S. $86^{\circ} 17'$ E., 600.0 ft. as approved.

Sur. No. 4179 GOLDEN SPUR Lode: Cors. Nos. 1 and 2 are granite stones, firmly set, marked and witnessed as described in the official record. Line 1-2 was found to be S. $86^{\circ} 28'$ E., 586.85 ft. instead of S. $87^{\circ} 47'$ E., 600.0 ft. as approved. Line 2-3, identical with line 3-4 VULCAN Lode of the same survey, described above. Line 4-1, identical with line 2-3 SILVER SADDLE Lode of the same survey is shown as approved.

Sur. No. 4179 SILVER SADDLE Lode: Cor. No. 1, identical with Cor. No. 1 GRAND VIEW Lode of the same survey and Cor. No. 1 NORTH STAR Lode of this survey, previously described. Cor. No. 2 is a granite stone, firmly set, marked and witnessed as described in the official record. Line 1-2 was found to be S. $87^{\circ} 48' 10''$ E., 601.04 ft. instead of S. $87^{\circ} 47'$ E., 600.0 ft. as approved. Line 4-1, common with line 1-2 GRAND VIEW Lode of the same survey, was found to be N. $2^{\circ} 13'$ E. as approved. Line 2-3, common with line 4-1 GOLDEN SPUR Lode of the same survey, was found to be: from Cor. No. 2 SILVER SADDLE Lode to Cor. No. 1 GOLDEN SPUR Lode - S. $2^{\circ} 15' 50''$ W., 242.13 ft. instead of S. $2^{\circ} 13'$ W., 241.0 ft. as approved. From Cor. No. 1 GOLDEN SPUR Lode to Cor. No. 3 SILVER SADDLE Lode, the line is shown as approved.

Sur. No. 4179 GRANDVIEW Lode: Cor. No. 1, identical with Cor. No. 1 SILVER SADDLE Lode of the same survey and Cor. No. 1 North Star Lode of this survey, described above. Cors. Nos. 2 and 4 are granite stones, firmly set, marked and witnessed as described in the official record. Cor. No. 3, identical with Cor. No. 4 VETA RICA Lode of the same survey, apparently has been obliterated. Line 1-2, common with line 4-1 SILVER SADDLE Lode, described above. Line 2-3, identical with line

FEET

4-1, VETA RICA Lode, is shown as approved. Line 3-4 was ascertained by prescribed methods using Cor. No. 3 VETA RICA Lode and Cor. No. 4 GRANDVIEW Lode. It was found to be N. 1° 47' 03" E., 609.23 ft. instead of N. 2° 13' E., 600.0 ft. as approved. Line 4-1 was found to be S. 87° 46' E., 1,501.13 ft. instead of S. 87° 47' E., 1,500.0 ft. as approved.

Sur. No. 4179 VETA RICA Lode: Cor. No. 3 is porphyry rock, firmly set, marked and witnessed as described in the official record. Cor. No. 4, identical with Cor. No. 3 GRANDVIEW Lode of the same survey described above. Line 2-3, common with line 4-1 RUSSET DYKE Lode of the same survey, is shown as approved from Cor. No. 2 to Cor. No. 4 RUSSET DYKE. From the latter to Cor. No. 3 the line was found to be N. 87° 47' W., 309.25 ft. instead of N. 87° 47' W., 309.30 ft. as approved. Line 3-4, calculation described above, was found to be N. 1° 47' 03" E., 609.23 ft. instead of N. 2° 13' E., 600.0 ft. as approved. Line 4-1, identical with line 2-3 GRANDVIEW Lode, described above.

Sur. No. 4179 RUSSET DYKE Lode: Cors. Nos. 3 and 4 are granite stones, firmly set, marked and witnessed as described in the official record. Cor. No. 3 is identical with Cor. No. 2 RAINBOW LEDGE of the same survey. Line 2-3, identical with line 2-3 RAINBOW LEDGE, is shown as approved. Line 3-4 was found to be N. 2° 14' 25" E., 600.62 ft. instead of N. 2° 13' E., 600.0 ft. as approved. Line 4-1, common with line 2-3 VETA RICA Lode of the same survey, is shown as approved.

Sur. No. 4179 RAINBOW LEDGE Lode: Cor. No. 1, identical with Cor. No. 1 MINERAL HILL Lode of the same survey, is a porphyry rock, firmly set, marked and witnessed as described in the official record. Cor. No. 2, identical with Cor. No. 3 RUSSET DYKE Lode of the same survey, described above. Line 1-2 was found to be N. 2° 17' 35" E., 599.27 ft. instead of N. 2° 13' E., 600.0 ft. as approved. Line 2-3, identical with line 2-3 RUSSET DYKE Lode, described above. Line 4-1, identical with line 1-2 MINERAL HILL Lode of the same survey is shown as approved.

Sur. No. 4179 MINERAL HILL Lode: Cor. No. 1, identical with Cor. No. 1 RAINBOW LEDGE Lode of the same survey described above. Cor. No. 4 is a granite stone, firmly set, marked and witnessed as described in the official record. Line 1-2, identical with line

FEET

4-1 RAINBOW LEDGE Lode of the same survey, described above. Line 3-4, common with line 2-3 Sur. No. 3564 CARBONATE Lode which is identical with line 2-3 Sur. No. 4179 FOUR METALS Lode is described as follows: the portion of the line, Cor. No. 3 to Cor. No. 2 CARBONATE Lode and Cor. No. 2 FOUR METALS Lode, identical with line 2-3 CARBONATE Lode and line 2-3 FOUR METALS Lode is shown as approved. From Cor. No. 2 CARBONATE Lode, identical with Cor. No. 2 FOUR METALS Lode to Cor. No. 4 MINERAL HILL Lode, the line was found to be N. 87° 46' 13" W., 499.43 ft. instead of N. 87° 47' W., 505.7 ft. as approved. Line 4-1 was found to be N. 2° 15' 36" E., 601.72 ft. instead of N. 2° 13' E., 600.0 ft. as approved.

Sur. No. 4179 FOUR METALS Lode, identical with Sur. No. 3564 CARBONATE Lode: Cor. No. 1 and the point for witness Cor. No. 2 are iron posts, 3/4 in. diam., 24 ins. above ground, with a brass cap firmly set, marked and witnessed as described in the official record. Line 1-2 (witness point) was found to be N. 0° 26' 41" W., 588.67 ft. instead of N. 2° 13' E., 590.0 ft. as approved. This line was projected to 600.0 ft. on the new bearing. Line 2-3 common with line 3-4 MINERAL HILL lode of the same survey, described above. Line 4-1, common with line 2-3 Sur. No. 3564 RED OXIDE Lode, identical with line 2-3 Sur. No. 4179 CUPRITE Lode, shown as approved.

Sur. No. 4179 CUPRITE Lode, identical with Sur. No. 3564 RED OXIDE Lode: Cors. Nos. 1 and 2 are iron posts, 3/4 in. diam., 24 ins. above ground with a brass cap, firmly set, marked and witnessed as described in the official record. Line 1-2 was found to be N. 2° 14' 47" E., 600.26 ft. instead of N. 2° 13' E., 600.0 ft. as approved. Line 2-3, common with line 4-1 - FOUR METALS Lode, identical with line 4-1 Sur. No. 3564 CARBONATE Lode, described above. Line 4-1 shown as approved.

Copper King Lode (unsurveyed): The NE, NW, SW and SE cors. are rock cairns. The north side line, from NW to NE cors. was found to be N. 53° 33' 29" E., 1,619.17 ft. The east end line, from NE to SE cors., was found to be N. 4° 51' 06" W. The south side line, from SE to SW cors. was found to be S. 49° 04' 42" W., 1,366.11 ft. The west end line, from SW to NW cors., was found to be N. 31° 57' W., 603.73 ft.

FEET

Chappo Lode (Unsurveyed): The NW, NE and SE cors. are rock cairns with 4" x 4" x 4' posts. The SW cor., identical with Cor. No. 1 of the North Star No. 2 lode, Cor. No. 1 of the North Star No. 3 lode and Cor. No. 1 of the Copper Reef No. 3 lode, all of this survey, described above. The south side line, from the SE to SW cors., was found to be N. 54° 16' 15" W., 1,522.60 ft. The west end line, common with line 4-1 Copper Reef No. 3 lode of this survey, from the SW to NE cors., was found to be N. 34° 33' 49" E., 542.36 ft. The north side line, from the NW to NE cors., was found to be S. 54° 38' 54" E., 1,469.41 ft. The east end line, from NE to SE cors., was found to be S. 29° 05' 11" W., 555.66 ft.

The cors. of secs. 1, 2, 11 and 12; 2, 3, 10 and 11; 10, 11, 14 and 15; 11, 12, 13 and 14; and the 1/4 cors. of secs. 2 and 11, 11 and 12, 11 and 14, and 14 and 15, T. 8 S., R. 18 E., G. and S.R.M., described above. The 1/4 cor. of secs. 13 and 14 is an iron post, 1 in. diam., 24 ins. above ground, firmly set, marked and witnessed as described in the official record. The lines between secs. 1 and 2, 1 and 12, and 12 and 13 are shown as approved. The line between secs. 2 and 11 was found to be: from the cor. of secs. 1, 2, 11 and 12 to the 1/4 cor. of secs. 2 and 11 N. 89° 46' 50" W., 2,608.4 ft. and from the 1/4 cor. of 2 and 11 to the cor. of secs. 2, 3, 10 and 11, N. 89° 55' 01" W., 2,620.8 ft. instead of N. 89° 56' W., 5,253.60 ft. as approved. The line between secs. 11 and 12 was found to be: from the cor. of secs. 1, 2, 11 and 12 to the 1/4 cor. of secs. 11 and 12, S 0° 02' 34" E., 2,637.72 ft. and from the 1/4 cor. of 11 and 12 to the cor. of secs. 11, 12, 13 and 14, S. 0° 03' 30" E., 2,651.20 ft. instead of N. 0° 01' W., 5,280 ft. as approved. The line between secs. 11 and 14 was found to be: from the cor. of secs. 11, 12, 13 and 14 to the 1/4 cor. of secs. 11 and 14, N. 89° 43' 45" W., 2,630.81 ft. and from the 1/4 cor. of 11 and 14 to the cor. of secs. 10, 11, 14 and 15, N. 89° 59' 18" W., 2,609.02 ft. instead of N. 89° 55' W., 5,262.84 ft. as approved. The line between the cor. of secs. 11, 12, 13 and 14 and the 1/4 cor. of secs. 13 and 14 was found to be N. 0° 06' 53" W. instead of N. 0° 01' W. as approved. The line between the cor. of secs. 10, 11, 14 and 15 and the 1/4 cor. of secs. 14 and 15 was found to be N. 0° 2' 26" E., 2,632.06 ft. instead of N. 0° 01' W., 2,640 ft. as approved.

FIELD ASSISTANTS

Kent Miller Instrument Man
Charles Najarian Chainman-Axeman

FEET		
	<p>... (mirrored text from reverse side) ...</p>	

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Harvey W. Smith	Date January 27, 1977
--	---------------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Chief, Branch of Cadastral Survey, Bureau of Land Management, at Phoenix, Arizona, dated 6/30/72 and January 25, 1977, I have carefully executed the survey of the claim of Exxon Company, U.S.A. known as the (lode, placer, or mill site) **SEE ATTACHMENT** situated in Pinal County, Secs. 2, 10, 11, 12, 14 and 15, Township 8 South, Range 18 East, Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4727, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) **SEE ATTACHMENT** location(s) embraced in the said mining claim by claimant(s) or their grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Paradise Valley, Arizona (Location)	 (Signature of Mineral Surveyor)
---	---

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date May 25, 1977

The foregoing field notes of mineral survey number 4727, in Secs. 2, 10, 11, 12, 14 & 15 Range 18 E., Gila & Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 8 S., executed by Harvey W. Smith, Mineral Surveyor, under order dated 6/30/72 & Amd. 1/25/77, 1977, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Boyd S. Owens (Authorized Signature)	Chief, Branch of Cadastral Survey (Title)
--	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION

REPORT OF INVESTIGATION

TO: DIRECTOR, FBI
FROM: SAC, [illegible]

DATE: [illegible]

[Faded typed text, likely the beginning of the report body]

[Faded signature and name of the investigator]

[Faded administrative information, possibly a routing slip or stamp]

[Faded typed text, likely the middle of the report body]

[Faded typed text, likely the end of the report body]

[Faded typed text, likely a closing or signature area]

[Faded text at the bottom of the page, possibly a footer or additional notes]