

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number	4743
State	Arizona
Land District	Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Inspiration Consolidated Copper Company
c/o G. H. Ladendorff, Attorney at Law
Suite 716 Arizona Bank Building
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

Ralston

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Ralston 1	2-27-73	
Ralston 2	2-27-73	
Ralston 3	2-27-73	
Ralston 4	2-27-73	
Ralston 5	2-27-73	
Ralston 6	2-27-73	
Ralston 7	2-27-73	
Ralston 8	2-27-73	
Ralston 9	2-27-73	
Ralston 10	2-27-73	
Ralston 11	2-27-73	
Ralston 12	2-28-72	
Ralston 13	2-28-73	
Ralston 14	2-28-73	
Ralston 15	2-28-73	
Ralston 16	2-28-73	
Ralston 17	2-28-73	
Ralston 18	2-28-73	
Ralston 19	2-28-73	
Ralston 20	3-01-73	
Ralston 21	3-01-73	
Ralston 22	3-01-73	
Ralston 23	3-01-73	

(Continued on page 2)

Mining district		County	
Globe		Gila	
Section uns. 13 14, 23, & 24	Township 1 North	Range 14 East	Meridian Gila & Salt River
Survey commenced June 1, 1973		Survey completed August 15, 1973	Survey under order dated May 22, 1973
			Name of Mineral Surveyor Travis L. Gant

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4743

Page 2 of 4

2

FIELD NOTES

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Ralston 24	3-01-73	
Ralston 25	3-02-73	
Ralston 26	2-28-73	
Ralston 27	2-28-73	
Ralston 28	2-28-73	
Ralston 29	2-28-73	
Ralston 30	2-28-73	
Ralston 31	2-28-73	
Ralston 32	3-01-73	
Ralston 33	3-01-73	
Ralston 34	3-01-73	
Ralston 35	3-01-73	
Ralston 36	3-01-73	
Ralston 37	3-02-73	
Ralston 38	3-02-73	
Ralston 39	3-02-73	
Ralston 40	3-02-73	
Ralston 41	3-02-73	
Ralston 42	3-02-73	
Ralston 43	3-02-73	
Ralston 44	3-02-73	
Ralston 45	3-02-73	
Ralston 46	3-05-73	
Ralston 47	3-05-73	
Ralston 48	3-05-73	
Ralston 49	3-05-73	
Ralston 50	3-02-73	
Ralston 51	3-02-73	
Ralston 52	3-02-73	
Ralston 53	3-02-73	
Ralston 54	3-02-73	
Ralston 55	3-02-73	
Ralston 56	3-02-73	
Ralston 57	3-05-73	

(Continued on page 3)

5

DATE	DESCRIPTION	AMOUNT
1911		
1912		
1913		
1914		
1915		
1916		
1917		
1918		
1919		
1920		
1921		
1922		
1923		
1924		
1925		
1926		
1927		
1928		
1929		
1930		
1931		
1932		
1933		
1934		
1935		
1936		
1937		
1938		
1939		
1940		
1941		
1942		
1943		
1944		
1945		
1946		
1947		
1948		
1949		
1950		
1951		
1952		
1953		
1954		
1955		
1956		
1957		
1958		
1959		
1960		
1961		
1962		
1963		
1964		
1965		
1966		
1967		
1968		
1969		
1970		
1971		
1972		
1973		
1974		
1975		
1976		
1977		
1978		
1979		
1980		
1981		
1982		
1983		
1984		
1985		
1986		
1987		
1988		
1989		
1990		
1991		
1992		
1993		
1994		
1995		
1996		
1997		
1998		
1999		
2000		
2001		
2002		
2003		
2004		
2005		
2006		
2007		
2008		
2009		
2010		
2011		
2012		
2013		
2014		
2015		
2016		
2017		
2018		
2019		
2020		
2021		
2022		
2023		
2024		
2025		
2026		
2027		
2028		
2029		
2030		
2031		
2032		
2033		
2034		
2035		
2036		
2037		
2038		
2039		
2040		
2041		
2042		
2043		
2044		
2045		
2046		
2047		
2048		
2049		
2050		
2051		
2052		
2053		
2054		
2055		
2056		
2057		
2058		
2059		
2060		
2061		
2062		
2063		
2064		
2065		
2066		
2067		
2068		
2069		
2070		
2071		
2072		
2073		
2074		
2075		
2076		
2077		
2078		
2079		
2080		
2081		
2082		
2083		
2084		
2085		
2086		
2087		
2088		
2089		
2090		
2091		
2092		
2093		
2094		
2095		
2096		
2097		
2098		
2099		
2100		

2
9

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4743

FIELD NOTES

Page 3 of 4

3

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Ralston 58	3-05-73	
Ralston 59	3-05-73	
Ralston 60	3-05-73	
Ralston 61	3-05-73	
Ralston 62	3-05-73	
Ralston 63	3-06-73	
Ralston 64	3-06-73	
Ralston 65	3-06-73	
Ralston 66	3-06-73	
Ralston 67	3-06-73	
Ralston 68	3-06-73	
Ralston 69	3-06-73	
Ralston 70	3-05-73	
Ralston 71	3-05-73	
Ralston 72	3-05-73	
Ralston 73	3-05-73	
Ralston 74	3-06-73	
Ralston 75	3-06-73	
Ralston 76	3-06-73	
Ralston 77	3-06-73	
Ralston 78	3-06-73	
Ralston 79	3-06-73	
Ralston 80	3-06-73	
Ralston 81	3-06-73	
Ralston 82	3-07-73	
Ralston 83	3-07-73	
Ralston 84	3-07-73	
Ralston 85	3-07-73	

(Continued on page 4)

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Ralston 86	3-07-73	
Ralston 87	3-07-73	
Ralston 88	3-07-73	
Ralston 89	3-07-73	
Ralston 90	3-07-73	
Ralston 91	3-07-73	
Ralston 92	3-08-73	
Ralston 93	3-08-73	
Ralston 94	3-08-73	
Ralston 95	3-08-73	
Ralston 96	3-08-73	
Ralston 97	3-08-73	
Ralston 98	3-08-73	

FEET

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 feet, with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200 feet in length, measured as a base-line with a standard 100.00 foot tape, and found to be precise and accurate.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° 30' E.

Note concerning monumentation: With the exception of those corners which were not monumented for reasons given in each case, or which were monumented as otherwise described herein, I set iron posts at each corner of each mill site claim comprising this survey. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe was placed in the ground in a foundation consisting of not less than 1/2 cu. ft. of high early strength portland cement concrete, mixed at the site. Brass caps were securely cemented into the tops of the pipes and were marked as described, using 1/8-in. steel dies for lettering and numbering. Alongside every corner monument I caused to have erected a rock monument having a base two feet minimum diam., and a height of not less than two feet.

SURVEY NO. 4743

Ralston 1 Mill Site

At Cor. No. 1 of the Ralston 1 mill site, identical with Cor. No. 4 of the Ralston 3 mill site of this survey, established on line 3-4 Sur. No. 4730 WEBSTER 33 mill site.

Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 1-1-4743 and RAL 3-4-4743; from which

The 1/4 sec. cor. on the west line of sec. 18, T. 1 N., R. 15 E., G. & S.R.M., bears N. 32° 21' 19" E., 2795.02 ft. dist.; an iron post, 1 ins. diam., 12 ins. above ground, firmly set, and surrounded by a mound of stone, with brass cap marked as described in the official record.

FEET		
	<p>Cor. No. 3 Sur. No. 4730 WEBSTER 33 mill site, identical with Cor. No. 3 Sur. No. 4730 WEBSTER 31 mill site, Cor. No. 5 of the Ralston 3 mill site, and Cor. No. 2 of the Ralston 2 mill site of this survey, bears N. 50° 31' W., 123.94 ft. dist.</p> <p style="text-align: center;">Thence SOUTH</p>	
35	<p>Road, bears S. 47° E. and N. 47° W.</p>	
246.39	<p>Intersect Cors. Nos. 3 of the Ralston 3 and Ralston 4 mill sites of this survey, hereinafter described.</p>	
574.39	<p>Intersect Cor. No. 4 of the Ralston 4 mill site, identical with Cor. No. 6 of the Ralston 5 mill site of this survey, hereinafter described.</p>	
684.02	<p>Cor. No. 2, identical with Cor. No. 5 of the Ralston 5 mill site of this survey, established on line 3-4 Sur. No. 2906 Prospect lode at a point from which Cor. No. 3 bears S. 73° 47' 42" W., 158.38 ft. dist.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 11 ins. in the ground, with brass cap mkd. RAL 1-2-4743 and RAL 5-5-4743.</p> <p style="text-align: center;">Thence N. 73° 47' 42" E.</p>	
302.82	<p>Cor. No. 3, established at the intersection of line 3-4 Sur. No. 2906 Prospect lode with line 2-3 Sur. No. 3015 Old Ironsides lode.</p>	
	<p>To the top surface of the existing 4-ins. diam. steel-capped iron post marking said intersection, I add the following in the proper quadrant of the cap: RAL 1-3-4743.</p> <p style="text-align: center;">Thence N. 83° 36' 45" W.</p>	
90.70	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 3015 Old Ironsides lode.</p>	
	<p>To the top surface of the 4 ins. diam. steel-capped iron post marking Cor. No. 3 Sur. No. 3015 Old Ironsides lode, I add the following in the proper quadrant of the cap: RAL 1-4-4743.</p> <p style="text-align: center;">Thence N. 6° 32' 10" E.</p>	
390.07	<p>Cor. No. 5, identical with Cor. No. 5 Sur. No. 4730 WEBSTER 35 mill site, established on line 3-4 Sur. No. 3015 Old Ironsides lode at a point from which Cor. No. 4 Sur. No. 3015 Old Ironsides lode, identical with Cor. No. 4 Sur. No. 4730 WEBSTER 35 mill site, bears N. 6° 32' 10" E., 210.55 ft. dist.</p>	

FEET	
	<p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4730, I add the following in the proper quadrant of the cap: RAL 1-5-4743.</p> <p style="text-align: center;">Thence N. 50° 31' W.</p>
88	Road, bears West and N. 70° E.
222.51	Intersect Cor. No. 6 Sur. No. 4730 WEBSTER 35 mill site, identical with Cor. No. 4 Sur. No. 4730 WEBSTER 33 mill site.
317.50	Cor. No. 1, and place of beginning.
Ralston 2 Mill Site	
	<p>At Cor. No. 1 of the Ralston 2 mill site, identical with Cors. Nos. 1 of the Ralston 3, Ralston 9, and Ralston 8 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RAL 2-1, RAL 3-1, RAL 9-1, and RAL 8-1-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 42° 52' 12" E., 3123.85 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 89° 13' 42" E.</p>
82	Road, bears N. 50° E. and S. 50° W.
158	Road, bears N. 35° E. and S. 35° W.
310	Road, bears N. 65° W. and S. 75° E.
533.86	Cor. No. 2, identical with Cor. No. 5 of the Ralston 3 mill site of this survey, and Cors. Nos. 3 Sur. No. 4730 WEBSTER 31 and WEBSTER 33 mill sites.
	<p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4730, I add the following in the proper quadrants of the cap: RAL 2-2-4743 and RAL 3-5-4743.</p> <p style="text-align: center;">Thence N. 50° 31' W.</p>
219.46	Intersect Cors. Nos. 4 Sur. No. 4730 WEBSTER 29 and WEBSTER 31 mill sites.

FEET		
438.30	Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 27 and WEBSTER 29 mill sites.	
657.45	Cor. No. 3, identical with Cor. No. 5 of the Ralston 7 mill site of this survey and Cors. Nos. 4 Sur. No. 4730 WEBSTER 25 and WEBSTER 27 mill sites.	
	To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4730, I add the following in the proper quadrant of the cap: RAL 2-3-4743 and RAL 7-5-4743.	
	Thence S. 14° 44' 40" W.	
103.65	Cor. No. 4, identical with Cor. No. 2 of the Ralston 8 mill site and Cor. No. 4 of the Ralston 7 mill site of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground, with brass cap mkd. RAL 2-4, RAL 8-2, and RAL 7-4-4743.	
	Thence SOUTH	
325.00	Cor. No. 1, and place of beginning.	
	Ralston 3 Mill Site	
	Beginning at Cor. No. 1 of the Ralston 3 mill site, identical with Cors. Nos. 1 of the Ralston 9, Ralston 8, and Ralston 2 mill sites of this survey.	
	Thence SOUTH	
41	Road, bears S. 75° W. and N. 65° E.	
321.00	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 4, Ralston 10, and Ralston 9 mill sites of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. RAL 3-2, RAL 4-2, RAL 10-2, and RAL 9-2-4743.	
	Thence N. 89° 43' 37" E.	
20	Road, bears N. 40° E. and S. 40° W.	
143	Road, bears N. 40° E. and S. 25° W.	
629.48	Cor. No. 3, identical with Cor. No. 3 of the Ralston 4 mill site, on line 1-2 of the Ralston 1 mill site of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. RAL 3-3, and RAL 4-3-4743.	

FEET	
	Thence NORTH
211.39	Road, bears N. 47° W. and S. 47° E.
246.39	Cor. No. 4, identical with Cor. No. 1 of the Ralston 1 mill site of this survey, on line 3-4 Sur. No. 4730 WEBSTER 33 mill site.
	Thence N. 50° 31' W.
123.94	Cor. No. 5, identical with Cor. No. 2 of the Ralston 2 mill site of this survey, and Cors. Nos. 3 Sur. No. 4730 WEBSTER 31 and WEBSTER 33 mill sites.
	Thence S. 89° 13' 42" W.
223.86	Road, bears N. 65° W. and S. 75° E.
375.86	Road, bears N. 35° E. and S. 35° W.
451.86	Road, bears N. 50° E. and S. 50° W.
533.86	Cor. No. 1, and place of beginning.
	Ralston 4 Mill Site
	At Cor. No. 1 of the Ralston 4 mill site, identical with Cors. Nos. 1 of the Ralston 5, Ralston 11, and Ralston 10 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 4-1, RAL 5-1, RAL 11-1, and RAL 10-1-4743; from which
	The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 35° 51' 29" E., 3628.10 ft. dist., previously described.
	Thence NORTH
306	Road, bears N. 40° E. and S. 40° W.
330.00	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 10, Ralston 9, and Ralston 3 mill sites of this survey.
	Thence N. 89° 43' 37" E.
20	Road, bears N. 40° E. and S. 40° W.

FEET	
143	Road, bears N. 40° E. and S. 25° W.
629.48	Cor. No. 3, identical with Cor. No. 3 of the Ralston 3 mill site, on line 1-2 of the Ralston 1 mill site of this survey.
	Thence SOUTH
328.00	Cor. No. 4, identical with Cor. No. 6 of the Ralston 5 mill site, on line 1-2 of the Ralston 1 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 4-4, and RAL 5-6-4743.
	Thence S. 89° 32' 42" W.
480	Road, bears North and South.
629.49	Cor. No. 1, and place of beginning.
	Ralston 5 Mill Site
	Beginning at Cor. No. 1 of the Ralston 5 mill site, identical with Cors. Nos. 1 of the Ralston 11, Ralston 10, and Ralston 4 mill sites of this survey.
	Thence SOUTH
238	Road, bears N. 65° E. and S. 65° W.
332.00	Intersect Cors. Nos. 2 of the Ralston 11 and Ralston 12 mill sites of this survey, hereinafter described.
395.43	Cor. No. 2, identical with Cor. No. 3 Sur. No. 3205 Shorty lode and Cor. No. 1 of the Ralston 12 mill site of this survey, on the East end-line of the Mezpah Fraction lode, uns.
	To the top surface of the existing 4 ins. diam. steel-capped iron post marking Cor. No. 3 Sur. No. 3205 Shorty lode, I add the following in the proper quadrants of the cap: RAL 5-2-4743 and RAL 12-1-4743.
	Thence N. 74° 07' 14" E.
530.89	Cor. No. 3, established at the intersection of line 3-4 Sur. No. 3205 Shorty lode with line 2-3 Sur. No. 2906 Prospect lode.

FEET	
	<p>To the top surface of the existing 4 ins. diam. steel capped iron post marking said intersection, I add the following in the proper quadrant of the cap: RAL 5-3-4743.</p>
	<p>Thence N. 18° 10' W.</p>
106.66	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 2906 Prospect lode.</p>
	<p>To the top surface of the existing 4 ins. diam. steel capped iron post marking Cor. No. 3 Sur. No. 2906 Prospect lode, I add the following in the proper quadrants of the cap: RAL 5-4-4743.</p>
	<p>Thence N. 73° 47' 42" E.</p>
158.38	<p>Cor. No. 5, identical with Cor. No. 2 of the Ralston 1 mill site of this survey, on line 3-4 Sur. No. 2906 Prospect lode.</p>
	<p>Thence NORTH</p>
109.63	<p>Cor. No. 6, identical with Cor. No. 4 of the Ralston 4 mill site, on line 1-2 of the Ralston 1 mill site of this survey.</p>
	<p>Thence S. 89° 32' 42" W.</p>
480	<p>Road, bears North and South.</p>
629.49	<p>Cor. No. 1, and place of beginning.</p>
	<p>Ralston 6 Mill Site</p>
	<p>Ar Cor. No. 1 of the Ralston 6 mill site, identical with Cor. No. 1 of the Ralston 7 mill site of this survey, established on line 3-4 Sur. No. 4730 WEBSTER 23 mill site.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 6-1-4743 and RAL 7-1-4743; from which</p>
	<p>The ¼ sec. cor. on the west line of sec. 18 bears N. 55° 34' 19" E., 2886.47 ft. dist., previously described.</p>
	<p>Cor. No. 3 Sur. No. 4730 WEBSTER 23 mill site, identical with Cor. No. 3 Sur. No. 4730 WEBSTER 25 mill site, bears S. 50° 31' E., 145.62 ft. dist.</p>
	<p>Thence S. 88° 59' 15" W.</p>
263	<p>Road, bears N. 30° E. and S. 30° W.</p>

FEET	
308	Road, curves northeasterly and southwesterly.
392.94	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 7 mill site, and Cors. Nos. 4 of the Ralston 17 and Ralston 16 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 6-2, RAL 7-2, RAL 17-4, and RAL 16-4-4743.</p> <p>Thence N. 0° 04' 25" W.</p>
330.96	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 16 mill site and Cor. No. 1 of the Ralston 15 mill site of this survey, and Cors. Nos. 4 Sur. No. 4730 WEBSTER 17 and WEBSTER 19 mill sites.</p> <p>To the surface of the 2 ins. diam. brass cap monument described in the official record of Sur. No. 4730, I add the following to the proper quadrants of the cap: RAL 6-3-4743, RAL 16-3-4743, and RAL 15-1-4743.</p> <p>Thence S. 50° 31' E.</p>
218.09	Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 19 and WEBSTER 21 mill sites.
436.81	Intersect Cors. Nos. 4 Sur. No. 4730 WEBSTER 21 and WEBSTER 23 mill sites.
509.58	Cor. No. 1, and place of beginning.
Ralston 7 Mill Site	
<p>Beginning at Cor. No. 1 of the Ralston 7 mill site, identical with Cor. No. 1 of the Ralston 6 mill site of this survey, on line 3-4 Sur. No. 4730 WEBSTER 23 mill site.</p> <p>Thence S. 88° 59' 15" W.</p>	
263	Road, bears N. 30° E. and S. 30° W.
308	Road, curves northeasterly and southwesterly.
392.94	Cor. No. 2, identical with Cors. Nos. 4 of the Ralston 17 and Ralston 16 mill sites, and Cor. No. 2 of the Ralston 6 mill site of this survey.

(This form bound on left side)

FEET	
	Thence S. 0° 01' 32" W.
36	Road, bears N. 70° E. and S. 60° W.
162	Road, bears N. 40° E. and S. 50° W.
326.31	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 8, Ralston 18, and Ralston 17 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 11 ins. in the ground, with brass cap mkd. RAL 7-3, RAL 8-3, RAL 18-3, and RAL 17-3-4743.
	Thence N. 89° 56' 15" E.
237	Center of local drainage, 6 ft. wide, course N. 35° E.
648.61	Cor. No. 4, identical with Cor. No. 4 of the Ralston 2 mill site and Cor. No. 2 of the Ralston 8 mill site of this survey.
	Thence N. 14° 44' 40" E.
103.65	Cor. No. 5, identical with Cors. Nos. 4 Sur. No. 4730 WEBSTER 25 and WEBSTER 27 mill sites, and Cor. No. 3 of the Ralston 2 mill site of this survey.
	Thence N. 50° 31' W.
132	Center of local drainage, 8 ft. wide, course N. 50° E.
219.72	Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 23 and WEBSTER 25 mill sites.
365.34	Cor. No. 1, and place of beginning.
	Ralston 8 Mill Site
	Beginning at Cor. No. 1 of the Ralston 8 mill site, identical with Cors. Nos. 1 of the Ralston 2, Ralston 3, and Ralston 9 mill sites of this survey.
	Thence NORTH
325.00	Cor. No. 2, identical with Cors. Nos. 4 of the Ralston 7 and Ralston 2 mill sites of this survey.
	Thence S. 89° 56' 15" W.

FEET	
411.61	Center of local drainage, 6 ft. wide, course N. 35° E.
648.61	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 18, Ralston 17, and Ralston 7 mill sites of this survey. Thence S. 0° 01' 32" W.
208	Center of local drainage, 4 ft. wide, course N. 40° E.
329.14	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 9, Ralston 19, and Ralston 18 mill sites of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 12 ins. in the ground, with brass cap mkd. RAL 8-4, RAL 9-4, RAL 19-4, and RAL 18-4-4743. Thence N. 89° 34' 18" E.
648.78	Cor. No. 1, and place of beginning.
Ralston 9 Mill Site	
Beginning at Cor. No. 1 of the Ralston 9 mill site, identical with Cors. Nos. 1 of the Ralston 8, Ralston 2, and Ralston 3 mill sites of this survey.	
Thence SOUTH	
41	Road, bears S. 75° W. and N. 65° E.
321.00	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 3, Ralston 4, and Ralston 10 mill sites of this survey. Thence S. 89° 55' 40" W.
648.89	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 10, Ralston 20, and Ralston 19 mill sites of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground, with brass cap mkd. RAL 9-3, RAL 10-3, RAL 20-3, and RAL 19-3-4743. Thence N. 0° 01' 25" E.
10	Road, bears N. 70° E. and S. 65° W.
316.97	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 19, Ralston 18, and Ralston 8 mill sites of this survey.

FEET	
648.78	<p style="text-align: center;">Thence N. 89° 34' 18" E.</p> <p>Cor. No. 1, and place of beginning.</p>
306 330.00 648.89 147 329.18 648.89	<p style="text-align: center;">Ralston 10 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 10 mill site, identical with Cors. Nos. 1 of the Ralston 4, Ralston 5, and Ralston 11 mill sites of this survey.</p> <p style="text-align: center;">Thence NORTH</p> <p>Road, bears N. 40° E. and S. 40° W.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 9, Ralston 3, and Ralston 4 mill sites of this survey.</p> <p style="text-align: center;">Thence S. 89° 55' 40" W.</p> <p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 20, Ralston 19, and Ralston 9 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p> <p>Road, bears N. 85° E. and S. 85° W.</p> <p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 11, Ralston 21, and Ralston 20 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. RAL 10-4, RAL 11-4, RAL 21-4, and RAL 20-4-4743.</p> <p style="text-align: center;">Thence EAST</p> <p>Cor. No. 1, and place of beginning.</p>
238 332.00	<p style="text-align: center;">Ralston 11 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 11 mill site, identical with Cors. Nos. 1 of the Ralston 10, Ralston 4, and Ralston 5 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p> <p>Road, bears N. 65° E. and S. 65° W.</p> <p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 12 mill site, on line 1-2 of the Ralston 5 mill site of this survey.</p>

FEET		
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. RAL 11-2, and RAL 12-2-4743; from which</p>	
	<p>The NE. Cor of the Mespah Fraction lode, uns., bears N. 15° 02' 53" W., 162.08 ft. dist.</p>	
	<p>Cor. No. 3 Sur. No. 3205 Shorty lode, identical with Cor. No. 2 of the Ralston 5 mill site and Cor. No. 1 of the Ralston 12 mill site of this survey bears SOUTH, 63.43 ft. dist.</p>	
	<p>Thence N. 89° 49' 24" W.</p>	
12.14	<p>Intersect the easterly end-line of the Mespah Fraction lode, uns., at a point from which the NE. Cor. thereof bears N. 10° 49' 54" W., 159.32 ft. dist.</p>	
185	<p>Road, curves sharply ENE. and South.</p>	
648.89	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 12, Ralston 22, and Ralston 21 mill sites of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 11-3, RAL 12-3, RAL 22-3, and RAL 21-3-4743.</p>	
	<p>Thence NORTH</p>	
91.22	<p>Intersect the northerly side-line of the Mespah Fraction lode, uns., at a point from which the NE. Cor. thereof bears N. 84° 02' 40" E., 610.10 ft. dist.</p>	
330.00	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 21, Ralston 20, and Ralston 10 mill sites of this survey.</p>	
	<p>Thence EAST</p>	
648.89	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Ralston 12 Mill Site</p>	
	<p>Beginning at Cor. No. 1 of the Ralston 12 mill site, identical with Cor. No. 2 of the Ralston 5 mill site of this survey, and Cor. No. 3 Sur. No. 3205 Shorty lode, also on the easterly end-line of the Mespah Fraction lode, uns.; from which</p>	

FEET	
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $32^{\circ} 30' 03''$ E., 3955.38 ft. dist., previously described.</p> <p>Thence NORTH</p>
63.43	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 11 mill site on line 1-2 of the Ralston 5 mill site of this survey.</p> <p>Thence N. $89^{\circ} 49' 24''$ W.</p>
12.14	<p>Intersect the easterly end-line of the Mespah Fraction lode, uns., at a point from which the NE. Cor. thereof bears N. $10^{\circ} 49' 54''$ W., 159.32 ft. dist.</p>
185	<p>Road, curves sharply ENE. and South.</p>
648.89	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 22, Ralston 21, and Ralston 11 mill sites of this survey.</p> <p>Thence SOUTH</p>
314.92	<p>Intersect the northwesterly side-line of the Mespah lode, uns., at a point from which the NE. Cor. thereof on line 5-1 of subject Ralston 12 mill site of this survey and on line 2-3 Sur. No. 3205 Shorty lode, bears N. $70^{\circ} 40' 31''$ E., 691.80 ft. dist.</p>
330.00	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 13, Ralston 23, and Ralston 22 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 12-4, RAL 13-4, RAL 23-4, and RAL 22-4-4743.</p> <p>Thence N. $86^{\circ} 09' 05''$ E.</p>
376	<p>Road, bears N. 35° E. and S. 35° W.</p>
692.18	<p>Cor. No. 5, identical with Cor. No. 1 of the Ralston 13 mill site of this survey, established on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-lines of the Mespah and Mespah Fraction lodes, uns.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 12-5-4743 and RAL 13-1-4743; from which</p>

FEET		
	<p>Cor. No. 2 Sur. No. 3205 Shorty lode, identical with Cor. No. 3 Sur. No. 3205 Red Raven lode, on line 1-2 of the Ralston 14 mill site of this survey, and on the easterly end-line of the Mespah lode, uns., bears S. 10° 49' 54" E., 377.90 ft. dist.</p> <p>The SE. Cor. of the Mespah lode, uns., identical with Cor. No. 4 Sur. No. 3205 May lode, and Cor. No. 1 of the Ralston 14 mill site of this survey, on line 2-3 Sur. No. 3205 Red Raven lode, bears S. 10° 49' 54" E., 400.00 ft. dist.</p> <p>The SE. Cor. of the Mespah Fraction lode, uns., on line 2-3 Sur. No. 3205 Shorty lode, on the easterly end-line of the Mespah lode, uns., and on line 1-2 of the Ralston 13 mill site of this survey, bears S. 10° 49' 54" E., 100.78 ft. dist.</p> <p style="text-align: center;">Thence N. 10° 49' 54" W.</p>	
201.14	<p>Intersect the NE. Cor. of the Mespah lode, uns., on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-line of the Mespah Fraction lode, uns.</p>	
222.06	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Ralston 13 Mill Site</p>	
	<p>Beginning at Cor. No. 1 of the Ralston 13 mill site, identical with Cor. No. 5 of the Ralston 12 mill site of this survey, on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-lines of the Mespah and Mespah Fraction lodes, uns.; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 30° 22' 52" E., 4119.72 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 10° 49' 54" E.</p>	
100.78	<p>Intersect the SE. Cor. of the Mespah Fraction lode, uns., on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-line of the Mespah lode, uns.</p>	
228	<p>North bank of an arm of Webster Lake, bears ESE. and WNW.</p>	

FEET	
255.00	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the Ralston 14 mill site of this survey, on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-line of the Mespah lode, uns.</p> <p>This corner falls in Webster Lake where a monument cannot be established; from which</p> <p>Cor. No. 2 Sur. No. 3205 Shorty lode, identical with Cor. No. 3 Sur. No. 3205 Red Raven lode, on line 1-2 of the Ralston 14 mill site of this survey, and on the easterly end-line of the Mespah lode, uns., bears S. 10° 49' 54" E., 122.90 ft. dist.</p> <p>The SE. Cor. of the Mespah lode, uns., identical with Cor. No. 4 Sur. No. 3205 May lode, and Cor. No. 1 of the Ralston 14 mill site of this survey, on line 2-3 Sur. No. 3205 Red Raven lode, bears S. 10° 49' 54" E., 145.00 ft. dist.</p> <p>Thence S. 80° 59' 50" W.</p>
27	Southwest bank of an arm of Webster Lake, bears NW. and SE.
292	Road, curves sharply WNW. and SSW.
747.75	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 14 and Ralston 23 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 13-3, RAL 14-3, and RAL 23-3-4743.</p> <p>Thence NORTH</p>
190.19	Intersect the southerly side-line of the Mespah Fraction lode, uns., at a point from which the SE. Cor. thereof, on line 2-3 Sur. No. 3205 Shorty lode, on line 1-2 of subject Ralston 13 mill site of this survey, and on the easterly end-line of the Mespah lode, uns., bears N. 83° 42' 13" E., 713.87 ft. dist.
206	Center of local drainage, 10 ft. wide, course East.

FEET	
321.00	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 23, Ralston 22, and Ralston 12 mill sites of this survey.
	Thence N. 86° 09' 05" E.
376	Road, bears N. 35° E. and S. 35° W.
692.18	Cor. No. 1, and place of beginning.
Ralston 14 Mill Site	
At Cor. No. 1 of the Ralston 14 mill site, identical with Cor. No. 4 Sur. No. 3205 May lode, on line 2-3 Sur. No. 3205 Red Raven lode, and identical with the SE. Cor. of the Mespah lode, uns.	
To the surface of the 4 ins. diam. steel-capped iron post marking Cor. No. 4 Sur. No. 3205 May lode, I add the following in the proper quadrant of the cap: RAL 14-1-4743; from which	
The ¼ sec. cor. on the west line of sec. 18 bears N. 26° 58' 09" E., 4428.48 ft. dist., previously described.	
Thence N. 10° 49' 54" W.	
22.10	Intersect Cor. No. 3 Sur. No. 3205 Red Raven lode, identical with Cor. No. 2 Sur. No. 3205 Shorty lode, on the easterly end-line of the Mespah lode, uns.
71	Southwest bank of an arm of Webster Lake, bears northwesterly and southeasterly.
145.00	The true point for Cor. No. 2, identical with Cor. No. 2 of the Ralston 13 mill site of this survey, on line 2-3 Sur. No. 3205 Shorty lode, and on the easterly end-line of the Mespah lode, uns., previously described.
Thence S. 80° 59' 50" W.	
27	Southwest bank of an arm of Webster Lake, bears NW. and SE.
292	Road, curves sharply WNW. and SSW.
747.75	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 23 and Ralston 13 mill sites of this survey.

FEET	
	Thence S. 89° 18' 35" W.
629.07	Intersect the westerly end-line of the Mespah lode, uns., and the easterly end-line of the Goldfield lode, uns., at a point from which the NW. and NE. Cors. thereof, on lines 1-2 of the Ralston 23 and Ralston 35 mill sites of this survey, respectively bear N. 10° 13' 17" W., 117.62 ft. dist.
649.94	Cor. No. 4, identical with Cors. Nos. 2 of the Ralston 24, Ralston 36, Ralston 35, and Ralston 23 mill sites of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 14-4, RAL 24-2, RAL 36-2, RAL 35-2, and RAL 23-2-4743. Thence S. 72° 07' 43" E.
23.34	Intersect the easterly end-line of the Goldfield lode, uns., and the westerly end-line of the Mespah lode, uns., at a point from which the NE. and NW. cors. thereof, on lines 1-2 of the Ralston 23 and Ralston 35 mill sites of this survey, respectively bear N. 10° 13' 17" W., 125.15 ft. dist.
682.84	Cor. No. 5, identical with Cor. No. 1 of the Ralston 24 mill site of this survey, established on line 3-4 Sur. No. 3205 May lode, and on the southeasterly side-line of the Mespah lode, uns. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 14-5-4743 and RAL 24-1-4743; from which Cor. No. 3 Sur. No. 3205 May lode, identical with Cor. No. 4 Sur. No. 3205 June lode, on the southeasterly side-line of the Goldfield lode, uns., bears S. 75° 55' 37" W., 713.12 ft. dist. The SW. Cor. of the Mespah lode, uns., identical with the SE. Cor. of the Goldfield lode, uns., on line 3-4 Sur. No. 3205 May lode, bears S. 75° 55' 37" W., 583.12 ft. dist. Thence N. 75° 55' 37" E.

FEET	
538	Road, bears N. 50° W. and S. 50° E.
789.49	Cor. No. 1, and place of beginning.
	<p>Ralston 15 Mill Site</p> <p>At Cor. No. 1 of the Ralston 15 mill site, identical with Cors. Nos. 4 Sur. No. 4730 WEBSTER 17 and WEBSTER 19 mill sites, and Cors. Nos. 3 of the Ralston 6 and Ralston 16 mill sites of this survey.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cors. Nos. 4 Sur. No. 4730 WEBSTER 17 and WEBSTER 19 mill sites, I add the following to the proper quadrants of the cap: RAL 15-1-4743, RAL 6-3-4743, and RAL 16-3-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of Sec. 18 bears N. 64° 45' 29" E., 3067.02 ft. dist., previously described</p> <p style="text-align: center;">Thence N. 89° 44' 43" W.</p>
649.82	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 16, Ralston 28, and Ralston 27 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 15-2, RAL 16-2, RAL 28-2, and RAL 27-2-4743.</p> <p style="text-align: center;">Thence N. 2° 41' 44" W.</p>
46	Center of dry wash, 12 ft. wide, course N. 60° E.
229	Road, bears N. 60° E. and S. 60° W.
329.66	Intersect Cors. Nos. 1 of the Ralston 27 and Ralston 26 mill sites of this survey, herein-after described.
554.55	<p>Cor. No. 3, identical with Cor. No. 2 of the Ralston 26 mill site of this survey, and Cors. Nos. 4 Sur. No. 4730 WEBSTER 9 and WEBSTER 11 mill sites.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cors. Nos. 4 Sur. No. 4730 WEBSTER 9 and WEBSTER 11 mill sites, I add the following to the proper quadrants of the cap: RAL 15-3-4743 and RAL 26-2-4743.</p> <p style="text-align: center;">Thence S. 50° 31' E.</p>

FEET	
218.68	Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 11 and WEBSTER 13 mill sites.
336	Road, bears N. 80° E. and S. 80° W.
437.67	Intersect Cors. Nos. 4 Sur. No. 4730 WEBSTER 13 and WEBSTER 15 mill sites.
578	Center of dry wash, 14 ft. wide, course N. 85° E.
656.53	Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 15 and WEBSTER 17 mill sites.
875.72	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 16 Mill Site</p> <p>At Cor. No. 1 of the Ralston 16 mill site, identical with Cors. Nos. 1 of the Ralston 17, Ralston 29, and Ralston 28 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 16-1, RAL 17-1, RAL 29-1, and RAL 28-1-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 64° 30' 04" E., 3793.43 ft. dist., previously described</p> <p style="text-align: center;">Thence N. 0° 00' 23" W.</p>
242	Road, bears N. 82° E. and S. 82° W.
328.03	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 28, Ralston 27, and Ralston 15 mill sites of this survey.
	Thence S. 89° 44' 43" E.
649.82	Cor. No. 3, identical with Cor. No. 1 of the Ralston 15 mill site and Cor. No. 3 of the Ralston 6 mill site of this survey, and Cors. Nos. 4 Sur. No. 4730 WEBSTER 17 and WEBSTER 19 mill sites.
	Thence S. 0° 04' 25" E.
330.96	Cor. No. 4, identical with Cors. Nos. 2 of the Ralston 6 and Ralston 7 mill sites, and Cor. No. 4 of the Ralston 17 mill site of this survey.
	Thence N. 89° 29' 15" W.
432	Road, bears N. 5° E. and S. 5° W.
650.23	Cor. No. 1, and place of beginning.

FEET	
	Ralston 17 Mill Site
	Beginning at Cor. No. 1 of the Ralston 17 mill site, identical with Cors. Nos. 1 of the Ralston 29, Ralston 28, and Ralston 16 mill sites of this survey.
	Thence S. 0° 00' 22" E.
328.85	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 18, Ralston 30, and Ralston 29 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. RAL 17-2, RAL 18-2, RAL 30-2, and RAL 29-2-4743.
	Thence S. 89° 42' 40" E.
413	Road, bears N. 30° E. and S. 60° W.
650.03	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 7, Ralston 8, and Ralston 18 mill sites of this survey.
	Thence N. 0° 01' 32" E.
164.31	Road, bears N. 40° E. and S. 50° W.
290.31	Road, bears N. 70° E. and S. 60° W.
326.31	Cor. No. 4, identical with Cor. No. 4 of the Ralston 16 mill site, and Cors. Nos. 2 of the Ralston 6 and Ralston 7 mill sites of this survey.
	Thence N. 89° 29' 15" W.
432	Road, bears N. 5° E. and S. 5° W.
650.23	Cor. No. 1, and place of beginning.
	Ralston 18 Mill Site
	At the true point for Cor. No. 1 of the Ralston 18 mill site, identical with Cors. Nos. 1 of the Ralston 19, Ralston 31, and Ralston 30 mill sites of this survey.
	This corner falls in loose embankment material below the shoulder of an access road where a permanent monument cannot be maintained; witnessed S. 0° 01' W., 41.66 ft. dist., hereinafter described.
	Set a temporary point at the true point for Cor. No. 1; from which

FEET	
	<p>The $\frac{1}{2}$ sec. cor. on the west line of sec. 18 bears N. $56^{\circ} 15' 36''$ E., 4117.47 ft. dist., previously described.</p> <p>Thence N. $0^{\circ} 00' 35''$ E.</p>
325.04	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 30, Ralston 29, and Ralston 17 mill sites of this survey.</p> <p>Thence S. $89^{\circ} 42' 40''$ E.</p>
413	Road, bears N. 30° E. and S. 60° W.
650.03	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 17, Ralston 7, and Ralston 8 mill sites of this survey.</p> <p>Thence S. $0^{\circ} 01' 32''$ W.</p>
208	Center of local drainage, 4 ft. wide, course N. 40° E.
329.14	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 8, Ralston 9, and Ralston 19 mill sites of this survey.</p> <p>Thence N. $89^{\circ} 20' 58''$ W.</p>
98	Center of local drainage, 4 ft. wide, course North.
635	Road, bears S. 20° E. and North.
649.97	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 19 Mill Site</p> <p>Beginning at the true point for Cor. No. 1 of the Ralston 19 mill site, identical with Cors. Nos. 1 of the Ralston 31, Ralston 30, and Ralston 18 mill sites of this survey, previously described.</p> <p>Thence S. $0^{\circ} 01'$ W.</p>
41.66	<p>A point selected for witness Cor. No. 1, identical with witness Cors. Nos. 1 of the Ralston 31, Ralston 30, and Ralston 18 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. WC-RAL 19-1, RAL 31-1, RAL 30-1, and RAL 18-1-4743.</p>
151	Road, bears N. 45° E. and S. 45° W.

FEET	
326.11	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 20, Ralston 32, and Ralston 31 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 13 ins. in the ground, with brass cap mkd. RAL 19-2, RAL 20-2, RAL 32-2, and RAL 31-2-4743.
	Thence N. 89° 50' 41" E.
43	Road, bears N. 57° E. and S. 72° W.
240	Road, bears N. 60° W. and S. 60° E.
437	Road, bears N. 70° W. and S. 70° E.
628	Road, bears N. 65° E. and S. 65° W.
649.89	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 9, Ralston 10, and Ralston 20 mill sites of this survey.
	Thence N. 0° 01' 25" E.
10	Road, bears N. 70° E. and S. 65° W.
316.97	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 18, Ralston 8, and Ralston 9 mill sites of this survey.
	Thence N. 89° 20' 58" W.
98	Center of local drainage, 4 ft. wide, course North.
635	Road, bears S. 20° E. and North.
649.97	Cor. No. 1, and place of beginning.
Ralston 20 Mill Site	
At Cor. No. 1 of the Ralston 20 mill site, identical with Cors. Nos. 1 of the Ralston 21, Ralston 33, and Ralston 32 mill sites of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. RAL 20-1, RAL 21-1, RAL 33-1, and RAL 32-1-4743; from which	
The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 49° 19' 14" E., 4515.02 ft. dist., previously described.	
Thence NORTH	
316	Road, bears N. 72° E. and S. 72° W.

FEET	
329.95	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 32, Ralston 31, and Ralston 19 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 89° 50' 41" E.</p>
43	Road, bears N. 57° E. and S. 72° W.
240	Road, bears N. 60° W. and S. 60° E.
437	Road, bears N. 70° W. and S. 70° E.
628	Road, bears N. 65° E. and S. 65° W.
649.89	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 19, Ralston 9, and Ralston 10 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
147	Road, bears N. 85° E. and S. 85° W.
329.18	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 10, Ralston 11, and Ralston 21 mill sites of this survey.</p> <p style="text-align: center;">Thence S. 89° 46' 37" W.</p>
649.89	Cor. No. 1, and place of beginning.
Ralston 21 Mill Site	
<p>Beginning at Cor. No. 1 of the Ralston 21 mill site, identical with Cors. Nos. 1 of the Ralston 33, Ralston 32, and Ralston 20 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>	
87	Center of local drainage, 4 ft. wide, course S. 35° E.
304.05	Intersect the northerly side-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears S. 84° 02' 40" W., 121.34 ft. dist.
327.20	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 22, Ralston 34, and Ralston 33 mill sites of this survey.

FEET	
164	<p>Set an iron post, 2 ft. long, 1 ins. diam., 11 ins. in the ground, with brass cap mkd. RAL 21-2, RAL 22-2, RAL 34-2, and RAL 33-2-4743.</p> <p>Thence S. 89° 58' 34" E.</p>
649.89	<p>Center of local drainage, 5 ft. wide, course S. 42° E.</p> <p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 11, Ralston 12, and Ralston 22 mill sites of this survey.</p>
91.22	<p>Thence NORTH</p> <p>Intersect the northerly side-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears S. 84° 02' 40" W., 774.75 ft. dist.</p>
330.00	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 20, Ralston 10, and Ralston 11 mill sites of this survey.</p>
649.89	<p>Thence S. 89° 46' 37" W.</p> <p>Cor. No. 1, and place of beginning.</p>
74.15	<p>Ralston 22 Mill Site</p> <p>At Cor. No. 1 of the Ralston 22 mill site, identical with Cors. Nos. 1 of the Ralston 23, Ralston 35, and Ralston 34 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 14 ins. in the ground, with brass cap mkd. RAL 22-1, RAL 23-1, RAL 35-1, RAL 34-1-4743; from which</p> <p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 43° 33' 45" E., 4968.54 ft. dist., previously described.</p> <p>Thence NORTH</p> <p>Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the most easterly corner thereof, hereinafter referred to as the E. Cor., bears S. 38° 22' 49" E., 153.52 ft. dist.</p>
330.12	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 34, Ralston 33, and Ralston 21 mill sites of this survey.</p>

FEET	
	Thence S. 89° 58' 34" E.
164	Center of local drainage, 5 ft. wide, course S. 42° E.
649.89	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 21, Ralston 11, and Ralston 12 mill sites of this survey.
	Thence SOUTH
314.92	Intersect the northwesterly side-line of the Mespah lode, uns., at a point from which the NW. Cor. thereof, identical with the NE. Cor. of the Goldfield lode, uns., on lines 1-2 of the Ralston 23 and Ralston 35 mill sites of this survey, bears S. 70° 40' 31" W., 688.69 ft. dist.
330.00	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 12, Ralston 13, and Ralston 23 mill sites of this survey.
	Thence N. 89° 59' 12" W.
42.98	Intersect the northwesterly side-line of the Mespah lode, uns., at a point from which the NW. Cor. thereof, identical with the NE. Cor. of the Goldfield lode, uns., on lines 1-2 of the Ralston 23 and Ralston 35 mill sites of this survey, bears S. 70° 40' 31" W., 643.14 ft. dist.
98	Center of local drainage, 6 ft. wide, course S. 40° E.
577	Center of local drainage, 8 ft. wide, course N. 25° E.
591.15	Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the E. Cor. thereof bears S. 38° 22' 49" E., 58.92 ft. dist.
649.89	Cor. No. 1, and place of beginning.
	Ralston 23 Mill Site
	Beginning at Cor. No. 1 of the Ralston 23 mill site, identical with Cors. Nos. 1 of the Ralston 35, Ralston 34, and Ralston 22 mill sites of this survey; from which
	The E. Cor. of the Rawhide lode, uns., bears S. 64° 08' 30" E., 105.93 ft. dist.

FEET	
	Thence SOUTH
128.34	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the E. Cor. thereof bears N. 49° 14' 49" E., 125.83 ft. dist.
166	Center of local drainage, 6 ft. wide, course N. 35° E.
202.67	Intersect the southerly side-line of the Mespah Fraction lode, uns., at a point from which the SW. Cor. thereof bears S. 83° 42' 13" W., 127.24 ft. dist.
212.97	Intersect the NW. Cor. of the Mespah lode, uns., identical with the NE. Cor. of the Goldfield lode, uns.
328.98	Cor. No. 2, identical with Cor. No. 4 of the Ralston 14 mill site and Cors. Nos. 2 of the Ralston 24, Ralston 36, and Ralston 35 mill sites of this survey.
	Thence N. 89° 18' 35" E.
20.87	Intersect the easterly end-line of the Goldfield lode, uns., and the westerly end-line of the Mespah lode, uns., at a point from which the NE. and NW. Cors. thereof, on lines 1-2 of the Ralston 35 and subject Ralston 23 mill sites of this survey, respectively bear N. 10° 13' 17" W., 117.62 ft. dist.
649.94	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 13 and Ralston 14 mill sites of this survey.
	Thence NORTH
190.19	Intersect the southerly side-line of the Mespah Fraction lode, uns., at a point from which the SW. Cor. thereof bears S. 83° 42' 13" W., 781.07 ft. dist.
206	Center of local drainage, 10 ft. wide, course East.
321.00	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 22, Ralston 12, and Ralston 13 mill sites of this survey.
	Thence N. 89° 59' 12" W.

FEET	
42.98	Intersect the northwesterly side-line of the Mespah lode, uns., at a point from which the NW. Cor. thereof, identical with the NE. Cor. of the Goldfield lode, uns., on lines 1-2 of subject Ralston 23 mill site and the Ralston 35 mill site of this survey, bears S. 70° 40' 31" W., 643.15 ft. dist.
98	Center of local drainage, 6 ft. wide, course S. 40° E.
577	Center of local drainage, 8 ft. wide, course N. 25° E.
591.15	Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the E. Cor. thereof bears S. 38° 22' 49" E., 58.92 ft. dist.
649.89	Cor. No. 1, and place of beginning.
Ralston 24 Mill Site	
Beginning at Cor. No. 1 of the Ralston 24 mill site, identical with Cor. No. 5 of the Ralston 14 mill site of this survey, on line 3-4 Sur. No. 3205 May lode, and on the southerly side-line of the Mespah lode, uns., from which	
The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 33° 49' 58" E., 4982.57 ft. dist., previously described.	
Thence N. 72° 07' 43" W.	
659.50	Intersect the westerly end-line of the Mespah lode, uns., and the easterly end-line of the Goldfield lode, uns., at a point from which the SW. and SE. Cors. thereof, on line 3-4 Sur. No. 3205 May lode, and on line 6-1 of subject Ralston 24 mill site of this survey, respectively bear S. 10° 13' 17" E., 349.73 ft. dist.
682.84	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 36, Ralston 35, and Ralston 23 mill sites, and Cor. No. 4 of the Ralston 14 mill site of this survey.
Thence SOUTH	
135.98	Road, bears N. 85° W. and S. 77° E.

FEET	
299.98	Cor. No. 3, identical with Cor. No. 1 of the Ralston 36 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 24-3-4743 and RAL 36-1-4743. Thence S. 87° 42' W.
452	Road, bears N. 45° E. and S. 60° W.
609.82	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the most southerly corner thereof, hereinafter referred to as the S. Cor., bears S. 49° 14' 49" W., 457.03 ft. dist.
657.43	Cor. No. 4, identical with Cor. No. 2 of the Ralston 49 mill site and Cors. Nos. 4 of the Ralston 48 and Ralston 36 mill sites of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 24-4, RAL 49-2, RAL 48-4, and RAL 36-4-4743. Thence S. 41° 01' 50" E.
15	Road, bears S. 75° E. and N. 60° W.
29.61	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 49° 14' 49" W., 419.88 ft. dist.
214.12	Intersect the southerly side-line of the Goldfield lode, uns., at a point from which the SE. Cor. thereof, identical with the SW. Cor. of the Mespah lode, uns., on line 3-4 Sur. No. 3205 May lode, and on line 6-1 of subject Ralston 24 mill site of this survey, bears N. 77° 11' 32" E., 615.94 ft. dist.
225.88	Cor. No. 5, identical with Cor. No. 3 of the Ralston 49 mill site of this survey, established on line 3-4 Sur. No. 3205 June lode at a point from which Cor. No. 3 bears S. 76° 18' 50" W., 1019.23 ft. dist. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 24-5-4743 and RAL 49-3-4743. Thence N. 76° 18' 50" E.

FEET	
480.53	<p>Cor. No. 6, identical with Cor. No. 4 Sur. No. 3205 June lode and Cor. No. 3 Sur. No. 3205 May lode,</p> <p>To the top surface of the existing 4 ins. diam. steel capped iron post marking Cor. No. 4 Sur. No. 3205 June lode, and Cor. No. 3 Sur. No. 3205 May lode, I add the following in the proper quadrants of the cap: RAL 24-6-4743.</p> <p style="text-align: center;">Thence N. 75° 55' 37" E.</p>
130.00	<p>Intersect the SE. Cor. of the Goldfield lode, uns., identical with the SW. Cor. of the Mespah lode, uns., on line 3-4 Sur. No. 3205 May lode.</p>
550	<p>Road, bears N. 75° W. and S. 65° E.</p>
713.12	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 25 Mill Site</p>	
<p>At Cor. No. 1 of the Ralston 25 mill site, identical with Cor. No. 4 of the Ralston 26 mill site, Cor. No. 3 of the Ralston 38 mill site, and Cor. No. 1 of the Ralston 37 mill site of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 25-1, RAL 26-4, RAL 38-3, and RAL 37-1-4743; from which</p>	
<p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 81° 08' 14" E., 4130.26 ft. dist., previously described.</p>	
<p style="text-align: center;">Thence N. 16° 31' 16" W.</p>	
514.52	<p>Intersect line 2-3 Sur. No. 3489 Oriole lode at a point from which Cor. No. 3 bears N. 41° 17' 01" E., 151.20 ft. dist.</p>
559.08	<p>Cor. No. 2, identical with Cor. No. 3 Sur. No. 4730 WEBSTER 1 mill site, and Cor. No. 2 of the Ralston 37 mill site of this survey.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cor. No. 3 Sur. No. 4730 WEBSTER 1 mill site, I add the following in the proper quadrants of the cap: RAL 25-2-4743 and RAL 37-2-4743; from which</p> <p style="text-align: center;">Cor. No. 3 Sur. No. 3489 Oriole lode bears N. 57° 46' E., 132.92 ft. dist.</p>

FEET	
	<p style="text-align: center;">Thence S. 50° 31' E.</p>
37.73	<p>Intersect line 2-3 Sur. No. 3489 Oriole lode at a point from which Cor. No. 3 bears N. 41° 17' 01" E., 126.28 ft. dist.</p>
186.58	<p>Intersect Cors. Nos. 4 Sur. No. 4730 WEBSTER 1 and WEBSTER 3 mill sites.</p>
386.74	<p>Intersect Cors. Nos. 3 Sur. No. 4730 WEBSTER 3 and WEBSTER 5 mill sites.</p>
585.44	<p>Intersect Cors. Nos. 4 Sur. No. 4730 WEBSTER 5 and WEBSTER 7 mill sites.</p>
803.91	<p>Cor. No. 3, identical with Cors. Nos. 3 Sur. No. 4730 WEBSTER 7 and WEBSTER 9 mill sites, and Cor. No. 3 of the Ralston 26 mill site of this survey.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cors. Nos. 3 Sur. No. 4730 WEBSTER 7 and WEBSTER 9 mill sites, I add the following: RAL 25-3-4743 and RAL 26-3-4743.</p>
462.15	<p style="text-align: center;">Thence S. 86° 55' 13" W.</p> <p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">Ralston 26 Mill Site</p>
	<p>At Cor. No. 1 of the Ralston 26 mill site, identical with Cor. No. 1 of the Ralston 27 mill site, on line 2-3 of the Ralston 15 mill site of this survey.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 26-1-4743 and RAL 27-1-4743; from which</p>
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 74° 09' 44" E., 3575.19 ft. dist., previously described.</p>
	<p style="text-align: center;">Thence N. 2° 41' 44" W.</p>
224.89	<p>Cor. No. 2, identical with Cors. Nos. 4 Sur. No. 4730 WEBSTER 9 and WEBSTER 11 mill sites, and Cor. No. 3 of the Ralston 15 mill site of this survey.</p>
	<p style="text-align: center;">Thence N. 50° 31' W.</p>
219.50	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 25 mill site of this survey, and Cors. Nos. 3 Sur. No. 4730 WEBSTER 7 and WEBSTER 9 mill sites.</p>
	<p style="text-align: center;">Thence S. 86° 55' 13" W.</p>

FEET	
462.15	<p>Cor. No. 4, identical with Cor. No. 3 of the Ralston 38 mill site and Cors. Nos. 1 of the Ralston 37 and Ralston 25 mill sites of this survey.</p> <p>Thence SOUTH</p>
340.68	<p>Cor. No. 5, identical with Cors. Nos. 4 of the Ralston 27, Ralston 39, and Ralston 38 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 26-5, RAL 27-4, RAL 39-4, and RAL 38-4-4743.</p> <p>Thence N. 89° 53' 02" E.</p>
641.48	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 27 Mill Site</p>	
	<p>Beginning at Cor. No. 1 of the Ralston 27 mill site, identical with Cor. No. 1 of the Ralston 26 mill site, on line 2-3 of the Ralston 15 mill site of this survey.</p>
	<p>Thence S. 2° 41' 44" E.</p>
100.66	<p>Road, bears N. 60° E. and S. 60° W.</p>
283.66	<p>Center of dry wash, 12 ft. wide, course N. 60° E.</p>
329.66	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 15, Ralston 16, and Ralston 28 mill sites of this survey.</p>
	<p>Thence S. 89° 55' 40" W.</p>
186	<p>Center of local drainage, 8 ft. wide, course N. 55° E.</p>
222	<p>Center of dry wash, 10 ft. wide, course N. 65° E.</p>
253	<p>Road, bears N. 5° E. and S. 5° W.</p>
481	<p>Center of dry wash, 10 ft. wide, course S. 65° E.</p>
606	<p>Center of dry wash, 10 ft. wide, course Northeasterly.</p>

FEET	
656.98	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 28, Ralston 40, and Ralston 39 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 27-3, RAL 28-3, RAL 40-3, and RAL 39-3-4743.</p> <p style="text-align: center;">Thence NORTH</p>
97	<p>Road, bears N. 80° E. and S. 80° W.</p>
328.83	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 39 and Ralston 38 mill sites and Cor. No. 5 of the Ralston 26 mill site of this survey.</p> <p style="text-align: center;">Thence N. 89° 53' 02" E.</p>
641.48	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 28 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Ralston 28 mill site, identical with Cors. Nos. 1 of the Ralston 16, Ralston 17, and Ralston 29 mill site of this survey.</p>	
<p>Thence N. 0° 00' 23" W.</p>	
242	<p>Road, bears N. 82° E. and S. 82° W.</p>
328.03	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 27, Ralston 15, and Ralston 16 mill sites of this survey.</p> <p style="text-align: center;">Thence S. 89° 55' 40" W.</p>
186	<p>Center of local drainage, 8 ft. wide, course N. 55° E.</p>
222	<p>Center of dry wash, 10 ft. wide, course N. 65° E.</p>
253	<p>Road, bears N. 5° E. and S. 5° W.</p>
481	<p>Center of dry wash, 10 ft. wide, course S. 65° E.</p>
606	<p>Center of dry wash, 10 ft. wide, course Northeasterly.</p>

FEET	
656.98	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 40, Ralston 39, and Ralston 27 mill sites of this survey.
	Thence SOUTH
172	Center of dry wash, 10 ft. wide, course N. 70° E.
259	Road, bears N. 65° E. and S. 65° W.
328.56	Cor. No. 4; identical with Cors. Nos. 4 of the Ralston 29, Ralston 41, and Ralston 40 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 28-4, RAL 29-4, RAL 41-4, and RAL 40-4-4743.
	Thence N. 89° 52' 53" E.
291	Center of local drainage, 6 ft. wide, course N. 20° E.
657.02	Cor. No. 1, and place of beginning.
	Ralston 29 Mill Site
	Beginning at Cor. No. 1 of the Ralston 29 mill site, identical with Cors. Nos. 1 of the Ralston 28, Ralston 16, and Ralston 17 mill sites of this survey.
	Thence S. 0° 00' 22" E.
328.85	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 17, Ralston 18, and Ralston 30 mill sites of this survey.
	Thence N. 89° 59' 16" W.
388	Center of local drainage, 5 ft. wide, course N. 15° E.
657.05	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 30, Ralston 42, and Ralston 41 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 29-3, RAL 30-3, RAL 42-3, and RAL 41-3-4743.
	Thence NORTH

FEET	
327.35	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 41, Ralston 40, and Ralston 28 mill sites of this survey.
	Thence N. 89° 52' 53" E.
291	Center of local drainage, 6 ft. wide, course N. 20° E.
657.02	Cor. No. 1, and place of beginning.
Ralston 30 Mill Site	
	Beginning at the true point for Cor. No. 1 of the Ralston 30 mill site, identical with Cors. Nos. 1 of the Ralston 18, Ralston 19, and Ralston 31 mill sites of this survey, previously described, witnessed S. 0° 01' W., 41.66 ft. dist.
	Thence N. 0° 00' 35" E.
325.04	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 29, Ralston 17, and Ralston 18 mill sites of this survey.
	Thence N. 89° 59' 16" W.
388	Center of local drainage, 5 ft. wide, course N. 15° E.
657.05	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 42, Ralston 41, and Ralston 29 mill sites of this survey.
	Thence SOUTH
329.36	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 31, Ralston 43, and Ralston 42 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 30-4, RAL 31-4, RAL 43-4, and RAL 42-4-4743.
	Thence N. 89° 38' 08" E.
234	Center of local drainage, 4 ft. wide, course N. 15° W.
657.01	Cor. No. 1, and place of beginning.

FEET	
	Ralston 31 Mill Site
	Beginning at the true point for Cor. No. 1 of the Ralston 31 mill site, identical with Cors. Nos. 1 of the Ralston 30, Ralston 18, and Ralston 19 mill sites of this survey, previously described.
	Thence S. 0° 01' W.
41.66	Witness Cor. No. 1, previously described.
151	Road, bears N. 45° E. and S. 45° W.
326.11	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 19, Ralston 20, and Ralston 32 mill sites of this survey.
	Thence S. 89° 26' 24" W.
48	Road, bears S. 15° E. and N. 15° W.
656.93	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 32, Ralston 44, and Ralston 43 mill sites of this survey.
	This corner falls in the bottom of a local drainage, course N. 60° E., where a permanent monument cannot be established; set a temporary spike for this corner.
	Thence NORTH
14.00	A point selected for witness Cor. No. 3, identical with witness Cors. Nos. 3 of the Ralston 32, Ralston 44, and Ralston 43 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. WC - RAL 31-3, RAL 32-3, RAL 44-3, and RAL 43-3-4743.
328.35	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 43, Ralston 42, and Ralston 30 mill sites of this survey.
	Thence N. 89° 38' 08" E.
234	Center of local drainage, 4 ft. wide, course N. 15° W.
657.01	Cor. No. 1, and place of beginning.

FEET	
	<p>Ralston 32 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 32 mill site, identical with Cors. Nos. 1 of the Ralston 20, Ralston 21, and Ralston 33 mill sites of this survey.</p> <p style="text-align: center;">Thence NORTH</p>
316	Road, bears S. 72° W. and N. 72° E.
329.95	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 31, Ralston 19, and Ralston 20 mill sites of this survey.
	Thence S. 89° 26' 24" W.
48	Road, bears S. 15° E. and N. 15° W.
656.93	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 44, Ralston 43, and Ralston 31 mill sites of this survey, previously described, witnessed NORTH, 14.00 ft. dist.
	Thence SOUTH
250	Road, bears N. 80° E. and S. 80° W.
327.03	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 33, Ralston 45, and Ralston 44 mill sites of this survey.
	Thence N. 89° 41' 41" E.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 32-4, RAL 33-4, RAL 45-4, RAL 44-4-4743.
	Thence N. 89° 41' 41" E.
656.91	Cor. No. 1, and place of beginning.
	<p>Ralston 33 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 33 mill site, identical with Cors. Nos. 1 of the Ralston 32, Ralston 20, and Ralston 21 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
87	Center of local drainage, 4 ft. wide, course S. 35° E.
304.05	Intersect the northerly side-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears S. 84° 02' 40" W., 121.34 ft. dist.

FEET	
327.20	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 21, Ralston 22, and Ralston 34 mill sites of this survey; from which</p> <p>The NW. Cor. of the Mespah Fraction lode, uns., bears N. 85° 00' W., 121.14 ft. dist.</p> <p>The most northerly corner of the Rawhide lode, uns., hereinafter referred to as the N. Cor. thereof, bears N. 79° 02' 50" W., 243.88 ft. dist.</p> <p>Thence S. 89° 47' 13" W.</p>
120.80	<p>Intersect the westerly end-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears N. 0° 35' 43" E., 11.01 ft. dist.</p>
202.14	<p>Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 38° 22' 49" W., 60.07 ft. dist.</p>
295.21	<p>Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 49° 36' 57" E., 73.22 ft. dist.</p>
656.90	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 34, Ralston 46, and Ralston 45 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 33-3, RAL 34-3, RAL 46-3, and RAL 45-3-4743.</p> <p>Thence NORTH</p>
326.14	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 45, Ralston 44, and Ralston 32 mill sites of this survey.</p> <p>Thence N. 89° 41' 41" E.</p>
656.91	<p>Cor. No. 1, and place of beginning.</p>
<p style="text-align: center;">Ralston 34 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 34 mill site, identical with Cors. Nos. 1 of the Ralston 22, Ralston 23, and Ralston 35 mill sites of this survey.</p>	

FEET	
	Thence NORTH
74.15	Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 38° 22' 49" W., 385.65 ft. dist.
330.12	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 33, Ralston 21, and Ralston 22 mill sites of this survey.
	Thence S. 89° 47' 13" W.
120.80	Intersect the westerly end-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears N. 0° 35' 43" E., 11.01 ft. dist.
202.14	Intersect the northeasterly end-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 38° 22' 49" W., 60.07 ft. dist.
295.21	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 49° 36' 57" E., 73.22 ft. dist.
656.90	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 46, Ralston 45, and Ralston 33 mill sites of this survey.
	Thence SOUTH
306.31	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 49° 36' 57" E., 548.05 ft. dist.
325.90	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 35, Ralston 47, and Ralston 46 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 34-4, RAL 35-4, RAL 47-4, and RAL 46-4-4743.
	Thence S. 89° 50' 40" E.
532.68	Intersect the westerly end-line of the Mespah Fraction lode, uns., at a point from which the NW. Cor. thereof bears N. 0° 35' 43" E., 340.36 ft. dist.
656.90	Cor. No. 1, and place of beginning.

FEET	
	Ralston 35 Mill Site
	Beginning at Cor. No. 1 of the Ralston 35 mill site, identical with Cors. Nos. 1 of the Ralston 34, Ralston 22, and Ralston 23 mill sites of this survey; from which
	The SW. Cor. of the Mespah Fraction lode, uns., bears S. 30° 16' 40" W., 250.84 ft. dist.
	Thence SOUTH
128.34	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the E. Cor. thereof bears N. 49° 14' 49" E., 125.83 ft. dist.
166	Center of local drainage, 6 ft. wide, course N. 35° E.
202.67	Intersect the southerly side-line of the Mespah Fraction lode, uns., at a point from which the SW. Cor. thereof bears S. 83° 42' 13" W., 127.24 ft. dist.
212.97	Intersect the NE. Cor. of the Goldfield lode, uns., and the NW. Cor. of the Mespah lode, uns.
328.98	Cor. No. 2, identical with Cor. No. 2 of the Ralston 23, Cor. No. 4 of the Ralston 14, and Cors. Nos. 2 of the Ralston 24 and Ralston 36 mill sites of this survey.
	Thence N. 89° 47' 42" W.
231.86	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the E. Cor. thereof bears N. 49° 14' 49" E., 431.91 ft. dist.
254	Center of local drainage, 5 ft. wide, course N. 55° E.
656.90	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 36, Ralston 48, and Ralston 47 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 35-3, RAL36-3, RAL 48-3, and RAL 47-3-4743.
	Thence NORTH

FEET	
8.91	Intersect the northerly side-line of the Goldfield lode, uns., at a point from which the NE. Cor. thereof, identical with the NW. Cor. of the Mespah lode, uns., on lines 1-2 of subject Ralston 35 mill site and the Ralston 23 mill site of this survey, bears N. 80° 56' 23" E., 665.20 ft. dist.
328.41	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 47, Ralston 46, and Ralston 34 mill sites of this survey. Thence S. 89° 50' 40" E.
532.68	Intersect the westerly end-line of the Mespah Fraction lode, uns., at a point from which the SW. Cor. thereof bears S. 0° 35' 43" W., 216.97 ft. dist.
656.90	Cor. No. 1, and place of beginning.
Ralston 36 Mill Site	
Beginning at Cor. No. 1 of the Ralston 36 mill site, identical with Cor. No. 3 of the Ralston 24 mill site of this survey; from which	
The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 38° 59' 38" E., 5441.59 ft. distant., previously described.	
Cor. No. 4 Sur. No. 3205 June lode, identical with Cor. No. 3 Sur. No. 3205 May lode, and Cor. No. 6 of the Ralston 24 mill site of this survey, bears S. 26° 45' 20" W., 92.92 ft. dist.	
The SE. Cor. of the Goldfield lode, uns., identical with the SW. Cor. of the Mespah lode, uns., on line 3-4 Sur. No. 3205 May lode, and on line 6-1 of the Ralston 24 mill site of this survey, bears S. 58° 38' 20" E., 98.69 ft. dist.	
Thence NORTH	
164	Road, bears N. 85° W. and S. 77° E.
299.98	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 35 and Ralston 23 mill sites, Cor. No. 4 of the Ralston 14 mill site, and Cor. No. 2 of the Ralston 24 mill site of this survey. Thence N. 89° 47' 42" W.

(This form bound on left side)

FEET	
231.86	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 49° 14' 49" W., 955.31 ft. dist.
254	Center of local drainage, 5 ft. wide, course N. 55° E.
656.90	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 48, Ralston 47, and Ralston 35 mill sites of this survey.
Thence SOUTH	
96	Center of local drainage, 4 ft. wide, course N. 85° E.
328.71	Cor. No. 4, identical with Cor. No. 4 of the Ralston 24 mill site, Cor. No. 2 of the Ralston 49 mill site, and Cor. No. 4 of the Ralston 48 mill site of this survey.
Thence N. 87° 42' E.	
47.61	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 49° 14' 49" W., 457.03 ft. dist.
205.43	Road, bears N. 45° E. and S. 60° W.
657.43	Cor. No. 1, and place of beginning.
Ralston 37 Mill Site	
Beginning at Cor. No. 1 of the Ralston 37 mill site, identical with Cor. No. 1 of the Ralston 25 mill site, Cor. No. 4 of the Ralston 26 mill site, and Cor. No. 3 of the Ralston 38 mill site of this survey.	
Thence N. 16° 31' 16" W.	
514.52	Intersect line 2-3 Sur. No. 3489 Oriole lode at a point from which Cor. No. 2 bears S. 41° 17' 01" W., 1347.92 ft. dist.
559.08	Cor. No. 2, identical with Cor. No. 3 Sur. No. 4730 WEBSTER 1 mill site, and Cor. No. 2 of the Ralston 25 mill site of this survey.
Thence S. 38° 34' 30" W.	

FEET		
686	Road, bears N. 75° E. and S. 75° W.	
797.97	<p>Cor. No. 3, identical with Cor. No. 2 of the Ralston 38 mill site and Cor. No. 1 of the Ralston 50 mill site of this survey, established on line 2-3 Sur. No. 3489 Oriole lode at a point from which Cor. No. 2 bears S. 41° 17' 01" W., 574.59 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 37-3, RAL 38-2, and RAL 50-1-4743.</p> <p style="text-align: center;">Thence N. 82° 22' 45" E.</p>	
662.40	Cor. No. 1, and place of beginning.	
Ralston 38 Mill Site		
<p>At Cor. No. 1 of the Ralston 38 mill site, identical with Cor. No. 1 of the Ralston 39 mill site, on line 1-2 of the Ralston 50 mill site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 38-1, and RAL 39-1-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 78° 25' 57" E., 4835.72 ft. dist.</p> <p style="text-align: center;">Thence NORTH</p>		
245.50	<p>Cor. No. 2, identical with Cor. No. 1 of the Ralston 50 mill site, and Cor. No. 3 of the Ralston 37 mill site of this survey, on line 2-3 Sur. No. 3489 Oriole lode.</p> <p style="text-align: center;">Thence N. 82° 22' 45" E.</p>	
662.40	<p>Cor. No. 3, identical with Cors. Nos. 1 of the Ralston 37 and Ralston 25 mill sites, and Cor. No. 4 of the Ralston 26 mill site of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>	
340.68	<p>Cor. No. 4, identical with Cor. No. 5 of the Ralston 26 mill site, and Cors. Nos. 4 of the Ralston 27 and Ralston 39 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 89° 21' 34" W.</p>	
656.59	Cor. No. 1, and place of beginning.	

FEET	
	<p>Ralston 39 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 39 mill site, identical with Cor. No. 1 of the Ralston 38 mill site, on line 1-2 of the Ralston 50 mill site of this survey.</p> <p>Thence SOUTH</p>
156	Road, bears N. 60° W. and S. 45° E.
329.32	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 40, Ralston 51, and Ralston 50 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 39-2, RAL 40-2, RAL 51-2, and RAL 50-2-4743.</p> <p>Thence S. 89° 24' 08" E.</p>
80	Road, bears N. 10° W. and S. 10° E.
468	Road, bears Southwesterly and Northeasterly.
656.59	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 27, Ralston 28, and Ralston 40 mill sites of this survey.</p> <p>Thence NORTH</p>
97	Road, bears N. 80° E. and S. 80° W.
328.83	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 38 mill site, Cor. No. 5 of the Ralston 26 mill site, and Cor. No. 4 of the Ralston 27 mill site of this survey.</p> <p>Thence N. 89° 21' 34" W.</p>
656.59	Cor. No. 1, and place of beginning.
	<p>Ralston 40 Mill Site</p> <p>At Cor. No. 1 of the Ralston 40 mill site, identical with Cors. Nos. 1 of the Ralston 41, Ralston 52, and Ralston 51 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 40-1, RAL 41-1, RAL 52-1, and RAL 51-1-4743; from which</p>

FEET		
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $71^{\circ} 02' 09''$ E., 5009.40 ft. dist., previously described.</p> <p>Thence NORTH</p>	
244	Road, bears West and S. 70° E.	
280	Center of dry wash, 10 ft. wide, course S. 67° E.	
328.94	Cor. No. 2, identical with Cors. No. 2 of the Ralston 51, Ralston 50, and Ralston 39 mill sites of this survey.	
	Thence S. $89^{\circ} 24' 08''$ E.	
80	Road, bears N. 10° W. and S. 10° E.	
468	Road, bears Southwesterly and Northeasterly.	
656.59	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 39, Ralston 27, and Ralston 28 mill sites of this survey.	
	Thence SOUTH	
172	Center of dry wash, 10 ft. wide, course N. 70° E.	
259	Road, bears N. 65° E. and S. 65° W.	
328.56	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 28, Ralston 29, and Ralston 41 mill sites of this survey.	
	Thence N. $89^{\circ} 26' 07''$ W.	
122	Road, bears N. 20° E. and S. 80° W.	
204	Center of local drainage, 5 ft. wide, course N. 20° E.	
636	Center of local drainage, 5 ft. wide, course N. 70° E.	
656.58.	Cor. No. 1, and place of beginning.	
	<p>Ralston 41 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 41 mill site, identical with Cors. Nos. 1 of the Ralston 52, Ralston 51, and Ralston 40 mill sites of this survey.</p> <p>Thence SOUTH</p>	

FEET	
10	Center of local drainage, 4 ft. wide, course N. 70° E.
329.76	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 42, Ralston 53, and Ralston 52 mill sites of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 41-2, RAL 42-2, RAL 53-2, and RAL 52-2-4743. Thence S. 89° 38' 45" E.
223	Center of local drainage, 5 ft. wide, course N. 30° E.
396	Road, bears N. 20° E. and South.
656.56	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 29, Ralston 30, and Ralston 42 mill sites of this survey. Thence NORTH
327.35	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 40, Ralston 28, and Ralston 29 mill sites of this survey. Thence N. 89° 26' 07" W.
122	Road, bears N. 20° E. and S. 8° W.
204	Center of local drainage, 5 ft. wide, course N. 20° E.
636	Center of local drainage, 5 ft. wide, course N. 70° E.
656.58	Cor. No. 1, and place of beginning.
Ralston 42 Mill Site	
At Cor. No. 1 of the Ralston 42 mill site, identical with Cors. Nos. 1 of the the Ralston 43, Ralston 54, and Ralston 53 mill sites of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 42-1, RAL 43-1, RAL 54-1, and RAL 53-1-4743; from which	

FEET	
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $64^{\circ} 13' 30''$ E., 5260.91 ft. dist., previously described.</p> <p>Thence NORTH</p>
117	Center of local drainage, 4 ft. wide, course N. 30° E.
329.94	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 53, Ralston 52, and Ralston 41 mill sites of this survey.
	Thence S. $89^{\circ} 38' 45''$ E.
223	Center of local drainage, 5 ft. wide, course N. 30° E.
396	Road, bears N. 20° E. and South.
656.56	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 41, Ralston 29, and Ralston 30 mill sites of this survey.
	Thence SOUTH
329.36	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 30, Ralston 31, and Ralston 43 mill sites of this survey.
	Thence N. $89^{\circ} 41' 47''$ W.
311	Road, bears N. 30° E. and S. 40° W.
656.56	Cor. No. 1, and place of beginning.
	<p>Ralston 43 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 43 mill site, identical with Cors. Nos. 1 of the Ralston 54, Ralston 53, and Ralston 42 mill sites of this survey.</p> <p>Thence SOUTH</p>
313	Road, bears S. 45° E. and West.
328.83	<p>The true point for Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 44, Ralston 55, and Ralston 54 mill sites of this survey.</p> <p>This corner falls on the cut-bank above a road where a monument cannot be established; witnessed SOUTH, 28.30 ft. dist., hereinafter described.</p>

FEET	
	Thence S. 89° 44' 18" E.
16	Road, bears N. 45° W. and S. 45° E.
205	Road, bears S. 75° W. and N. 5° E.
656.56	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 31, Ralston 32, and Ralston 44 mill sites of this survey, previously described.
	Thence NORTH
14.00	Witness Cor. No. 3, previously described.
328.35	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 42, Ralston 30, and Ralston 31 mill sites of this survey.
	Thence N. 89° 41' 47" W.
311	Road, bears N. 30° E. and S. 40° W.
656.56	Cor. No. 1, and place of beginning.
	Ralston 44 Mill Site
	At Cor. No. 1 of the Ralston 44 mill site, identical with Cors. Nos. 1 of the Ralston 45, Ralston 56, and Ralston 55 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 44-1, RAL 45-1, RAL 56-1, and RAL 55-1-4743; from which
	The ¼ sec. cor. on the west line of sec. 18 bears N. 58° 07' 39" E., 5578.61 ft. dist., previously described.
	Thence NORTH
300.90	A point selected for witness Cor. No. 2, identical with witness Cors. Nos. 2 of the Ralston 55, Ralston 54, and Ralston 43 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. WC - RAL 44-2, RAL 55-2, RAL 54-2, and RAL 43-2-4743.
329.20	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the RALSTON 55, Ralston 54, and Ralston 43 mill sites of this survey, previously described.

FEET	
	Thence S. 89° 44' 18" E.
16	Road, bears N. 45° W. and S. 45° E.
205	Road, bears S. 75° W. and N. 5° E.
656.56	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 43, Ralston 31, and Ralston 32 mill sites of this survey, previously described; witnessed NORTH, 14.00 ft. dist.
	Thence SOUTH
250	Road, bears N. 80° E. and S. 80° W.
327.03	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 32, Ralston 33, and Ralston 45 mill sites of this survey.
	Thence N. 89° 55' 39" W.
314	Road, bears N. 50° E. and S. 55° W.
656.55	Cor. No. 1, and place of beginning.
	Ralston 45 Mill Site
	Beginning at Cor. No. 1 of the Ralston 45 mill site, identical with Cors. Nos. 1 of the Ralston 56, Ralston 55, and Ralston 44 mill sites of this survey.
	Thence SOUTH
69	Road, bears East and N.70° W.
329.72	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 46, Ralston 57, and Ralston 56 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 45-2, RAL 46-2, RAL 57-2, and RAL 56-2-4743.
	Thence N. 89° 45' 36" E.
153	Road, bears North and South.
656.56	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 33, Ralston 34, and Ralston 46 mill sites of this survey.
	Thence NORTH

FEET	
326.14	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 44, Ralston 32, and Ralston 33 mill sites of this survey.</p> <p>Thence N. 89° 55' 39" W.</p>
314	<p>Road, bears N. 50° E. and S. 55° W.</p>
656.55	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 46 Mill Site</p>	
<p>At Cor. No. 1 of the Ralston 46 mill site, identical with Cors. Nos. 1 of the Ralston 47, Ralston 58, and Ralston 57 mill sites of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 46-1, RAL 47-1, RAL 58-1, and RAL 57-1-4743; from which</p>	
<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 52° 43' 46" E., 5953.25 ft. dist., previously described.</p>	
<p>Thence NORTH</p>	
329.78	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 57, Ralston 56, and Ralston 45 mill sites of this survey.</p> <p>Thence N. 89° 45' 36" E.</p>
153	<p>Road, bears North and South.</p>
656.56	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 45, Ralston 33, and Ralston 34 mill sites of this survey.</p> <p>Thence SOUTH</p>
306.34	<p>Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 49° 36' 57" E., 548.05 ft. dist.</p>
325.90	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 34, Ralston 35, and Ralston 47 mill sites of this survey.</p> <p>Thence S. 89° 25' 17" W.</p>

FEET	
23.31	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears N. 49° 36' 57" E., 578.65 ft. dist.
431	Center of local drainage, 3 ft. wide, course South.
518	Road, bears N. 25° E. and S. 25° W.
656.58	Cor. No. 1, and place of beginning.
Ralston 47 Mill Site	
Beginning at Cor. No. 1 of the Ralston 47 mill site, identical with Cors. Nos. 1 of the Ralston 58, Ralston 57, and Ralston 46 mill sites of this survey.	
Thence SOUTH	
110	Road, bears N. 45° W., and S. 65° E.
329.22	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 48, Ralston 59, and Ralston 58 mill sites of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 47-2, RAL 48-2, RAL 59-2, and RAL 58-2-4743.	
Thence N. 89° 21' 03" E.	
184	Road, bears N. 10° W. and S. 10° W.
241.91	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the most westerly corner thereof, hereinafter referred to as the W. Cor., bears S. 49° 36' 57" W., 322.02 ft. dist.
350	Center of local drainage, 3 ft. wide, course S. 75° E.
596.46	Intersect the northerly side-line of the Goldfield lode, uns., at a point from which the NW. Cor. thereof bears S. 80° 56' 23" W., 767.04 ft. dist.
656.59	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 35, Ralston 36, and Ralston 48 mill sites of this survey.
Thence NORTH	

FEET	
8.91	Intersect the northerly side-line of the Goldfield lode, uns., at a point from which the NW. Cor. thereof bears S. 80° 56' 23" W., 827.93 ft. dist.
328.41	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 46, Ralston 34, and Ralston 35 mill sites of this survey. Thence S. 89° 25' 17" W.
23.31	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the N. Cor. thereof bears S. 49° 36' 57" W., 835.79 ft. dist.
431	Center of local drainage, 3 ft. wide, course South.
518	Road, bears N. 25° E. and S. 25° W.
656.58	Cor. No. 1, and place of beginning.
Ralston 48 Mill Site	
At Cor. No. 1 of the Ralston 48 mill site, identical with Cors. Nos. 1 of the Ralston 49, Ralston 60, and Ralston 59 mill sites of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 48-1, RAL 49-1, RAL 60-1, RAL 59-1-4743; from which	
The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 48° 00' 46" E., 6373.66 ft. dist., previously described.	
The W. Cor. of the Rawhide lode, uns., bears N. 1° 34' 20" W., 123.52 ft. dist.	
The NW. Cor. of the Goldfield lode, uns., bears N. 36° 47' 30" W., 268.90 ft. dist.	
Thence NORTH	
119.61	Intersect the southwesterly end-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears N. 41° 15' 43" W., 5.14 ft. dist.
126.35	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears S. 49° 36' 57" W., 4.45 ft. dist.

FEET	
241.02	Intersect the northerly side-line of the Gold-field lode, uns., at a point from which the NW. Cor. thereof bears S. 80° 56' 23" W., 163.08 ft. dist.
289	Road, bears East and West.
329.37	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 59, Ralston 58, and Ralston 47 mill sites of this survey.
	Thence N. 89° 21' 03" E.
184	Road, bears N. 10° W. and S. 10° W.
241.91	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears S. 49° 36' 57" W., 322.02 ft. dist.
350	Center of local drainage, 3 ft. wide, course S. 75° E.
596.46	Intersect the northerly side-line of the Gold-field lode, uns., at a point from which the NW. Cor. thereof bears S. 80° 56' 23" W., 767.04 ft. dist.
656.59	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 47, Ralston 35, and Ralston 36 mill sites of this survey.
	Thence SOUTH
96	Center of local drainage, 4 ft. wide, course N. 85° E.
328.71	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 36 and Ralston 24 mill sites, and Cor. No. 2 of the Ralston 49 mill site of this survey.
	Thence S. 89° 17' 35" W.
32	Road, bears N. 60° W. and S. 70° E.
285	Road, bears N. 50° W. and S. 60° E.
552.78	Intersect the southwesterly end-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears N. 41° 15' 43" W., 162.55 ft. dist.
656.60	Cor. No. 1, and place of beginning.

FEET	
	Ralston 49 Mill Site
	Beginning at Cor. No. 1 of the Ralston 49 mill site, identical with Cors. Nos. 1 of the Ralston 60, Ralston 59, and Ralston 48 mill sites of this survey.
	Thence N. 89° 17' 35" E.
103.82	Intersect the southwesterly end-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 41° 15' 43" E., 385.29 ft. dist.
371.60	Road, bears N. 50° W. and S. 60° E.
624.60	Road, bears N. 60° W. and S. 70° E.
656.60	Cor. No. 2, identical with Cors. Nos. 4 of the Ralston 48, Ralston 36, and Ralston 24 mill sites of this survey; from which
	The S. Cor. of the Rawhide lode, uns., bears S. 45° 12' 43" W., 420.79 ft. dist.
	Thence S. 41° 01' 50" E.
15	Road, bears S. 75° E. and N. 60° W.
29.61	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 49° 14' 49" W., 419.87 ft. dist.
214.06	Intersect the southerly side-line of the Goldfield lode, uns., at a point from which the SW. Cor. thereof, on line 4-5 of subject Ralston 49 mill site, and on line 1-2 of the Ralston 61 mill site of this survey, bears S. 77° 11' 32" W., 883.46 ft. dist.
225.74	Cor. No. 3, identical with Cor. No. 5 of the Ralston 24 mill site of this survey, on line 3-4 Sur. No. 3205 June lode.
	Thence S. 76° 18' 50" W.
200	Road, switchbacks, bears West and S. 75° W.
431.02	Intersect the southeasterly side-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 49° 14' 49" W., 37.03 ft. dist.

FEET	
472.79	Intersect the southwesterly end-line of the Rawhide lode, uns., at a point from which the S. Cor. thereof bears S. 41° 15' 43" E., 19.01 ft. dist.
1,019.23	Cor. No. 4, identical with Cor. No. 3 Sur. No. 3205 June lode, and Cors. Nos. 2 of the Ralston 62 and Ralston 61 mill sites of this survey. To the surface of the 4 ins. diam. steel-capped iron post marking Cor. No. 3 Sur. No. 3205 June lode, I add the following in the proper quadrants of the cap: RAL 49-4-4743, RAL 62-2-4743, and RAL 61-2-4743. Thence N. 65° 57' 15" E.
132.69	Intersect the SW. Cor. of the Goldfield lode, uns.
203.18	Cor. No. 5, identical with Cor. No. 1 of the Ralston 61 mill site and Cor. No. 2 of the Ralston 60 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL49-5, RAL 61-1, and RAL 60-2-4743. Thence NORTH
320.55	Cor. No. 1, and place of beginning.
	Ralston 50 Mill Site
	Beginning at Cor. No. 1 of the Ralston 50 mill site, identical with Cor. No. 3 of the Ralston 37 mill site, and Cor. No. 2 of the Ralston 38 mill site of this survey, on line 2-3 Sur. No. 3489 Oriole lode; from which
	The ¼ sec. cor. on the west line of sec. 18 bears N. 81° 18' 32" E., 4792.53 ft. dist. previously described. Thence SOUTH
245.50	Intersect Cors. Nos. 1 of the Ralston 38 and Ralston 39 mill sites of this survey.
401.50	Road, bears N. 60° W. and S. 45° E.
574.82	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 39, Ralston 40, and Ralston 51 mill sites of this survey. Thence S. 89° 26' 05" W.

FEET	
583	Center of local drainage, 4 ft. wide, course S. 55° E.
655.95	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 51, Ralston 64, and Ralston 63 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 50-3, RAL 51-3, RAL 64-3, and RAL 63-3-4743.</p> <p>Thence N. 37° 41' 40" E.</p>
44	Center of local drainage, 4 ft. wide, course S. 55° E.
294.23	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 63 mill site of this survey, established on line 1-2 Sur. No. 3489 Oriole lode at a point from which Cor. No. 2 bears S. 49° 19' E., 127.79 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 50-4-4743, and RAL 63-4-4743.</p> <p>Thence N. 82° 03' E.</p>
195.70	<p>Cor. No. 5, established on line 2-3 Sur. No. 3489 Oriole lode at a point from which Cor. No. 2 bears S. 41° 17' 01" W., 146.88 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 50-5-4743.</p> <p>Thence N. 41° 17' 01" E.</p>
136	Road, bears northerly and southeasterly.
427.71	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 51 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 51 mill site, identical with Cors. Nos. 1 of the Ralston 40, Ralston 41, and Ralston 52 mill sites of this survey.</p> <p style="text-align: center;">Thence NORTH</p>
244	Road, bears West and S. 70° E.
280	Center of dry wash 10 ft. wide, course S. 67° E.

FEET		
328.94	<p>Cor. No. 2, identical with Cors. No. 2 of the Ralston 50, Ralston 39, and Ralston 40 mill site of this survey.</p> <p>Thence S. 89° 26' 05" W.</p>	
583	<p>Center of local drainage, 4 ft. wide, course S. 55° E.</p>	
655.95	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 64, Ralston 63, and Ralston 50 mill sites of this survey.</p> <p>Thence SOUTH</p>	
220.00	<p>A point selected for witness Cor. No. 4, identical with witness Cors. Nos. 4 of the Ralston 52, Ralston 65, and Ralston 64 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. WC - RAL 51-4, RAL 52-4, RAL 65-4, and RAL 64-4-4743.</p>	
330.00	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 52, Ralston 65, and Ralston 64 mill sites of this survey.</p> <p>This corner falls in the bottom of a ravine in a near-vertical location unsuitable for monumenting; local drainage, 4 ft. wide, course N. 50° E.</p> <p>Thence N. 89° 20' 32" E.</p>	
26	<p>Road, bears N. 50° E. and S. 50° W.</p>	
655.96	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Ralston 52 Mill Site</p>	
	<p>Beginning at Cor. No. 1 of the Ralston 52 mill site, identical with Cors. Nos. 1 of the Ralston 51, Ralston 40, and Ralston 41 mill sites of this survey.</p> <p>Thence SOUTH</p>	
10	<p>Center of local drainage, 4 ft. wide, course N. 70° E.</p>	
329.76	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 41, Ralston 42, and Ralston 53 mill sites of this survey.</p> <p>Thence S. 89° 10' 06" W.</p>	

FEET	
655.99	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 53, Ralston 66, and Ralston 65 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 52-3, RAL 53-3, RAL 66-3, and RAL 65-3-4743.</p> <p style="text-align: center;">Thence NORTH</p>
310	Road, bears N. 50° E. and S. 50° W.
331.75	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 65, Ralston 64, and Ralston 51 mill sites of this survey, previously described; witnessed NORTH, 110.00 ft. dist.</p> <p style="text-align: center;">Thence N. 89° 20' 32" E.</p>
26	Road, bears N. 50° E. and S. 50° W.
655.96	Cor. No. 1, and place of beginning.
<p>Ralston 53 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Ralston 53 mill site, identical with Cors. Nos. 1 of the Ralston 42, Ralston 43, and Ralston 54 mill sites of this survey.</p> <p style="text-align: center;">Thence NORTH</p>	
117	Center of local drainage, 4 ft. wide, course N. 30° E.
329.94	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 52, Ralston 41, and Ralston 42 mill sites of this survey.</p> <p style="text-align: center;">Thence S. 89° 10' 06" W.</p>
655.99	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 66, Ralston 65, and Ralston 52 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
329.60	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 54, Ralston 67, and Ralston 66 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 53-4, RAL 54-4, RAL 67-4, and RAL 66-4-4743.</p>

FEET	
	Thence N. 89° 11' 54" E.
452	Center of local drainage, 3 ft. wide, course N. 40° E.
655.98	Cor. No. 1, and place of beginning.
Ralston 54 Mill Site	
Beginning at Cor. No. 1 of the Ralston 54 mill site, identical with Cors. Nos. 1 of the Ralston 53, Ralston 42, and Ralston 43 mill sites of this survey.	
Thence SOUTH	
313	Road, bears S. 45° E. and West.
328.83	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 43, Ralston 44, Ralston 55 mill sites of this survey, previously described, witnessed SOUTH, 28.30 ft. dist.
Thence S. 89° 12' 25" W.	
82	Road, bears N. 75° E. and S. 75° W.
655.98	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 55, Ralston 68, and Ralston 67 mill sites of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 54-3, RAL 55-3, RAL 68-3, and RAL 67-3-4743.	
Thence NORTH	
328.73	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 67, Ralston 66, and Ralston 53 mill sites of this survey.
Thence N. 89° 11' 54" E.	
452	Center of local drainage, 3 ft. wide, course N. 40° E.
655.98	Cor. No. 1, and place of beginning.
Ralston 55 Mill Site	
Beginning at Cor. No. 1 of the Ralston 55 mill site, identical with Cors. Nos. 1 of the Ralston 44, Ralston 45, and Ralston 56 mill sites of this survey.	
Thence NORTH	

(This form bound on left side)

FEET	
300.90	Witness Cor. No. 2, previously described.
329.20	The true point for Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 54, Ralston 43, and Ralston 44 mill sites of this survey, previously described. Thence S. 89° 12' 25" W.
82	Road, bears N. 75° E. and S. 75° W.
655.98	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 68, Ralston 67, and Ralston 54 mill sites of this survey. Thence SOUTH
319.92	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 56, Ralston 69, and Ralston 68 mill sites of this survey. Due to the proximity of the toe of a high waste dump which is increasing in size daily I did not set a permanent monument at this corner. Thence S. 89° 58' 57" E.
373	Road, bears North and South.
655.92	Cor. No. 1, and place of beginning.
Ralston 56 Mill Site	
Beginning at Cor. No. 1 of the Ralston 56 mill site, identical with Cors. Nos. 1 of the Ralston 55, Ralston 44, and Ralston 45 mill sites of this survey. Thence SOUTH	
69	Road, bears East and N. 70° W.
329.72	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 45, Ralston 46, and Ralston 57 mill sites of this survey. Thence WEST
360	Toe of slope of active waste dump, bears northerly and southwesterly.
655.92	The true point for Cor. No. 3, identical with Cor. No. 3 of the Ralston 57, Cor. No. 4 of the Ralston 70, and Cor. No. 3 of the Ralston 69 mill sites of this survey. This corner falls in waste material where a monument cannot be established.

FEET	
	Thence NORTH
320	Toe of slope of active part of waste dump, bears WNW. and ESE.
329.92	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 69, Ralston 68, and Ralston 55 mill sites of this survey, previously described.
	Thence S. 89° 58' 57" E.
373	Road, bears North and South.
655.92	Cor. No. 1, and place of beginning.
	Ralston 57 Mill Site
	Beginning at Cor. No. 1 of the Ralston 57 mill site, identical with Cors. Nos. 1 of the Ralston 46, Ralston 47, and Ralston 58 mill sites of this survey.
	Thence NORTH
329.78	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 56, Ralston 45, and Ralston 46 mill sites of this survey.
	Thence WEST
360	Toe of slope of active waste dump, bears northerly and southwesterly.
655.92	The true point for Cor. No. 3, identical with Cor. No. 4 of the Ralston 70 mill site and Cors. Nos. 3 of the Ralston 69 and Ralston 56 mill sites of this survey, previously described.
	Thence SOUTH
329.08	The true point for Cor. No. 4, identical with Cor. No. 4 of the Ralston 58 mill site and Cors. Nos. 1 of the Ralston 71 and Ralston 70 mill sites of this survey.
	This corner falls in waste material where a monument cannot be established.
	Thence S. 89° 56' 20" E.
60	Toe of slope of active waste dump, bears northeasterly and southwesterly.
567	Road, bears N. 60° W. and S. 45° E.
655.92	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET		
	Ralston 58 Mill Site	
	Beginning at Cor. No. 1 of the Ralston 58 mill site, identical with Cors. Nos. 1 of the Ralston 57, Ralston 46, and Ralston 47 mill sites of this survey.	
	Thence SOUTH	
110	Road, bears N. 45° W. and S. 65° E.	
329.22	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 47, Ralston 48, and Ralston 59 mill sites of this survey.	
	Thence N. 89° 47' 41" W.	
655.92	Cor. No. 3, identical with Cor. No. 3 of the Ralston 59 mill site, and Cors. Nos. 4 of the Ralston 72 and Ralston 71 mill sites of this survey.	
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 58-3, RAL 59-3, RAL 72-4, and RAL 71-4-4743.	
	Thence NORTH	
280	Toe of slope of active waste dump, bears north-easterly and southwesterly.	
327.57	The true point for Cor. No. 4, identical with Cors. Nos. 1 of the Ralston 71 and Ralston 70 mill sites, and Cor. No. 4 of the Ralston 57 mill site of this survey, previously described.	
	Thence S. 89° 56' 20" E.	
60	Toe of slope of active waste dump, bears north-easterly and southwesterly.	
567	Road, bears N. 60° W. and S. 45° E.	
655.92	Cor. No. 1, and place of beginning.	
	Ralston 59 Mill Site	
	Beginning at Cor. No. 1 of the Ralston 59 mill site, identical with Cors. Nos. 1 of the Ralston 48, Ralston 49, and Ralston 60 mill sites of this survey.	
	Thence NORTH	
119.61	Intersect the southwesterly end-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears N. 41° 15' 43" W., 5.14 ft. dist.	

FEET		
126.35	Intersect the northwesterly side-line of the Rawhide lode, uns., at a point from which the W. Cor. thereof bears S. 49° 36' 57" W., 4.45 ft. dist.	
241.02	Intersect the northerly side-line of the Goldfield lode, uns., at a point from which the NW. Cor. thereof bears S. 80° 56' 23" W., 163.08 ft. dist.	
289	Road, bears East and West.	
329.37	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 58, Ralston 47, and Ralston 48 mill sites of this survey. Thence N. 89° 47' 41" W.	
655.92	Cor. No. 3, identical with Cors. Nos. 4 of the Ralston 72, and Ralston 71 mill sites, and Cor. No. 3 of the Ralston 58 mill site of this survey. THENCE SOUTH	
129	Road, bears N. 65° E. and S. 65° W.	
178.59	Intersect Cors. Nos. 1 of the Ralston 73 and Ralston 72 mill sites of this survey, hereinafter described.	
324.00	Cor. No. 4, identical with Cor. No. 4 of the Ralston 60 mill site, on line 4-1 of the Ralston 73 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 59-4, and RAL 60-4-4743. Thence S. 89° 19' 32" E.	
531.53	Intersect the westerly end-line of the Goldfield lode, uns., at a point from which the NW. Cor. thereof bears N. 9° 43' W., 216.99 ft. dist.	
655.97	Cor. No. 1, and place of beginning.	
	<p style="text-align: center;">Ralston 60 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 60 mill site, identical with Cors. Nos. 1 of the Ralston 59, Ralston 48, and Ralston 49 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>	
320.55	Cor. No. 2, identical with Cor. No. 5 of the Ralston 49 mill site, and Cor. No. 1 of the Ralston 61 mill site of this survey.	

FEET	
	Thence N. 89° 45' 07" W.
69.34	Intersect the westerly end-line of the Goldfield lode, uns., at a point from which the SW. Cor. thereof bears S. 9° 43' E., 29.44 ft. dist.
655.93	Cor. No. 3, identical with Cor. No. 5 of the Ralston 61 mill site and Cor. No. 4 of the Ralston 73 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 60-3, RAL 61-5, and RAL 73-4-4743.
	Thence NORTH
325.43	Cor. No. 4, identical with Cor. No. 4 of the Ralston 59 mill site, on line 4-1 of the Ralston 73 mill site of this survey.
	Thence S. 89° 19' 32" E.
531.53	Intersect the westerly end-line of the Goldfield lode, uns., at a point from which the SW. Cor. thereof bears S. 9° 43' E., 355.84 ft. dist.
655.97	Cor. No. 1, and place of beginning.
	Ralston 61 Mill Site
	Beginning at Cor. No. 1 of the Ralston 61 mill site, identical with Cor. No. 2 of the Ralston 60 mill site, and Cor. No. 5 of the Ralston 49 mill site of this survey; from which
	The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 45° 56' 29.3" E., 6592.41 ft. dist., previously described.
	Thence S. 65° 57' 15" W.
70.49	Intersect the SW. Cor. of the Goldfield lode, uns.
203.18	Cor. No. 2, identical with Cor. No. 4 of the Ralston 49 mill site and Cor. No. 2 of the Ralston 62 mill site of this survey, and Cor. No. 3 Sur. No. 3205 June lode.
	Thence S. 67° 52' 30" W.
305	Center of local drainage, 4 ft. wide, course S. 45° E.

FEET	
724.16	<p>Cor. No. 3, identical with Cor. No. 3 Sur. No. 2725 Tiger Mine lode, Cor. No. 3 Sur. No. 4711 B.C. No. 9 mill site, and Cor. No. 3 of the Ralston 62 mill site of this survey.</p> <p>To the surface of the existing 3 ins. diam. steel-capped iron post marking Cor. No. 3 Sur. No. 2725 Tiger Mine lode and Sur. No. 4711 B.C. No. 9 mill site, I add the following in the proper quadrants of the cap; RAL 61-3-4743 and RAL 62-3-4743.</p> <p style="text-align: center;">Thence N. 36° 47' 20" W.</p>
214.19	<p>Cor. No. 4, identical with Cors. Nos. 2 Sur. No. 4711 B.C. No. 9 and B.C. No. 14 mill sites, and Cor. No. 3 of the Ralston 73 mill site of this survey.</p> <p>To the surface of the 2 ins. diam. brass-capped monument marking Cors. Nos. 2 Sur. No. 4711 B.C. No. 9 and B.C. No. 14 mill sites, I add the following in the proper quadrants of the cap: RAL 61-4-4743 and RAL 73-3-4743.</p> <p style="text-align: center;">Thence N. 60° 23' 15" E.</p>
378.12	<p>Cor. No. 5, identical with Cor. No. 4 of the Ralston 73 mill site and Cor. No. 3 of the Ralston 60 mill site of this survey.</p> <p style="text-align: center;">Thence S. 89° 45' 07" E.</p>
586.59	<p>Intersect the westerly end-line of the Goldfield lode, uns., at a point from which the SW. Cor. thereof bears S. 9° 43' E., 29.44 ft. dist.</p>
655.93	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 62 Mill Site</p> <p>At Cor. No. 1 of the Ralston 62 mill site, established at the intersection of line 2-3 Sur. No. 2725 Tiger Mine lode with line 2-3 Sur. No. 2497 Lion lode.</p> <p>To the top surface of the 3 ins. diam. steel-capped iron post marking this intersection, I add the following in the NW. quadrant: RAL 62-1-4743; from which</p>	

FEET	
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $42^{\circ} 42' 58''$ E., 7102.38 ft. dist., previously described.</p>
	<p>Cor. No. 2 Sur. No. 2725 Tiger Mine lode bears S. $70^{\circ} 15' 26''$ E., 673.6 ft. dist.</p>
	<p>Cor. No. 2 Sur. No. 2497 Lion lode bears S. $10^{\circ} 47' 25''$ W., 502.5 ft. dist.</p>
	<p>Thence N. $10^{\circ} 47' 25''$ W.</p>
97.01	<p>Intersect Cor. No. 3 Sur. No. 2497 Lion lode, identical with Cor. No. 2 Sur. No. 3205 June lode.</p>
343	<p>Center of local drainage, 6 ft. wide, course S. 75° E.</p>
561.12	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 61 mill site and Cor. No. 4 of the Ralston 49 mill site of this survey, and Cor. No. 3 Sur. No. 3205 June lode.</p>
	<p>Thence S. $67^{\circ} 52' 30''$ W.</p>
305	<p>Center of local drainage, 4 ft. wide, course S. 45° E.</p>
724.16	<p>Cor. No. 3, identical with Cor. No. 3 Sur. No. 2725 Tiger Mine lode, Cor. No. 3 Sur. No. 4711 B.C. No. 9 mill site, and Cor. No. 3 of the Ralston 61 mill site of this survey.</p>
	<p>Thence S. $70^{\circ} 15' 26''$ E.</p>
824.34	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">Ralston 63 Mill Site</p>
	<p>At Cor. No. 1 of the Ralston 63 mill site, established at the intersection of line 1-2 Sur. No. 3489 Oriole lode with line 3-4 Sur. No. 3489 Little Fannie lode.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 63-1-4743; from which</p>
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $81^{\circ} 29' 46''$ E., 5565.17 ft. dist., previously described.</p>
	<p>Cor. No. 1 Sur. No. 3489 Oriole lode bears N. $49^{\circ} 19' W.$, 24.96 ft. dist.</p>

FEET		
	<p>Cor. No. 4 Sur. No. 3489 Little Fannie lode bears N. 41° 06' 30" E., 533.86 ft. dist.</p> <p>Thence S. 41° 06' 30" W.</p>	
493.63	Intersect Cor. No. 3 of the Ralston 74 mill site of this survey, hereinafter described.	
695.71	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 64, Ralston 76, and Ralston 74 mill sites of this survey, established on line 3-4 Sur. No. 3489 Little Fannie lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 63-2, RAL 64-2, RAL 76-2, and RAL 74-2-4743; from which</p> <p>Cor. No. 3 Sur. No. 3489 Little Fannie lode bears S. 41° 06' 30" W., 215.00 ft. dist.</p> <p>Thence N. 85° 48' 11" E.</p>	
154	Center of local drainage, 4 ft. wide, course N. 50° E.	
569.51	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 50, Ralston 51, and Ralston 64 mill sites of this survey.</p> <p>Thence N. 37° 41' 40" E.</p>	
44	Center of local drainage, 4 ft. wide, course S. 55° E.	
294.23	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 50 mill site of this survey, on line 1-2 Sur. No. 3489 Oriole lode.</p> <p>Thence N. 49° 19' W.</p>	
383.05	Cor. No. 1, and place of beginning.	
	<p>Ralston 64 Mill Site</p> <p>At the true point for Cor. No. 1, identical with Cors. Nos. 1 of Ralston 65, Ralston 77, and Ralston 76 mill sites of this survey, witnessed SOUTH, 14.90 ft. dist., hereinafter described.</p>	

FEET	
	<p>This corner falls in the bottom of a water course N. 50° E., where a permanent monument cannot be established; from which</p> <p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 74° 52' 31" E., 6268.04 ft. dist., previously described.</p> <p>Cor. No. 3 Sur. No. 3489 Little Fannie lode bears N. 22° 19' W., 136.55 ft. dist.</p> <p>Thence N. 17° 14' 45" E.</p>
301.89	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 76, Ralston 74, and Ralston 63 mill sites of this survey, on line 3-4 Sur. No. 3489 Little Fannie lode.</p> <p>Thence N. 85° 48' 11" E.</p>
154	<p>Center of local drainage, 4 ft. wide, course N. 50° E.</p>
569.51	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 63, Ralston 50, and Ralston 51 mill sites of this survey.</p> <p>Thence SOUTH</p>
220.00	<p>Witness Cor. No. 4, identical with witness Cors. Nos. 4 of the Ralston 51, Ralston 52, and Ralston 65 mill sites of this survey.</p>
330.00	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 51, Ralston 52, and Ralston 65 mill sites of this survey, previously described.</p> <p>Thence WEST</p>
310	<p>Road, bears North and South.</p>
553	<p>Road, bears N. 60° E. and S. 60° W.</p>
657.49	<p>Cor. No. 1, and place of beginning.</p>

FEET	
	Ralston 65 Mill Site
	Beginning at the true point for Cor. No. 1, identical with Cors. Nos. 1 of the Ralston 77, Ralston 76, and Ralston 64 mill sites of this survey, previously described.
	Thence SOUTH
14.90	A point selected for witness Cor. No. 1, identical with witness Cors. Nos. 1 of the Ralston 77, Ralston 76, and Ralston 64 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - RAL 64-1, RAL 65-1, RAL 77-1, and RAL 76-1-4743.
116	Road, bears N. 60° E. and S. 60° W.
322.38	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 66, Ralston 78, and Ralston 77 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 65-2, RAL 66-2, RAL 78-2, and RAL 77-2-4743.
	Thence S. 89° 11' E.
426	Road, bears N. 10° E. and S. 10° W.
657.56	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 52, Ralston 53, and Ralston 66 mill sites of this survey.
	Thence NORTH
310	Road, bears N. 50° E. and S. 50° W.
331.75	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 64, Ralston 51, and Ralston 52 mill sites of this survey, previously described, witnessed NORTH, 110.00 ft. dist.
	Thence WEST
310	Road, bears North and South.
553	Road, bears N. 60° E. and S. 60° W.
657.49	Cor. No. 1, and place of beginning.

FEET	
	<p>Ralston 66 Mill Site</p> <p>At Cor. No. 1 of the Ralston 66 mill site, identical with Cors. Nos. 1 of the Ralston 67, Ralston 79, and Ralston 78 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 66-1, RAL 67-1, RAL 79-1, and UAL 78-1-4743; from which</p> <p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $69^{\circ} 17' 02''$ E., 6469.18 ft. dist., previously described.</p> <p style="text-align: center;">Thence NORTH</p>
330.54	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 78, Ralston 77, and Ralston 65 mill sites of this survey.</p> <p style="text-align: center;">Thence S. $89^{\circ} 11'$ E.</p>
426	Road, bears N. 10° E. and S. 10° W.
657.56	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 65, Ralston 52, and Ralston 53 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
329.60	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 53, Ralston 54, and Ralston 67 mill sites of this survey.</p> <p style="text-align: center;">Thence N. $89^{\circ} 15' 55''$ W.</p>
466	Road, bears N. 60° E. and S. 60° W.
657.54	Cor. No. 1, and place of beginning.
	<p>Ralston 67 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 67 mill site, identical with Cors. Nos. 1 of the Ralston 79, Ralston 78, and Ralston 66 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p>
329.65	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 68, Ralston 80, and Ralston 79 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 67-2, RAL 68-2, RAL 80-2, and RAL 79-2-4743.</p>

FEET	
	<p>Thence S. 89° 20' 44" E.</p>
311	<p>Road, bears N. 25° E. and S. 40° W.</p>
657.53	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 54, Ralston 55, and Ralston 68 mill sites of this survey.</p>
	<p>Thence NORTH</p>
328.73	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 66, Ralston 53, and Ralston 54 mill sites of this survey.</p>
	<p>Thence N. 89° 15' 55" W.</p>
466	<p>Road, bears N. 60° E. and S. 60° W.</p>
657.54	<p>Cor. No. 1, and place of beginning.</p>
	<p>Ralston 68 Mill Site</p>
	<p>At the true point for Cor. No. 1 of the Ralston 68 mill site, identical with Cors. Nos. 1 of the Ralston 69, and Ralston 80 mill sites of this survey, and Cor. No. 3 Sur. No. 4711 B.C. No. 20 mill site.</p>
	<p>This corner falls under a waste dump where a monument cannot be established; from which</p>
	<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 64° 01' 18" E., 6731.01 ft. dist., previously described.</p>
	<p>Thence NORTH</p>
200	<p>Toe of slope of waste dump, bears East and West.</p>
330.35	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 80, Ralston 79, and Ralston 67 mill sites of this survey.</p>
	<p>Thence S. 89° 20' 44" E.</p>
311	<p>Road, bears N. 25° E. and S. 40° W.</p>
657.53	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 67, Ralston 54, and Ralston 55 mill sites of this survey.</p>
	<p>Thence SOUTH</p>
319.92	<p>The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 55, Ralston 56, and Ralston 69 mill sites of this survey, previously described.</p>
	<p>Thence S. 89° 44' 44" W.</p>

FEET	
40	Toe of slope of active part of waste dump, bears N. 60° W. and S. 60° E.
657.50	Cor. No. 1, and place of beginning.
Ralston 69 Mill Site	
Beginning at the true point for Cor. No. 1 of the Ralston 69 mill site, identical with Cor. No. 3 Sur. No. 4711 B.C. No. 20 mill site, and Cors. Nos. 1 of the Ralston 80 and Ralston 68 mill sites of this survey, previously described.	
Thence S. 0° 00' 04" W.	
328.80	The true point for Cor. No. 2, identical with Cor. No. 3 of the Ralston 70 mill site of this survey, and Cors. Nos. 4 Sur. No. 4711 B.C. No. 17 and B.C. No. 20 mill sites
This corner falls under a waste dump where a monument cannot be established.	
Thence N. 89° 50' 35" E.	
657.50	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 56, and Ralston 57 mill sites, and Cor. No. 4 of the Ralston 70 mill site of this survey, previously described.
Thence NORTH	
320	Toe of slope of active part of waste dump, bears WNW. and ESE.
329.92	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 68, Ralston 55, and Ralston 56 mill sites of this survey, previously described.
Thence S. 89° 44' 44" W.	
40	Toe of slope of active part of waste dump, bears N. 60° W. and S. 60° E.
657.50	Cor. No. 1, and place of beginning.

FEET		
	<p>Ralston 70 Mill Site</p> <p>At the true point for Cor. No. 1 of the Ralston 70 mill site, identical with Cors. Nos. 4 of the Ralston 57 and Ralston 58 mill sites, and Cor. No. 1 of the Ralston 71 mill site of this survey, not monumented for reasons previously given; from which</p> <p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. of the west line of sec. 18 bears N. $56^{\circ} 14' 41''$ E., 6487.00 ft. dist.</p> <p style="padding-left: 40px;">Thence S. $89^{\circ} 52' 20''$ W.</p>	
657.50	<p>The true point for Cor. No. 2, identical with Cor. No. 2 of the Ralston 71 mill site of this survey, and Cors. Nos. 3 Sur. No. 4711 B.C. No. 2 and B.C. No. 17 mill sites.</p> <p>This corner falls under a waste dump where a monument cannot be established.</p> <p style="padding-left: 40px;">Thence N. $0^{\circ} 00' 04''$ E.</p>	
328.75	<p>The true point for Cor. No. 3, identical with Cors. Nos. 4 Sur. No. 4711 B.C. No. 17 and B.C. No. 20 mill sites, and Cor. No. 2 of the Ralston 69 mill site of this survey, previously described.</p> <p style="padding-left: 40px;">Thence N. $89^{\circ} 50' 35''$ E.</p>	
657.50	<p>The true point for Cor. No. 4, identical with Cors. Nos. 3 of the Ralston 69, Ralston 56, and Ralston 57 mill sites of this survey, previously described.</p> <p style="padding-left: 40px;">Thence SOUTH</p>	
329.08	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Ralston 71 Mill Site</p> <p>Beginning at the true point for Cor. No. 1 of the Ralston 71 mill site, identical with Cor. No. 1 of the Ralston 70 mill site, and Cors. Nos. 4 of the Ralston 57 and Ralston 58 mill sites of this survey, previously described.</p> <p style="padding-left: 40px;">Thence S. $89^{\circ} 52' 20''$ W.</p>	

(This form bound on left side)

FEET	
657.50	<p>The true point for Cor. No. 2, identical with Cors. Nos. 3 Sur. No. 4711 B.C. No. 2 and B.C. No. 17 mill sites, and Cor. No. 2 of the Ralston 70 mill site of this survey., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 04" W.</p>
329.64	<p>The true point for Cor. No. 3, identical with Cor. No. 3 of the Ralston 72 mill site of this survey, Cor. No. 3 Sur. No. 4711 B.C. No. 5 mill site, and Cor. No. 4 Sur. No. 4711 B.C. No. 2 mill site.</p> <p>This corner falls under a waste dump where a monument cannot be established.</p> <p style="text-align: center;">Thence N. 89° 41' 30" E.</p>
280	<p>Toe of slope of active waste dump, bears N. 25° E. and S. 25° W.</p>
657.52	<p>Cor. No. 4, identical with Cors. Nos. 3 of the Ralston 58 and Ralston 59 mill sites, and Cor. No. 4 of the Ralston 72 mill site of this survey.</p> <p style="text-align: center;">Thence NORTH</p>
280	<p>Toe of slope of active waste dump, bears northeasterly and southwesterly.</p>
327.57	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 72 Mill Site</p> <p>At Cor. No. 1 of the Ralston 72 mill site, identical with Cor. No. 1 of the Ralston 73 mill site, on line 3-4 of the Ralston 59 mill site of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 72-1-4743, and RAL 73-1-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the east line of sec. 18 bears N. 52° 41' 13" E., 6781.32 ft. dist., previously described.</p> <p style="text-align: center;">Thence WEST</p>	
91	<p>Road, bears N. 65° E. and S. 65° W.</p>
328.73	<p>Intersect Cor. No. 2 of the Ralston 73 mill site of this survey, identical with Cor. No. 3 Sur. No. 4711 B.C. No. 14 mill site, herein-after described.</p>
475	<p>Toe of slope of active waste dump, bears northeasterly and southwesterly.</p>

FEET	
657.51	<p>The true point for Cor. No. 2, identical with Cor. No. 4 Sur. No. 4711 B.C. No. 14 mill site, on line 3-4 Sur. No. 4711 B.C. No. 5 mill site.</p> <p>This corner falls under the slope of a waste dump where a monument cannot be established.</p> <p>Thence N. 0° 00' 04" E.</p>
175.05	<p>The true point for Cor. No. 3, identical with Cor. No. 3 Sur. No. 4711 B.C. No. 5 mill site, Cor. No. 4 Sur. No. 4711 B.C. No. 2 mill site, and Cor. No. 3 of the Ralston 71 mill site of this survey, previously described.</p> <p>Thence N. 89° 41' 30" E.</p>
280	<p>Toe of slope of active waste dump, bears N. 25° E. and S. 25° W.</p>
657.52	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 71 mill site, and Cors. Nos. 3 of the Ralston 58 and Ralston 59 mill sites of this survey.</p> <p>Thence SOUTH</p>
129	<p>Road, bears N. 65° E. and S. 65° W.</p>
178.59	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 73 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Ralston 73 mill site, identical with Cor. No. 1 of the Ralston 72 mill site, on line 3-4 of the Ralston 59 mill site of this survey.</p>	
<p>Thence WEST</p>	
91	<p>Road, bears N. 65° E. and S. 65° W.</p>
328.73	<p>Cor. No. 2, identical with Cor. No. 3 Sur. No. 4711 B.C. No. 14 mill site, on line 1-2 of the Ralston 72 mill site of this survey.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cor. No. 3 Sur. No. 4711 B.C. No. 14 mill site, I add the following: RAL 73-2-4743.</p>
<p>Thence SOUTH</p>	
230	<p>Road, bears Northeasterly and southwesterly.</p>

FEET	
657.68	<p>Cor. No. 3, identical with Cor. No. 4 of the Ralston 61 mill site of this survey, and Cors. Nos. 2 Sur. No. 4711 B.C. No. 9 and B.C. No. 14 mill sites.</p> <p>Thence N. 60° 23' 15" E.</p>
378.12	<p>Cor. No. 4, identical with Cor. No. 3 of the Ralston 60 and Cor. No. 5 of the Ralston 61 mill sites of this survey.</p> <p>Thence NORTH</p>
325.43	<p>Intersect Cors. Nos. 4 of the Ralston 59 and Ralston 60 mill sites of this survey.</p>
470.84	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 74 Mill Site</p>	
<p>At Cor. No. 1 of the Ralston 74 mill site, identical with Cor. No. 1 of the Ralston 75 mill site, on line 2-3 of the Ralston 76 mill site of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 74-1 and RAL 75-1-4743; from which</p>	
<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 78° 04' 39" E. 6298.05 ft. dist., previously described.</p>	
<p>Thence S. 77° 04' 52" E.</p>	
206.00	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 63, Ralston 64, and Ralston 76 mill sites of this survey, on line 3-4 Sur. No. 3489 Little Fannie lode.</p>
<p>Thence N. 41° 06' 30" E.</p>	
202.08	<p>Cor. No. 3, established on line 3-4 Sur. No. 3489 Little Fannie lode and on line 1-2 of the Ralston 63 mill site of this survey.</p>
<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 74-3-4743.</p>	
<p>Thence N. 3° 09' 05" E.</p>	
501.08	<p>The true point for Cor. No. 4.</p> <p>This corner falls in a badly eroded ravine where a monument cannot be maintained.</p>
<p>Thence N. 70° 20' W.</p>	

FEET	
9.47	<p>A point selected for witness Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - RAL 74-4-4743.</p>
48	<p>Center of local drainage, 5 ft. wide, course No. 55° E.</p>
291	<p>Road, bears N. 60° E. and S. 35° W.</p>
303.00	<p>The true point for Cor. No. 5, identical with Cor. No. 4 of the Ralston 75 mill site of this survey, Cor. No. 4 Sur. No. 3489 Two Million lode, and Cor. No. 3 Sur. No. 3489 Great Western No. 4 lode.</p> <p>This corner falls in the cut-bank above a road where a monument cannot be established; witnessed N. 70° 20' W., 12.22 ft. dist., hereinafter described.</p> <p style="text-align: center;">Thence S. 6° 06' 44" W.</p>
31	<p>Road, bears N. 35° E. and S. 35° W.</p>
396	<p>Center of local drainage, 4 ft. wide, course N. 30° E.</p>
712.55	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 75 Mill Site</p>	
257.43	<p>Beginning at Cor. No. 1 of the Ralston 75 mill site, identical with Cor. No. 1 of the Ralston 74 mill site, on line 2-3 of the Ralston 76 mill site of this survey.</p> <p style="text-align: center;">Thence N. 77° 04' 52" W.</p> <p>Cor. No. 2, identical with Cor. No. 3 of the Ralston 76 mill site and Cor. No. 1 of the Ralston 81 mill site of this survey, established on line 2-3 Sur. No. 3489 Little Fannie lode at a point from which Cor. No. 3 bears S. 49° 26' 30" E., 408.48 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 75-2-4743, RAL 76-3-4743, and RAL 81-1-4743.</p> <p style="text-align: center;">Thence N. 3° 09' 05" E.</p>
241	<p>Road, bears N. 70° E. and S. 70° W.</p>

(This form bound on left side)

FEET	
304.74	Intersect line 3-4 Sur. No. 3489 Two Million lode at a point from which Cor. No. 4, identical with Cor. No. 3 Sur. No. 3489 Great Western No. 4 lode, Cor. No. 4 of subject Ralston 75 mill site and Cor. No. 5 of the Ralston 74 mill site of this survey, bears N. 41° 48' 25" E., 465.08 ft. dist.
309.54	Intersect line 1-2 Sur. No. 3489 Little Fannie lode at a point from which Cor. No. 2, identical with Cor. No. 2 of the Ralston 81 mill site of this survey, on line 3-4 Sur. No. 3489 Two Million lode, bears S. 41° 06' 30" W., 245.89 ft. dist.
408	Road, bears East and N. 70° W.
670	Center of local drainage, 4 ft. wide, course N. 55° E.
754.06	Cor. No. 3. Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 75-3-4743.
	Thence S. 70° 20' E.
142	Center of local drainage, 4 ft. wide, course N. 35° E.
290.78	A point selected for witness Cor. No. 4, identical with witness Cor. No. 5 of the Ralston 74 mill site of this survey, witness Cor. No. 4 Sur. No. 3489 Two Million lode, and witness Cor. No. 3 Sur. No. 3489 Great Western No. 4 lode. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - RAL 75-4-4743, RAL 74-5-5754, TM 4-3489, and GW 4-3-3489.
293.74	Intersect line 1-2 Sur. No. 3489 Little Fannie lode at a point from which Cor. No. 2, identical with Cor. No. 2 of the Ralston 81 mill site of this survey, on line 3-4 Sur. No. 3489 Two Million lode, bears S. 41° 06' 30" W., 703.76 ft. dist.
303.00	The true point for Cor. No. 4, identical with Cor. No. 5 of the Ralston 74 mill site of this survey, Cor. No. 4 Sur. No. 3489 Two Million lode, and Cor. No. 3 Sur. No. 3489 Great Western No. 4 lode, previously described.

FEET	
	<p>Thence S. 6° 06' 44" W.</p>
31	Road, bears N. 35° E. and S. 35° W.
396	Center of local drainage, 4 ft. wide, course N. 30° E.
712.55	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 76 Mill Site</p> <p>Beginning at the true point for Cor. No. 1 of the Ralston 76 mill site, identical with Cors. No. 1 of the Ralston 64, Ralston 65, and Ralston 77 mill sites of this survey, previously described, witnessed S., 14.90 ft. dist.</p> <p style="text-align: center;">Thence N. 17° 14' 45" E.</p>
301.89	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 74, Ralston 63, and Ralston 64 mill sites of this survey, on line 3-4 Sur. No. 3489 Little Fannie lode.
	<p style="text-align: center;">Thence N. 77° 04' 52" W.</p>
206.00	Intersect Cors. Nos. 1 of the Ralston 74 and Ralston 75 mill sites of this survey.
463.43	Cor. No. 3, identical with Cor. No. 1 of the Ralston 81 and Cor. No. 2 of the Ralston 75 mill site of this survey, on line 2-3 Sur. No. 3489 Little Fannie lode.
	<p style="text-align: center;">Thence S. 37° 32' 40" W.</p>
485.19	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 77, Ralston 82, and Ralston 81 mill sites, and Cor. No. 5 of the Ralston 86 mill site of this survey.
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 76-4, RAL 77-4, RAL 82-4, RAL 86-5, and RAL 81-4-4743.</p> <p style="text-align: center;">Thence S. 89° 22' 13" E.</p>
657.90	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 77 Mill Site</p> <p>Beginning at the true point for Cor. No. 1 of the Ralston 77 mill site, identical with Cors. Nos. 1 of the Ralston 76, Ralston 64, and Ralston 65 mill sites of this survey, previously described.</p>

FEET	
	Thence SOUTH
14.90	Witness Cor. No. 1, previously described.
116	Road, bears N. 60° E. and S. 60° W.
322.38	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 65, Ralston 66, and Ralston 78 mill sites of this survey.
	Thence S. 89° 56' 30" W.
657.86	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 78, Ralston 83, and Ralston 82 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 77-3, RAL 78-3, RAL 83-3, and RAL 82-3-4743.
	Thence NORTH
330.28	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 82, Ralston 81, and Ralston 76 mill sites, and Cor. No. 5 of the Ralston 86 mill site of this survey.
	Thence S. 89° 22' 13" E.
657.90	Cor. No. 1, and place of beginning.
	Ralston 78 Mill Site
	Beginning at Cor. No. 1 of the Ralston 78 mill site, identical with Cors. Nos. 1 of the Ralston 66, Ralston 67, and Ralston 79 mill sites of this survey.
	Thence NORTH
330.54	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 77, Ralston 65, and Ralston 66 mill sites of this survey.
	Thence S. 89° 56' 30" W.
657.86	Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 83, Ralston 82, and Ralston 77 mill sites of this survey.
	Thence SOUTH
330.97	Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 79, Ralston 84, and Ralston 83 mill sites of this survey.

FEET		
657.86	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 78-4, RAL 79-4, RAL 84-4, and RAL 83-4-4743.</p> <p>Thence N. 89° 54' 15" E.</p> <p>Cor. No. 1, and place of beginning.</p>	
329.65	<p style="text-align: center;">Ralston 79 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 79 mill site, identical with Cors. Nos. 1 of the Ralston 78, Ralston 66, and Ralston 67 mill sites of this survey.</p> <p style="text-align: center;">Thence SOUTH</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 67, Ralston 68, and Ralston 80 mill sites of this survey.</p> <p style="text-align: center;">Thence WEST</p>	
657.86	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 80, Ralston 85, and Ralston 84 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 79-3, RAL 80-3, RAL 85-3, and RAL 84-3-4743.</p> <p style="text-align: center;">Thence NORTH</p>	
328.55	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 84, Ralston 83, and Ralston 78 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 89° 54' 15" E.</p>	
657.86	<p>Cor. No. 1, and place of beginning.</p>	
200	<p style="text-align: center;">Ralston 80 Mill Site</p> <p>Beginning at the true point for Cor. No. 1, identical with Cors. Nos. 1 of the Ralston 68 and Ralston 69 mill sites of this survey, and Cor. No. 3 of Sur. No. 4711 B.C. No. 20 mill site, previously described.</p> <p style="text-align: center;">Thence NORTH</p> <p>Toe of slope of waste dump, bears East and West.</p>	

(This form bound on left side)

FEET	
330.35	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 79, Ralston 67, and Ralston 68 mill sites of this survey.</p> <p>Thence WEST</p>
657.86	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 85, Ralston 84, and Ralston 79 mill sites of this survey.</p> <p>Thence SOUTH</p>
129	<p>Road, bears N. 45° W. and S. 35° E.</p>
330.43	<p>Cor. No. 4, identical with Cors. Nos. 2 Sur. No. 4711 B.C. No. 20 and B.C. No. 19 mill sites, and Cor. No. 4 of the Ralston 85 mill site of this survey.</p> <p>To the surface of the existing 2 ins. diam. brass cap monument marking Cors. Nos. 2, I add the following in the proper quadrants: RAL 80-4-4743 and RAL 85-4-4743.</p> <p>Thence N. 89° 59' 35" E.</p>
195	<p>Leave natural ground and enter top surface of waste dump area; line of contact between natural ground and waste dump bears N. 65° E. and S. 65° W.</p>
657.86	<p>Cor. No. 1, and place of beginning.</p>
	<p style="text-align: center;">Ralston 81 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 81 mill site, identical with Cor. No. 2 of the Ralston 75 mill site and Cor. No. 3 of the Ralston 76 mill site of this survey, on line 2-3 Sur. No. 3489 Little Fannie lode; from which</p> <p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 79° 01' 34" E., 6532.55 ft. dist.</p> <p>Thence N. 49° 26' 30" W.</p> <p>Cor. No. 2, identical with Cor. No. 2 Sur. No. 3489 Little Fannie lode, established on line 3-4 Sur. No. 3489 Two Million lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 81-2-4743, and LF-2-3489.</p>
190.40	

FEET		
592.57	<p>Thence S. 41° 48' 25" W.</p> <p>Cor. No. 3, identical with Cor. No. 4 of the Ralston 86 mill site of this survey, and Cor. No. 3 Sur. No. 3489 Two Million lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 81-3-4743, RAL 86-4-4743, and TM-3-3489.</p>	
252.99	<p>Thence S. 74° 41' 25" E.</p> <p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 76, Ralston 77, and Ralston 82 mill sites, and Cor. No. 5 of the Ralston 86 mill sites of this survey.</p>	
485.19	<p>Thence N. 37° 32' 40" E.</p> <p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">Ralston 82 Mill Site</p> <p>At Cor. No. 1 of the Ralston 82 mill site, identical with Cors. Nos. 1 of the Ralston 87 and Ralston 86 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 82-1, RAL 87-1, and RAL 86-1-4743; from which</p> <p style="text-align: center;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 77° 30' 14" E., 7546.96 ft. dist., previously described.</p> <p style="text-align: center;">Thence S. 0° 00' 42" E.</p> <td data-bbox="1339 1077 1429 2424"></td>	
328.10	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 83, Ralston 88, and Ralston 87 mill sites of this survey.</p> <p>Set an iron post, 2 feet long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 82-2, RAL 83-2, RAL 88-2, and RAL 87-2-4743.</p>	
659.36	<p style="text-align: center;">Thence N. 89° 46' 48" E.</p> <p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 77, Ralston 78, and Ralston 83 mill sites of this survey.</p> <p style="text-align: center;">Thence NORTH</p>	

(This form bound on left side)

FEET	
330.28	<p>Cor. No. 4, identical with Cor. No. 5 of the Ralston 86 mill site, and Cors. Nos. 4 of the Ralston 81, Ralston 76, and Ralston 77 mill sites of this survey.</p> <p>Thence S. 89° 35' 27" W.</p>
659.44	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 83 Mill Site</p>	
<p>At Cor. No. 1 of the Ralston 83 mill site, identical with Cors. Nos. 1 of the Ralston 84, Ralston 89, and Ralston 88 mill sites of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 83-1, RAL 84-1, RAL 89-1, and RAL 88-1-4743; from which</p>	
<p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 72° 44' 20" E., 7715.54 ft. dist.</p>	
<p>Thence N. 0° 00' 42" W.</p>	
328.35	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 88, Ralston 87, and Ralston 82 mill sites of this survey.</p>
<p>Thence N. 89° 46' 48" E.</p>	
659.36	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 82, Ralston 77, and Ralston 78 mill sites of this survey.</p>
<p>Thence SOUTH</p>	
330.97	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 78, Ralston 79, and Ralston 84 mill sites of this survey.</p>
<p>Thence N. 89° 59' 32" W.</p>	
250	<p>Road, bears N. 45° W. and S. 45° E.</p>
659.29	<p>Cor. No. 1, and place of beginning.</p>

FEET		
	<p>Ralston 84 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 84 mill site, identical with Cors. Nos. 1 of the Ralston 89, Ralston 88, and Ralston 83 mill site of this survey.</p> <p>Thence S. 0° 00' 42" E.</p>	
328.76	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 85, Ralston 90, and Ralston 89 mill sites of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 84-2, RAL 85-2, RAL 90-2, and RAL 89-2-4743.</p> <p>Thence N. 89° 59' 22" E.</p>	
536	<p>Road, bears N. 30° W. and S. 40° E.</p>	
659.22	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 79, Ralston 80, and Ralston 85 mill sites of this survey.</p> <p>Thence NORTH</p>	
328.55	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 83, Ralston 78, and Ralston 79 mill sites of this survey.</p> <p>Thence N. 89° 59' 32" W.</p>	
250	<p>Road, bears N. 45° W. and S. 45° E.</p>	
659.29	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Ralston 85 Mill Site</p> <p>At Cor. No. 1 of the Ralston 85 mill site, identical with Cors. Nos. 3 Sur. No. 4711 B.C. No. 19 and B.C. No. 18 mill sites, and Cor. No. 1 of the Ralston 90 mill site of this survey.</p> <p>To the surface of the 2 ins. diam. brass cap monument marking Cors. Nos. 3 I add the following in the proper quadrants of the cap: RAL 85-1-4743 and RAL 90-1-4743; from which</p> <p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 68° 12' 07" E., 7935.59 ft. dist., previously described.</p> <p>Thence N. 0° 02' 05" E.</p>	

(This form bound on left side)

FEET	
328.61	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 90, Ralston 89, and Ralston 84 mill sites of this survey.</p> <p>Thence N. 89° 59' 22" E.</p>
536	<p>Road, bears N. 30° W. and S. 40° E.</p>
659.22	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Ralston 84, Ralston 79, and Ralston 80 mill sites of this survey.</p> <p>Thence SOUTH</p>
129	<p>Road, bears N. 45° W. and S. 35° E.</p>
330.43	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Ralston 80 mill site of this survey, and Cors. Nos. 2 Sur. No. 4711 B.C. No. 20 and B.C. No. 19 mill sites.</p> <p>Thence N. 89° 51' 08" W.</p>
260	<p>Leave natural ground, enter top surface of waste dump area; line of contact between natural ground and waste dump bears WNW. and ESE.</p>
560	<p>Leave top surface of waste dump area, re-enter natural ground; contact line bears NE. and SW.</p>
659.42	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 86 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Ralston 86 mill site, identical with Cors. Nos. 1 of the Ralston 82 and Ralston 87 mill sites of this survey.</p>	
<p>Thence N. 88° 38' 20" W.</p>	
384.15	<p>Cor. No. 2, established at the intersection of line 4-1 of the Ralston 87 mill site of this survey with line 3-4 Sur. No. 3489 Saddle lode at a point from which Cor. No. 3 bears S. 40° 26' 45" W., 134.78 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 86-2-4743.</p> <p>Thence N. 40° 26' 45" E.</p>

FEET	
561.10	<p>Cor. No. 3, identical with Cor. No. 2 Sur. No. 3489 Two Million lode, on line 3-4 Sur. No. 3489 Saddle lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 86-3-4743 and TM-2-3489.</p> <p>Thence S. 50° 03' 33" E.</p>
567.95	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 3489 Two Million lode and Cor. No. 3 of the Ralston 81 mill site of this survey.</p> <p>Thence S. 74° 41' 25" E.</p>
252.99	<p>Cor. No. 5, identical with Cors. Nos. 4 of the Ralston 81, Ralston 76, Ralston 77, and Ralston 82 mill sites of this survey.</p> <p>Thence S. 89° 35' 27" W.</p>
659.44	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 87 Mill Site</p>	
328.10	<p>Beginning at Cor. No. 1 of the Ralston 87 mill site, identical with Cors. Nos. 1 of the Ralston 86 and Ralston 82 mill sites of this survey.</p> <p>Thence S. 0° 00' 42" E.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 82, Ralston 83, and Ralston 88 mill sites of this survey.</p> <p>Thence N. 88° 47' 08" W.</p>
661.91	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 88 mill site of this survey, Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 47, and Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 51.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 87-3-4743 and RAL 88-3-4743.</p> <p>Thence N. 0° 04' 04" W.</p>
329.80	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 51 and Cor. No. 2 of the Ralston 91 mill site of this survey.</p>

FEET	
	<p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following; RAL 87-4-4743 and RAL 91-2-4743.</p> <p style="text-align: center;">Thence S. 88° 38' 20" E.</p>
61.62	Intersect Cor. No. 1 of the Ralston 91 mill site of this survey, hereinafter described, established on line 2-3 Sur. No. 3489 Saddle lode, at a point from which Cor. No. 3 bears S. 50° 08' 12" E., 168.06 ft. dist.
278.12	Intersect Cor. No. 2 of the Ralston 86 mill site of this survey, on line 3-4 Sur. No. 3489 Saddle lode.
662.27	Cor. No. 1, and place of beginning.
Ralston 88 Mill Site	
	<p>Beginning at Cor. No. 1 of the Ralston 88 mill site, identical with Cors. Nos. 1 of the Ralston 83, Ralston 84, and Ralston 89 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 42" W.</p>
328.35	Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 87, Ralston 82, and Ralston 83 mill sites of this survey.
	Thence N. 88° 47' 08" W.
661.91	Cor. No. 3, identical with Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 47, Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 51, and Cor. No. 3 of the Ralston 87 mill site of this survey.
	Thence S. 0° 03' 51" E.
330.03	Cor. No. 4, identical with Cor. No. 4 of the Ralston 89 mill site of this survey, and Cors. Nos. 3 Sur. No. 4606 Inspiration Mill Sites Nos. 42 and 47.
	<p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 88-4-4743 and RAL 89-4-4743.</p> <p style="text-align: center;">Thence S. 88° 55' 49" E.</p>
661.58	Cor. No. 1, and place of beginning.

FEET	
	<p>Ralston 89 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 89 mill site, identical with Cors. Nos. 1 of the Ralston 88, Ralston 83, and Ralston 84 mill site of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 42" E.</p>
328.76	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 84, Ralston 85 and Ralston 90 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 89° 01' 55" W.</p>
661.16	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 90 mill site of this survey, Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 37, Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 42.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 89-3-4743 and RAL 90-3-4743.</p> <p style="text-align: center;">Thence N. 0° 04' 48" W.</p>
329.94	<p>Cor. No. 4, identical with Cors. Nos. 3 Sur. No. 4606 Inspiration Mill Sites Nos. 42 and 47, and Cor. No. 4 of the Ralston 88 mill site of this survey.</p> <p style="text-align: center;">Thence S. 88° 55' 49" E.</p>
661.58	<p>Cor. No. 1, and place of beginning.</p>
	<p>Ralston 90 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 90 mill site, identical with Cor. No. 1 of the Ralston 85 mill site of this survey, and Cors. Nos. 3 Sur. No. 4711 B.C. No. 19 and B.C. No. 18 mill sites.</p> <p style="text-align: center;">Thence N. 0° 02' 05" E.</p>
328.61	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Ralston 89, Ralston 84, and Ralston 85 mill sites of this survey.</p> <p style="text-align: center;">Thence N. 89° 01' 55" W.</p>
661.16	<p>Cor. No. 3, identical with Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 37, Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 42, and Cor. No. 3 of the Ralston 89 mill site of this survey.</p>

FEET		
330.01	<p>Thence S. 0° 03' 44" E.</p> <p>Cor. No. 4, identical with Cor. No. 2 Sur. No. 4711 B.C. No. 18 mill site, on line 2-3 Sur. No. 4606 Inspiration Mill Site No. 37.</p> <p>To the surface of the 2 ins. diam brass cap monument described in the official record of Sur. No. 4606, I add the following: RAL 90-4-4743.</p>	
660.58	<p>Thence S. 89° 09' 10" E.</p> <p>Cor. No. 1, and place of beginning.</p>	
61.62	<p style="text-align: center;">Ralston 91 Mill Site</p> <p>At Cor. No. 1 of the Ralston 91 mill site, established at the intersection of line 4-1 of the Ralston 87 mill site of this survey with line 2-3 Sur. No. 3489 Saddle lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 91-1-4743; from which</p> <p style="padding-left: 40px;">The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. 78° 31' 04" E., 8131.40 ft. dist., previously described.</p> <p style="padding-left: 40px;">Cor. No. 3 Sur. No. 3489 Saddle lode bears S. 50° 08' 12" E., 168.06 ft. dist.</p> <p style="padding-left: 40px;">Thence N. 88° 38' 20" W.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Ralston 87 mill site of this survey, and Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 51.</p> <p style="padding-left: 40px;">Thence N. 89° 32' 17" W.</p>	
662.09	<p>Cor. No. 3, identical with Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 51, Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 50, and Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 54.</p> <p>To the surface of the $1\frac{1}{2}$ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 91-3-4743.</p>	

FEET	
	<p>Thence N. 0° 04' 20" W.</p>
211	Center of local drainage, 4 ft. wide, course S. 85° W.
329.92	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 54 and Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 58.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 91-4-4743.</p>
	<p>Thence N. 0° 06' 13" W.</p>
44.00	<p>Cor. No. 5, identical with Cor. No. 4 of the Ralston 92 mill site of this survey, established on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 58 at a point from which Cor. No. 3, identical with Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 62, and Cor. No. 3 of the Ralston 92 mill site of this survey, bears N. 0° 06' 13" W., 286.04 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 91-5-5754 and RAL 92-4-4743.</p>
	<p>Thence S. 89° 00' E.</p>
474.14	<p>Cor. No. 6, identical with Cor. No. 5 of the Ralston 92 mill site of this survey, established on line 1-2 Sur. No. 3489 Saddle lode at a point from which Cor. No. 1, identical with Cor. No. 2 Sur. No. 3489 Great Western No. 3 lode, on line 3-4 Sur. No. 3489 Mocking Bird lode, bears N. 40° 34' 23" E., 1374.41 ft. dist.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. RAL 91-6-4743 and RAL 92-5-4743.</p>
	<p>Thence S. 40° 34' 23" W.</p>
125.59	<p>Cor. No. 7, identical with Cor. No. 2 Sur. No. 3489 Saddle lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, in the exact position in which I found the rotted post marking Cor. No. 2 Sur. No. 3489 Saddle lode, and Marked the brass cap: RAL 91-7-4743 and SADDLE-2-3489.</p>
	<p>Thence S. 50° 08' 12" E.</p>
432.25	Cor. No. 1, and place of beginning.

FEET	
	<p>Ralston 92 Mill Site</p> <p>At Cor. No. 1 of the Ralston 92 mill site, identical with Cor. No. 1 of the Ralston 93 mill site of this survey, established on line 1-2 Sur. No. 3489 Saddle lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 92-1-4743 and RAL 93-1-4743; from which</p> <p>The $\frac{1}{4}$ sec. cor. on the west line of sec. 18 bears N. $83^{\circ} 27' 18''$ E., 7982.82 ft. dist., previously described.</p> <p>Cor. No. 1, Sur. No. 3489 Saddle lode, identical with Cor. No. 2 Sur. No. 3489 Great Western No. 3 lode, on line 3-4 Sur. No. 3489 Mocking Bird lode, bears N. $40^{\circ} 34' 23''$ E., 931.65 ft. dist.</p> <p style="text-align: center;">Thence WEST</p>
325	<p>Center of local drainage, 3 ft. wide, course S. 80° W.</p>
762.62	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 93 mill site of this survey, established on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 62 at a point from which Cor. No. 3, identical with Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 65, on line 3-4 of the Ralston 94 mill site of this survey, bears N. $0^{\circ} 04' 29''$ W., 287.92 ft. dist.</p> <p>Set an iron post 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 92-2-4743 and RAL 93-2-4743.</p> <p style="text-align: center;">Thence S. $0^{\circ} 04' 29''$ E.</p>
42.00	<p>Cor. No. 3, identical with Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 58 and Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 62.</p> <p>To the surface of the $1\frac{1}{2}$ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 92-3-4743.</p> <p style="text-align: center;">Thence S. $0^{\circ} 06' 13''$ E.</p>
82	<p>Center of local drainage, 4 ft. wide, course West.</p>
286.04	<p>Cor. No. 4, identical with Cor. No. 5 of the Ralston 91 mill site of this survey, on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 58.</p> <p style="text-align: center;">Thence S. $89^{\circ} 00'$ E.</p>

FEET	
474.14	<p>Cor. No. 5, identical with Cor. No. 6 of the Ralston 91 mill site of this survey, on line 1-2 Sur. No. 3489 Saddle lode.</p>
	<p>Thence N. 40° 34' 23" E.</p>
178	<p>Center of local drainage, 3 ft. wide, course N. 75° W.</p>
442.76	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 93 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Ralston 93 mill site, identical with Cor. No. 1 of the Ralston 92 mill site of this survey, on line 1-2 Sur. No. 3489 Saddle lode.</p>	
<p>Thence WEST</p>	
325	<p>Center of local drainage, 3 ft. wide, course S. 80° W.</p>
762.62	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 92 mill site of this survey, on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 62.</p>
	<p>Thence N. 0° 04' 29" W.</p>
222.00	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 94 mill site of this survey, established on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 62 at a point from which Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 62, identical with Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 65, on line 3-4 of the Ralston 94 mill site of this survey, bears N. 0° 04' 29" W., 65.92 ft. dist.</p>
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. RAL 93-3-4743 and RAL 94-3-4743.</p>
<p>Thence EAST</p>	
603	<p>Center of local drainage 4 ft. wide, course S. 20° W.</p>
953.00	<p>Cor. No. 4, identical with Cor. No. 2 of the Ralston 94 mill site of this survey, established on line 1-2 Sur. No. 3489 Saddle lode at a point from which Cor. No. 1, identical with Cor. No. 2 Sur. No. 3489 Great Western No. 3 lode, on line 3-4 Sur. No. 3489 Mocking Bird lode, bears N. 40° 34' 23" E., 639.38 ft. dist.</p>

FEET	
292.27	<p>Set a brass tablet, 2 ins. diam., with 2½ ins. stem, cemented into ledge rock with top surface mkd. RAL 93-4-4743 and RAL 94-2-4743.</p> <p>Thence S. 40° 34' 23" W.</p> <p>Cor. No. 1, and place of beginning.</p>
92.30	<p style="text-align: center;">Ralston 94 Mill Site</p> <p>At Cor. No. 1 of the Ralston 94 mill site, identical with Cor. No. 3 Sur. No. 3489 Mocking Bird lode, on line 1-2 Sur. No. 3489 Saddle lode.</p> <p>Set a 2 ins. diam. brass disc with 2½ ins. corrugated stem into the top of the solidly set 4 ins. x 4 ins. wooden post found marking Cor. No. 3, using the exact center of the post as the corner-point. I mark the disc: RAL 94-1-4743 and MB-3-3489; from which</p> <p>The ¼ sec. cor. on the west line of sec. 18 bears N. 85° 24' 04" E., 7705.47 ft. dist., previously described.</p> <p>Cor. No. 1 Sur. No. 3489 Saddle lode, identical with Cor. No. 2 Sur. No. 3489 Great Western No. 3 lode, on line 3-4 Sur. No. 3489 Mocking Bird lode, bears N. 40° 34' 23" E., 547.08 ft. dist.</p> <p>Thence S. 40° 34' 23" W.</p> <p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 93 mill site of this survey, on line 1-2 Sur. No. 3489 Saddle lode.</p> <p>Thence WEST</p>
350	<p>Center of local drainage, 4 ft. wide, course S. 20° W.</p>
953.00	<p>Cor. No. 3, identical with Cor. No. 3 of the Ralston 93 mill site of this survey, on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 62.</p> <p>Thence N. 0° 04' 29" W.</p>
65.92	<p>Intersect Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 62, identical with Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 65.</p>
190.00	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 95 mill site of this survey, established on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 65.</p>

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 94-4-4743 and RAL 95-4-4743; from which</p> <p>Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 65, identical with Cor. No. 3 of the Ralston 95 mill site of this survey, bears N. 0° 04' 29" W., 205.79 ft. dist.</p> <p>Thence EAST</p>
670	<p>Center of local drainage, 3 ft. wide, course S. 20° W.</p>
744.41	<p>Cor. No. 5, identical with Cor. No. 5 of the Ralston 95 mill site of this survey, established on line 2-3 Sur. No. 3489 Mocking Bird lode at a point from which Cor. No. 2 bears N. 65° 58' 01" W., 1195.85 ft. dist.</p> <p>Set a brass tablet, 2 ins. diam., with 2½ ins. stem, cemented into ledge rock, with top surface mkd. RAL 94-5-4743 and RAL 95-5-4743.</p> <p>Thence S. 65° 58' 01" E.</p>
294.39	<p>Cor. No. 1, and place of beginning.</p>
<p>Ralston 95 Mill Site</p>	
	<p>At Cor. No. 1 of the Ralston 95 mill site, identical with Cors. Nos. 1 of the Ralston 96 and Ralston 97 mill site of this survey, and Cor. No. 2 Sur. No. 3489 Mocking Bird lode.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, in the exact position in which I found the below-surface remnants of the rotted post which marked Cor. No. 2 Sur. No. 3489 Mocking Bird lode, and marked the brass cap: RAL 95-1-4743, RAL 96-1-4743, RAL 97-1-4743, and MB-2-3489; from which</p> <p>The ¼ sec. cor. on the west line of sec. 18 bears N. 89° 55' 51" E., 9041.72 ft. dist, previously described.</p> <p>Thence S. 24° 02' W.</p>
38	<p>Center of local drainage, 3 ft. wide, course S. 40° E.</p>
304.38	<p>Cor. No. 2, identical with Cor. No. 2 of the Ralston 96 mill site of this survey, established on line 2-3 Sur. No. 4606 Inspiration Mill Site No. 65 at a point from which Cor. No. 2, identical with Cor. No. 5 of the Ralston 98 mill site, on line 2-3 of the Ralston 96 mill site of this survey, bears N. 89° 36' 18" W., 188.44 ft. dist.</p>

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. RAL 95-2-4743 and RAL 96-2-4743.</p> <p>Thence S. 89° 36' 18" E.</p>
143	Center of local drainage, 5 ft. wide, course S. 25° E.
471.48	<p>Cor. No. 3, identical with Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 65.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 95-3-4743.</p> <p>Thence S. 0° 04' 29" E.</p>
205.79	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 94 mill site of this survey, on line 3-4 Sur. No. 4606 Inspiration Mill Site No. 65.</p> <p>Thence EAST</p>
670	Center of local drainage, 3 ft. wide, course S. 20° E.
744.41	<p>Cor. No. 5, identical with Cor. No. 5 of the Ralston 94 mill site of this survey, on line 2-3 Sur. No. 3489 Mocking Bird lode.</p> <p>Thence N. 65° 58' 01" W.</p>
44	Center of local drainage, 3 ft. wide, course S. 30° W.
400	Crest of sharp ridge, bears N. and S.
1,195.85	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Ralston 96 Mill Site</p> <p>Beginning at Cor. No. 1 of the Ralston 96 mill site, identical with Cors. Nos. 1 of the Ralston 95 and Ralston 97 mill sites of this survey, and Cor. No. 2 Sur. No. 3489 Mocking Bird lode.</p> <p>Thence S. 24° 02' W.</p>
38	Center of local drainage, 3 ft. wide, course S. 40° E.
304.38	Cor. No. 2, identical with Cor. No. 2 of the Ralston 95 mill site of this survey, on line 2-3 Sur. No. 4606 Inspiration Mill Site No. 65.

FEET	
	Thence N. 89° 36' 18" W.
188.44	Intersect Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 65 and Cor. No. 5 of the Ralston 98 mill site of this survey, hereinafter described.
522.39	Cor. No. 3, identical with Cor. No. 4 of the Ralston 98 mill site of this survey. Set a brass tablet, 2 ins. diam., with stem 2½ ins. long, cemented into ledge rock, with top surface mkd. RAL 96-3-4743, and RAL 98-4-4743.
	Thence NORTH
389.82	Cor. No. 4, identical with Cor. No. 4 of the Ralston 97 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., with brass cap mkd. RAL 96-4-4743 and RAL 97-4-4743.
	Thence S. 79° 52' 27" E.
495	Center of local drainage, 3 ft. wide, course S. 30° E.
656.57	Cor. No. 1, and place of beginning.
	Ralston 97 Mill Site
	Beginning at Cor. No. 1 of the Ralston 97 mill site, identical with Cors. Nos. 1 of the Ralston 95 and Ralston 96 mill site of this survey, and Cor. No. 2 Sur. No. 3489 Mocking Bird lode.
	Thence N. 40° 35' 37" E.
467.00	Cor. No. 2, established on line 1-2 Sur. No. 3489 Mocking Bird lode at a point from which Cor. No. 1, on line 2-3 Sur. No. 3489 Whatcome lode, bears N. 40° 35' 37" E., 133.55 ft. dist. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. RAL 97-2-4743.
	Thence S. 83° 26' 43" W.
956.46	Cor. No. 3.

FEET	
	<p>Set a brass tablet, 2 ins. diam., with stem 2½ ins. long, cemented into ledge rock, with top surface mkd. RAL 97-3-4743.</p> <p>Thence SOUTH</p>
130.00	<p>Cor. No. 4, identical with Cor. No. 4 of the Ralston 96 mill site of this survey.</p> <p>Thence S. 79° 52' 27" E.</p>
495	<p>Center of local drainage, 3 ft. wide, course S. 30° E.</p>
656.57	<p>Cor. No. 1, and place of beginning.</p>
	<p>Ralston 98 Mill Site</p>
	<p>At Cor. No. 1 of the Ralston 98 mill site, identical with Cor. No. 1 Sur. No. 4606 Inspiration Mill Site No. 65, Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 62, and Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 61.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 98-1-4743; from which</p> <p>The ¼ sec. cor. on the west line of sec. 18 bears N. 86° 13' 31" E., 9373.71 ft. dist., previously described.</p> <p>Thence N. 89° 21' 56" W.</p>
656.46	<p>Cor. No. 2, identical with Cors. Nos. 2 Sur. No. 4606 Inspiration Mill Sites Nos. 61 and 60, and Cor. No. 4 Sur. No. 4606 Inspiration Mill Site No. 64.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 98-2-4743.</p> <p>Thence N. 0° 03' 50" E.</p>
330.76	<p>Cor. No. 3, identical with Cor. No. 3 Sur. No. 4606 Inspiration Mill Site No. 64.</p> <p>To the surface of the 1½ ins. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following: RAL 98-3-4743.</p> <p>Thence S. 88° 53' 42" E.</p>

F E E T

321.43

Cor. No. 4, identical with Cor. No. 3 of the Ralston 96 mill site of this survey.

Thence S. 89° 36' 18" E.

333.95

Cor. No. 5, identical with Cor. No. 2 Sur. No. 4606 Inspiration Mill Site No. 65, on line 2-3 of the Ralston 96 mill site of this survey.

To the surface of the 1½ in. diam. copper-coated steel monument described in the official record of Sur. No. 4606, I add the following:
RAL 98-5-4743.

Thence S. 0° 07' 43" E.

329.53

Cor. No. 1, and place of beginning.

AREAS

Acres

Total area, Ralston 1 mill site	2.889
Total area, Ralston 2 mill site	2.702
Total area, Ralston 3 mill site	4.590
Total area, Ralston 4 mill site	4.754
Total area, Ralston 5 mill site	4.110
Total area, Ralston 6 mill site	1.493
Total area, Ralston 7 mill site	4.344
Total area, Ralston 8 mill site	4.871
Total area, Ralston 9 mill site	4.751
Total area, Ralston 10 mill site	4.910
Total area, Ralston 11 mill site	4.931
Area in conflict with--	
Mespah Fraction lode, uns.	1.778
Total area, Ralston 12 mill site	4.682
Area in conflict with--	
Mespah lode, uns.	1.699
Mespah Fraction lode, uns.	4.673
Mespah Fraction lode, uns., exclusive of its conflict with--	
(1) Mespah lode, uns.	2.974
Total area, Ralston 13 mill site	4.732
Area in conflict with--	
Mespah lode, uns.	4.732
Mespah Fraction lode, uns.	1.860
Mespah Fraction lode, uns., exclusive of its conflict with--	
(1) Mespah lode, uns.	0.000
Total area, Ralston 14 mill site	4.776
Area in conflict with--	
Mespah lode, uns.	4.774
Goldfield lode, uns.	0.002
Total area, Ralston 15 mill site	4.131
Total area, Ralston 16 mill site	4.917
Total area, Ralston 17 mill site	4.889
Total area, Ralston 18 mill site	4.881
Total area, Ralston 19 mill site	4.797
Total area, Ralston 20 mill site	4.917
Total area, Ralston 21 mill site	4.903
Area in conflict with--	
Mespah Fraction lode, uns.	0.853
Total area, Ralston 22 mill site	4.924

FEET		
	Area in conflict with--	
	Mespah lode, uns.	0.007
	Rawhide lode, uns.	0.050
	Mespah Fraction lode, uns.	4.924
	Mespah Fraction lode, uns., exclusive of its conflict with:	
	(1) Mespah lode, uns.	4.917
	(2) Rawhide lode, uns.	4.874
	(3) Mespah and Rawhide lode, uns.	4.867
	Total area, Ralston 23 mill site	4.849
	Area in conflict with--	
	Mespah lode, uns.	3.337
	Goldfield lode, uns.	0.028
	Rawhide lode, uns.	0.172
	Mespah Fraction lode, uns.	2.488
	Mespah Fraction lode, uns., exclusive of its conflict with	
	(1) Mespah lode, uns.	1.479
	(2) Rawhide lode, uns.	2.316
	(3) Mespah and Rawhide lodes, uns.	1.307
	Total area, Ralston 24 mill site	4.532
	Area in conflict with--	
	Mespah lode, uns.	2.336
	Goldfield lode, uns.	2.120
	Rawhide lode, uns.	0.013
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	0.000
	Total area, Ralston 25 mill site	2.885
	Area in conflict with--	
	Sur. No. 3489 Oriole lode	0.011
	Total area, Ralston 26 mill site	4.909
	Total area, Ralston 27 mill site	4.905
	Total area, Ralston 28 mill site	4.952
	Total area, Ralston 29 mill site	4.949
	Total area, Ralston 30 mill site	4.935
	Total area, Ralston 31 mill site	4.935
	Total area, Ralston 32 mill site	4.954
	Total area, Ralston 33 mill site	4.926
	Area in conflict with--	
	Rawhide lode, uns.	0.050
	Mespah Fraction lode, uns.	0.047
	Total area, Ralston 34 mill site	4.947
	Area in conflict with--	
	Rawhide lode, uns.	3.081
	Mespah Fraction lode, uns.	0.927
	Mespah Fraction lode, uns., exclusive of its conflict with	
	(1) Rawhide lode, uns.	0.499
	Total area, Ralston 35 mill site	4.957
	Area in conflict with--	
	Goldfield lode, uns.	0.942
	Rawhide lode, uns.	4.423

FEET		
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	3.898
	Mespah Fraction lode, uns.	0.604
	Mespah Fraction lode, uns., exclusive of its conflict with	
	(1) Rawhide lode, uns.	0.084
	Total area, Ralston 36 mill site	4.740
	Area in conflict with--	
	Goldfield lode, uns.	4.740
	Rawhide lode, uns.	1.773
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	0.000
	Total area, Ralston 37 mill site	4.200
	Area in conflict with--	
	Sur. No. 3489 Oriole lode	0.335
	Total area, Ralston 38 mill site	4.417
	Total area, Ralston 39 mill site	4.960
	Total Area, Ralston 40 mill site	4.955
	Total area, Ralston 41 mill site	4.952
	Total area, Ralston 42 mill site	4.969
	Total area, Ralston 43 mill site	4.953
	Total area, Ralston 44 mill site	4.945
	Total area, Ralston 45 mill site	4.943
	Total area, Ralston 46 mill site	4.941
	Area in conflict with--	
	Rawhide lode, uns.	0.005
	Total area, Ralston 47 mill site	4.956
	Area in conflict with--	
	Goldfield lode, uns.	0.006
	Rawhide lode, uns.	1.651
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	1.645
	Total area, Ralston 48 mill site	4.959
	Area in conflict with--	
	Goldfield lode, uns.	4.355
	Rawhide lode, uns.	4.253
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	0.260
	Total area, Ralston 49 mill site	4.686
	Area in conflict with--	
	Goldfield lode, uns.	4.303
	Rawhide lode, uns.	1.992
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	0.024
	Total area, Ralston 50 mill site	4.253
	Area in conflict with--	
	Sur. No. 3489 Oriole lode	0.215
	Total area, Ralston 51 mill site	4.961
	Total area, Ralston 52 mill site	4.980
	Total area, Ralston 53 mill site	4.966
	Total area, Ralston 54 mill site	4.951
	Total area, Ralston 55 mill site	4.887
	Total area, Ralston 56 mill site	4.966
	Total area, Ralston 57 mill site	4.961
	Total area, Ralston 58 mill site	4.945

FEET		
	Total area, Ralston 59 mill site	4.919
	Area in conflict with--	
	Goldfield lode, uns.	0.750
	Rawhide lode, uns.	0.000
	Rawhide lode, uns., exclusive of its conflict with	
	(1) Goldfield lode, uns.	0.000
	Total area, Ralston 60 mill site	4.864
	Area in conflict with--	
	Goldfield lode, uns.	0.714
	Total area, Ralston 61 mill site	3.684
	Area in conflict with--	
	Goldfield lode, uns.	0.023
	Total area, Ralston 62 mill site	4.573
	Total area, Ralston 63 mill site	4.491
	Total area, Ralston 64 mill site	4.327
	Total area, Ralston 65 mill site	4.937
	Total area, Ralston 66 mill site	4.982
	Total area, Ralston 67 mill site	4.969
	Total area, Ralston 68 mill site	4.908
	Total area, Ralston 69 mill site	4.971
	Total area, Ralston 70 mill site	4.965
	Total area, Ralston 71 mill site	4.960
	Total area, Ralston 72 mill site	2.669
	Total area, Ralston 73 mill site	4.258
	Total area, Ralston 74 mill site	4.713
	Area in conflict with--	
	Sur. No. 3489 Little Fannie	4.713
	Total area, Ralston 75 mill site	4.605
	Area in conflict with--	
	Sur. No. 3489 Little Fannie lode	3.168
	Sur. No. 3489 Two Million lode	1.498
	Sur. No. 3489 Two Million lode, exclusive of its conflict with	
	(1) Sur. No. 3489 Little Fannie lode	1.437
	Total area, Ralston 76 lode	4.531
	Area in conflict with--	
	Sur. No. 3489 Little Fannie lode	1.008
	Total area, Ralston 77 mill site	4.928
	Total area, Ralston 78 mill site	4.995
	Total area, Ralston 79 mill site	4.970
	Total area, Ralston 80 mill site	4.990
	Total area, Ralston 81 mill site	2.599
	Total area, Ralston 82 mill site	4.983
	Total area, Ralston 83 mill site	4.990
	Total area, Ralston 84 mill site	4.974
	Total area, Ralston 85 mill site	4.988
	Total area, Ralston 86 mill site	4.535
	Total area, Ralston 87 mill site	4.999
	Area in conflict with--	
	Sur. No. 3489 Saddle lode	0.260
	Total area, Ralston 88 mill site	5.000
	Total area, Ralston 89 mill site	5.000
	Total area, Ralston 90 mill site	4.995
	Total area, Ralston 91 mill site	4.478
	Total area, Ralston 92 mill site	4.729

FEET

Total area, Ralston 93 mill site	4.372
Total area, Ralston 94 mill site	4.001
Total area, Ralston 95 mill site	4.850
Total area, Ralston 96 mill site	4.564
Total area, Ralston 97 mill site	4.451
Total area, Ralston 98 mill site	4.956

LOCATION

This survey is located in Uns. secs. 13, 14, 23, and 24, T. 1 N., R. 14 E., of the Gila and Salt River Meridian, Gila County, Arizona.

The survey of the ninety-eight (98) mill site claims embraced in this order for mineral survey and described herein is identical with the respective locations as marked on the ground.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 2497 Lion lode: Cor. No. 3 is a 4 ins. x 4 ins. wooden post, firmly set, markings illegible; no other corners could be found. The bearing of line 2-3 is shown to be the same as the bearing of line 2-3 Sur. No. 3205 June lode since the latter line was apparently an extension of the former; the length of line 2-3 is shown as approved. The bearing of line 3-4 is shown as approved on the plat of Sur. No. 3205 June lode.

Sur. No. 2725 Tiger Mine lode; Cor. No. 3 is a 3 ins. diam. steel-capped pipe post in a pyramidal concrete foundation with cap mkd. TM-3-2725; the original 4 ins. x 4 ins. wooden post monument and the cedar bearing tree mentioned in the official record could not be found. The point of intersection of line 2-3 with line 2-3 Sur. No. 2497 Lion lode has been similarly perpetuated with a steel-capped pipe post in a pyramidal concrete foundation with cap mkd. with a "+" and the names of the lodes stamped thereon: LION and TIGER MINE. No other corners could be found. Since no superior evidence could be found pertaining to the proper placement of either Cor. No. 3 or the above-described point of intersection, both monuments found were accepted as correct. The line connecting these monuments, being a portion of line 2-3, was found to be N. 70° 15' 26" W., 824.34 ft., instead of N. 70° 14' W., 823 ft., as approved. The length of the remainder of line 2-3 is shown to be 673.6 ft., as approved. The bearing of line 3-4 was determined during the execution of Sur. No. 4711 by this Mineral Surveyor in

FEET

1972; therefore it is shown to be S. 22° 12' 26" W. as approved for Sur. No. 4711, instead of S. 22° 10' W. as approved for Sur. No. 2725.

Sur. No. 2906 Prospect lode: Cor. No. 3 is a steel-capped pipe post, 4 ins. diam., firmly set in a pyramidal concrete foundation, with top surface of cap mkd. PROS-3-2906. There being no witness markers or other evidence of position which was superior to this monument found, I accept it as correct. No other corner monuments could be found, Cors. Nos. 2 and 4 falling in Webster Lake. However, two intersection points were found, described as follows: (1) At a point which I presume to be the intersection of line 2-3 with line 3-4 Sur. No. 3205 Shorty lode, a monument similar to the one described above was found, mkd. "+" and containing the names PROSPECT and SHORTY; presuming this point to be the intersection indicated, that portion of line 2-3 situated northerly of the intersection was found to be N. 18° 10' W., 106.66 ft., instead of N. 18° 07' W., 106.8 ft., as shown on the approved plat of Sur. No. 3205 Shorty lode, but the bearing N. 18° 10' W. agrees with the bearing shown on the approved plat of Sur. No. 2906 Prospect lode. As discussed previously, this monument also serves as Cor. No. 3 of the Ralston 5 mill site of this survey. (2) In like manner, at a point which I presume to be the intersection of line 3-4 with line 2-3 Sur. No. 3015 Old Ironsides lode, another monument similar to those most recently discussed was found, mkd. ">" and containing the names PROSPECT and OLD IRON; presuming this point to be the intersection indicated, the bearing of that portion of line 3-4 situated southwesterly of the intersection was found to be N. 73° 47' 42" E., instead of N. 73° 45' E. as shown on the approved plat of Sur. No. 2906 Prospect lode, or N. 73° 51' E. as shown on the approved plat of Sur. No. 3015 Old Ironsides lode; there is no direct basis for comparison of distances, but by calculation, using the differences in the distances given on the two aforementioned approved plats, the length in question becomes 457.96 ft., whereas the true length was found to be 461.20 ft. As discussed previously, this monument also serves as Cor. No. 3 of the Ralston 1 mill site of this survey. The bearings of the remaining portions of lines 2-3 and 3-4 are shown as derived through the procedures given above.

FEET

Sur. No. 3015 Old Ironsides lode: Cors. Nos. 3 and 4 are steel-capped pipe posts, 4 ins. diam., firmly set in pyramidal concrete foundations, with caps mkd. O I - 3 - 3015 and O I - 4 - 3015; Cor. No. 2 has been covered by waters of Webster Lake. The intersection point of line 2-3 with line 3-4 Sur. No. 2906 Prospect lode is monumented similarly, as described above. That portion of line 2-3 situated westerly of this intersection point was found to be N. 83° 36' 45" W., 90.70 feet, instead of N. 83° 33' W., 90.67 ft., as approved. Line 3-4 was found to be N. 6° 32' 10" E., 600.62 ft., instead of N. 6° 35' E., 600 ft., as approved.

Sur. No. 3205 June lode: Cor. No. 2 is identical with Cor. No. 3 Sur. No. 2497 Lion lode described above. Cors. Nos. 3 and 4 are steel-capped pipe post, 4 ins. diam., firmly set in pyramidal concrete foundations and properly marked. Cor. No. 1 has been destroyed. Line 2-3 was found to be N. 10° 47' 25" W., 464.11 ft., instead of N. 10° 45' W., 463.8 ft., as approved; line 3-4 was found to be N. 76° 18' 50" E., 1499.75 ft., instead of N. 76° 23' E., 1498.7 ft., as approved; the bearings of lines 1-2 and 4-1 are shown as approved.

Sur. No. 3205 May lode: Cors. Nos. 3 and 4 are steel-capped pipe posts, 4 ins. diam., firmly set in pyramidal concrete foundations and properly marked. Cors. Nos. 1 and 2 have been destroyed. Line 3-4 was found to be N. 75° 55' 37" E., 1502.61 ft., instead of N. 75° 57' E., 1501 ft., as approved; the bearings of lines 2-3 and 4-1 are shown as approved.

Sur. No. 3205 Red Raven lode: Cor. No. 3 is a 4 ins. x 4 ins. redwood post, very loosely set, but with legible markings; this monument was substantially restored to line between Cor. No. 4 Sur. No. 3205 May lode and Cor. No. 3 Sur. No. 3205 Shorty lode, at approved record distance 22.10 ft. from Cor. No. 4 Sur. No. 3205 May lode. Cors. Nos. 2 and 4 fall in Webster Lake and have been destroyed. The bearing of that portion of line 2-3 situated southerly of Cor. No. 4 Sur. No. 3205 May lode is shown as approved; the remainder of line 2-3 was established at N. 10° 49' 54" E., 22.10 ft. from Cor. No. 4 Sur. No. 3205 May lode as mentioned above; the bearing of line 3-4 is shown as approved.

FEET

Sur. No. 3205 Shorty lode: Cor. No. 2 is identical with Cor. No. 3 Sur. No. 3205 Red Raven lode described above. Cor. No. 3 is a steel-capped pipe post, 4 ins. diam., firmly set in a pyramidal concrete foundation and properly marked. Cors. Nos. 1 and 4 have been covered by the waters of Webster Lake. The intersection point of line 3-4 with line 2-3 Sur. No. 2906 Prospect lode is monumented as described previously. Line 2-3 was found to be N. 10° 49' 54" W., 599.96 ft., instead of N. 10° 45' W., 598.5 ft., as approved; that portion of line 3-4 situated west of its intersection with line 2-3 Sur. No. 2906 Prospect lode was found to be N. 74° 07' 14" E., 530.89 ft., instead of N. 74° 10' E., 530.5 ft., as approved.

Sur. No. 3489 Oriole lode: All corners have been destroyed. After completion of the calculation of a boundary restoration traverse, as described hereinafter under the heading Boundary Restoration Traverse 'A', it became possible to calculate the position of Cor. No. 1 as follows: the length of line 3-4 Sur. No. 3489 Little Fannie lode was found to be 1444.62 ft. instead of 1441.5 ft., as approved. On the approved plat of Sur. No. 3489 the intersection of line 3-4 Sur. No. 3489 Little Fannie lode with line 1-2 Sur. No. 3489 Oriole lode occurs at 908.74 ft. along said line 3-4; single proportional distance along line 3-4 places this intersection at 910.71 ft. The position of Cor. No. 1 Sur. No. 3489 Oriole lode was then calculated to be on the approved course N. 49° 19' W., 24.96 ft., from said intersection, as shown on approved plat. With the position of Cor. No. 1 thus fixed, line 1-2 was established at record bearing and distance and is shown as approved, i.e., S. 49° 19' E., 535.8 ft. The positions of Cors. Nos. 3 and 4 were calculated by a method explained in great detail in this Mineral Surveyor's Field Notes for Sur. No. 4730 WEBSTER GROUP of mill sites, to which reference is hereby made. Subsequently, line 2-3 was found to be N. 41° 17' 01" E., 1499.12 ft., instead of N. 41° 22' E., 1500 ft., as approved; line 3-4 is shown as approved; and line 4-1 was found to be S. 41° 23' 55" W., 1499.16 ft., instead of S. 41° 29' W., 1500 ft., as approved.

FEET

Sur. No. 3489 Little Fannie lode: Cor. No. 4 is a 4 ins. x 4 ins. pine post, firmly set and properly marked; Cors. Nos. 2 and 3 have been destroyed leaving no traces of pine posts or witness trees; Cor. No. 1 likewise has been destroyed, although a rock monument was found at the proper site for Cor. No. 1. Consequently, it was necessary to resort to the aforementioned Sec. 380 of the Manual and to calculate a Boundary Restoration Traverse 'A', hereinafter described, utilizing Cor. No. 4 as the northeasterly end of said traverse and Cor. No. 2 Sur. No. 3489 Two Million lode as the southwesterly end, whence line 3-4 was found to be N. 41° 06' 30" E., 1444.62 ft., instead of N. 41° 13' E., 1441.5 ft., as approved, and line 2-3 was found to be S. 49° 26' 30" E., 598.88 ft., instead of S. 49° 19' E., 600 ft., as approved; lines 1-2 and 4-1 were made respectively parallel to lines 3-4 and 2-3, as shown on the approved plat of Sur. No. 3489; therefore line 1-2 was found to be S. 41° 06' 30" W., 1444.62 ft., instead of S. 41° 13' W., 1441.5 ft., as approved; and line 4-1 was found to be N. 49° 26' 30" W., 598.88 ft., instead of N. 49° 19' W., 600 ft., as approved.

Sur. No. 3489 Two Million lode: Cor. No. 2 was found to be a 4 ins. x 4 ins. pine post, firmly set and properly marked, but in a very poor condition due to aging; this monument was subsequently replaced with a brass cap monument as previously described under Ralston 86 mill site. Cors. Nos. 1, 3, and 4 have been destroyed. The position of Cor. No. 3 was determined by the aforementioned Boundary Restoration Traverse 'A', hereinafter described. The position of Cor. No. 4 was determined by an inverse ratio along the length of line 3-4, whose bearing was derived from Traverse 'A'. Cor. No. 1 has been destroyed. Line 2-3 was found to be S. 50° 03' 33" E., 567.95 ft., instead of S. 49° 56' E., 569 ft., as approved. That portion of line 3-4 situated southwesterly of Cor. No. 2 Sur. No. 3489 Little Fannie lode, which falls on this line, was found to be N. 41° 48' 25" E., 592.57 ft., instead of N. 41° 55' E., 591.3 ft., as approved; the remainder of line 3-4, situated northeasterly of Cor. No. 2 Sur. No. 3489 Little Fannie lode, was found to be N. 41° 48' 25" E., 707.21 ft., instead of N. 41° 55' E., 705.7 ft. as approved, the inverse ratio being applied to determine the entire length of line 3-4: 592.57: 591.3 (approved dist.) :: x : 1297 (approved whole dist.), wherein the value x becomes 1299.78 ft. instead of 1297 ft., as approved. The bearings of lines 1-2 and 4-1 are shown as approved.

FEET

Sur. No. 3489 Great Western No. 4 lode: Cor. No. 3 is identical with Cor. No. 4 Sur. No. 3489 Two Million lode, described above. Cors. Nos. 2 and 4 have been destroyed. The bearing of line 2-3 is shown as approved; the position of line 3-4 situated southwesterly of Cor. No. 1 Sur. No. 3489 Little Fannie lode was calculated and found to be N. $40^{\circ} 26' 18''$ E., 737.51 ft., instead of N. $40^{\circ} 33' E.$, 735.9 ft., as approved.

Sur. No. 3489 Saddle lode: Cors. Nos. 2 and 3 are 4 ins. x 4 ins. pine posts, firmly set and properly marked, although Cor. No. 2, being identical with Cor. No. 7 of the Ralston 91 mill site of this survey, was replaced with a brass cap monument, previously described, because of the very poor condition of the 4x4 post. Cor. No. 1 could not be found; Cor. No. 4 was found overturned, whereupon I restored the 4 ins. x 4 ins. post to its rock mound but did not attempt to utilize it in the determination of the length or direction of line 3-4. That portion of line 1-2 situated southwesterly of Cor. No. 3 Sur. No. 3489 Mocking Bird lode, which falls on line 1-2, was found to be S. $40^{\circ} 34' 23'' W.$, 952.92 ft., instead of S. $40^{\circ} 33' W.$, 943.22 ft., as approved; the remainder of line 1-2 situated northeasterly of Cor. No. 3 Sur. No. 3489 Mocking Bird lode is shown as a prolongation of the southwesterly part of line 1-2, thus having the same bearing. Line 2-3 was found to be S. $50^{\circ} 08' 12'' E.$, 600.31 ft., instead of S. $49^{\circ} 58' E.$, 600 ft., as approved. That portion of line 3-4 situated southwesterly of Cor. No. 2 Sur. No. 3489 Two Million lode, which falls on line 3-4, was found to be N. $40^{\circ} 26' 45'' E.$, 695.88 ft., instead of N. $40^{\circ} 33' E.$, 699.3 ft., as approved; the remainder of line 3-4 situated northeasterly of Cor. No. 2 Sur. No. 3489 Two Million lode is shown as a prolongation of the southwesterly part of line 3-4, thus having the same bearing.

Sur. No. 3489 Mocking Bird lode: Cors. Nos. 1 and 3 are 4 ins. x 4 ins. pine posts, firmly set and properly marked, both being in good condition. Cor. No. 2 was found broken off at ground level, the remnant of the 4 ins. x 4 ins. post, still bearing the markings, lying nearby; the center of the portion of the rotted post found below ground was used as Cor. No. 2 and was re-monumented with a brass cap as described at Cor. No. 1 of the Ralston 95 mill site of this survey, with which it is identical. Line 1-2 was found to be S. $40^{\circ} 35' 37'' W.$, 600.55 ft., instead of S. $40^{\circ} 33' W.$, 600 ft., as approved. Line 2-3 was found to be S. $65^{\circ} 58' 01'' E.$, 1490.24 ft., instead of S. $65^{\circ} 48' E.$, 1473.2 ft. as approved. The bearing of

FEET

line 3-4 is shown to be N. 40° 34' 23" E., instead of N. 40° 33' E., as approved; this is because line 3-4 coincides in part with line 1-2 Sur. No. 3489 Saddle lode and has been varied from the approved bearing for reasons previously given for said line 1-2.

Note concerning all monuments found of the Sur. No. 4606 Inspiration Mill Site Group: All corners found were copper-coated steel pins of the type commonly known as "Copper-Weld", having a flared top surface or disc 1½ ins. diam., set flush with the ground. Since accessory rock mounds were missing in almost all cases, I caused to have erected rock mounds of sufficient size to aid in recovering these monuments in the future, especially so where said monuments were also used as corner markers for mill sites of subject survey.

Sur. No. 4606 Inspiration Mill Site No. 37: Cors. Nos. 2 and 3 were found to be monuments of the type discussed above, firmly set and properly marked. Line 2-3 was found to be S. 0° 03' 44" E., 660.01 ft., instead of SOUTH, 660 ft., as approved. The bearing of line 1-2 is shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 42: Cors. Nos. 3 and 4 were found firmly set and properly marked. Line 3-4 was found to be S. 0° 04' 48" E., 329.94 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 2-3 and 4-1 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 47: Cors. Nos. 2 and 3 were found firmly set and properly marked. Line 2-3 was found to be S. 0° 03' 51" E., 330.03 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 1-2 and 3-4 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 50: Cor. No. 3 was found firmly set and properly marked. The bearings of lines 2-3 and 3-4 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 51: Cors. Nos. 2, 3, and 4 were found firmly set and properly marked. Line 2-3 was found to be S. 89° 32' 17" E., 662.09 ft., instead of S. 89° 28' E., 660 ft., as approved; line 3-4 was found to be S. 0° 04' 04" E., 329.80 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 1-2 and 4-1 are shown as approved.

FEET

Sur. No. 4606 Inspiration Mill Site No. 54:
Cors. Nos. 3 and 4 were found firmly set and properly marked. Line 3-4 was found to be S. $0^{\circ} 04' 20''$ E., 329.92 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 2-3 and 4-1 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 58: Cors. Nos. 3 and 4 were found firmly set and properly marked. Line 3-4 was found to be S. $0^{\circ} 06' 13''$ E., 330.04 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 2-3 and 4-1 are shown as approved.

Sur. No. 4606 Inspiration Mill site No. 60: Cor. No. 2 was found firmly set and properly marked. The bearings of lines 1-2 and 2-3 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 61: Cors. Nos. 2 and 3 were found firmly set and properly marked. Line 2-3 was found to be S. $89^{\circ} 21' 56''$ E., 656.46 ft., instead of S. $89^{\circ} 28'$ E., 660 ft., as approved. The bearings of lines 1-2 and 3-4 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 62: Cors. Nos. 2, 3, and 4 were found firmly set and properly marked. Line 2-3 was found to be S. $89^{\circ} 34' 30''$ E., 659.62 ft., instead of S. $89^{\circ} 28'$ E., 660 ft., as approved. Line 3-4 was found to be S. $0^{\circ} 04' 29''$ E., 329.92 ft., instead of SOUTH, 330 ft., as approved. The bearings of lines 1-2 and 4-1 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 64: Cors. Nos. 3 and 4 were found firmly set and properly marked. Line 3-4 was found to be S. $0^{\circ} 03' 50''$ W., 330.76 ft., instead of SOUTH, 330 ft., as approved. Lines 2-3 and 4-1 are shown as approved.

Sur. No. 4606 Inspiration Mill Site No. 65: All four corners were found firmly set and properly marked. Line 1-2 was found to be N. $0^{\circ} 07' 43''$ W., 329.53 ft., instead of NORTH, 330 ft., as approved; line 2-3 was found to be S. $89^{\circ} 36' 18''$ E., 659.92 ft., instead of S. $89^{\circ} 28'$ E., 660 ft., as approved; line 3-4 was found to be S. $0^{\circ} 04' 29''$ E., 329.87 ft., instead of SOUTH, 330 ft., as approved; and line 4-1 was found to be N. $89^{\circ} 34' 30''$ W., 659.62 ft., instead of N. $89^{\circ} 28'$ W., 660 ft., as approved.

FEET

Sur. No. 4711 B.C. No. 2, B.C. No. 5, B.C. No. 9, B.C. No. 14, and B.C. No. 17 through B.C. No. 20 mill sites: All corners pertinent to subject mineral Survey No. 4743 were either found firmly set and properly marked, having been set by this mineral surveyor in 1972, or were buried under waste dumps which are steadily growing larger and covering more area. Since no discrepancies are known to exist between Sur. No. 4711 and subject mineral survey, all lines are correct as approved. Those corner monuments which are known to have been lost, but whose positions were known and thus utilized in the calculation of true points for the various non-monumentable corners of subject survey, are as follows: B.C. No. 2 mill site: Cors. Nos. 3 and 4.
B.C. No. 5 mill site: Cor. No. 3.
B.C. No. 14 mill site: Cor. No. 4.
B.C. No. 17 mill site Cors. Nos. 3 and 4.
B.C. No. 20 mill site: Cors. Nos. 3 and 4.

Sur. No. 4730 WEBSTER 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, and 35 mill sites: All corners were found firmly set and properly marked, having been set by this mineral surveyor in the summer of 1972. Since no discrepancies are known to exist between Sur. No. 4730 and subject mineral survey, all lines are correct as approved.

In addition to the surveyed lodes and mill sites discussed heretofore, there are four (4) unsurveyed lodes which conflict with certain mill sites of this survey. All four of these locations were surveyed and their corners monumented with 4 ins. x 4 ins. pine posts in May, 1969, by Lionel G. Blair, Registered Civil Engineer, State of Arizona Reg. No. 2193, and each corner was tagged with Mr. Blair's registration number. A copy of the certified plat of Mr. Blair's survey was made available by the claimant and was used to help in identifying corner-posts. The Mespah, Goldfield, and Rawhide lodes were recorded in that order on March 14, 1909; the Mespah Fraction lode was recorded March 31, 1909.

Mespah lode, uns.: The southwesterly end-line bears S. 10° 13' 17" E., 474.88 ft. dist.; The southeasterly side-line bears N. 75° 55' 37" E., 1372.61 ft. dist.; the northeasterly end-line bears N. 10° 49' 54" W., 601.13 ft. dist.; and the northwesterly side-line bears S. 70° 40' 31" W., 1380.49 ft. dist.

FEET

Goldfield lode, uns.: The westerly end-line bears N. $9^{\circ} 43' W.$, 572.83 ft. dist.; the northerly side-line bears N. $80^{\circ} 56' 23'' W.$ 1493.13 ft. dist.; the easterly end-line bears S. $10^{\circ} 13' 17' E.$, 474.88 ft. dist.; and the southerly side-line bears S. $77^{\circ} 11' 32'' W.$, 1499.40 ft. dist.

Rawhide lode, uns.: The southwesterly end-line bears S. $41^{\circ} 15' 43'' E.$, 547.84 ft. dist.; the southeasterly side-line bears N. $49^{\circ} 14' 49'' E.$, 1387.22 ft. dist.; the northeasterly end-line bears N. $38^{\circ} 22' 49'' W.$, 539.17 ft. dist.; and the northwesterly side-line bears S. $49^{\circ} 36' 57'' W.$, 1414.44 ft. dist.

Mespah Fraction lode, uns.: the westerly end-line bears S. $0^{\circ} 35' 43'' W.$, 557.33 ft. dist.; the southeasterly or southerly side-line bears N. $83^{\circ} 42' 13'' E.$, 1494.94 ft. dist.; the northeasterly end-line bears N. $10^{\circ} 49' 54'' W.$, 546.78 ft. dist.; and the northwesterly or northerly side-line bears S. $84^{\circ} 02' 40'' W.$, 1384.85 ft. dist.

Discussion of Boundary Restoration Traverse 'A':

This traverse was needed in order to determine the proper positions for the missing angle-points along the southerly boundary of the lode claim group comprising Sur. No. 3489, specifically, the southwesterly boundaries and parts of the southeasterly boundaries of the Two Million, Little Fannie, and Oriole lodes of this group. Reference is made to Sec. 380 of the 1947 Edition of the Manual of Surveying Instructions, entitled "Angle Points of Non-riparian Meander Lines"; all boundary restoration calculations were made in accordance with these instructions.

Boundary Restoration Traverse 'A' --
Beginning at the 2 ins. diam. brass cap monument now marking (formerly marked by a 4x4 post) Cor. No. 2 Sur. No. 3489 Two Million lode, on line 3-4 Sur. No. 3489 Saddle lode; thence S. $50^{\circ} 03' 33'' E.$, 567.95 ft. to Cor. No. 3; thence N. $41^{\circ} 48' 25'' E.$, along line 3-4, 592.57 ft., to Cor. No. 2 Sur. No. 3489 Little Fannie lode; thence S. $49^{\circ} 26' 30'' E.$, 598.88 ft. to Cor. No. 3 Sur. No. 3489 Little Fannie lode; thence N. $41^{\circ} 06' 30'' E.$, 1444.62 ft. to the 4 ins. x 4 ins. post marking Cor. No. 4 Sur. No. 3489 Little Fannie lode.

F E E T

Two recently set B.L.M. brass-capped iron posts were found during the course of this survey; apparently these are a part of the governmental subdivision of T. 1 N., R. 14 E., G.&S.R.M. Having made ties to five (5) of these monuments, I find the following:
The line between the cor. of secs. 14 and 23 and the $\frac{1}{4}$ sec. cor. of secs. 14 and 23 bears N. $89^{\circ} 58' 54''$ E., 2634.70 ft. dist. The line between the $\frac{1}{4}$ sec. cor. of secs. 14 and 23 and the Cor. of secs. 13, 14, 23, and 24 bears N. $89^{\circ} 58' 11''$ E., 2635.47 ft. dist. The line between the cor. of secs. 13, 14, 23, and 24 and the $\frac{1}{4}$ sec. cor. of secs. 13 and 24 bears S. $89^{\circ} 56' 38''$ E., 2640.39 ft. dist. The line between the cor. of secs. 13, 14, 23, and 24 and the $\frac{1}{4}$ sec. cor. of secs. 13 and 14 bears N. $0^{\circ} 00' 29''$ E., 2641.76 ft. dist.

FIELD ASSISTANTS

<u>Name</u>	<u>Capacity</u>
Loren E. Bunney	Instrumentman
Edward E. Zaragoza	Assistant
Thomas E. Smith	Assistant

FEET

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date September 13, 1973
--	----------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated May 22, 1973, I have carefully executed the survey of the claim of Inspiration Consolidated Copper Company, known as the (lode, placer, or mill site) Ralston 1 through 98 mill sites, situated in Uns. secs. 13, 14, 23, and 24, Township 1 North Range 14 East, Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4743, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Globe, Arizona (Location)	<i>Travis L. Gant</i> (Signature of Mineral Surveyor)
------------------------------	--

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date May 29, 1974

The foregoing field notes of mineral survey number 4743, in Sections 13, 14, 23 & 24 Range 14 E., Gila and Salt River Meridian, in the State of Arizona, executed by Travis L. Gant, Mineral Surveyor, under order dated May 22, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Joe T. Bellini</i> Joe T. Bellini (Authorized Signature)	State Director (Title)
---	---------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

September 13, 1973

Mr. J. W. [Name] [Address] [City, State]

Re: [Subject]

[Text]

[Text]

[Text]

[Text]

Very truly yours,


[Signature]

[Title]

[Text]

[Text]

[Text]



[Text]