

Form 3860-10
(October 1979)
(formerly 3400-11)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4822

State
Arizona

Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

PROAZ Resources Corp.
Box 2025
Wickenburg, AZ 85358

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Nancy Lee	10/1/79	
Theresa Bea	10/1/79	
Box Sliver	2/22/81	2/24/81
Irish Indian	10/1/79	
BOX	1/15/71	4/27/81
BOX FRACTION	1/15/71	4/27/81

Mining district Weaver			County Yavapai ..	
Section 25	Township 10 North	Range 5 West	Meridian Gila & Salt River	Survey under order dated March 31, 1981 amended
Survey commenced April 1, 1981		Survey completed July 8, 1981	Name of Mineral Surveyor Robert E. Adams	July 1, 1981

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
T-500 VOTES

FEET

This survey was made with a Universal Wild T2 Theodolite No. T2-68064, reading by optical micrometer to one second of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

May 2, 1981, at Cor. No. 1 of the Nancy Lee placer, in latitude $34^{\circ}10'29''N.$ and longitude $112^{\circ}43'44''W.$, elevation 3,565 ft. above sea level, and a temperature $80^{\circ}F.$, make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from Cor. No. 4 of the Nancy Lee placer to the sun.

Mean time of observation,
105th meridian standard
time = $9^h52^m06^s$ a.m.

Declination of sun at mean
time of observation = $15^{\circ}29'39''$.

Mean observed vertical
angle of sun's center = $50^{\circ}26'48''$

Mean horizontal angle right
from reference point to
sun's center = $150^{\circ}47'23''$

True bearing to reference
point = $N.42^{\circ}26'20''W.$

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot throughout its length with the 99th, 199th, and 299th foot graduated to tenths and hundredths of a foot and a Cubitape DM-60 No. 008 with direct distance readout. Both tape and Cubitape were compared with a standard tape or baseline at the time of beginning the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ}E.$

Mineral Survey No. 4822

FEET

NANCY LEE PLACER

At Cor. No. 1 of the Nancy Lee placer.

On line 3-4, M.S. No. 4799 RED TWISTER #1 placer.

Set an aluminum rod, 3/4 in. diam., 30 ins. long, 25 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. NL-1, Mineral Survey 4822; from which

The 1/4 cor. of secs. 25 and 36, T.10 N., R.5 W., Gila and Salt River Mer. bears S.32°06'48"E., 816.42 ft. dist.; monumented with an iron post, 3/4 in. diam., 12 ins. above ground, firmly set, with a brass cap properly mkd.

Cor. No. 4, M.S. No. 1277 Lucky Johnnie lode, bears S.61°18'15"E., 655.36 ft. dist.

Cor. No. 4, M.S. No. 4799 RED TWISTER #1 placer, bears S.42°26'20"E., 350.00 ft. dist.

Power pole, 12 ins. diam., bears S.32°E., 6.6 ft. dist.

Two 4 x 4 ins. by 5 ft. wood posts in a mound of stones adjacent to the aluminum rod.

Thence N.47°33'40"E.

- 6. Power line, 2 wire, bears N.9°E. and S.9°W.
- 37. Road, 18 ft. wide, bears N.15°E. and S.15°W.
- 262. Power line, 4 wire, bears N. and S.
- 660.00 Cor. No. 2, identical with Cor. No. 1 of the Theresa Bea placer of this survey.

Set an aluminum rod, 3/4 in. diam., 30 ins. long, 23 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. NL-2, TB-1, Mineral Survey 4822; from which

Two 4 x 4 ins. by 5 ft. wood posts in a mound of stones adjacent to the aluminum rod.

Thence N.42°26'20"W.

- 47. Wash, 9 ft. wide, course N.73°W.
- 375. Road, 15 ft. wide, bears N. and S.
- 412. Power line, bears N. and S.
- 515. Power line, 2 wire, bears N.9°E. and S.9°W.

FEET	
570.	Road, 20 ft. wide, bears S.60°W. and N.60°E.
794.	Center of Antelope Creek, 36 ft. wide, course S.40°W.
885.	Brow of hill.
1,245.	Road, 6 ft. wide, bears S.20°W. and N.20°E.
1,320.00	Cor. No. 3, identical with Cor. No. 4 of the Theresa Bea placer of this survey.
	On line 1-2 Irish Indian placer of this survey.
	Set an aluminum rod, 3/4 in. diam., 30 ins. long, 10 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. NL-3, TB-4, Mineral Survey 4822; from which
	Two 4 x 4 ins. by 5 ft. white wood posts in a cemented mound of stones adjacent to the aluminum rod.
	Thence S.47°33'40"W.
165.	Wash, 4 ft. wide, course S.
507.	Road, 9 ft. wide, bears S.25°E. and N.25°W.
660.00	Cor. No. 4, identical with Cor. No. 1 of the Irish Indian placer of this survey.
	On line 3-4, M.S. No. 4799 RED TWISTER #2 placer.
	Set an aluminum rod, 3/4 in. diam., 30 ins. long, 22 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. NL-4, II-1 Mineral Survey 4822; from which
	A 4 x 4 ins. by 5 ft. white wood post in a mound of stones adjacent to the aluminum rod.
	Thence S.42°26'20"E.
230.	Trench, 3 ft. wide, 2 ft. deep, bears S.37°W., 50 ft. and N.37°E., 5 ft.
350.00	Cor. No. 4, M.S. No. 4799 RED TWISTER #2 placer, identical with Cor. No. 3, M.S. No. 4799 RED TWISTER #1 placer.
840.	Wash, 6 ft. wide, course S.25°E.
880.	Wash, 6 ft. wide, course E.
1,091.	Center of Antelope Creek, 40 ft. wide, course S.52°W.
1,245.	Brow of hill.

FEET	
1,320.00	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">THERESA BEA PLACER</p> <p>Beginning at Cor. No. 1 of the Theresa Bea placer, identical with Cor. No. 2 of the Nancy Lee placer of this survey; from which</p> <p style="padding-left: 40px;">The 1/4 cor. of secs. 25 and 36 bears S.2° 40'22"W., 1,138.11 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Thence N.47°33'40"E.</p>
287.	Wash, 6 ft. wide, course N.70°W.
382.	Telephone lines, bear N.2°E. and S.2°W.
660.00	<p>Cor. No. 2, identical with Cor. No. 1 of the Box Sliver placer of this survey.</p> <p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 23 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. TB-2, BS-1, Mineral Survey 4822; from which</p> <p style="padding-left: 40px;">Cor. No. 3, M.S. No. 1277 Lucky Johnnie lode, identical with Cor. No. 4, M.S. No. 1277 Katie lode, bears N.35°34'06"E., 239.14 ft. dist.</p> <p style="padding-left: 40px;">A 4 x 4 ins. by 5 ft. white wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="padding-left: 40px;">Thence N.42°26'20"W.</p>
37.	Wash, 3 ft. wide, course S.50°W.
283.	Telephone lines, bear N.2°E. and S.2°W.
790.	Power line, 2 wire, bears N.47°E. and S.47°W.
822.	Road, 15 ft. wide, bears N.57°E. and S.57°W.
851.71	Intersect line 2-3 BOX FRACTION placer of this survey.
1,045.14	Intersect line 1-2 BOX FRACTION placer of this survey.
1,066.	Center of Antelope Creek, 32 ft. wide, course S.30°W.
1,172.	Brow of hill.
1,212.	Road, 8 ft. wide, bears S.30°W. and N.30°E.
1,320.00	Cor. No. 3, identical with Cor. No. 4 of the Box Sliver placer and Cor. No. 2 of the Irish Indian placer, both of this survey.

FEET		
	<p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 23 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. TB-3, BS-4, II-2, Mineral Survey 4822; from which</p> <p>Two 4 x 4 ins. by 5 ft. white wood posts in a mound of stones adjacent to the aluminum rod.</p> <p>Thence S.47°33'40"W.</p>	
192.	Wash, 2 ft. wide, course S.40°E.	
560.	Road, 9 ft. wide, bears S.30°E. and N.30°W.	
660.00	Cor. No. 4, identical with Cor. No. 3 of the Nancy Lee placer of this survey.	
	Thence S.42°26'20"E.	
75.	Road, 6 ft. wide, bears S.20°W. and N.20°E.	
435.	Brow of hill.	
526.	Center of Antelope Creek, 36 ft. wide, course S.40°W.	
750.	Road, 20 ft. wide, bears S.60°W. and N.60°E.	
805.	Power line, 2 wire, bears N.9°E. and S.9°W.	
908.	Power line, bears N. and S.	
945.	Road, 15 ft. wide, bears N. and S.	
1,273.	Wash, 9 ft. wide, course N.73°W.	
1,320.00	Cor. No. 1, and place of beginning.	
BOX SLIVER PLACER		
	<p>Beginning at Cor. No. 1 of the Box Sliver placer, identical with Cor. No. 2 of the Theresa Bea placer of this survey; from which</p> <p>The 1/4 cor. of secs. 25 and 36, bears S.18° 50'57"W., 1,671.91 ft. dist., heretofore described.</p> <p>Thence N.47°33'40"E.</p>	
50.	Wash, 3 ft. wide, course S.50°W.	
134.36	Intersect line 3-4, M.S. No. 1277 Lucky Johnnie lode at a point from which Cor. No. 3 bears N.21°02'09"E., 111.27 ft. dist.	
	<p>Set a 1/2 in. diam. iron bar, 17 ins. long, 5 ins. in the ground, in a mound of stones with a 4 x 4 ins. by 5 ft. white post in a mound of stones alongside the iron bar.</p>	

FEET	
258.72	Theoretical intersection of line 2-3, M.S. No. 1277 Lucky Johnnie lode, identical with line 4-1, M.S. No. 1277 Katie lode. Cor. No. 2 Lucky Johnnie lode not recovered this survey.
660.00	<p>Cor. No. 2.</p> <p>Set an aluminum rod, 3/4 ins. diam., 30 ins. long, 23 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. BS-2, Mineral Survey 4822; from which</p> <p style="padding-left: 40px;">A 4 x 6 ins. by 5 ft. white wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence N.42°26'20"W.</p>
236.	Road, 10 ft. wide, bears S.50°W. and N.50°E.
260.63	<p>Intersect line 3-4, M.S. No. 1277 Katie lode at a point from which Cor. No. 4 bears S.21°11'34"W., 474.94 ft. dist.</p> <p>Set a 1/2 in. diam. iron bar, 17 ins. long, 16 ins. in the ground with a 4 x 4 ins. x 5 ft. wood post in a mound of stones alongside the iron bar.</p>
326.	Ridge, bears N.50°E. and S.50°W.
438.	Road, 10 ft. wide, bears N.50°E. and S.50°W.
563.	Road, 10 ft. wide, bears N.50°E. and S.50°W.
767.04	Intersect line 3-4 BOX FRACTION placer of this survey.
914.	Road, 15 ft. wide, bears N.30°E. and S.60°W.
970.	Telephone line, bears S.2°W. and N.2°E.
985.	Power line, 2 wire, bears S.28°W. and N.28°E.
1,035.	Road, 15 ft. wide bears N. and S.
1,155.51	Intersect line 1-2 BOX placer, identical to line 4-1 BOX FRACTION placer, both of this survey.
1,320.00	<p>Cor. No. 3</p> <p>Set an aluminum rod, 3/4 ins. diam., 30 ins. long, 15 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. BS-3, Mineral Survey 4822; from which</p> <p style="padding-left: 40px;">A 2 x 2 ins. by 5 ft. white wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence S.47°33'40"W.</p>

FEET	
5.	Center of road, 8 ft. wide, bears N. and S.
37.	Antelope Creek, 34 ft. wide, course S.15°E.
150.	Road, 10 ft. wide, bears S.10°E. and N.40°W.
160.56	Intersect line 1-2 BOX placer, identical to line 4-1 BOX FRACTION placer, both of this survey.
300.	Cross NW corner of water pond.
378.42	Intersect line 1-2 BOX FRACTION placer of this survey.
420.	Road, 10 ft. wide, bears N.14°E. and S.14°W.
450.	Road, 10 ft. wide, bears N.40°W. and S.40°E.
660.00	Cor. No. 4, identical with Cor. No. 3 of the Theresa Bea placer and Cor. No. 2 of the Irish Indian placer, both of this survey. Thence S.42°26'20"E.
108.	Road, 8 ft. wide, bears S.30°W. and N.30°E.
148.	Brow of hill.
254.	Center of Antelope Creek, 32 ft. wide, course S.30°W.
274.86	Intersect line 1-2 BOX FRACTION placer of this survey.
468.29	Intersect line 2-3 BOX FRACTION placer of this survey.
498.	Road, 15 ft. wide, bears N.57°E. and S.57°W.
530.	Power line, 2 wire, bears N.47°E. and S.47°W.
1,037.	Telephone line, bears N.2°E. and S.2°W.
1,283.	Wash, 3 ft. wide, course S.50°W.
1,320.00	Cor. No. 1, and place of beginning.
IRISH INDIAN PLACER	
Beginning at Cor. No. 1 of the Irish Indian placer, identical with Cor. No. 4 of the Nancy Lee placer of this survey; from which	
The 1/4 cor. of secs. 25 and 36 bears S.38° 29'46"E., 2,128.24 ft. dist., heretofore described.	
Thence N.47°33'40"E.	
153.	Road, 9 ft. wide, bears S.25°E. and N.25°W.
495.	Wash, 4 ft. wide, course South.

FEET	
660.00	Cor. No. 3 Nancy Lee placer, identical with Cor. No. 4 Theresa Bea placer, both of this survey.
760.	Road, 9 ft. wide, bears S.30°E. and N.30°W.
1,128.	Wash, 2 ft. wide, course S.40°E.
1,320.00	Cor. No. 2, identical with Cor. No. 3 Theresa Bea placer and Cor. No. 4 Box Sliver placer, both of this survey.
	Thence N.42°26'20"W.
400.	Small ridge, bears N. and S.
658.	Wash, 3 ft. wide, course S.30°E.
660.00	<p>Cor. No. 3.</p> <p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 24 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. II-3, Mineral Survey 4822; from which</p> <p style="padding-left: 40px;">A 4 x 4 ins. by 7 ft. wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence S.47°33'40"W.</p>
355.	Wash, 3 ft. wide, course S.
423.	Wash, 5 ft. wide, course S.30°E.
712.	Wash, 3 ft. wide, course S.20°E.
1,225.	Road, 8 ft. wide, bears N.45°W. and S.45°E.
1,280.	Wash, 2 ft. wide, course S.30°E.
1,320.00	<p>Cor. No. 4.</p> <p>On line 3-4, M.S. No. 4799 RED TWISTER #2 placer at a point from which Cor. No. 3 bears N.42°26'20"W., 310.00 ft. dist.</p> <p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 25 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. II-4, Mineral Survey 4822; from which</p> <p style="padding-left: 40px;">A 4 x 4 ins. by 7 ft. wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence S.42°26'20"E.</p>
573.	Wash, 4 ft. wide, course S.20°W.
660.00	Cor. No. 1, and place of beginning.

FEET		
	BOX PLACER	
	At Cor. No. 1 of the BOX placer, identical with Cor. No. 1 of the BOX FRACTION placer of this survey.	
	Set an aluminum rod, 3/4 in. diam., 30 ins. long, 23 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. B-1, BF-1, Mineral Survey 4822; from which	
	The 1/4 cor. of secs. 25 and 36 bears S.2° 38'33"E., 2,905.15 ft. dist., heretofore described.	
	The 1/4 cor. of secs. 25 and 24, T.10 N., R.5 W., Gila and Salt River Mer. bears N.3°13'35"E., 2,378.61 ft. dist.; monumented with an iron post, 1 in. diam., 6 ins. above ground, firmly set, with a brass cap properly mkd. and with a 6 x 6 ins. by 5 ft. wood post in a mound of stones along side.	
	Cor. No. 3 Box Sliver placer of this survey bears N.69°45'36"E., 288.22 ft. dist.	
	Two 6 x 6 ins. by 5 ft. white wood posts in a mound of stones adjacent to the aluminum rod.	
	Thence S.86°44'49"E.	
135.	Road, 12 ft. wide, bears N.10°E. and S.10°W.	
152.18	Intersect line 3-4 Box Sliver placer of this survey.	
175.	Road, 10 ft. wide, bears N.10°W. and S.10°E.	
247.	Antelope Creek, 25 ft. wide, course S.20°E. and road, 12 ft. wide, bears N.45°E. and S.45°W.	
335.	Road, 12 ft. wide, bears N.20°W. and S.20°E.	
382.04	Intersect line 2-3 Box Sliver placer of this survey.	
450.	Road, 18 ft. wide, bears N. and S.	
520.	Power and telephone line, bears N. and S.	
660.00	Cor. No. 2, identical with Cor. No. 4 BOX FRACTION placer of this survey.	
	Set an aluminum rod, 3/4 in. diam., 30 ins. long, 26 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. B-2, BF-4, Mineral Survey 4822; from which	

FEET	
	<p>Cor. No. 3, M.S. 1277 Katie lode, bears N.66°39'33"E., 753.44 ft. dist.</p> <p>A 5/8 in. diam. iron pin marking the SW Cor. of the unsurveyed Fitzsimmons Dogpatch No. One lode, bears N.7°05'01"E., 20.67 ft. dist.</p> <p>Two 3 x 6 ins. by 5 ft. white wood posts in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence N.3°15'11"E.</p>
245.	Road, 20 ft. wide, bears N.80°E. and S.80°W.
400.	Road, 10 ft. wide, bears N.80°E. and S.80°W.
660.00	<p>Cor. No. 3</p> <p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 26 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. B-3, Mineral Survey 4822; from which</p> <p>A 4 x 4 ins. by 5 ft. wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence N.86°44'49"W.</p>
129.	Telephone lines, bear N. and S.
154.	Road, 10 ft. wide, bears N.10°W. and S.10°E.
248.	Road, 18 ft. wide, bears N.10°E. and S.10°W.
363.	Brow of hill.
392.	Center of Antelope Creek, 18 ft. wide, course S.
440.	Brow of hill.
554.	Road, 8 ft. wide, bears N.10°E. and S.10°W.
612.	Road, 8 ft. wide, bears N. and S.
660.00	<p>Cor. No. 4.</p> <p>Set an aluminum rod, 3/4 in. diam., 30 ins. long, 25 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. B-4, Mineral Survey 4822; from which</p> <p>A 4 x 4 ins. by 5 ft. wood post and a 6 x 6 ins. by 5 ft. wood post in a mound of stones adjacent to the aluminum rod.</p> <p style="text-align: center;">Thence S.3°15'11"W.</p>
463.	Road, 8 ft. wide, bears N.60°E. and S.60°W.

FEET	
600.	Wash, 5 ft. wide, course N.80°E.
600.00	Cor. No. 1, and place of beginning.
BOX FRACTION PLACER	
Beginning at Cor. No. 1 of the BOX FRACTION placer, identical with Cor. No. 1 of the BOX placer of this survey.	
Thence S.3°15'11" W.	
124.	Road, 10 ft. wide, bears N.50°E. and S.50°W.
155.90	Intersect line 3-4 Box Sliver placer of this survey.
510.	Center of Antelope Creek, 30 ft. wide, course S.20°W.
549.39	Intersect line 4-1 Box Sliver placer, identical with line 2-3 Theresa Bea placer, both of this survey.
760.00	Cor. No. 2.
Set an aluminum rod, 3/4 in. diam., 30 ins. long, 17 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. BF-2, Mineral Survey 4822; from which	
A 4 x 4 ins. by 5 ft. wood post in a mound of stones adjacent to the aluminum rod.	
Thence N.64°38'36"E.	
157.67	Intersect line 2-3 Theresa Bea placer, identical with line 4-1 Box Sliver placer, both of this survey.
250.	Road, 10 ft. wide, bears N. and S.
320.	Power line, 2 wire, bears N.27°E. and S.27°W.
330.	Road, 18 ft. wide, bears N.40°E. and S.40°W.
596.	Telephone line, bears N. and S.
751.80	Cor. No. 3.
Set an aluminum rod, 3/4 in. diam., 30 ins. long, 18 ins. in the ground, in a mound of stones, with an aluminum cap 3 1/4 ins. diam. firmly secured to the rod, mkd. BF-3, Mineral Survey 4822; from which	
A 4 x 5 ins. by 5 ft. wood post in a mound of stones adjacent to the aluminum rod.	
Thence N.3°15'11"E.	

FEET	
48.	Wash, 3 ft. wide, course W.
128.64	Intersect line 2-3 Box Sliver placer of this survey.
375.	Road, 10 ft. wide, bears N.80°E. and S.80°W.
400.00	Cor. No. 4, identical with Cor. No. 2 Box placer of this survey.
	Thence N.86°44'49"W.
140.	Power and telephone line, bears N. and S.
210.	Road, 18 ft. wide, bears N. and S.
277.96	Intersect line 2-3 Box Sliver placer of this survey.
325.	Road, 12 ft. wide, bears N.20°W. and S.20°E.
413.	Antelope Creek, 25 ft. wide, course S.20°E. and road, 12 ft. wide, bears N.45°E. and S.45°W.
485.	Road, 10 ft. wide bears N.10°W. and S.10°E.
507.82	Intersect line 3-4 Box Sliver placer of this survey.
525.	Road, 12 ft. wide, bears N.10°E. and S.10°W.
660.00	Cor. No. 1, and place of beginning.

Mineral Survey No. 4822

AREAS	Acres
Total area Nancy Lee placer -----	20.000
Total area Irish Indian placer --	20.000
Total area BOX placer -----	10.000
Total area BOX FRACTION placer --	8.788
Total area Box Sliver placer ---	20.000
Area in conflict with:	
M.S. No. 1277, Lucky Johnnie lode ---	0.071
M.S. No. 1277, Katie lode -----	1.502
BOX placer of this survey -----	0.303
BOX FRACTION placer of this survey --	7.315
Total area Theresa Bea placer ---	20.000
Area in conflict with:	
BOX FRACTION PLACER of this survey --	0.335

LOCATION

This survey is located in the E 1/2, W 1/2 and the W 1/2, E 1/2, Sec. 25, of T.10 N., R.5 W., Gila and Salt River Base and Meridian, Arizona.

The survey of the Nancy Lee, Theresa Bea, Box Sliver, Irish Indian, BOX and BOX FRACTION placers is identical with the respective locations or amended locations as marked on the ground.

FEET	EXPENDITURES
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of the placer locations embraced in said mining claims by the claimant or its grantors are as follows:</p>
No. 1	<p>A pit, 70 x 80 ft., average 12 ft. deep, the center of which bears N.56°55'W., 536 ft. from Cor. No. 2 Nancy Lee placer. Value, \$3,500</p>
No. 2	<p>Cut, the NW end of which bears S.82°14'W., 370 ft. from Cor. No. 2 Nancy Lee placer; 20 ft. wide, average 4 ft. deep, running S.40°E., 28 ft. to face. Value, \$1,000</p>
No. 3	<p>Dam across Antelope Creek, the center of which bears N.47°15'W., 778 ft. from Cor. No. 2 Nancy Lee placer, 50 ft. long, 15 ft. wide, average 3 ft. high. Value, \$ 200</p>
No. 1	<p>A pit, 70 x 85 ft., average 4 ft. deep, the center of which bears N.11°W., 532 ft. from Cor. No. 1 Theresa Bea placer; and an access road, 245 ft. in length, 12 ft. wide connecting this improvement to the main road. Value of cut and road, \$ 350</p>
No. 2	<p>A trench, the N end of which bears S.5°41'W., 260 ft. from Cor. No. 3 Theresa Bea placer; 4 ft. wide, 5 ft. deep, running S.32°W., 17 ft. Value, \$ 100</p>
No. 3	<p>A trench, the NW end of which bears S.7°W., 147 ft. from Cor. No. 3 Theresa Bea placer; 4 ft. wide, 5 ft. deep, running S.32°E., 15 ft. Value, \$ 90</p>
No. 4	<p>A trench, the NW end of which bears S.46°W., 103 ft. from Cor. No. 3 Theresa Bea placer; 4 ft. wide, 5 ft. deep, running S.42°E., 12 ft. Value, \$ 75</p>
No. 1	<p>A trench, the N end of which bears N.49°E., 176 ft. from Cor. No. 4 Box Sliver placer; 4 ft. wide, 6 ft. deep, running S.10°W., 14 ft. Value, \$ 100</p>
No. 1	<p>A pit, 90 x 135 ft., average 3 ft. deep, the center of which bears N.33°E., 705 ft. from Cor. No. 1 Irish Indian placer; the long axis of the pit bears N.34°E. and S.34°W. Value, \$1,000</p>
No. 2	<p>A pit, 20 ft. wide, average 4 ft. deep, the S end of which bears N.30°W., 190 ft. from Cor. No. 1 Irish Indian placer; running N.23°W., 75 ft. Value, \$ 400</p>

FEET	
No. 1	Cut, the W end of which bears N.62°E., 315 ft. from Cor. No. 1 BOX placer; 36 ft. wide at W end, running E. 20 ft. to 12 ft. face. Value, \$ 500
No. 2	Cut, the W end of which bears N.66°E., 305 ft. from Cor. No. 1 BOX placer; 20 ft. wide, running N.60°E., 20 ft. to 8 ft. face. Value, \$ 200
No. 3	Cleared area along ridge 100 x 200 ft., the center of which bears N.69°E., 440 ft. from Cor. No. 1 BOX placer. Value, \$ 200
No. 1	Trench, the S end of which bears N.41°E., 247 ft. from Cor. No. 2 BOX FRACTION placer; 4 ft. wide, 2 ft. deep, running N.30°E., 15 ft. Value, \$ 50
No. 2	Trench, the W end of which bears N.39°E., 288 ft. from Cor. No. 2 BOX FRACTION placer; 4 ft. wide, 7 ft. deep, running S.50°E., 15 ft. Value, \$ 125
No. 3	Bench, 75 x 200 ft., average 3 ft. deep cut into hillside, the center of which bears S.65°E., 350 ft. from Cor. No. 1 BOX FRACTION placer; the long axis bears N.5°E. and S.5°W. Value, \$ 850
	An interest in a common improvement described as follows:
	Water storage pond, 75 x 200 ft., average 10 ft. deep, lined with black plastic, bordered by a three-strand barbed wire fence and a road 10 ft. wide, the N end of pond bears S.38°E., 125 ft. from Cor. No. 1 BOX FRACTION placer; the long axis of pond runs S.10°W.
	Water well, 174 ft. deep provides water for the pond, bears S.81°53'E., 94 ft. from Cor. No. 1 BOX FRACTION placer.
	Value of pond and well, \$21,000 Value of one-sixth interest, \$3,500
	OTHER IMPROVEMENTS
	A trench, the N end of which bears S.43°40'E., 228 ft. from Cor. No. 4 Nancy Lee placer; 3 ft. wide, 2 ft. deep, running S.37°W., 55 ft. Claimant unknown
	A wood frame stucco house, 15 x 18 ft., the center of which bears N.53°50'W., 650 ft. from Cor. No. 2 Nancy Lee placer. Claimant herein
	A pit, 6 x 8 ft. by 10 ft. deep, the center of which bears N.38°W., 910 ft. from Cor. No. 1 Theresa Bea placer. Claimant unknown

FEET

A wood and fiberglass dome house, 24 ft. diam., the center of which bears S.42°40'W., 157 ft. from Cor. No. 4 BOX FRACTION placer.

Claimant herein

A wood frame house, 12 x 18 ft., the center of which bears S.38°W., 140 ft. from Cor. No. 3 BOX placer.

Claimant herein

A 46 ft. travel trailer, the N end of which bears S.35°30'W., 165 ft. from Cor. No. 3 BOX placer.

Claimant herein

A water well 200 ft. deep with pump in a 4 x 4 ft. shed, the center of which bears S.24°W., 220 ft. from Cor. No. 3 BOX placer.

Claimant herein

No portion of or interest in these improvements has been credited heretofore as patent expenditures to any placer claim.

OTHER CORNER DESCRIPTIONS
and SUPPLEMENTAL DATA

M.S. No. 1277, Luckie Johnnie lode: The wood posts in a mound of stones marking Cor. Nos. 3 and 4 were destroyed. Found the two bearing rocks at each corner as described in the record and set a 1/2 in. diam. iron pin in the ground at the recorded dist. from the bearing rocks and raised a mound of stones alongside for Cor. Nos. 3 and 4. Line 3-4 was found to be S.21°02'09"W., 1,499.90 ft., instead of S.21°W., 1,500. ft. as approved.

M.S. No. 1277, Katie lode: Cor. No. 4 is identical with Cor. No. 3 Lucky Johnnie lode. The wood post in a mound of stones marking Cor. No. 3 was destroyed. Found the two bearing rocks as described in the record and set a 5/8 in. diam. iron pin in the ground at the recorded dist. from the bearing rocks and raised a mound of stones alongside for Cor. No. 3. Line 3-4 was found to be S.21°11'34"W., 1,486.92 ft. instead of S.20°48'W., 1,500. ft. as approved.

M.S. No. 4799, RED TWISTER #1 placer: Cor. Nos. 3 and 4 are monumented with a brass cap firmly secured to a 3/4 in. diam. iron pipe properly mkd. Line 3-4 is correct as approved.

M.S. No. 4799, RED TWISTER #2 placer: Cor. No. 4 is identical with Cor. No. 3 RED TWISTER #1 placer. Cor. No. 3 is monumented with a brass cap firmly secured to a 3/4 in. iron pipe, properly mkd. Line 3-4 is correct as approved.

FIELD ASSISTANTS

Name	Capacity
Bill Troutman	Instrumentman
Frank Troutman	Chainman
David Adams	Chainman

FEET

DESCRIPTIVE REPORT

Soil is decomposed granite containing some clay. In the vicinity of Antelope Creek, soil is typical alluvium with aggregate of granite ranging in size to 2 ft. diameter. Natural vegetative ground cover is primarily cat claw, mesquite, various cacti and some grass. An occasional cottonwood tree is located in the bottom of washes.

Antelope Creek crosses the BOX, BOX FRACTION, Box Sliver, Theresa Bea and Nancy Lee placers. During the course of the survey Antelope Creek flowed continuously.

No underground workings were noted. The only surface working found was a trench 3 ft. wide, 2 ft. deep, 55 ft. in length located SE 230 ft. dist. from Cor. No. 4, Nancy Lee placer and a pit 6 x 8 ft., 10 ft. deep, located N.38° W., 910 ft. from Cor. No. 1, Theresa Bea placer.

The nearest community is Congress located about 12 miles westerly.

There are no well-known lode deposits in the vicinity.

Alluvium deposits are available in quantity for placer operations in the vicinity of Antelope Creek. During the course of this survey adequate surface water flows were available for small scale placer operations.

There are no known mines, salt licks, salt springs or mill sites located on the BOX, BOX FRACTION, Box Sliver, Theresa Bea, Nancy Lee and Irish Indian placers.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR


Name of Mineral Surveyor Robert E. Adams	Date July 9, 1981
---	----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated 3/31/81, amended 7/1/81, 1981, I have carefully executed the survey of the claim of PROAZ Resources Corp. known as the (lode, placer, or mill site) **** see below** situated in Section 25, Township 10 N., Range 5 W, Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4822, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Placer location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.


**** Nancy Lee, Theresa Bea, Box Sliver, Irish Indian, BOX and BOX FRACTION Placers**

Phoenix, Arizona (Location)	 (Signature of Mineral Surveyor)
--------------------------------	---

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date January 14, 1982

The foregoing field notes of mineral survey number 4822, in Section 25, Range 5 West, Gila & Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 10 North, executed by Robert E. Adams, Mineral Surveyor, under order dated July 1, 1981, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 James P. Kelley (Authorized Signature)	Chief, Branch of Cadastral Survey (Title)
---	--

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY

REPORT OF THE
COMMISSION ON THE ORGANIZATION
OF THE DIVISION OF THE PHYSICAL SCIENCES
AND THE DEPARTMENT OF CHEMISTRY
AT THE UNIVERSITY OF CHICAGO
FOR THE YEAR 1961-1962

1962

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 4822

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Irish Indian placer, Nancy Lee placer and Theresa Bea placer, Mineral Survey No. M.S. 4822, located in section 25, Township 10 North, Range 5 West, Gila and Salt River Meridian, Arizona, are hereby cancelled.

These claims have not filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation is necessary to facilitate lotting in the preparation of a resurvey plat and to simplify the record in section 25, Township 10 North, Range 5 West.

The Mineral Survey Plat should be noted as follows:

"Irish Indian placer, Nancy Lee placer and Theresa Bea placer, M.S. 4822 were canceled February 4, 1991, by memo 9605 (942), M.S. 4822, which is now a part of the original field notes."

February 4, 1991

Date

Dean E. Mac Donald
Acting Chief Cadastral Surveyor of Arizona

