

Form 3860-10  
(October 1979)  
(formerly 3400-11)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number  
4847

State  
Arizona

Land District  
Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Congress Consolidated Gold Mining Corp.  
4141 N.W. Expressway  
Oklahoma City, OK 73116

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
JAQUAYS No. 9	10-22-57	1-14-64 6-22-73
JAQUAYS No. 20	6-22-73	
JAQUAYS No. 21	6-22-73	

Mining district Weaver			County Yavapai	
Section 14 & 15	Township 10 North	Range 6 West	Meridian Gila & Salt River	Survey under order dated 12/7/81
Survey commenced 12/15/81		Survey completed 6/1/83	Name of Mineral Surveyor Harvey W. Smith	

1984

1985-1986

1987-1988

... ..  
... ..  
... ..

EX-SS-0  
EX-SS-0

EX-SS-0

EX-SS-0

1989-1990

EX-SS-0

EX-SS-0

EX-SS-0

EX-SS-0

EX-SS-0

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian determined by the following observation:

May 17, 1983, at Cor. No. 1 of the JAQUAYS No. 20 lode, in latitude  $34^{\circ}12'57.4''N$ . and longitude  $112^{\circ}49'55.7''W$ ., elevation 3,343 ft. above sea level, and temperature  $65^{\circ}F$ ., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle right from a reference point about 1,500 ft. southeastward to the sun.

Mean time of observation,  
105th meridian standard  
time =  $8^h13^m40^s$  a.m.

Declination of sun at mean  
time of observation =  $19^{\circ}17'35.3''N$ .

Mean observed vertical  
angle to sun's center =  $32^{\circ}09'58''$

Mean horizontal angle from  
reference point clockwise  
to sun's center =  $312^{\circ}08'50''$

True bearing to reference  
point =  $S.44^{\circ}42'10''E$ .

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared to an Invar standard tape at the beginning of the survey and found to be correct. In addition to the steel tape, a K & E Autoranger infrared distance measuring unit was used to measure some of the lines. Its accuracy was checked against a line measured with the foregoing steel tape and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $14^{\circ}30'E$ .

Mineral Survey No. 4847

FEET

## JAQUAYS No. 9 LODE

At Cor. No. 1 of the JAQUAYS No. 9 lode, identical with Cor. No. 4, M.S. No. 4655 B and M lode, Cor. No. 1 of the JAQUAYS No. 20 lode and Cor. No. 1 of the JAQUAYS No. 21 lode, both of this survey.

Fd. an iron post, 3/4 in. diam., 16 ins. above ground, firmly set, with a brass cap firmly secured to the iron post, mkd. M.S. 4655 B & M 4 X; to which I add mks. J.9 1 J.20 1 J.21 1 U.S.M.S. 4847; from which

The 1/4 sec. cor. of secs. 14 and 15, T.10 N., R.6 W., G.& S.R.M. bears N.29°17' 07"E., 45.8 ft. dist., monumented with an iron post, 1 in. diam., 12 ins. above ground, firmly set, with a brass cap properly mkd.

Cor. No. 1, M.S. No. 2488 Omaha lode, identical with Cor. No. 4, M.S. No. 3523 Planet Mier lode bears N.79°12'11"W., 721.72 ft. dist.

A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.

No local bearing objects or bearing trees available.

Thence N.43°50'20"E.

10. Center of unimproved dirt road, 12 ft. wide, bears N.45°W. and S.45°E.
160. Left bank of local drainage, 30 ft. wide, course S.10°E.
- 300.00 Lode line; discovery point bears S.44°42'10"E., 1,100.00 ft. dist.
- 600.00 Cor. No. 2, identical with Cor. No. 4 of the JAQUAYS No. 21 lode of this survey.
- Set an iron post, 30 ins. long, 3/4 in. diam., 18 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X J.9 2 J.21 4 U.S.M.S. 4847; from which
- A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.
- No local bearing objects or bearing trees available.
- Thence S.44°42'10"E.
50. Right bank of local drainage, 20 ft. wide, course S.15°W.
- 1,167.07 Intersect line 3-4, M.S. No. 4604 JAQUAYS No. 5 lode, at a point from which Cor. No. 3 bears S.43°44'45"W., 338.61 ft. dist.

FEET	
1,500.00	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 4783 Congress Extension No. 20 lode.</p> <p>Fd. an iron post, 3/4 in. diam., 16 ins. above ground, firmly set, with a brass cap firmly secured to the iron post, mkd. X C.E. 20 3 U.S.M.S. 4783; to which I add mks. J.9 3 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S.43°50'20"W.</p>
174.53	<p>Intersect line 2-3, M.S. No. 4604 JAQUAYS No. 5 lode, at a point from which Cor. No. 3 bears N.71°15'15"W., 366.91 ft. dist.</p>
300.00	<p>Lode line; discovery point bears N.44°42'10"W., 400.00 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 2, M.S. No. 4783 Congress Extension No. 20 lode; Cor. No. 5, M.S. No. 882 Why Not lode; and Cor. No. 1, M.S. No. 4655 B and M lode.</p> <p>Fd. an iron post, 3/4 in. diam., 16 ins. above ground, with a brass cap, 2 ins. diam., firmly set and properly mkd., to which I add mks. J.9 4 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">Cor. No. 3, M.S. No. 4604 JAQUAYS No. 5 lode bears N.7°04'43"W., 428.06 ft. dist.</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.44°42'10"W.</p>
930.	<p>Left bank of local drainage, 25 ft. wide, course S.10°W.</p>
1,095.	<p>Center of unimproved dirt road, 12 ft. wide, bears N.8°E. and S.8°W.</p>
1,500.00	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p style="text-align: center;">JAQUAYS No. 20 LODE</p> <p>Beginning at Cor. No. 1 of the JAQUAYS No. 20 lode, identical with Cor. No. 1 of the JAQUAYS No. 21 lode, Cor. No. 1 of the JAQUAYS No. 9 lode, both of this survey, and Cor. No. 4, M.S. No. 4655 B and M lode.</p> <p style="text-align: center;">Thence S.43°50'20"W.</p>
300.00	<p>Lode line; discovery point bears N.44°42'10"W., 50.00 ft. dist.</p>

FEET	
600.00	<p>Cor. No. 2, identical with Cor. No. 3, M.S. No. 4655 B and M lode.</p> <p>Fd. an iron post, 3/4 in. diam., 16 ins. above ground, firmly set, with a brass cap, firmly secured to the iron post, properly mkd., to which I add mks. J.20 2 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.44°42'10"W.</p>
591.73	<p>Intersect line 4-1, M.S. No. 2488 Omaha lode, at a point from which Cor. No. 1, identical with Cor. No. 4, M.S. No. 3523 Planet Mier lode, bears N.39°49'E., 191.90 ft. dist.</p>
934.81	<p>Intersect line 1-2, M.S. No. 2488 Omaha lode, common with line 3-4, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 1, identical with Cor. No. 4 of the Planet Mier lode, bears S.75°10'E., 376.77 ft. dist.</p>
1,500.00	<p>Cor. No. 3.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 18 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X J.20 3 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N.43°50'20"E.</p>
30.	<p>Right bank of local drainage, 6 ft. wide, course S.75°E.</p>
233.49	<p>Intersect line 1-2, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 1 bears S.75°10'E., 865.52 ft. dist.</p>
300.00	<p>Lode line; discovery point bears S.44°42'10"E., 1,450.00 ft. dist.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 2 of the JAQUAYS No. 21 lode of this survey</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 18 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X J.20 4 J.21 2 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p>

FEET	
	No local bearing objects or bearing trees available.
	Thence S.44°42'10"E.
632.24	Intersect line 1-2, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 1 bears S.75°10'E., 142.84 ft. dist.
777.91	Intersect line 4-1, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 4, identical with Cor. No. 1, M.S. No. 2488 OMAHA lode bears S.28°W., 428.15 ft. dist.
785.	Center of unimproved dirt road, 30 ft. wide, bears N.35°E. and S.35°W.
884.	Left bank of local drainage, 12 ft. wide, course East and West.
1,000.	Center of unimproved dirt road, 12 ft. wide, bears N.70°E. and S.70°W.
1,400.	Center of unimproved dirt road, 12 ft. wide, bears N.85°W. and S.85°E.
1,500.00	Cor. No. 1, and place of beginning.
JAQUAYS No. 21 LODE	
Beginning at Cor. No. 1 of the JAQUAYS No. 21 lode, identical with Cor. No. 1 of the JAQUAYS No. 9 lode of this survey, Cor. No. 4, M.S. No. 4655 B and M lode and Cor. No. 1 of the JAQUAYS No. 20 lode of this survey.	
Thence N.44°42'10"W.	
100.	Center of unimproved dirt road, 12 ft. wide, bears N.85°W. and S.85°E.
500.	Center of unimproved dirt road, 12 ft. wide, bears N.70°E. and S.70°W.
604.	Right bank of local drainage, 12 ft. wide, course East and West.
715.	Center of unimproved dirt road, 12 ft. wide, bears N.35°E. and S.35°W.
722.09	Intersect line 4-1, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 1 bears N.28°E., 75.85 ft. dist.
867.76	Intersect line 1-2, M.S. No. 3523 Planet Mier lode, at a point from which Cor. No. 1 bears S.75°10'E., 142.84 ft. dist.
1,500.00	Cor. No. 2, identical with Cor. No. 4 of the JAQUAYS No. 20 lode.
Thence N.43°50'20"E.	
300.00	Lode line; discovery point bears S.44°42'10"E., 1,450.00 ft. dist.

(This form bound on left side)

FEET	
600.00	<p>Cor. No. 3.</p> <p>Set an iron post, 30 ins. long, 3/4 in. diam., 18 ins. in the ground, in a concrete and rock base, with a brass cap firmly secured to the iron post, mkd. X J.21 3 U.S.M.S. 4847; from which</p> <p style="padding-left: 40px;">A wood post, 4 x 4 ins. in size, 4 ft. above ground, sets adjacent to the iron post.</p> <p>No local bearing objects or bearing trees available.</p> <p style="padding-left: 40px;">Thence S.44°42'10"E.</p>
400.	Right bank of local drainage, 6 ft. wide, course S.10°E.
430.	Left bank of local drainage, 6 ft. wide, course N.75°E.
520.	Enter local drainage, 8 ft. wide, course S.45°E.
585.	Leave local drainage, 8 ft. wide, course East and West.
790.	Enter local drainage, 30 ft. wide, course S.45°E.
910.	Leave local drainage, 30 ft. wide, course S.50°W.
1,500.00	<p>Cor. No. 4, identical with Cor. No. 2 of the JAQUAYS No. 9 lode.</p> <p style="padding-left: 40px;">Thence S.43°50'20"W.</p>
300.00	Lode line; discovery point bears N.44°42'10"W., 50.00 ft. dist.
410.	Left bank of local drainage, 30 ft. wide, course S.10°E.
540.	Center of unimproved dirt road, 12 ft. wide, bears N.45°E. and S.45°W.
600.00	Cor. No. 1, and place of beginning.
	AREAS
	Acres
	Total area, JAQUAYS No. 9 lode ---- 20.655
	Area in conflict with:
	M.S. No. 4604, JAQUAYS NO. 5 lode ----- 1.959
	Total area, JAQUAYS No. 20 lode ---- 20.655
	Area in conflict with:
	M.S. No. 2488, OMAHA lode ----- 0.752
	M.S. No. 3523, Planet Mier lode ----- 8.391
	Total area, JAQUAYS No. 21 lode ---- 20.655
	Area in conflict with:
	M.S. No. 3523, Planet Mier lode ----- 0.121



FEET	LOCATION
	<p>This survey is located in the NE 1/4 &amp; SE 1/4 sec. 15, and the NW 1/4 &amp; SW 1/4 sec. 14, T.10 N., R.6 W., G.&amp; S.R.M. The survey of the JAQUAYS Nos. 9, 20 and 21 lodes is identical with the location or amended location as marked on the ground.</p>
	<p>EXPENDITURES</p>
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>
No. 1	<p>The discovery point of the JAQUAYS No. 9 lode is on the lode line, 400. ft. from a point on line 3-4, 300.00 ft. from Cor. No. 3, a post and notice. Value, None</p>
No. 2	<p>A drill hole, No. MC-5, bears N.32°23'W., 1,196. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 593 ft. deep. Value, \$20,755.00</p>
No. 3	<p>A drill hole, No. MC-17, bears N.34°03'W., 974. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 521 ft. deep. Value, \$18,235.00</p>
No. 4	<p>A drill hole, No. MC-18 bears N.21°38'W., 1,018. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 903 ft. deep. Value, \$31,605.00</p>
No. 5	<p>A drill hole, No. MC-A, bears N.39°45'W., 915. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 378 ft. deep. Value, \$5,169.50</p>
No. 6	<p>A drill hole, No. MC-B, bears N.36°43'W., 1,074. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 472 ft. deep. Value, \$6,603.00</p>
No. 7	<p>A drill hole, No. MC-C, bears N.30°17'W., 1,044. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 672 ft. deep. Value, \$11,276.50</p>
No. 8	<p>A drill hole, No. MC-D, bears N.28°53'W., 962. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 574 ft. deep. Value, \$7,846.00</p>
No. 9	<p>A drill hole, No. MC-E, bears N.33°23'W., 1,150. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 580 ft. deep. Value, \$6,670.00</p>

FEET	
No. 10	A drill hole, No. MC-I, bears N.43°23'W., 1,075. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 354 ft. deep. Value, \$5,222.50
No. 11	A drill hole, No. MC-M, bears N.32°19'W., 895. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 502 ft. deep. Value, \$7,112.50
No. 12	A drill hole, No. MC-O, bears N.30°10'W., 805. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 474 ft. deep. Value, \$6,344.00
No. 13	A drill hole, No. MC-P, bears N.35°07'W., 719. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 612 ft. deep. Value, \$8,847.50
No. 14	A drill hole, No. MC-Q, bears N.25°21'W., 722. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 552 ft. deep. Value, \$8,627.50
No. 15	A drill hole, No. MC-R, bears N.39°03'W., 621. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 531 ft. deep. Value, \$7,399.00
No. 16	A drill hole, No. MC-S, bears N.42°23'W., 751. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 342 ft. deep. Value, \$5,648.50
No. 17	A drill hole, No. MC-T, bears N.25°53'W., 623. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 563 ft. deep. Value, \$5,810.00
No. 18	A drill hole, No. MC-U, bears N.33°22'W., 517. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 418 ft. deep. Value, \$5,794.00
No. 19	A drill hole, No. MC-W, bears N.17°46'W., 182. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 463 ft. deep. Value, \$7,134.00
No. 20	A drill hole, No. MC-X, bears N.23°42'W., 288. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 461 ft. deep. Value, \$6,829.00
No. 21	A drill hole, No. MC-Y, bears N.40°47'W., 1,451. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 462 ft. deep. Value, \$6,300.00
No. 22	A drill hole, No. MC-MM bears N.37°30'W., 1,223. ft. from Cor. No. 4 JAQUAYS No. 9 lode; 5 1/2 ins. diam. and NQ in size, 488 ft. deep. Value, \$6,129.00

No. <sup>FEET</sup> 1	<p>The discovery point of the JAQUAYS No. 20 lode is on the lode line, 50. ft. from a point on line 1-2, 300.00 ft. from Cor. No. 1, a post and notice.                      Value, None</p>
No. 2	<p>A drill hole, No. MC-DD bears S.70°02'W., 111. ft. from Cor. No. 1 JAQUAYS No. 20 lode; 5 1/2 ins. diam. and NQ in size, 330 ft. deep.                      Value, \$11,550.00</p>
No. 1	<p>The discovery point of the JAQUAYS No. 21 lode is on the lode line, 50. ft. from a point on line 4-1, 300.00 ft. from Cor. No. 4, a post and notice.                      Value, None</p>
No. 2	<p>A drill hole, No. MC-BB, bears N.25°06'W., 61. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 429 ft. deep.                      Value, \$15,015.00</p>
No. 3	<p>A drill hole, No. MC-CC, bears N.20°16'W., 138. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 488 ft. deep.                      Value, \$6,740.00</p>
No. 4	<p>A drill hole, No. MC-EE, bears N.36°41'W., 157. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 482 ft. deep.                      Value, \$16,870.00</p>
No. 5	<p>A drill hole, No. MC-HH, bears N.41°07'W., 255. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 482 ft. deep.                      Value, \$8,175.00</p>
No. 6	<p>A drill hole, No. MC-II, bears N.43°W., 355. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 462 ft. deep.                      Value, \$7,451.50</p>
No. 7	<p>A drill hole, No. MC-JJ, bears N.18°50'W., 285. ft. from Cor. No. 1 JAQUAYS No. 21 lode; 5 1/2 ins. diam. and NQ in size, 500 ft. deep.                      Value, \$5,750.00</p>
OTHER IMPROVEMENTS	
None	
OTHER CORNER DESCRIPTIONS and SUPPLEMENTAL DATA	
<p>M.S. No. 882, Why Not lode: Cor. No. 5, identical with Cor. No. 1, M.S. No. 4655 B and M lode; Cor. No. 4 of the JAQUAYS No. 9 lode of this survey; and Cor. No. 2, M.S. No. 4783 Congress Extension No. 20 lode, described above.                      M.S. No. 2488, OMAHA lode: The point for Cor. No. 1, identical with Cor. No. 4, M.S. No. 3523 Planet Mier lode was calculated from a bearing rock tie. Cor. No. 2, identical with Cor. No. 3, M.S. No. 3523 Planet Mier lode, could not be found. Cor. No. 4 is a stone 6 x</p>	

FEET

18 ins., 12 ins. above ground, firmly set, properly mkd. Line 1-2, common with line 3-4, M.S. No. 3523 Planet Mier lode is shown as approved. Line 4-1 was found to be N.39°49'E., 606.47 ft. instead of N.40° 15'E., 600.00 ft. as approved. The tie from Cor. No. 1 to the 1/4 sec. cor. of secs. 14 & 15 was found to be S.82°34'47"E., 737.51 ft. instead of S.82°34'E., 739.00 ft. as approved.

M.S. No. 3523 Planet Mier lode: Cors. Nos. 1 and 2 could not be found. Cor. No. 3, identical with Cor. No. 2, M.S. No. 2488 OMAHA lode, described above. Cor. No. 4, identical with Cor. No. 1, M.S. No. 2488 OMAHA lode, described above. Line 1-2 is shown as approved. Line 3-4, common with line 1-2, M.S. No. 2488 OMAHA lode, described above. Line 4-1 is shown as approved.

M.S. No. 4604 Jaquays No. 5 lode: Cors. Nos. 2, 3 and 4 are monumented with 3/4 in. iron pipe with a brass cap, 12 ins. above ground, firmly set, properly mkd. Lines 2-3 and 3-4 are correct as approved.

M.S. No. 4655 B and M lode: Cor. No. 1, identical with Cor. No. 4 of the JAQUAYS No. 9 lode of this survey; Cor. No. 2, M.S. No. 4783 Congress Extension No. 20 lode and Cor. No. 5, M.S. No. 882 Why Not lode, described above. Cor. No. 3, identical with Cor. No. 2 of the JAQUAYS No. 20 lode of this survey, described above. Cor. No. 4, identical with Cor. No. 1 of the JAQUAYS No. 20 lode, Cor. No. 1 of the JAQUAYS No. 21 lode and Cor. No. 1 of the JAQUAYS No. 9 lode, all of this survey, described above. Line 3-4, common with line 1-2 JAQUAYS No. 20 lode of this survey, described above. Line 4-1, common with line 4-1 JAQUAYS No. 9 lode of this survey, described above.

M.S. No. 4783 Congress Extension No. 20 lode: Cor. No. 2, identical with Cor. No. 5, M.S. No. 822 Why Not lode; Cor. No. 1, M.S. No. 4655 B and M lode; and Cor. No. 4 of the JAQUAYS No. 9 lode of this survey, described above. Cor. No. 3, identical with Cor. No. 3 of the JAQUAYS No. 9 lode of this survey, described above. Line 2-3, common with line 3-4 JAQUAYS No. 9 lode of this survey, described above.

## MEMORANDUM

None

## FIELD ASSISTANTS

Name	Capacity
Kent Miller	Assistant Instrumentman
Joe Nachtigall	Rodman-Chainman

Form 3860-7  
(November 1976)  
(formerly 3400-8)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Harvey W. Smith	Date Sep. 13, 1984
---	-----------------------


I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated December 7, 1981, I have carefully executed the survey of the claim of Congress Consolidated Gold Mining Corp. known as the (lode, placer, or mill site) JAQUAYS Nos. 9, 20 and 21 lodes situated in Secs. 14 & 15, Township 10 N., Range 6 W., Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4847, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) JAQUAYS Nos. 9, 20 and 21 lodes location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona

(Location)




(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date NOV 06 1986

The foregoing field notes of mineral survey number 4847, in west 1/2 of section 14 and east 1/2 of section 15, surveyed  unsurveyed Township 10 N., Range 6 W., Gila and Salt River Meridian, in the State of Arizona, executed by Harvey W. Smith, Mineral Surveyor, under order dated December 7, 1981, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.



(Authorized Signature)

Chief Cadastral Surveyor of Arizona

(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number 4847 is a true copy of the original field notes.

~~Chief Cadastral Surveyor of Arizona~~  
 (Authorized Signature) (Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF JUSTICE  
FEDERAL BUREAU OF INVESTIGATION  
WASHINGTON, D. C. 20535

MEMORANDUM FOR THE DIRECTOR, FBI  
FROM: SAC, [illegible]  
SUBJECT: [illegible]

[The following text is extremely faint and largely illegible due to the quality of the scan. It appears to be a memorandum detailing an investigation or report.]

[Faint text, possibly a signature or a section header.]

Arizona State Office  
Phoenix, Arizona  
NOV 6 9 1980

[Faint text, possibly a distribution list or a list of names.]

[Faint text, possibly a list of names or a distribution list.]